

Presented by

.....

.....*193*

22500172381

FOR OFFICIAL USE.

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1920.

DUBLIN :
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN ;
or from H.M. STATIONERY OFFICE at the following addresses :—
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C., 2, and 28, ABINGDON STREET, LONDON, S.W., 1 ;
37, PETER STREET, MANCHESTER ; 1, ST. ANDREW'S CRESCENT, CARDIFF ;
23, FORTH STREET, EDINBURGH.

1921.

Price 2d. Net.

12·8 ; Lurgan, 14·3 ; Sligo, 14·8 ; Galway, 14·9 ; Ballymena, 15·1 ; Drogheda, 15·1; Lisburn, 15·3 ; Wexford, 15·3 ; Portadown, 15·4 ; Londonderry, 15·5 ; Kilkenny, 15·8 ; Waterford, 16·4 ; Limerick, 16·8 ; Cork, 17·5 ; Belfast, 17·5 ; and Newry, 19·7.

The number of deaths among civilians in London during the year 1920 (52 weeks) was 56,038, being equal to a rate of 12·4 in every 1,000 of the estimated civil population ; in Glasgow, the total deaths numbered 16,634 being equal to 14·9 per 1,000 of the estimated total population ; and in Edinburgh, 4,400 or 12·9 in every 1,000.

PUBLIC INSTITUTIONS.—Of the 8,195 deaths registered in the Dublin Registration Area last year, 3,512, or 42·9 per cent., occurred in public institutions, viz :— 2,286 in the various hospitals, prisons, and lunatic asylums, 1,188 in the Dublin Union Workhouse, and 38 (those of persons admitted from the Dublin Registration Area in the Rathdown Union Workhouse.

DISEASES.

DUBLIN REGISTRATION AREA.—(See Tables IV. and V.)—The records of last year show that the total number of deaths from the principal epidemic diseases * registered in the Dublin Registration Area was 764. This number is equal to a rate of 1·84 per 1,000 of the estimated population.

ENTERIC FEVER.—Thirteen deaths from enteric fever were registered during the year, as compared with an average of 45 for the 10 years, 1910–19, the numbers for the three years, 1917–19, being 23, 29, and 16, respectively. There were 178 enteric fever patients treated in Dublin hospitals, and of these 155 were discharged, 10 died, and 13 remained under treatment at the end of the year.

TYPHUS.—To this cause 11 deaths were attributed, as against an average of 3 for the preceding 10 years, the highest number for any year of the latter period being 13 for 1913. Four of the 11 deaths belonged to the district of North City No. 1 West, 3 to South City No. 1, one to South City No. 2, two to South City No. 3, and one was that of a person admitted to hospital from without the Registration Area. Fifty-seven typhus patients were treated in hospitals during the year, 43 of these were discharged, 11 died, and 3 remained under treatment at its close.

SMALL-POX.—No death from this disease was registered.

MEASLES—There were 120 fatal cases of this disease, being equal to 0·29 per 1,000 of the estimated population, the average number for the ten years 1910–19 being 149.

During the latter period the mortality from measles was highest in the year 1914, when 386 deaths were registered, and lowest in 1910, the number of deaths in that year amounting to 20 only.

Of the 120 deaths, 43 belonged to North City districts, 57 to South City districts, 3 to Rathmines and Rathgar urban district, 6 to Pembroke, and 2 to Blackrock.

Among 644 measles patients under treatment in Dublin hospitals, 601 were discharged, 42 died, and one remained under treatment at the end of the year.

SCARLET FEVER.—Twenty-one deaths from scarlet fever were registered, as compared with 7, 19, and 29, respectively, in the three preceding years and an average of 38 for the 10 years, 1910–19. There were 818 cases under treatment in hospitals during the year 1920, and of these 727 were discharged, 18 died, and 73† cases remained under treatment at the close of the year.

WHOOPING-COUGH.—Not since the year 1897, during which 392 deaths were registered, has there been such a high annual mortality from whooping cough as in the year just ended, the number of deaths for this period amounting to 246, or 0·59 per 1,000 of the estimated population. This number is 135 above the average (111) for the preceding 10 years, the deaths during this decennium varying from 183 in 1911 to 26 in 1919. Of the 246 deaths referred to 60 were registered in the first quarter of the year, 137 in the second, 29 in the third, and 20 in the fourth. The increased mortality from whooping-cough is mainly due to the large number of fatal cases recorded during the second quarter, the number for which is no less than 104 above the average (32) for the corresponding quarter of the 10 years preceding, the average for the first quarter being 42, for the third, 18, and for the fourth, 19.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

† See Note (*), at foot of Table I.

The deaths from whooping-cough appertaining to North City districts numbered 120, or 0·72 per 1,000 of the estimated population, those belonging to South City districts amounted to 101, or 0·67 per 1,000, while the deaths recorded for the urban districts numbered 24 only, equivalent to 0·25 per 1,000 of the population.

As derived from Table V, it would appear that the rate of mortality for the several districts varied from 1·04 per 1,000 of the population for South City No. 4 to 0·0 for Blackrock Urban district. The deaths recorded for North City No. 1 West yielded a rate of 0·97 per 1,000, for North City No. 2, a rate of 0·85, for North City No. 1 East, 0·81, and for South City No. 3, a rate of 0·79. The deaths recorded for the above-named districts, arising out of 43 per cent. of the total population of the Registration Area numbered 160, or about 65 per cent of all the deaths from whooping-cough.

DIPHTHERIA.—There were 58 fatal cases of this disease, being 7 under the average (65) for the preceding 10 years, but above the numbers registered during the 4 years, 1916–19, viz. : 35, 36, 38, and 31, respectively.

Of the 58 deaths, 24 appertained to North City districts, 21 to South City districts, 3 to Rathmines and Rathgar urban district, 4 to Pembroke, and 6 deaths were those of non-residents.

The cases of the disease treated in Dublin hospitals numbered 456 of which 419 were admitted during the year, 358 were discharged, 58 died, and 40 remained under treatment at the close of the year.

DYSENTERY.—Eleven deaths from dysentery were registered, as compared with 21 in 1919, 5 in 1918, 11 in 1917, and an average of 8 for the 10 years ending with 1919.

DIARRHŒAL DISEASES.—To this group 284 deaths, including 274 deaths from diarrhœa and enteritis of children under 2 years of age, were assigned, the average number of such deaths of children during the period 1911–19, being 396. Of the 274 deaths, 44 belonged to North City No. 1 East district, 43 to North City No. 1 West, 27 to South City No. 4, and 41 to South City No. 1. A high mortality from whooping-cough has also been noted as regards the three first-named districts.

INFLUENZA.—There were 103 deaths (or 0·25 per 1,000 of the population) from this disease, as against 1,506 in 1918 and 912 in 1919, the average for the 10 years ending with the latter year being 309, but excluding the years of the great epidemics, the average for the remaining years of the decade is only 84.

Of the deaths in 1920, 35 appertained to North City districts, 21 to South City districts, 10 to Rathmines and Rathgar urban district, 12 to Pembroke, one to Blackrock, and 3 to Kingstown.

CEREBRO-SPINAL FEVER.—Eight deaths were attributed to this disease, as compared with 5, 8, and 6, respectively, in the three preceding years.

TUBERCULOSIS.

TABLE showing the Number of Deaths from all forms of Tuberculous Disease and Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1910–1920, with the respective rates per 1,000 of the population represented thereby ; also the averages for the years 1910–19.

Years. *	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1910	1,491	3·70	1,006	2·50
1911	1,451	3·59	1,052	2·60
1912	1,440	3·59	1,065	2·66
1913	1,444	3·59	1,070	2·66
1914	1,467	3·55	1,111	2·69
1915	1,543	3·78	1,193	2·92
1916	1,390	3·50	1,065	2·68
1917	1,371	3·43	1,058	2·65
1918	1,479	3·71	1,127	2·83
1919	1,282	3·11	927	2·25
Average 1910–1919	1,435	3·56	1,067	2·65
1920	1,085	2·62	796	1·92

* See Notes (*) and(†) on page ix.

TABLE III.—Showing by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the ten years, 1911–1920, and the proportion which the Deaths at each Age-Period bear to the estimated Population * at the same age.

Year.		Ages. All Ages.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
Census Population in 1911		397,957	8,917	31,996		70,937	80,218	124,528	58,889	16,879	5,593
Number of Deaths *Registered.*	Year 1911	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	Year 1913	8,657	1,758	434	310	359	441	1,426	1,996	1,159	774
	Year 1914†	9,175	1,653	613	506	386	423	1,426	2,130	1,203	835
	Year 1915	9,521	1,703	538	441	339	499	1,448	2,217	1,365	971
	Year 1916	8,721	1,472	416	355	367	556	1,451	1,977	1,241	886
	Year 1917	8,294	1,343	467	392	359	492	1,233	1,876	1,218	914
	Year 1918	10,202	1,386	508	585	586	949	2,092	2,052	1,201	843
	Year 1919†	9,293	1,400	336	316	407	603	1,634	2,249	1,338	1,010
	Year 1920	8,195	1,665	414	379	356	515	1,178	1,708	1,099	881
	1st Quarter, 1920	2,184	429	114	113	100	132	301	438	311	246
	2nd ,,	2,394	537	194	153	95	148	302	439	287	239
	3rd ,,	1,630	319	53	43	78	122	263	368	226	158
	4th ,,	1,987	380	53	70	83	113	312	463	275	238
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at Same Age.	Year 1911	22·6		73·3		5·6	5·4	11·3	31·9	65·5	143·2
	Year 1912	21·8		64·9		6·0	5·4	11·1	32·5	66·6	130·4
	Year 1913	21·5		60·4		5·0	5·4	11·3	33·5	67·8	136·7
	Year 1914	22·2		65·3		5·2	5·1	11·0	34·9	68·7	144·0
	Year 1915	23·3		63·8		4·6	6·1	11·3	36·6	78·7	168·9
	Year 1916	22·0		55·0		5·2	6·9	11·7	33·7	73·7	158·8
	Year 1917	20·8		53·7		5·0	6·1	9·9	31·8	72·0	163·0
	Year 1918	25·6		60·4		8·2	11·8	16·8	34·8	71·0	150·3
	Year 1919	22·6		48·5		5·5	7·3	12·7	36·9	76·6	174·6
	Year 1920	19·7		57·4		4·8	6·2	9·1	27·8	62·4	151·0

* See note (*) on page ix. † See note (†) on page ix.

INFANT MORTALITY.

Excluding 874 births and 71 deaths in Institutions of infants whose mothers were admitted from localities outside the Dublin Registration Area, the infant mortality rate for the year 1920 was 143 per 1,000 births, as against 141 per 1,000 births in 1919, and 149 per 1,000 births in 1918.

The infant mortality, as corrected, for each district of the Dublin Registration Area in 1920 is given in Table V. It will be seen from this table that the rate for the city was 152 per 1,000, the rates for the North and South City districts being respectively, 148 and 157 per 1,000. while for the urban districts the infant mortality rate was 101 per 1,000, the district rates varying from 181 for South City No. 1, 179 for North City No. 1. East, 166 for North City No. 2 to 48 for Finglas and Glasnevin, part of, 76 for Clontarf and Howth, No. 1, part of, and 77 for Coolock and Drumcondra, part of.

In 1919 the infant mortality rate for the City of Dublin was 152 per 1,000, the rates for the North and South City districts being, respectively, 140 and 166 per 1,000, and the rate for the urban districts was 94 per 1,000 births.

Basing the infant mortality rate on the total number of births and deaths of infants registered in the Dublin Registration Area, the rate for 1920 amounted to 138 per 1,000 births, as compared with 135 in 1919, 143 in 1918, 144 in 1917, 147 in 1916, 157 in 1915, and an average of 148 in every 1,000 births registered during the ten years, 1910–1919.

TABLE IV.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in the years 1910–1920, with the ratio of the Deaths to the population.

CAUSES OF DEATH.	NUMBER OF DEATHS REGISTERED.																Annual rate for each cause per 10,000 Persons living.	
	1910 (52 weeks).	1911 (52 weeks).	1912 (52 weeks).	1913 (52 weeks).	1914 (53 weeks.)†	1915 (52 weeks).	1916 (52 weeks).	1917 (52 weeks).	1918 (52 weeks).	1919 (53 weeks).†	Yearly Average. 1910–19,	1920					Yearly Average 1910–1919	1920 (52 weeks).
												TOTAL (52 weeks).	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.		
Enteric Fever	48	83	52	43	69	33	54	23	29	16	45	13	2	3	3	5	1·1	0·3
Typhus	5	4	3	13	2	3	2	.	.	.	3	11	.	3	.	8	0·1	0·3
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	20	207	280	29	386	118	91	229	98	35	149	120	26	86	7	1	3·7	2·9
Scarlet Fever	44	77	68	33	41	33	32	7	19	29	38	21	8	7	2	4	0·9	0·5
Whooping-cough	126	183	94	86	59	181	76	79	195	26	111	246	60	137	29	20	2·8	5·9
Diphtheria	64	101	110	90	77	64	35	36	38	31	65	58	16	13	10	19	1·6	1·4
Croup	.	5	3	4	3	6	5	9	5	2	4	3	.	2	.	1	0·1	0·1
Influenza	104	71	72	93	43	161	63	64	1,506	912	309	103	28	50	8	17	7·7	2·5
Dysentery	—	7	4	4	8	10	9	11	5	21	8	11	5	2	4	.	0·2	0·3
Tuberculosis — Pulmonary	1,006	1,052	1,065	1,070	1,111	1,193	1,065	1,058	1,127	927	1,067	796	190	219	198	189	26·5	19·2
Tuberculosis — Other Forms	485	399	375	374	356	350	325	313	352	355	368	289	94	68	67	60	9·1	7·0
Cancer	476	447	470	521	514	510	492	467	526	530	495	489	118	126	126	119	12·3	11·8
Diseases of — Nervous System	1,841	858	821	814	870	908	818	848	763	857	1,710	858	239	223	180	216	42·5	20·7
Diseases of — Circulatory System		874	874	824	935	944	867	784	775	823		775	217	195	162	201		18·7
Diseases of — Organs of Special Sense	9	13	15	15	13	16	8	11	13	13	13	9	2	3	3	1	0·3	0·2
Diseases of — Respiratory System — Pneumonia	647	603	806	622	687	701	595	597	1,149	948	735	799	241	321	82	155	18·3	19·2
Diseases of — Respiratory System — Others	1,185	1,042	1,160	978	1,127	1,340	1,081	1,072	1,045	1,264	1,129	1,021	314	298	153	256	28·0	24·6
Diseases of — Digestive System — Diarrhœa and Enteritis under 2 years	459	663	235	541	383	433	372	325	307	304	466	274	29	45	98	102	11·6	6·6
Diseases of — Digestive System — Diarrhœa 2 yrs. and upwards		62	15	34	12	13	13	24	16	25		10	1	4	3	2		0·2
Diseases of — Digestive System — Enteritis 2 yrs. and upwards.		70	35	39	45	44	53	48	41	48		44	8	9	11	16		1·1
Diseases of — Digestive System — Others	353	390	347	399	403	415	369	374	314	336	370	338	81	78	88	91	9·2	8·1
Diseases of — Genito-Urinary System	301	315	311	391	379	360	351	326	351	344	343	310	79	84	74	73	8·5	7·5
Puerperal Septicæmia, &c.	16	13	28	18	18	12	5	5	19	18	15	17	4	5	4	4	0·4	0·4
Other Causes incident to Pregnancy and Childbirth	18	23	21	32	29	31	34	20	29	29	27	39	14	9	7	9	0·7	0·9
Diseases of Skin and Cellular Tissue	16	46	53	56	65	67	55	52	63	44	52	54	19	14	11	10	1·3	1·3
Diseases of Locomotor System	10	17	13	18	8	11	16	13	11	24	14	22	2	4	6	10	0·3	0·5
Violent Deaths	220	222	185	204	225	228	595	201	211	159	245	240	49	47	48	96	6·1	5·8
Other Specified Causes	1,051	1,084	964	1,081	1,152	1,182	1,119	1,169	1,070	1,063	1,240	1,131	320	313	223	275	30·8	27·2
Ill-defined, &c., Causes		187	249	231	155	154	121	129	125	110		94	18	26	23	27		2·3
DEATHS FROM ALL CAUSES	8,504	9,118	8,728	8,657	9,175	9,521	8,721	8,294	10,202	9,293	9,021	8,195	2,184	2,394	1,630	1,987	224·1	197·5
Annual Death-rate per 1,000 of Pop*	21·1	22·6	21·8	21·5	22·2	23·3	22·0	20·8	25·6	22·6	22·4	19·7	21·1	23·1	15·7	19·2		
Mean Temperature of the Air (Fahr)	47·8	49·0	47·9	48·7	48·9*a*	47·0	48·4	47·3	48·6	47·2	48·1	48·1	43·6	51·2	55·3	46·2	.	.
Rainfall (in inches)	31·33	23·33	27·04	28·59	27·24*a*	34·85	40·87	29·53	29·36	26·66	29·88	33·74	8·35	7·48	7·99	9·92	.	.

* The rates for the years 1910–1917 and 1919 and 1920 are calculated on the population estimated to the middle of the respective years; those for 1918 on the estimated population in the middle of 1917.

† The numbers for the years 1914 and 1919 embrace the returns for 53 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year. (*a*) For 52 weeks only.

TABLE V.—Showing for the YEAR 1920 (52 weeks), the number of BIRTHS and DEATHS relating to the per 1,000 of the population of the respective Districts represented by the Deaths from all Causes, year old per 1,000 Births; with the Mortality from some of the principal causes; also the Deaths at *in Institutions have been assigned to the Districts containing the homes of the mothers, all other Deaths in*

REGISTRARS' DISTRICTS, &c.	POPULATION. ESTIMATED TO MIDDLE OF 1920.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		INFANT MORTALITY (DEATHS UNDER ONE YEAR PER 1,000 BIRTHS).	YEAR (52 WEEKS) ENDED									
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		TOTAL BIRTHS.	AGES AT DEATH.								
						TOTAL DEATHS.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65	65 and upwards.
North City.														
North City No. 1 E.	30,700	21·1	2·8	179	1,082	649	194	37	36	31	36	74	133	108
,, ,, No. 1 W.	42,100	21·4	2·6	160	1,329	900	213	46	51	43	56	117	165	209
,, ,, No. 2	28,200	19·3	1·8	166	830	545	138	40	39	23	34	64	100	107
,, ,, No. 3	35,000	17·7	1·8	133	946	621	126	33	32	25	33	93	131	148
CLONTARF AND HOWTH No. 1, part of...	5,600	12·7	0·5	76	119	71	9	2	3	2	4	15	13	23
COOLOCK AND DRUMCONDRA, part of...	13,900	13·2	1·1	77	323	183	25	6	7	8	9	23	51	54
FINGLAS AND GLASNEVIN, part of ...	11,400	11·7	0·8	48	208	133	10	3	5	4	7	22	39	43
South City.														
SOUTH CITY No. 1	44,100	19·9	2·2	181	1,173	879	212	58	33	35	42	106	190	203
,, ,, No. 2	18,600	20·5	1·9	136	500	381	68	21	20	18	24	43	84	103
,, ,, No. 3	44,400	20·2	1·7	157	1,341	899	211	60	52	52	51	132	161	180
,, ,, No. 4	33,600	19·9	2·7	153	950	668	145	55	36	30	39	88	119	156
NEW KILMAINHAM	10,600	13·7	1·7	115	287	145	33	6	7	9	10	22	28	30
Urban Districts.														
RATHMINES AND RATHGAR	40,400	13·9	0·7	89	757	562	67	17	20	16	30	57	130	225
PEMBROKE	30,200	16·3	1·2	117	751	492	88	17	16	20	24	63	107	157
BLACKROCK †	9,200	12·5	0·3	80	163	115	13	3	3	1	4	20	25	46
KINGSTOWN	17,000	15·6	0·4	105	400	266	42	4	2	5	14	40	57	102
Total City — **North**	166,900	18·6	2·0	148	4,837	3,102	715	167	173	136	179	408	632	692
Total City — **South**	151,300	19·6	2·1	157	4,251	2,972	669	200	148	144	166	391	582	672
Total City — **North and South**	318,200	19·1	2·1	152	9,088	6,074	1,384	367	321	280	345	799	1,214	1,364
Total Urban Districts	96,800	14·8	0·8	101	2,071	1,435	210	41	41	42	72	180	319	530
Total Registration Area	415,000	18·1	1·8	143	11,159	7,509	1,594	408	362	322	417	979	1,533	1,894
Births and Deaths relating to residents of localities situated outside the Dublin Registration Area (not included in above)					874	686	71	6	17	34	98	199	175	86

*See Note (*) on Page IV.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of

Residents of the several REGISTRAR'S DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate and by the Deaths from the principal Epidemic Diseases* and the Rate for Deaths of Infants under one certain age periods, and the number of Uncertified Deaths. *The Births and Deaths of Infants occurring Institutions having been referred to the Districts from which the deceased were admitted.*

1ST JANUARY, 1921.

DEATHS. CAUSED BY: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubefcu losis./ Pulmonary.	Tubefcu losis./ Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia	Diseases of Respiratory System. Other	Diarrhoea and Enteritis of Children under 2 years	Diarrhoea 2 years and upwards	Violence.	Other Causes	Inquest Cases.	In Institutions. Hospitals Prisons and Lunatic Asylums.	In Institutions. Workhouse Hospitals.	Number of Uncertified Deaths.	REGISTRARS' DISTRICTS, &c.
																						North City.
1	.	.	9	.	25	7	1	5	62	15	28	65	94	44	.	22	271	17	132	58	27	NORTH CITY No. 1 E.
2	4	.	12	.	41	5	1	5	81	42	39	90	121	43	2	18	394	17	218	140	21	„ „ No. 1 W.
.	.	.	5	.	24	5	1	12	50	20	20	70	71	14	2	14	237	13	115	79	18	„ „ No. 2.
1	.	.	12	5	22	3	.	5	77	16	31	63	82	18	2	13	271	7	150	106	21	„ „ No. 3.
.	.	.	.	.	2	.	.	1	7	.	9	6	5	.	1	2	38	1	20	4	1	CLONTARF AND HOWTH No. 1, part of.
1	.	.	5	.	3	2	.	4	20	3	15	18	14	4	.	2	92	3	50	6	6	COOLOCK AND DRUMCONDRA, part of.
.	.	.	.	1	3	2	.	3	14	3	16	10	12	3	.	6	60	6	33	7	7	FINGLAS AND GLASNEVIN, part of.
																						South City.
2	3	.	16	3	21	10	.	6	81	31	46	89	125	41	.	15	390	14	158	255	14	SOUTH CITY No. 1.
2	1	.	8	.	7	4	.	2	38	18	23	34	65	13	1	5	160	6	78	112	12	„ „ No. 2
1	2	.	9	3	35	5	.	4	105	32	42	109	136	21	1	21	373	22	234	154	37	„ „ No. 3.
1	.	.	20	2	35	2	3	9	65	18	37	71	86	27	.	18	274	19	182	113	11	„ „ No. 4.
.	.	.	4	.	3	.	.	.	15	7	7	14	25	11	.	4	55	4	25	22	5	NEW KILMAINHAM.
																						Urban Districts.
.	.	.	3	2	12	3	1	10	50	16	42	47	67	8	.	10	291	14	127	35	8	RATHMINES AND RATHGAR.
.	.	.	6	.	10	4	.	12	39	15	22	46	51	16	1	5	265	5	106	34	9	PEMBROKE.
.	.	.	2	.	.	.	.	1	12	5	7	12	9	1	.	3	63	2	22	10	5	BLACKROCK
.	.	.	.	.	2	.	.	3	22	10	28	17	27	4	.	.	153	1	26	33	8	KINGSTOWN.
5	4	.	43	6	120	24	3	35	311	99	158	322	399	126	7	77	1,363	64	718	400	101	**North.**
6	6	.	57	8	101	21	3	21	304	106	155	317	437	113	2	63	1,252	65	677	656	79	**South.** (Total City)
11	10	.	100	14	221	45	6	56	615	205	313	639	836	239	9	140	2,615	129	1,395	1,056	180	**North and South** (Total City)
.	.	.	11	2	24	7	1	26	123	46	99	122	154	29	1	18	772	22	281	112	30	**Total Urban Districts.**
11	10	.	111	16	245	52	7	82	738	251	412	761	990	268	10	158	3,387	151	1,676	1,168	210	**Total Registration Area.**
2	1	.	9	5	1	6	4	21	58	38	77	38	31	6	.	82	307	78	610	58	1	Details relating to outside localities (not in above.

the Urban District was found to be 9,730, as the result of a recent house to house census.

OCCUPATIONS.—Table VII. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 18·1 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 15·7 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·8; and in the "General Service Class" it was 20·3. The number of the living in each of the several classes and orders of occupations in 1911 is shown by age periods in the following Table :—

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1911.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
	ALL PERSONS	397,957	40,913	70,937	80,218	124,528	58,889	16,879	5,593
	CLASSES.								
	Families of the :—								
I.	PROFESSIONAL AND INDEPENDENT CLASS ...	14,658	873	1,844	2,194	4,594	3,491	1,145	517
II.	MIDDLE CLASS	101,798	8,041	16,143	22,941	33,015	15,950	4,138	1,570
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	108,420	12,745	21,352	21,313	33,312	15,179	3,745	774
IV.	GENERAL SERVICE CLASS	167,479	18,987	31,440	33,431	52,329	22,389	6,574	2,329
V.	INMATES OF WORKHOUSES	5,602	267	158	339	1,278	1,880	1,277	403
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,868	569	983	721	2,924	2,037	464	170
	2. Merchants and Manufacturers, Higher Class	1,347	132	265	128	374	345	90	13
	3. Persons of Rank and Property, not otherwise described.	5,443	172	596	1,345	1,296	1,109	591	334
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	948	1,649	1,580	3,289	1,708	261	88
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	3,176	5,502	2,134	8,383	4,880	942	182
	6. Clerks and Commercial Assistants ...	33,249	2,541	4,118	10,931	11,813	3,334	428	84
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	1,376	4,874	8,296	9,530	6,028	2,507	1,216
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	1,762	2,608	1,900	3,951	1,330	196	30
	9. Building and Furnishing Trades ...	28,823	4,056	6,921	3,752	8,727	4,207	1,000	160
	10. Clothing Trades	20,026	1,270	2,313	6,078	6,173	2,892	1,030	270
	11. Food Supply Trades	8,952	1,321	1,962	1,407	2,965	1,112	163	22
	12. Other Trades and Callings ranking with Trades.	32,070	3,582	6,129	7,173	9,320	4,509	1,102	255
	13. Petty Shopkeepers	6,772	754	1,419	1,003	2,176	1,129	254	37
	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	1,223	1,971	4,205	3,423	1,513	487	155
	15. Domestic Servants	36,041	1,166	2,162	12,812	13,179	4,899	1,496	327
	16. Coach and Car Drivers, Vanmen, &c. ...	15,380	2,610	3,728	1,756	5,318	1,707	230	31
	17. Hawkers, Porters, Labourers, &c. ...	103,081	13,988	23,579	14,658	30,409	14,270	4,361	1,816
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates	5,602	267	158	339	1,278	1,880	1,277	403

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1920 (52 weeks), the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belong.d.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, YEAR 1920 (52 WEEKS). Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Other causes.	Number of Uncertified Deaths.
	ALL PERSONS	397,957	–	8,195	2458	356	515	1178	1708	1099	881	13	11	.	120	21	246	58	11	103	796	289	489	203	799	1021	274	10	240	3491	211
	CLASSES.																														
	DEATHS IN FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	18·1	266	10	6	7	32	72	54	85	.	–	–	1	1	1	–	–	8	14	5	23	1	13	14	3	–	19	163	1
II.	MIDDLE CLASS	101,798	15·7	1,600	250	68	114	262	380	243	283	3	2	–	6	5	20	12	1	24	153	54	133	22	135	142	30	4	48	806	33
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	108,420	15 8	1,709	538	78	115	243	382	223	130	5	1	–	29	8	58	14	8	18	194	58	121	31	181	202	63	2	45	671	56
IV.	GENERAL SERVICE CLASS	167,479	20·3	3,394	1485	182	226	485	548	283	185	5	8	–	84	7	164	31	2	44	306	102	138	146	421	393	165	4	121	1253	120
V.	INMATES OF WORKHOUSES	5,602	–	1,226	175	22	53	156	326	296	198	–	–	–	–	–	3	1	–	9	129	70	74	3	49	270	13	–	7	598	1
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1, Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,868	–	205	10	6	7	30	57	36	59	–	–	–	1	1	1	–	–	6	13	4	19	1	8	10	3	–	19	119	1
	2. Merchants and Manufacturers, Higher Class.	1,347	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	3. Persons of Rank and Property, not otherwise described.	5,443	–	59	–	–	–	2	13	18	26	–	–	–	–	–	–	–	–	2	1	1	3	–	5	4	–	–	–	43	–
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	–	140	16	10	7	21	27	29	30	–	–	–	–	–	–	1	–	–	16	6	8	3	12	7	2	–	1	84	3
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	–	387	66	18	12	48	93	75	75	1	–	–	1	–	8	7	–	2	17	9	26	4	37	52	10	–	13	200	11
	6. Clerks and Commercial Assistants ...	33,249	–	463	106	16	61	87	108	49	36	2	2	–	2	2	10	4	–	10	81	19	26	10	49	35	16	1	9	185	9
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	33,827	–	610	62	24	34	106	152	90	142	–	–	–	3	3	2	–	1	12	39	20	73	5	37	48	2	3	25	337	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers....	11,777	–	167	70	11	7	25	31	12	11	–	–	–	1	–	10	3	–	2	15	8	15	4	13	15	9	–	1	71	5
	9. Building and Furnishing Trades ...	28,823	–	413	151	20	15	50	100	52	25	2	–	–	12	4	18	3	2	5	39	11	28	7	51	56	14	–	6	155	6
	10. Clothing Trades	20,026	–	207	53	4	22	32	44	34	18	–	–	–	2	1	8	–	–	1	39	11	13	4	21	31	5	1	1	69	9
	11. Food Supply Trades	8,952	–	94	38	4	2	15	20	10	5	–	–	–	4	–	5	1	–	–	5	4	6	2	12	10	4	–	2	39	2
	12. Other Trades and Callings ranking with Trades.	32,070	–	742	197	36	62	110	168	101	68	2	1	–	9	3	16	7	6	10	86	22	56	13	77	83	26	1	30	294	31
	13. Petty Shopkeepers	6,772	–	86	29	3	7	11	19	14	3	1	–	–	1	–	1	–	–	–	10	2	3	1	7	7	5	–	5	43	3
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	–	523	212	27	52	109	71	27	25	–	1	–	12	1	22	7	–	18	47	20	22	21	74	46	17	–	37	178	14
	15. Domestic Servants	36,041	–	284	73	6	31	48	62	25	39	2	–	–	3	2	4	–	–	7	34	9	18	11	18	26	10	–	7	133	3
	16. Coach and Car Drivers, Vanmen, &c.	15,380	–	262	116	18	13	33	39	29	14	–	1	–	10	–	11	4	–	4	18	9	11	9	48	27	12	–	9	89	10
	17. Hawkers, Porters, Labourers, &c. ...	103,081	–	2,325	1084	131	130	295	376	202	107	3	6	–	59	4	127	20	2	15	207	64	87	105	281	294	126	4	68	853	93
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	–	1,226	175	22	53	156	326	296	198	–	–	–	–	–	3	1	–	9	129	70	74	3	49	270	13	–	7	598	1

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates per 1,000 of the population represented by the deaths from the principal epidemic diseases * registered during the year in the eighteen urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest :—Clonmel, 0·1 ; Lurgan, 0·2 ; Dundalk, 0·3 ; Lisburn, 0·6 ; Ballymena, 0·6 ; Kilkenny, 0·7 ; Portadown, 0·8 ; Galway, 0·9 ; Drogheda, 0·9 ; Tralee, 0·9 ; Wexford, 1·0 ; Limerick, 1·1 ; Sligo, 1·1 ; Londonderry, 1·3 ; Belfast, 1·5 ; Newry, 1·7 ; Cork, 1·9 ; and Waterford, 1·9.

ENTERIC FEVER.—Among the 57 deaths from this cause are 34 belonging to Belfast, 13 to Cork, 2 to Waterford, 2 to Dundalk, and one to each of Limerick, Galway, Drogheda, Newry, Ballymena, and Sligo.

TYPHUS.—The 13 deaths from typhus include 9 for Belfast and one for each of Londonderry, Galway, Drogheda, and Tralee.

SMALL-POX.—No death from this cause was reported.

MEASLES.—The 180 deaths include 132 belonging to Belfast, 14 to Londonderry, 13 to Newry, 10 to Limerick, 7 to Portadown, 2 to Cork, and one to each of Lisburn and Ballymena.

SCARLET FEVER.—Of 108 deaths under this heading, 94 appertained to Belfast, 5 to each of Cork and Londonderry, 2 to Wexford, and one to each of Waterford and Lisburn.

WHOOPING-COUGH.—There were 184 deaths returned from this cause, of which 84 belonged to Belfast, 40 to Cork, 30 to Waterford, 6 to each of Drogheda and Wexford, 5 to Sligo, 4 to Galway, 3 to each of Limerick and Tralee, 2 to Newry, and one to Lisburn.

DIPHTHERIA.—Among the 154 deaths are 60 belonging to Cork, 45 to Belfast, 19 to Limerick, 12 to Londonderry, 4 to each of Lisburn and Kilkenny, 3 to Galway, 2 to Waterford, and one to each of Lurgan, Newry, Portadown, Wexford, and Ballymena.

DIARRHŒAL DISEASES.—Included in the deaths from diarrhœal diseases are 293 of children under 2 years of age from diarrhœa and enteritis, 199 of which appertained to Belfast, 23 to Londonderry, 20 to Cork, 15 to Waterford, and 9 to Limerick.

INFLUENZA.—Of 279 deaths from influenza, 243 appertained to Belfast, 6 to Newry, 5 each to Cork and Waterford, 4 to Lurgan, 3 each to Drogheda and Ballymena, and 2 each to Limerick, Dundalk, Lisburn, and Portadown.

PULMONARY TUBERCULOSIS.—The number of deaths from pulmonary tuberculosis registered in the eighteen urban districts amounted to 1,350, equivalent to an annual rate of 1·79 per 1,000 of the aggregate population of these districts. In the Dublin Registration Area the rate for deaths from pulmonary tuberculosis (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 1·78 per 1,000 of the estimated population. The deaths in Belfast (762) represent a rate of 1·85 per 1,000 of the estimated population. In the remaining seventeen urban districts the deaths, 588, represent an annual rate of 1·73 per 1,000 of the aggregate population of these areas.

* See note (*) on page iv.

TABLE VIII.—BIRTHS* and DEATHS registered during the YEAR 1920 (52 weeks) in the DUBLIN REGISTRATION AREA and in each of the undermentioned Eighteen URBAN DISTRICTS (exclusive of Deaths in Public Institutions of persons admitted from other Districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

	TOWNS AND DISTRICTS.	CENSUS STATISTICS OF DISTRICTS.		REGISTRATION YEAR, 1920 (52 WEEKS).																										
		POPULATION.		ANNUAL RATE PER 1,000 PERSONS REPRESENTED BY			NUMBERS REGISTERED.																							
							BIRTHS.	DEATHS.																						
											CAUSED BY																			
		Total †	Persons to an Acre.	BIRTHS	DEATHS From All Causes.	DEATHS From certain Epidemic Diseases‡	Total Number	Total Number	Under 1 Year of Age.	At 65 Years and upwards	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	Total of 19 Town Districts	1,167,268	20·4	27·9	17·3	1·5	32,576	20,137	4,026	4,777	68	23	.	291	124	429	206	8	361	2,088	695	1,085	1,842	2,256	561	48	491	529	6,514	692
	DUBLIN REGISTRATION AREA. Total	415,000	29·7	26·9	18·1	1·8	11,159	7,509a	1,594	1,894	11	10	.	111	16	245	52	7	82	738	251	412	761	990	268	10	158	151	2,844	210
	City of Dublin	318,200	39·0	28·6	19·1	2·1	9,088	6,074	1,384	1,364	11	10	.	100	14	221	45	6	56	615	205	313	639	836	239	9	140	129	2,451	180
Urban Districts.	Rathmines and Rathgar ...	40,400	23·6	18·7	13·9	0·7	757	562	67	225	.	.	.	3	2	12	3	1	10	50	16	42	47	67	8	.	10	14	162	8
Urban Districts.	Pembroke	30,200	19·2	24·9	16·3	1·2	751	492	88	157	.	.	.	6	.	10	4	.	12	39	15	22	46	51	16	1	5	5	140	9
Urban Districts.	Blackrock	9,200	8·5	17·7	12·5	0·3	163	115	13	46	.	.	.	2	.	.	.	.	1	12	5	7	12	9	1	.	3	2	32	5
Urban Districts.	Kingstown	17,000	11·6	23·5	15·6	0·4	400	266	42	102	.	.	.	.	.	2	.	.	3	22	10	28	17	27	4	.	.	1	59	8
Urban Districts.	Belfast	413,000	27·7	29·4	17·5	1·5	12,144	7,234a	1,602	1,366	34	9	.	132	94	84	45	1	243	762	216	332	800	766	199	24	175	232	2,032	117
Urban Districts.	Cork	76,673	28·6	28·3	17·5	1·9	2,169	1,341	173	355	13	.	.	2	5	40	60	.	5	159	46	86	69	90	20	2	30	32	574	59
Urban Districts.	Londonderry	44,000	17·1	29·9	15·5	1·3	1,315	681	125	156	.	1	.	14	5	.	12	.	1	63	29	31	52	79	23	1	38	37	91	14
Urban Districts.	Limerick	38,518	16·1	27·2	16·8	1·1	1,047	647	114	138	1	.	.	10	.	3	19	.	2	79	16	37	43	112	9	2	20	13	234	87
Urban Districts.	Waterford	27,464	19·1	26·3	16·4	1·9	723	450	70	130	2	.	.	.	1	30	2	.	5	59	16	36	18	29	15	1	14	14	162	20
Urban Districts.	Galway	13,255	2·5	26·8	14·9	0·9	355	197	30	60	1	1	.	.	.	4	3	.	.	23	12	15	3	16	3	.	16	10	63	34
Urban Districts.	Dundalk	13,128	9·5	28·9	12·8	0·3	380	168	29	44	2	.	.	.	.	.	.	.	2	14	5	10	18	10	2	.	10	10	30	4
Urban Districts.	Lurgan	12,553	14·7	28·8	14·3	0·2	361	180	28	52	.	.	.	.	.	.	1	.	4	23	16	11	11	22	.	2	6	7	46	5
Urban Districts.	Drogheda	12,501	8·4	23·0	15·1	0·9	288	189	29	66	1	1	.	.	.	6	.	.	3	11	6	12	4	11	2	1	4	5	39	6
Urban Districts.	Lisburn	12,388	10·9	27·0	15·3	0·6	334	189	49	48	.	.	.	1	1	1	4	.	2	15	7	12	11	11	.	.	5	7	36	.
Urban Districts.	Newry	11,963	17·0	29·8	19·7	1·7	357	236	25	83	1	.	.	13	.	2	1	.	6	21	22	14	5	35	3	.	4	4	63	8
Urban Districts.	Portadown	11,727	15·3	32·8	15·4	0·8	385	181	30	52	.	.	.	7	.	.	1	.	2	17	13	17	7	8	1	.	1	1	36	7
Urban Districts.	Wexford	11,531	22·8	28·3	15·3	1·0	326	176	34	65	.	.	.	.	2	6	1	.	.	16	10	6	3	26	1	1	2	.	26	29
Urban Districts.	Ballymena	11,381	9·3	26·9	15·1	0·6	306	172	21	60	1	.	.	1	.	.	1	.	3	23	1	14	10	10	3	1	4	3	17	18
Urban Districts.	Sligo	11,163	3·8	19·1	14·8	1·1	213	165	28	59	1	.	.	.	.	5	.	.	1	19	7	9	8	15	6	.	.	1	59	26
Urban Districts.	Kilkenny	10,514	11·4	21·3	15·8	0·7	224	166	17	68	.	.	.	.	.	.	4	.	.	12	7	17	7	18	1	2	.	.	70	18
Urban Districts.	Tralee	10,300	17·4	24·0	12·2	0·9	247	126	16	38	.	1	.	.	.	3	.	.	.	23	8	4	9	5	5	.	3	2	46	12
Urban Districts.	Clonmel	10.209	7·8	23·8	12·7	0·1	243	130	12	43	.	.	.	.	.	.	.	.	.	11	7	10	3	3	.	1	1	.	46	18

* The Births are exclusive of those in Institutions of infants whose mothers were admitted from localities outside the respective areas, those occurring in Institutions situated within the Dublin Registration Area being assigned to the various districts comprising such to which the mothers of the infants belong. See also Table V.

† The population given for the Dublin Registration Area and its component parts and for the cities of Belfast and Londonderry, is that estimated to the middle of 1920; that for each of the other districts is the population according to the Census of 1911.

‡ See note (*) on page iv.

a Including 6 deaths from cerebro-spinal fever recorded for Dublin, and 4 for Belfast.

TABLE IX.—Showing by REGISTRAR'S DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1920 (52 weeks), Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from all Causes and from Certain Epidemic Diseases†; the number of Deaths at certain AGE PERIODS; the number of Deaths from some of the Principal CAUSES; the number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRAR'S DISTRICTS.	Census Population in 1911	No. of BIRTHS	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases †	Total Number of DEATHS	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
City of Belfast.																																
BELFAST URBAN No. 1 DIST.	15,879	539	20·4	1·3	324	73	33	37	51	82	48	.	.	.	9	4	.	.	.	16	29	9	14	42	30	7	1	16	24	108	5
Do. 2 do.	49,500	1,395	18·1	1·4	895	181	73	104	146	200	191	.	7	.	16	5	9	7	.	44	83	21	40	76	93	26	.	21	23	231	16
Do. 3 do.	50,032	1,605	19·5	2·2	976	229	98	138	129	199	183	3	.	.	23	11	31	10	.	31	80	32	56	107	116	32	1	20	33	245	15
Do. 4 do.	32,637	936	19·8	1·7	647	181	47	74	108	123	114	2	.	.	13	9	3	3	.	9	66	15	29	53	62	23	3	13	16	285	8
Do. 5 do.	16,112	646	23·3	1·8	375	108	49	37	57	73	51	1	.	.	6	3	7	2	.	15	42	8	17	50	47	10	.	3	9	139	7
Do. 6 do.	37,293	924	15·7	0·9	584	80	31	64	106	140	163	2	2	.	6	9	2	4	.	21	64	18	31	49	40	9	1	5	12	145	9
Do. 7 do.	2,681	58	14·9	0·4	40	12	3	2	3	10	10	.	.	.	1	.	.	.	.	.	2	1	2	1	9	.	.	1	1	3	.
Do. 8 do.	5,964	164	13·4	1·0	80	11	5	12	8	24	20	.	.	.	2	1	.	2	.	1	8	4	3	3	11	1	.	4	5	17	1
Do. 9 do.	24,427	716	18·6	1·7	455	79	49	54	78	108	87	.	.	.	6	15	7	1	.	15	47	20	19	60	62	12	1	13	10	97	12
Do. 10 do.	28,958	952	20·3	2·2	589	142	66	77	80	121	103	2	.	.	14	5	12	3	.	18	64	18	21	74	76	18	9	19	23	134	9
Do. 11 do.	–	1,155	–	–	550	107	28	83	104	107	121	5	.	.	.	6	1	3	.	18	79	18	21	62	61	12	4	8	12	153	10
Do. 12 do.	–	976	–	–	479	127	53	70	77	86	66	6	.	.	10	11	1	1	.	17	44	24	20	52	49	12	.	21	23	158	10
Do. 13 do.	–	540	–	–	329	45	19	40	62	81	82	8	.	.	4	11	.	2	1	8	51	6	23	25	24	6	2	4	5	81	7
Do. 14 do.	175	9	–	–	11	2	.	4	1	2	2	.	.	.	.	.	.	.	.	1	6	.	1	.	.	.	.	.	.	7	.
Do. 15 do.	22,669	826	24·9	1·6	565	131	89	64	80	124	77	1	.	.	8	1	9	3	.	18	64	15	19	109	57	15	.	16	22	154	5
Do. 16 do.	–	703	–	–	335	94	39	51	35	68	48	4	.	.	14	3	2	4	.	11	33	7	16	37	29	16	2	11	14	75	3
Total, ...	386,947	12,144	17·5	1·5	7,234	1602	682	911	1125	1548	1366	34	9	.	132	94	84	45	1	243	762	216	332	800	766	199	24	175	232	2032	117
City of Cork.																																
CORK URBAN No. 1 DISTRICT	13,455	309	15·1	1·2	203	23	9	28	29	37	77	2	.	.	2	1	4	1	.	1	27	3	10	10	17	6	.	4	6	88	6
Do. 2 do.	10,399	344	18·2	2·6	189	25	26	29	34	41	34	4	.	.	.	2	9	8	.	.	29	10	13	5	18	4	.	3	3	70	5
Do. 3 do.	9,793	313	15·7	2·0	154	18	15	34	22	33	32	2	.	.	.	1	7	7	.	.	23	7	12	2	17	2	1	4	4	61	6
Do. 4 do.	9,139	264	20·8	2·6	190	30	25	20	37	36	42	2	.	.	.	.	10	8	.	1	20	10	12	14	13	4	.	4	7	77	2
Do. 5 do.	6,250	158	19·7	1·0	123	16	6	11	16	32	42	.	.	.	.	.	.	6	.	.	13	3	9	7	6	.	.	6	6	67	4
Do. 6 do.	11,581	295	16·1	1·3	187	25	11	23	37	44	47	.	.	.	.	.	7	7	.	2	15	6	12	9	11	1	.	4	2	70	17
Do. 7 do.	16,056	486	18·4	2·1	295	36	34	35	46	63	81	3	.	.	.	1	3	23	.	1	32	7	18	22	8	3	1	5	4	141	19
Total, ...	76,673	2,169	17·5	1·9	1,341	173	126	180	221	286	355	13	.	.	2	5	40	60	.	5	159	46	86	69	90	20	2	30	32	574	59

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (*) on page iv.

NOTE.—The boundaries of Belfast Urban Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The figures given relate to the districts as at present constituted. The population of each of these districts is not available. The population (Census, 1911) of the four districts is 100,620; death-rate from all causes 16·8 per 1,000, and from certain epidemic diseases 1·5.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,

WILLIAM J. THOMPSON,
Registrar General.

Printed under the Authority of His Majesty's Stationery Office.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 1. VOL. LVII.] WEEK ENDING SATURDAY, 10TH JANUARY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 12th January, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·6 and 18·4; Dublin Registration Area, 17·3 and 16·6; Dublin City, 18·2 and 17·2; Belfast, 18·9 and 22·2; Cork, 23·1 and 18·9; Londonderry, 16·6 and 16·9; Limerick, 25·7 and 16·9; and Waterford, 17·1 and 14·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 150 deaths from all causes for Belfast are 19 from measles, 3 from scarlet fever, one death from diarrhœa and enteritis of a child under 2 years, and one from influenza. Of the 34 deaths from all causes for Cork there is one from each of whooping-cough and diphtheria. The 2 deaths recorded for Galway comprise one from whooping-cough, and one from diarrhœa and enteritis of a child under 2 years, and one of the 2 deaths recorded for Sligo is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 249—133 boys and 116 girls—and the deaths to 145—72 males and 73 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·3 per 1,000 of the population, the rate for the total deaths registered in the Area being 18·2.

Of the 138 deaths appertaining to the Area one death was from scarlet fever, one from diarrhœa and enteritis of a child under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from scarlet fever were 0, 2 and 0; deaths from diarrhœa and enteritis of children under 2 years, one, 2 and 4; and deaths from influenza, 0, 0 and one respectively.

There were 11 deaths from pneumonia, comprising 7 from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Tuberculous disease caused 17 deaths (including 12 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 20, 11, and 14 in the three weeks preceding.

Five deaths were caused by cancer, 10 by organic diseases of the heart, and 16 by bronchitis.

Among deaths of infants under one year old, 4 were due to convulsions, one to bronchitis, 2 to broncho-pneumonia, 8 to premature birth, and 4 to congenital debility.

There were 2 accidental deaths, one being caused by burns, and one by a vehicle.

Thirty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 24 being infants under one year, of whom 13 were under one month old, and 42 deaths were those of persons aged 65 and upwards, of whom 29 were 70 years of age or over.

Of the 138 deaths recorded, 62 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 10th January, in 96 large English towns (including London, in which the rate was 15·7 was equal to an average annual death rate of 15·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 16·6 per 1,000 persons living, the rate for Glasgow being 18·8 and for Edinburgh 14·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th January. From this Report it appears that of 96 cases notified, 34 were scarlet fever, 23 diphtheria, 20 pulmonary tuberculosis, 7 other forms of tuberculosis, 8 erysipelas, and 4 acute primary pneumonia. Among the 653 cases of infectious diseases in hospital at the close of the week were 241 of scarlet fever, 190 of pulmonary tuberculosis, 122 of diphtheria, 21 of measles, 12 of erysipelas, 5 of whooping-cough, 2 of acute influenzal pneumonia, one of chicken-pox and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th January, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Dec. 20	2	·	·	·	·	—	28	—	14	5	—	·	—	·	·	·	1	·	·	12	62
	Dec. 27	2	1	·	·	·	—	11	—	6	2	—	·	—	2	1	·	2	·	·	·	27
	Jan. 3	·	·	·	·	·	—	31	—	6	3	—	·	—	·	1	·	5	·	·	13	59
	Jan. 10	1	·	·	·	·	—	15	—	6	6	—	·	—	·	·	·	4	·	·	12	44
Rathmines & Rathgar Urban District	Dec. 20	·	·	·	·	·	—	3	—	2	3	—	·	—	·	·	·	·	·	—	—	8
	Dec. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	1	·	—	3
	Jan. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Jan. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Dec. 20	·	·	·	·	·	7	2	·	·	·	·	·	—	·	·	·	1	·	·	·	10
	Dec. 27	·	·	·	·	·	9	1	·	1	2	·	·	—	·	·	·	·	·	·	·	13
	Jan. 3	·	·	·	·	·	5	·	·	·	2	·	·	—	·	·	·	1	·	·	·	8
	Jan. 10	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Dec. 20	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Dec. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 3	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 10	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Dec. 20	·	·	·	·	·	—	8	—	·	·	—	·	—	·	·	·	·	—	·	·	8
	Dec. 27	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	—	·	·	2
	Jan. 3	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	—	·	1	3
	Jan. 10	·	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	·	—	·	·	5
City of Belfast	Dec. 20	2	·	·	·	·	—	90	—	9	10	—	·	—	·	·	·	·	·	·	·	111
	Dec. 27	8	·	1	·	·	—	64	—	10	9	—	2	—	·	·	·	·	·	·	·	94
	Jan. 3	4	1	·	·	·	—	107	—	5	8	—	2	—	·	·	·	·	·	·	·	127
	Jan. 10	9	·	·	·	·	—	75	—	4	8	—	1	—	·	·	·	·	·	·	·	97
City of Cork	Dec. 20	·	·	·	·	·	·	·	—	15	1	—	·	·	·	·	·	·	—	·	—	16[a]
	Dec. 27	·	·	·	·	·	·	·	—	10	·	—	·	·	·	5	·	·	—	·	—	15
	Jan. 3	·	·	·	·	·	·	·	—	13	1	—	·	·	·	3	·	·	—	·	—	17
	Jan. 10	·	·	·	·	·	·	1	—	2	1	—	·	·	·	·	·	·	—	·	—	4[a]
City of Londonderry	Dec. 20	·	·	·	·	·	—	4	—	·	1	—	·	—	·	·	·	·	·	—	—	5
	Dec. 27	·	·	·	·	·	—	3	—	2	1	—	·	—	·	·	·	·	·	—	—	6
	Jan. 3	·	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	·	·	—	—	5
	Jan. 10	·	·	·	·	·	—	3	—	2	·	—	·	—	·	·	·	·	·	—	—	5
City of Limerick	Dec. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Dec. 27	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Jan. 10	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
City of Waterford	Dec. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Dec. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Jan. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Jan. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th January, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 5; typhus nil and one; measles 3 and 6; scarlet fever 26 and 178*; and diphtheria 7 and 37. Nine cases of pneumonia were admitted during the week and 20 remained under treatment at its close. Of the deaths in hospital during the week 2 were from scarlet fever, one from diphtheria, and 3 from pneumonia.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 10th January, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

REGISTRATION—WEEK ENDING SATURDAY, 10TH JANUARY, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 10TH JANUARY, 1920. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	35·6	18·6	1·3	796	417	80	106	·	·	·	19	4	3	1	·	2	42	15	27	29	49	3	·	7	12	120	22	°	°	°	°	°	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	31·3	17·3	0·3	249	138	24	42	·	·	·	·	1	·	·	·	1	12	5	5	11	19	1	·	2	3	62	6	(d) 53·6	23·2	46·0	32·0	39·0	1·31
Urban Districts. CITY OF DUBLIN,	318,200	39·0	34·7	18·2	0·3	212	111	21	29	·	·	·	·	1	·	·	·	1	11	4	5	11	16	1	·	2	2	54	6	(e) 54·9	29·6	46·7	35·6	41·2	1·10
																														(f) 54·6	26·0	46·9	33·6	40·3	1·22
RATHMINES and RATHGAR	40,400	23·6	15·5	12·9	·	12	10	·	9	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	3	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	27·6	22·4	·	16	13	2	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	17·0	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	18·4	12·3	·	6	4	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	56	28	46·6	36·6	41·6	0·95
Urban Districts. BELFAST, ..	413,000	27·7	36·9	18·9	2·9	292	150	33	39	·	·	·	19	3	·	·	·	1	13	5	7	11	17	1	·	2	6	31	3	48·0	29·0	43·4	34·1	38·8	0·87
CORK, ...	76,673	28·6	45·6	23·1	1·4	67	34	7	9	·	·	·	·	·	1	1	·	·	2	2	2	2	1	·	·	1	1	11	2	53	31	48·4	37·1	42·8	0·91
LONDONDERRY, ..	44,000	17·1	43·8	16·6	·	37	14	4	4	·	·	·	·	·	·	·	·	·	·	·	1	2	2	·	·	1	1	1	·	·	·	·	·	·	·
LIMERICK, ...	38,518	16·1	62·3	25·7	·	46	19	3	3	·	·	·	·	·	·	·	·	·	4	1	1	1	1	·	·	·	·	5	7	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	24·7	17·1	·	13	9	2	·	·	·	·	·	·	·	·	·	·	4	·	2	·	2	·	·	1	1	6	·	·	·	·	·	·	·
GALWAY, ..	13,255	2·5				8	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	50	28	46·4	32·4	39·4	1·08
DUNDALK, ..	13,128	9·5				3	5	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				7	3	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	52·0	26·5	43·7	32·1	37·9	0·83
DROGHEDA, ..	12,501	8·4				7	6	·	2	·	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				8	6	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	·	·	52	27	42·9	30·3	36·6	1·87
NEWRY, ...	11,963	17·0				8	9	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	·	·	·	2	52·0	26·5	43·7	32·1	37·9	0·83
PORTADOWN, ..	11,727	15·3				11	5	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	52·0	26·5	43·7	32·1	37·9	0·83
WEXFORD, ..	11,531	22·8				6	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				25	5	·	1	·	·	·	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				·	2	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KILKENNY, ..	10,514	11·4				3	7	·	3	·	·	·	·	·	·	·	·	·	1	·	3	·	·	·	·	·	·	3	·	54	22	46·8	30·1	38·5	1·35
TRALEE, ...	10,300	17·4				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	15·7	—	3,018	1,216	191	383	2	·	·	14	4	13	31	—	—	86	11	100	108	140	18	10	33	94	534	6	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	14·8	—	213	97	14	42	·	·	·	2	·	·	2	—	1	—	—	—	—	—	1	—	3	—	—	—	55·0	30·0	42·4	32·6	37·5	0·46
GLASGOW	1,115 500	—	—	18·8	—	809	402	75	120	·	·	·	9	·	·	4	—	3	—	—	—	—	—	3	—	12	—	—	—	51·2	30·0	41·1	32·8	36·9	1·02

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 1st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday 10th January, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	204·4	145	13	13	9	5	2	2	5	7	6	6	15	18	30	14	138
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	22·6	13	.	1	.	.	1	.	1	3	1	4	2	.	.	.	12
Tuberculous Meningitis	3·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2
Venereal Diseases ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·2	6	.	.	.	.	.	.	.	.	1	2	3	.	.	.	5
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·6	4	.	.	.	.	.	.	.	1	.	.	.	1	2	.	3
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·2	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	7·6	11	.	.	.	.	.	.	.	.	.	.	1	1	6	3	11
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2
Epilepsy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	6·0	6	1	3	2	.	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	3·0	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Organic Diseases of the Heart.	17·2	10	.	.	.	.	.	.	.	.	.	.	1	4	4	1	10
Embolism and Thrombosis (including Cerebral).	1·0	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2
Other Diseases of Circulatory System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	30·4	17	.	1	1	1	.	.	.	.	.	.	1	3	7	3	16
Broncho-pneumonia ..	13·6	8	.	3	3	1	.	.	.	.	.	.	.	1	.	.	7
Lobar pneumonia ..	2·0	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	2
Pneumonia (type not distinguished).	7·2	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System	·8	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2

in the FIRST WEEK, ending Saturday, 10th January, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 1st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 10th January, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	3·6	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Cirrhosis of Liver ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·6	6	·	·	·	·	·	·	·	1	·	·	1	3	1	·	·	6
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·8	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	3
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	2	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	2
Diseases of Skin and Cellular Tissues.	1·0	4	1	·	1	·	·	·	1	·	·	·	·	·	·	1	·	3
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·4	8	7	1	·	·	·	·	·	·	·	·	·	·	·	·	·	8
Congenital Debility ..	5·0	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	9·8	6	·	·	·	·	·	·	·	·	·	·	·	·	4	2	·	6
Other Specified Diseases	1·6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·0	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																		
Homicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	4·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 10TH JANUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS	WEEK ENDED SATURDAY, 10TH JANUARY, 1920. DEATHS.								CAUSED BY															IN INSTITUTIONS.		UNCERTIFIED DEATHS
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	17·0	·	10	1	1	·	2	·	1	1	4	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	7	1	3	3	1
,, 1, W., ...	42,100	14·9	·	12	2	2	·	·	1	2	3	2	·	·	·	·	·	·	·	·	·	2	·	2	1	2	·	·	·	5	·	5	·	1
,, 2, ...	28,200	14·8	·	8	1	1	1	·	1	1	2	1	·	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	·	3	·	3	1	·
,, 3, ...	35,000	18·9	·	13	3	·	1	1	1	1	3	3	·	·	·	·	·	·	·	·	·	1	·	·	2	2	·	·	1	7	·	2	5	·
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	11·3	·	3	1	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	13·7	·	3	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	·	2	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	23·6	1·2	20	3	2	·	·	2	2	4	7	·	·	·	·	·	·	·	·	·	1	·	·	1	2	1	·	·	15	·	3	7	·
,, 2, ...	18,600	28·0	·	10	2	3	·	·	·	1	·	4	·	·	·	·	·	·	·	·	·	·	1	·	2	2	·	·	·	5	·	2	2	1
,, 3, ...	44,400	23·5	1·2	20	4	·	3	1	1	·	7	4	·	·	·	·	1	·	·	·	·	3	1	1	2	2	·	·	1	9	1	8	2	·
,, 4, ...	33,600	15·5	·	10	2	·	·	·	2	·	3	3	·	·	·	·	·	·	·	·	·	1	1	·	1	4	·	·	·	3	·	1	2	·
NEW KILMAINHAM, ...	10,600	4·9	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	12·9	·	10	·	·	·	·	·	·	1	9	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	7	·	2	1	·
PEMBROKE	30,200	22·4	·	13	2	·	·	·	2	2	4	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	12	·	3	1	·
BLACKROCK, ...	9,200	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	17,000	12·3	·	4	1	·	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	3	1	1	·	·
TOTAL CITY. North, ...	166,900	15·6	·	50	9	4	2	3	3	6	12	11	·	·	·	·	·	·	·	·	1	6	1	4	5	6	·	·	1	26	1	18	9	2
TOTAL CITY. South, ...	151,300	21·0	0·7	61	12	5	3	1	5	3	14	18	·	·	·	·	1	·	·	·	·	5	3	1	6	10	1	·	1	33	1	14	13	4
TOTAL CITY. North and South, ..	318,200	18·2	0·3	111	21	9	5	4	8	9	26	29	·	·	·	·	1	·	·	·	1	11	4	5	11	16	1	·	2	59	2	32	22	6
Total Urban Districts, ...	96,800	14·5	·	27	3	·	·	·	3	2	6	13	·	·	·	·	·	·	·	·	·	1	1	·	·	3	·	·	·	22	1	6	2	·
Total Registration Area, ..	415,000	17·3	0·3	138	24	9	5	4	11	11	32	42	·	·	·	·	1	·	·	·	1	12	5	5	11	19	1	·	2	81	3	38	24	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	2	·	·	·	1	1	1	2	·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	·	·	2	·	6	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th January, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS. WEEK ENDING SATURDAY, 10TH JANUARY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	145	40	4	12	12	33	30	14	·	·	·	·	1	·	·	·	1	13	5	6	6	12	20	2	·	2	77	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	1	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	3	·
II.	MIDDLE CLASS	101,798	9·7	19	2	·	2	3	5	3	4	·	·	·	·	·	·	·	·	·	·	1	2	·	1	1	·	·	·	14	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·9	33	7	3	4	2	6	9	2	·	·	·	·	1	·	·	·	·	5	2	2	2	3	7	1	·	1	9	3
IV.	GENERAL SERVICE CLASS	167,479	19·6	63	28	·	4	4	16	10	1	·	·	·	·	·	·	·	·	1	5	·	2	4	8	9	·	·	1	33	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	25	2	1	2	3	5	8	4	·	·	·	·	·	·	·	·	·	3	2	·	·	·	2	·	·	·	18	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	1	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	3	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	1	·	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4	·
	6. Clerks and Commercial Assistants,	33,249	—	6	1	·	1	1	1	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	4	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	·	·	·	2	2	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	5	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	10	1	1	1	·	1	4	2	·	·	·	·	1	·	·	·	·	1	·	·	1	·	5	·	·	·	2	1
	10. Clothing Trades, ...	20,026	—	9	3	1	·	1	1	3	·	·	·	·	·	·	·	·	·	·	3	1	·	·	1	1	·	·	·	3	1
	11. Food Supply Trades, ...	8,952	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	2	1	2	1	3	2	·	·	·	·	·	·	·	·	·	·	·	1	2	1	2	1	·	·	1	3	1
	13. Petty Shopkeepers, ...	6,772	—	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	3	·	2	1	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	6	·
	15. Domestic Servants, ...	36,041	—	5	2	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	4	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	2	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	3	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	44	21	·	2	3	11	6	1	·	·	·	·	·	·	·	·	1	4	·	2	3	7	6	·	·	1	20	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	25	2	1	2	3	5	8	4	·	·	·	·	·	·	·	·	·	3	2	·	·	·	2	·	·	·	18	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Oct. 18.	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10
No. of weeks in Annual Series ..	42	43	44	45	46	47	48	49	50	51	52	53	1	42	43	44	45	46	47	48	49	50	51	52	53	1
BIRTHS registered	203	163	233	216	216	184	195	208	220	224	123	265	249	260	206	220	234	200	209	225	241	226	235	127	296	292
Average Births in corresponding week of previous 10 years, ...	196	189	187	197	202	184	192	175	200	159	148	148	210	195	178	182	183	169	175	178	173	175	167	159	159	225
Number of Deaths, ...	121	118	138	99	105	138	117	137	151	133	92	155	138	104	116	115	159	147	167	133	169	160	185	156	197	150
Annual Death-rate per 1,000 ..	15·6	15·2	17·8	12·7	13·5	17·8	15·1	17·6	19·4	17·1	11·8	20·0	17·3	13·5	15·1	15·0	20·7	19·1	21·7	17·3	22·0	20·8	24·1	20·3	25·6	18·9
Average Deaths in corresponding week of previous 10 years, ...	159	160	176	185	167	164	165	169	164	164	158	158	190	108	118	114	137	155	170	162	164	151	144	152	152	151
Ages, .. Under one year, ..	27	18	18	19	23	19	18	26	19	19	11	29	24	16	18	19	28	25	23	20	30	19	28	25	27	33
1— 5 years, ..	7	8	8	8	4	10	4	7	7	8	6	14	14	8	8	19	19	16	30	18	21	24	34	24	36	24
5—25 ,, ..	9	12	14	11	11	8	15	12	15	15	10	7	15	21	27	23	22	15	22	22	23	23	26	19	31	16
25—45 ,, ..	21	20	20	12	17	28	16	19	22	18	15	18	11	17	18	12	20	19	14	12	19	15	26	22	24	13
45—65 ,, ..	22	30	45	27	18	38	31	33	39	37	23	38	32	15	20	25	34	40	39	22	37	41	37	36	50	25
65 and upwards, ..	35	30	33	22	32	35	33	40	49	36	27	49	42	27	25	17	36	32	39	39	39	38	34	30	29	39
Deaths from :—																										
Enteric Fever, ...	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	1	1	·	1	1	·	3	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	2	1	1	·	·	1	·	·	1	·	·	·	1	4	2	9	10	15	14	32	19	26	19
Scarlet Fever, ...	·	·	1	·	1	2	1	1	1	·	2	·	1	9	12	11	10	5	8	8	9	12	4	3	8	3
Whooping-cough, ...	·	1	·	·	·	·	·	2	2	1	2	2	·	·	·	1	·	·	·	·	·	·	·	1	1	·
Diphtheria, ...	·	1	2	1	·	1	·	1	1	1	·	1	·	·	·	1	·	·	2	2	1	1	1	2	1	·
Dysentery, ...	1	·	2	·	1	·	·	·	2	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	2	1	·	1	·	4	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis { Pulmonary, ..	11	17	15	7	13	11	14	17	11	13	9	10	12	11	12	12	11	16	16	4	11	17	17	17	20	13
Tuberculosis { Other Forms, ..	4	5	4	6	7	2	5	6	9	7	2	4	5	6	3	5	7	4	4	2	4	4	3	1	4	5
Cancer, ...	7	10	12	7	4	12	8	8	9	8	5	11	5	4	10	6	6	7	9	6	7	11	4	10	11	7
Diseases of Respiratory System, { Pneumonia ..	8	4	5	10	8	14	3	9	12	2	8	16	11	5	8	9	14	11	17	17	18	12	10	11	11	11
Diseases of Respiratory System, { Others, ..	12	11	16	14	13	19	23	16	23	24	12	22	19	11	12	11	17	29	25	12	23	23	18	19	17	17
Diarrhœa & Enteritis, under 2 years	6	3	4	2	5	5	1	5	3	1	2	4	1	7	1	1	3	2	1	2	1	3	·	2	4	1
Diarrhœa, 2 years and upwards..	1	·	1	·	·	·	·	·	·	·	·	·	·	4	2	1	4	1	1	1	·	2	2	2	2	·
Violent Deaths, ...	1	6	5	3	1	2	2	4	2	7	7	3	2	2	1	7	1	3	2	3	4	2	3	4	7	2
Number of Uncertified Deaths, ..	1	2	6	2	2	6	4	3	4	4	1	3	6	1	1	3	7	2	1	5	6	1	5	1	3	3
A Mean Maximum Temperature in degs	64·3	57·8	48·0	44·0	40·6	48·6	44 5	49·0	47·1	50·2	49·1	46·9	46·0	50·1	57·6	48·2	45·1	42·3	46·6	47·2	48·1	45·6	48·2	46·1	44·0	43·4
B Mean Minimum ,, ,,	51·2	41·3	34·0	32·3	22·6	35·4	33·4	35·5	37·8	40·5	33·9	31·7	32·0	39·5	47·6	39·0	38·2	29·0	30·5	36·7	33·2	35·7	36·4	37·8	33·1	34·1
Mean of A and B ,, ,,	57·7	49·5	41·0	38·2	31·6	42·0	38·9	42·3	42·4	45·3	41·5	39·3	39·0	44·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6	40·6	42·3	41·9	38·5	38·8
Rainfall in inches	0·04	1·30	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·58	0 95	0·02	0·77	0·07	1·13	0·87	1·35	1·74	1·21	2·04	2·14	0·87

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th January, 1920, Deaths in Public Institutions : Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																											
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	9	6·6	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 2 do.	49,500	36	12·6	1·1	12	1	1	.	1	3	6	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	5	1
Do. 3 do.	50,032	49	26·1	3·1	25	5	4	3	2	4	7	.	.	.	3	.	.	.	.	1	3	.	1	.	3	.	.	.	3	3	.
Do. 4 do.	32,637	27	17·6	3·2	11	3	2	2	.	2	2	.	.	.	1	1	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
Do. 5 do.	16,112	18	16·2	3·2	5	1	2	1	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	2	.	.	.	.	.	1	.
Do. 6 do.	37,293	17	18·2	.	13	.	1	1	1	5	5	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.	3	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	5	26·2	8.7	3	1	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 9 do.	24,427	16	12·8	2·1	6	2	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.
Do. 10 do.	28,958	25	21·6	7·2	12	2	4	2	1	1	2	.	.	.	3	1	.	.	.	.	1	1	1	1	1	.	.	.	.	1	.
Do. 11 do.	39,311	20	25·2	2·7	19	3	3	2	3	3	5	.	.	.	2	.	.	.	.	.	2	1	1	3	3	.	.	.	.	3	.
Do. 12 do	38,076	38	38·3	11·0	28	10	6	3	3	1	5	.	.	.	8	.	.	.	.	.	1	1	1	2	2	.	.	1	2	7	.
Do 13 do.	23,233	16	13·5	.	6	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	1
Do. 14 do	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	15	18·4	.	8	3	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2	1
Total,	386,947	292	18·9	2·9	150	33	24	16	13	25	39	.	.	.	19	3	.	.	.	1	13	5	7	11	17	1	.	2	6	31	3
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	12	31·0	.	8	2	1	2	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	4	1
Do. 2 do.	10,399	10	25·1	5·0	5	2	.	1	.	2	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 3 do.	9,793	14	16·0	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	2	.
Do. 4 do.	9,139	10	28·5	.	5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 5 do.	6,250	2	16·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 6 do.	11,581	5	27·0	.	6	.	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do 7 do.	16,056	14	16·2	3·2	5	2	1	1	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.
Total.	76,673	67	23·1	1·4	34	7	3	6	2	7	9	.	.	.	.	.	1	1	.	.	2	2	2	2	1	.	.	1	1	11	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920

† See note (†) at foot of first page

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th January, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	2	1	.	1	.	.	.	.	.	.	.	2	7
„ „ 1, West ..	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	2	5
„ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	.	.	.	.	1	1	.	.	.	.	.		.	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ „ 3, ...	.	.	.	.	.	4	2	.	1	.	.	.	.	2	.	.	2	11
„ „ „ 4, ...	.	.	.	.	.	3	1	.	2	.	.	.	.	1	.	.	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	1	.	.		.	15	6	.	6	.	.		.	4	.	.	12	44

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th January, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 10th January.			
	Dec. 20.	Dec. 27.	Jan. 3.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	7	7	6	1	2	.	5
Typhus, ...	.	1	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	6	8	3	5	.	6
Scarlet Fever, ...	186	176	176	26	22	2	178*
Diphtheria, ...	34	33	37	7	6	1	37
Pneumonia, ...	15	13	18	9	4	3	20

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13453). Wt. 5568. 3. 380. 1. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 2. Vol. LVII.] Week ending Saturday, 17th January, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 19th January, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·1 and 18·2; Dublin Registration Area, 15·0 and 16·0; Dublin City, 16·2 and 16·8; Belfast, 21·0 and 21·4; Cork, 23·8 and 19·7; Londonderry, 20·1 and 16·8; Limerick, 20·3 and 18·0; and Waterford, 15·2 and 13·8.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·7 per 1,000. Among the 166 deaths from all causes for Belfast are 2 from enteric fever, 21 from measles, 7 from scarlet fever, one from whooping-cough, one from diphtheria, 3 from diarrhœal diseases, and 2 from influenza. Of the 35 deaths from all causes for Cork there is one from each of whooping-cough, diphtheria, and diarrhœa and enteritis (of a child under 2 years). Included in the 17 deaths from all causes for Londonderry are 3 from diphtheria. Among the 15 deaths from all causes for Limerick are one from whooping-cough, 2 from diphtheria, and one from diarrhœa. The 8 deaths from all causes for Waterford include 2 from whooping-cough. The 2 deaths recorded for Galway include one from whooping-cough. One of the 3 deaths recorded for Newry is from measles, and of the 5 deaths from all causes for Sligo 3 are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 266—123 boys and 143 girls—and the deaths to 130—59 males and 71 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·0 per 1,000 of the population. During the two weeks ending with Saturday last, the death-rate averaged 16.2 and was 7·4 below the mean rate for the corresponding portions of the ten years 1910-19. The rate for all deaths registered during the two weeks was 17·3, and for the corresponding period of the preceding ten years 25·0.

Of the 119 deaths appertaining to the Area one death was from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, one from dysentery, and 2 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 0, one and 0; deaths from scarlet fever were 2, 0, and one; deaths from whooping-cough 2, 2, and 0; deaths from diphtheria 0, one, and 0; deaths from dysentery 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years, 2, 4 and one.

There were 11 deaths from pneumonia, comprising 5 from broncho-pneumonia, and 6 from pneumonia (type not distinguished).

Tuberculous disease caused 13 deaths (including 7 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 11, 14, and 17 in the three weeks preceding.

Seven deaths were caused by cancer, 14 by organic diseases of the heart, and 14 by bronchitis.

Among deaths of infants under one year old, 3 were due to convulsions, 3 to bronchitis, 2 to broncho-pneumonia, 2 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 3 to congenital debility.

Thirty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 25 being infants under one year, of whom 8 were under one month old, and 39 deaths were those of persons aged 65 and upwards, of whom 30 were 70 years of age or over.

Of the 119 deaths recorded, 44 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 17th January, in 96 large English towns (including London, in which the rate was 15·8 was equal to an average annual death rate of 15·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 16·1 per 1,000 persons living, the rate for Glasgow being 17·4 and for Edinburgh 12·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th January. From this Report it appears that of 94 cases notified, 30 were diphtheria, 28 scarlet fever, 13 pulmonary tuberculosis, 3 other forms of tuberculosis, 10 erysipelas, 4 acute primary pneumonia, 3 malaria, 2 puerperal fever, and one membranous croup. Among the 669 cases of infectious diseases in hospital at the close of the week were 233 of scarlet fever, 191 of pulmonary tuberculosis, 133 of diphtheria, 25 of measles, 14 of erysipelas, 4 of whooping-cough, one of acute influenzal pneumonia, one of membranous croup and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th January, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Dec. 27	2	1	·	·	·	—	11	—	6	2	—	·	—	2	1	·	2	·	·	·	27
	Jan. 3	·	·	·	·	·	—	31	—	6	3	—	·	—	·	1	·	5	·	·	13	59
	Jan. 10	1	·	·	·	·	—	15	—	6	6	—	·	—	·	·	·	4	·	·	12	44
	Jan. 17	10	·	·	·	·	—	18	—	7	2	—	·	—	·	2	·	2	·	·	7	48
Rathmines & Rathgar Urban District	Dec. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	1	·	—	3
	Jan. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Jan. 10	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	1	·	·	—	6
	Jan. 17	·	·	·	·	·	—	4	—	·	4	—	·	—	·	·	·	·	·	·	—	8
Pembroke Urban District	Dec. 27	·	·	·	·	·	9	1	·	1	2	·	·	—	·	·	·	·	·	·	·	13
	Jan. 3	·	·	·	·	·	5	·	·	·	2	·	·	—	·	·	·	1	·	·	·	8
	Jan. 10	·	·	·	·	·	3	1	·	1	1	·	·	—	·	·	·	·	·	·	·	6
	Jan. 17	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Dec. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 3	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 10	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Dec. 27	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	—	·	·	2
	Jan. 3	·	·	·	·	·	—	1	—	·	1	—	·	—	·	·	·	·	—	·	1	3
	Jan. 10	·	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	·	—	·	·	5
	Jan. 17	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
City of Belfast	Dec. 27	8	·	1	·	·	—	64	—	10	9	—	2	—	·	·	·	·	·	·	·	94
	Jan. 3	4	1	·	·	·	—	107	—	5	8	—	2	—	·	·	·	·	·	·	·	127
	Jan. 10	9	·	·	·	·	—	75	—	4	8	—	1	—	·	·	·	·	·	·	·	97
	Jan. 17	3	·	·	·	·	—	76	—	7	9	—	·	—	·	1	·	3	·	·	·	99
City of Cork	Dec. 27	·	·	·	·	·	·	·	—	10	·	—	·	·	·	5	·	·	—	·	—	15
	Jan. 3	·	·	·	·	·	·	·	—	13	1	—	·	·	·	3	·	·	—	·	—	17
	Jan. 10	·	·	·	·	·	·	1	—	2	1	—	·	·	·	·	·	·	—	·	—	4[a]
	Jan. 17	·	·	·	·	·	·	·	—	8	·	—	·	·	·	2	·	·	—	·	—	10
City of Londonderry	Dec. 27	·	·	·	·	·	—	3	—	2	1	—	·	—	·	·	·	·	·	—	—	6
	Jan. 3	·	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	·	·	—	—	5
	Jan. 10	·	·	·	·	·	—	3	—	2	·	—	·	—	·	·	·	·	·	—	—	5
	Jan. 17	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	—	—	4
City of Limerick	Dec. 27	1	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Jan. 10	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
	Jan. 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Dec. 27	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Jan. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Jan. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Jan. 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th January, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 11 and 14; typhus nil and one; measles 3 and 8; scarlet fever 20 and 167*; and diphtheria 6 and 31. Nine cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria, and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th January, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 17TH JANUARY, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 17TH JANUARY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	29·7	18·1	2·7	665	405	75	98	2	•	·	23	8	11	8	1	2	31	10	16	31	41	5	2	4	6	114	9	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	33·4	15·0	1·0	266	119	25	39	·	·	·	1	1	2	1	1	·	7	6	7	11	16	2	·	·	1	44	3	(d) 59·4	30·2	53·6	40·0	46·8	0·71
Urban Districts. CITY OF DUBLIN,	318,200	39·0	38·2	16·2	1·0	233	99	23	32	·	·	·	1	1	2	•	1	·	4	6	6	10	15	1	·	·	1	35	3	(e) 60·8	33·1	54·0	42·2	48·1	0·74
																														(f) 60·6	31·0	54·4	40·9	47·7	1·23
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	21·9	14·2	2·6	17	11	1	5	·	·	·	·	·	·	1	·	·	2	·	1	·	1	1	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	15·5	6·9	·	9	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	21·5	15·3	·	7	5	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·	59	33	52·8	42·1	47·4	0·83
Urban Districts. BELFAST, ..	413,000	27·7	29·5	21·0	4·4	234	166	29	32	2	·	·	21	7	1	1	·	2	13	3	3	15	15	2	1	1	2	39	2	55·0	31·8	49·2	36·7	42·9	1·65
Urban Districts. CORK, ...	76,673	28·6	29·2	23·8	2·0	43	35	6	7	·	·	·	·	·	1	1	·	·	5	·	·	3	5	1	·	·	·	14	1	55	37	51·3	43·1	47·2	0·75
Urban Districts. LONDONDERRY, ..	44,000	17·1	27·3	20·1	3·6	23	17	2	·	·	·	·	·	·	3	·	·	·	1	•	1	·	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	13·5	20·3	5·4	10	15	2	4	·	·	·	·	·	1	2	·	·	·	·	·	·	1	·	1	2	2	7	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	28·5	15·2	3·8	15	8	3	3	·	·	·	·	·	2	·	·	·	·	·	·	1	·	·	·	·	·	1	2	·	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				3	2	1	•	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	52	30	50·0	36·5	43·3	1·24
Urban Districts. DUNDALK, h ..	13,128	9·5				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				12	7	3	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	56·7	30·5	50·1	38·8	44·4	0·80
Urban Districts. DROGHEDA, ..	12,501	8·4				8	6	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				7	6	1	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	1	1	·	·	57	27	50·1	36·4	43·3	0·96
Urban Districts. NEWRY, ...	11,963	17·0				8	3	·	1	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	56·7	30·5	50·1	38·8	44·4	0·80
Urban Districts. PORTADOWN ..	11,727	15·3				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	56·7	30·5	50·1	38·8	44·4	0·80
Urban Districts. WEXFORD, ..	11,531	22·8				12	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				3	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				3	5	1	1	·	·	·	·	·	3	·	·	·	1	·	·	·	·	·	·	·	·	·	·	56	29	51	38	44·5	1·18
Urban Districts. KILKENNY, ..	10,514	11·4				1	4	·	3	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	2	·	58	30	52·5	39·5	46·0	0·43
Urban Districts. TRALEE, ...	10,300	17·4				6	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				8	4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	15·8	—	2,962	1,218	215	426	1	·	·	21	7	19	23	—	—	78	14	106	128	122	19	5	49	116	564	4	56	32	51·7	41·7	46·7	0·55
EDINBURGH ...	342,300	—	—	12·2	—	159	80	9	32	·	·	·	·	·	·	1	—	2	—	—	—	—	—	1	—	3	—	—	—	56·0	31·0	46·1	36·6	41·4	0·78
GLASGOW	1,115,500	—	—	17·4	—	713	371g	60	103	1	·	·	2	1	2	4	—	3	—	—	—	—	—	3	—	10	—	—	—	54·0	32·9	46·4	37·6	42·0	1·17

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. The readings for Limerick are supplied by Mungret College. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 4 deaths from cerebro-spinal meningitis. (h) Return not received in time for Press.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 2nd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday 17th January, 1920																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	185·4	130	8	17	4	7	5	·	4	2	8	8	15	11	23	18	119
Enteric Fever ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	2·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Scarlet Fever ..	·2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Whooping-cough ..	1·4	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	2
Diphtheria	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non puerperal).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·6	8	·	·	·	·	1	·	1	1	1	1	2	·	1	·	7
Tuberculous Meningitis	1·6	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	2
Abdominal Tuberculosis	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of the Spinal Column.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Tuberculosis of other Organs.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	1·2	3	·	1	·	1	·	·	1	·	·	·	·	·	·	·	3
Venereal Diseases ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	9·2	8	·	·	·	·	·	·	·	·	1	1	1	3	1	1	7
Tumour, situation undefined.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Diabetes	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	·4	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1
Other General Diseases	2·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Alcoholism ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	2·0	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	2
Cerebral Hæmorrhage, Apoplexy.	7·6	4	·	·	·	·	·	·	·	·	·	·	1	2	·	1	4
Softening of Brain ..	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Paralysis, without specified cause.	2·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Epilepsy, ...	·6	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2
Convulsions (non-puerperal).	4·2	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3
Other Diseases of Nervous System.	2·2	3	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·
Pericarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Organic Diseases of the Heart.	17·4	14	·	·	·	·	·	·	·	·	·	·	6	3	·	5	14
Embolism and Thrombosis (including Cerebral).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	1·6	3	·	·	·	·	1	·	·	·	·	·	1	·	1	·	3
Diseases of the Larynx	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	30·6	14	·	3	1	·	·	·	·	·	·	1	1	·	5	3	14
Broncho-pneumonia ..	11·2	5	·	2	·	1	·	·	·	·	·	·	·	·	1	1	5
Lobar pneumonia ..	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	5·4	7	1	1	1	·	·	·	·	1	·	·	·	·	3	·	6
Pleurisy	1·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System	1·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

in the SECOND WEEK, ending Saturday, 17th January, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 2nd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 17th January, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Diseases of Stomach ..	1·8	3	·	2	·	·	·	·	·	·	1	·	·	·	·	·	3	
Diarrhœa and Enteritis of Children under 2 years.	3·4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Enteritis 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Appendicitis and Typhlitis.	1·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	
Hernia and Intestinal Obstructions.	1·2	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	2	
Cirrhosis of Liver ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Liver	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Peritonitis (cause unknown).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Digestive System.	1·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	
Acute Nephritis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Chronic Bright's Disease	6·2	7	·	·	·	·	·	·	·	·	·	1	1	·	4	1	7	
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Diseases of Genito-urinary System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	
Other causes incident to Pregnancy and Childbirth.	·2	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	
Diseases of Skin and Cellular Tissues.	1·4	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	2	
Diseases of Locomotor System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Congenital Malformations.	1·0	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	
Premature Birth ..	3·8	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3	
Congenital Debility ..	4·8	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3	
Old Age	8·4	5	·	·	·	·	·	·	·	·	·	·	·	·	2	3	5	
Other Specified Diseases	2·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Burns and Scalds ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Drowning	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Gunshot Wounds, &c.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Other Violent Deaths		1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	
Not included in above—																		
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Ill-defined, &c., Causes,	3·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	

TABLE IV.—Showing for the WEEK ENDED 17TH JANUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 17TH JANUARY, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	11·9	·	7	5	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	·	3	·	·	1	·
,, 1, W., ...	42,100	17·3	2·5	14	·	·	1	2	1	·	4	6	·	·	·	1	·	·	·	1	·	·	2	·	1	1	·	·	·	8	·	4	1	1
,, 2, ...	28,200	25·9	1·8	14	6	·	·	1	1	·	3	3	·	·	·	·	·	·	·	·	·	1	2	1	2	1	1	·	·	6	1	2	3	·
,, 3, ...	35,000	7·3	·	5	1	·	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	3	·	2	1	·
CLONTARF AND HOWTH, No. 1, part of	5,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	3·8	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	13·7	·	3	·	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ...	44,100	13·0	·	11	1	·	1	·	1	·	3	5	·	·	·	·	·	·	·	·	·	·	2	2	2	2	·	·	·	3	·	·	5	·
,, 2, ...	18,600	14·0	·	5	·	1	·	·	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	3	·	·	3	·
,, 3, ...	44,400	27·0	2·3	23	7	1	2	1	·	3	1	8	·	·	·	·	1	1	·	·	·	·	·	1	·	4	·	·	·	16	·	4	4	2
,, 4, ...	33,600	20·2	1·6	13	3	1	1	1	·	1	2	4	·	·	·	·	·	1	·	·	·	2	·	1	3	·	·	·	·	6	·	·	2	·
NEW KILMAINHAM, ...	10,600	14·8	·	3	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	·	1	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	14·2	2·6	11	1	1	·	·	1	·	3	5	·	·	·	·	·	·	1	·	·	2	·	1	·	1	1	·	·	5	·	3	1	·
PEMBROKE	30,200	6·9	·	4	1	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·	2	·	·
BLACKROCK, ...	9,200	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	17,000	15·3	·	5	·	·	·	·	·	1	2	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	4	·	1	2	·
TOTAL CITY. North, ...	166,900	13·7	0·9	44	12	·	1	3	3	2	10	13	·	·	·	1	·	·	·	1	·	2	4	1	4	7	1	·	·	23	1	9	6	1
TOTAL CITY. South, ...	151,300	19·0	1·0	55	11	3	4	2	1	7	8	19	·	·	·	·	1	2	·	·	·	2	2	5	6	8	·	·	·	29	·	5	15	2
TOTAL CITY. North and South, ..	318,200	16·2	1·0	99	23	3	5	5	4	9	18	32	·	·	·	1	1	2	·	1	·	4	6	6	10	15	1	·	·	52	1	14	21	3
Total Urban Districts, ...	96,800	10·8	1·1	20	2	1	·	·	1	2	7	7	·	·	·	·	·	·	1	·	·	3	·	1	1	1	1	·	·	12	·	6	3	·
Total Registration Area, ..	415,000	15·0	1·0	119	25	4	5	5	5	11	25	39	·	·	·	1	1	2	1	1	·	7	6	7	11	16	2	·	·	64	1	20	24	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	·	·	2	·	1	5	1	2	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	7	·	11	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th January, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH JANUARY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	130	36	5	6	16	26	23	18	.	.	.	1	1	2	1	1	.	8	6	8	3	12	16	2	.	1	68	3
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	15·4	30	3	1	2	4	7	5	8	.	.	.	.	.	.	.	.	.	1	1	4	.	1	2	.	.	1	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·0	25	6	2	.	5	5	7	.	.	.	.	.	1	.	1	1	.	2	1	2	.	3	3	.	.	.	11	2
IV.	GENERAL SERVICE CLASS	167,479	14·9	48	25	2	2	4	8	3	4	.	.	.	1	.	2	.	.	.	3	2	.	3	6	9	1	.	.	21	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	2	.	2	3	6	7	4	.	.	.	.	.	.	.	.	.	2	2	2	.	2	2	1	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	6. Clerks and Commercial Assistants,	33,249	—	8	.	.	1	1	2	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	15	2	.	1	2	5	2	3	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	1	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	5	2	1	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.
	10. Clothing Trades, ...	20,026	—	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
	11. Food Supply Trades, ...	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	13	2	.	.	3	3	5	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	2	.	.	.	6	2
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	6	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.
	15. Domestic Servants, ...	36,041	—	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	35	21	2	2	1	4	3	2	.	.	.	1	.	2	.	.	.	2	2	.	3	5	9	1	.	.	10	1
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	5,602	—	24	2	.	2	3	6	7	4	.	.	.	.	.	.	.	.	.	2	2	2	.	2	2	1	.	.	13	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Oct. 25.	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Oct 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17
No. of weeks in Annual Series ..	43	44	45	46	47	48	49	50	51	52	53	1	2	43	44	45	46	47	48	49	50	51	52	53	1	2
BIRTHS registered	163	233	216	216	184	195	208	220	324	123	265	249	266	206	220	234	200	209	225	241	226	235	127	296	292	234
Average Births in corresponding week of previous 10 years, ...	189	187	197	202	184	192	175	200	159	148	148	210	221	178	182	183	169	175	178	173	175	167	159	159	225	198
Number of Deaths, ...	118	138	99	105	138	117	137	151	133	92	155	138	119	116	115	159	147	167	133	169	160	185	156	197	159	166
Annual Death-rate per 1,000 ..	15·2	17·8	12·7	13·5	17·8	15·1	17·6	19·4	17·1	11·8	20·0	17·3	15·0	15·1	15·0	20·7	19·1	21·7	17·3	22·0	20·8	24·1	20·3	25·6	18·9	21·0
Average Deaths in corresponding week of previous 10 years, ...	160	176	185	167	164	165	169	164	164	158	158	190	175	118	114	137	155	170	162	164	151	144	152	152	151	158
Ages, .. Under one year, ..	18	18	19	23	19	18	26	19	19	11	29	24	25	18	19	28	25	23	20	30	19	28	25	27	33	29
1— 5 years, ..	8	8	8	4	10	4	7	7	8	6	14	14	9	8	19	19	16	30	18	21	24	34	24	36	24	34
5—25 ,, ..	12	14	11	11	8	15	12	15	15	10	7	15	10	27	23	22	15	22	22	23	23	26	19	31	16	23
25—45 ,, ..	20	20	12	17	28	16	19	22	18	15	18	11	11	18	12	20	19	14	12	19	15	26	22	24	13	17
45—65 ,, ..	30	45	27	18	38	31	33	39	37	23	38	32	25	20	25	34	40	39	22	37	41	37	36	50	25	31
65 and upwards, ..	30	33	22	32	35	33	40	49	36	27	49	42	39	25	17	36	32	39	39	39	38	34	30	29	39	32
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	1	1	.	3	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		1	2	1	1	.	.	1	.	.	1	.	1	.	1	4	2	9	10	15	14	32	19	26	19	21
Scarlet Fever, ...	.	1	.	1	2	1	1	1	.	2	.	1	1	12	11	10	5	8	8	9	12	4	3	8	3	7
Whooping-cough, ...	1	.	.	.	.	.	2	2	1	2	2	.	2	.	1	.	.	.	.	.	.	.	1	1	.	1
Diphtheria, ...	1	2	1	.	1	.	1	1	1	.	1	.	1	.	1	.		2	2	1	1	1	2	1	.	1
Dysentery, ...	.	2	.	1	.	.	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2	1	.	1	.	4	.	.	.	.	1	1	.	—	—	—	—	—	—	—	—	—	—	—	1	2
Tuberculosis { Pulmonary, ..	17	15	7	13	11	14	17	11	13	9	10	12	7	12	12	11	16	15	4	11	17	17	17	20	13	13
Other Forms, ..	5	4	6	7	2	5	6	9	7	2	4	5	6	3	5	7	4	4	2	4	4	3	1	4	5	3
Cancer, ...	10	12	7	4	12	8	8	9	8	5	11	5	7	10	6	6	7	9	6	7	11	4	10	11	7	3
Diseases of Respiratory System, { Pneumonia ..	4	5	10	8	14	3	9	12	2	8	16	11	11	8	9	14	11	17	17	18	12	10	11	11	11	15
Others, ..	11	16	14	13	19	23	16	23	24	12	22	19	16	12	11	17	29	25	12	23	23	18	19	17	17	15
Diarrhœa & Enteritis, under 2 years	3	4	2	5	5	1	5	3	1	2	4	1	2	1	1	3	2	1	2	1	3	.	2	4	1	2
Diarrhœa, 2 years and upwards..	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	4	1	1	1	.	2	2	2	2	.	1
Violent Deaths, ...	6	5	3	1	2	2	4	2	7	7	3	2	.	1	7	1	3	2	3	4	2	3	4	7	2	1
Number of Uncertified Deaths, ..	2	6	2	2	6	4	3	4	4	1	3	6	3	1	3	7	2	1	5	6	1	5	1	3	3	2
A Mean Maximum Temperature in degs	57·8	48·0	44·0	40·6	48·6	44·5	49·0	47·1	50·2	49·1	46·9	46·0	53·6	57·6	48·2	45·1	42·3	46·6	47·2	48·1	45·6	48·2	46·1	44·0	43·4	49·2
B Mean Minimum ,, ,,	41·3	34·0	32·3	22·6	35·4	33·4	35·5	37·8	40·5	33·9	31·7	32·0	40·0	47·6	39·0	38·2	29·0	30·5	36·7	33·2	35·7	36·4	37·8	33·1	34·1	36·7
Mean of A and B ,, ,,	49·5	41·0	38·2	31·6	42·0	38·9	42·3	42·4	45·3	41·5	39·3	39·0	46·8	52·6	43·6	41·6	35·6	38·5	41·9	40·6	40·6	42·3	41·9	38·5	38·8	42·9
Rainfall in inches	1·30	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·71	0·95	0·02	0·77	0·07	1·13	0·87	1·35	1·74	1·21	2·04	2·14	0·87	1·65

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th January, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms	Cancer	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)		
CITY OF BELFAST.																																	
BELFAST URBAN No 1 DISTRICT,	15,879	10	29·6	9·9	9	1	5	·	·	2	1	·	·	·	2	·	·	·	·	·	·	·	·	2	1	·	1	·	·	1	·		
Do. 2 do.	49,500	25	14·7	5·3	14	1	3	4	1	2	3	·	·	·	3	1	·	1	·	·	1	1	·	1	1	·	·	·	·	3	·		
Do. 3 do.	50,032	27	24·0	5·2	23	6	5	1	3	3	5	·	·	·	2	1	1	·	·	·	1	·	2	1	1	1	·	·	·	7	·		
Do. 4 do.	32,637	20	27·2	6·4	17	4	3	2	2	3	3	·	·	·	4	·	·	·	·	·	4	·	·	2	2	·	·	·	·	5	·		
Do. 5 do.	16,112	14	22·7	3·2	7	4	1	·	2	·	·	·	·	·	1	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·		
Do. 6 do.	37,293	20	18·2	·	13	2	·	1	1	4	5	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1		
Do. 7 do.	2,681	1	38·9	19·4	2	·	1	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·		
Do. 8 do.	5,964	4	26·2	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·		
Do. 9 do.	24,427	13	17·1	4·3	8	·	1	3	1	2	1	·	·	·	·	2	·	·	·	2	1	·	·	2	·	·	·	·	·	2	·		
Do. 10 do.	28,958	18	37·8	9·0	21	4	4	2	2	4	5	·	·	·	4	1	·	·	·	·	1	·	·	·	5	·	·	·	·	4	·		
Do. 11 do.	39,311	23	13·3	·	10	3	·	2	2	1	2	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	1	3	·		
Do. 12 do	38,076	28	19·2	5·5	14	1	6	3	1	2	1	1	·	·	2	1	·	·	·	·	·	1	·	1	2	·	·	·	·	4	·		
Do 13 do.	23,233	15	24·7	6·7	11	·	2	2	1	3	3	1	·	·	1	1	·	·	·	·	1	·	·	·	·	·	·	·	·	3	1		
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 15 do	22,669	16	32·2	4·6	14	3	3	3	1	4	·	·	·	·	1	·	·	·	·	·	2	·	·	2	2	1	·	1	1	4	·		
Total,	386,947	234	21·0	4·4	166	29	34	23	17	31	32	2	·	·	21	7	1	1	·	2	13	3	3	15	15	2	1	1	2	39	2		
CITY OF CORK																																	
CORK URBAN No. 1 DISTRICT,	13,455	3	7·8	·	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·		
Do. 2 do.	10,399	14	15·0	·	3	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·		
Do. 3 do.	9,793	6	47·9	·	9	2	·	2	·	3	2	·	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	5	·		
Do. 4 do.	9,139	6	39·9	11·4	7	1	1	1	2	2	·	·	·	·	·	·	·	1	·	·	1	·	·	2	·	1	·	·	·	3	·		
Do. 5 do.	6,250	2	25·0	·	3	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·		
Do. 6 do.	11,581	5	13·5	4·5	3	1	·	1	1	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	1	·		
Do 7 do.	16,056	7	26·0	·	8	1	1	·	·	2	4	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	3	1		
Total.	76,673	43	23·8	2·0	35	6	2	4	6	10	7	·	·	·	·	·	1	1	·	·	5	·	·	3	5	1	·	·	·	14	1		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th January, 1920

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	3
„ „ 1, West ..	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	1	4
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2
„ „ 3, ...	.	.	.	.	.	5	1	.	.	.	.	.		.	.	.	1	7
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1	1	.	.	.	.	2	1	.	.	.	.	.	.	.		.	.	4
„ „ „ 2, ...	9	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	12
„ „ „ 3, ...	.	.	.	.	.	4	.	.	.	.	.	1	.	.	.	.	2	7
„ „ „ 4, ...	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	10	.	.		.	18	7	.	2	.	.	2	.	2	.	.	7	48

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th January, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 17th January.			
	Dec. 27.	Jan. 3.	Jan. 10.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	7	6	5	11	2	.	14
Typhus, ...	1	1	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	8	6	3	1	.	8
Scarlet Fever, ...	176	176	178	20	31	.	167*
Diphtheria, ...	33	37	37	6	11	1	31
Pneumonia, ...	13	18	20	9	6	2	21

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital

Printed under the authority of His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13466). Wt. 8424 3. 380. 1. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37 PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 3. VOL. LVII.] WEEK ENDING SATURDAY, 24TH JANUARY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 26th January, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·6 and 19·3; Dublin Registration Area, 19·6 and 18·0; Dublin City, 19·5 and 18·4; Belfast, 17·8 and 20·8; Cork, 17·0 and 21·2; Londonderry, 8·3 and 15·1; Limerick, 17·6 and 20·6; and Waterford, 20·9 and 16·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 141 deaths from all causes for Belfast are 13 from measles, 2 from scarlet fever, one from whooping-cough, and 2 from diphtheria. Of the 25 deaths from all causes for Cork there are 2 from whooping-cough, and one from diphtheria. The 11 deaths from all causes for Waterford include one from enteric fever, and 3 from whooping-cough. The 7 deaths recorded for Galway include one from whooping-cough, and one of the 11 deaths recorded for Newry is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 289—145 boys and 144 girls—and the deaths to 169—87 males and 82 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·6 per 1,000 of the population. During the three weeks ending with Saturday last, the death-rate averaged 17·3 and was 6·2 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the three weeks was 18·6, and for the corresponding period of the preceding ten years 25·0.

Of the 156 deaths appertaining to the Area there were 2 from whooping-cough, one from diphtheria, and 2 from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 2, 0, and 2; deaths from diphtheria one, 0, and one; and deaths from influenza one, one, and 0.

There were 14 deaths from pneumonia, comprising 3 from broncho-pneumonia, 3 from lobar-pneumonia, and 8 from pneumonia (type not distinguished).

Tuberculous disease caused 20 deaths (including 14 from pulmonary tuberculosis, and 6 from other forms of tuberculous disease), as against 14, 17, and 13 in the three weeks preceding.

Thirteen deaths were caused by cancer, 20 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, 2 were due to convulsions, one to bronchitis, 6 to to premature birth, and 4 to congenital debility.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 16 being infants under one year, of whom 10 were under one month old, and 49 deaths were those of persons aged 65 and upwards, of whom 42 were 70 years of age or over.

Of the 156 deaths recorded, 64 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND

The mortality among civilians for the week ended 24th January, in 96 large English towns (including London, in which the rate was 15.1 was equal to an average annual death rate of 15·3 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·3 per 1,000 persons living, the rate for Glasgow being 16·7 and for Edinburgh 15·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th January. From this Report it appears that of 100 cases notified, 29 were diphtheria, 26 scarlet fever, 16 pulmonary tuberculosis, 10 other forms of tuberculosis, 7 erysipelas, 6 acute primary pneumonia, 2 puerperal fever, 2 ophthalmia neonatorum, one cerebro-spinal fever, and one malaria. Among the 679 cases of infectious diseases in hospital at the close of the week were 224 of scarlet fever, 200 of pulmonary tuberculosis, 142 of diphtheria, 22 of measles, 12 of erysipelas, 3 of whooping-cough, one of cerebro-spinal fever, one of membranous croup and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th January, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Jan. 3	•	•	•	•	•	—	31	—	6	3	—	•	—	•	1	•	5	•	•	13	59
	Jan. 10	1	•	•	•	•	—	15	—	6	6	—	•	—	•	•	•	4	•	•	12	44
	Jan. 17	10	•	•	•	•	—	18	—	7	2	—	•	—	•	2	•	2	•	•	7	48
	Jan. 24	7	•	•	•	•	—	10	—	2	3	—	•	—	10	•	•	1	•	•	26	59
Rathmines & Rathgar Urban District	Jan. 3	•	•	•	•	•	—	•	—	•	•	—	•	—	•	•	•	•	•	•	—	•
	Jan. 10	•	•	•	•	•	—	4	—	1	•	—	•	—	•	•	•	1	•	•	—	6
	Jan. 17	•	•	•	•	•	—	4	—	•	4	—	•	—	•	•	•	•	•	•	—	8
	Jan. 24	•	•	•	•	•	—	3	—	•	•	—	•	—	•	•	•	•	•	•	—	3
Pembroke Urban District	Jan. 3	•	•	•	•	•	5	•	•	•	2	•	•	—	•	•	•	1	•	•	•	8
	Jan. 10	•	•	•	•	•	3	1	•	1	1	•	•	—	•	•	•	•	•	•	•	6
	Jan. 17	•	•	•	•	•	1	•	•	1	•	•	•	—	•	•	•	•	•	•	•	2
	Jan. 24	•	•	•	•	•	2	2	•	•	•	•	•	—	•	•	•	1	•	•	•	5
Blackrock Urban District	Jan. 3	•	•	•	•	•	•	•	—	•	•	—	•	—	•	•	•	•	•	•	•	•
	Jan. 10	•	•	•	•	•	•	•	—	•	•	—	•	—	•	•	•	•	•	•	•	•
	Jan. 17	•	•	•	•	•	•	•	—	•	•	—	•	—	•	•	•	•	•	•	•	•
	Jan. 24	•	•	•	•	•	•	•	—	•	•	—	•	—	•	•	•	•	•	•	•	•
Kingstown Urban District	Jan. 3	•	•	•	•	•	—	1	—	•	1	—	•	—	•	•	•	•	—	•	1	3
	Jan. 10	•	•	•	•	•	—	3	—	1	1	—	•	—	•	•	•	•	—	•	•	5
	Jan. 17	•	•	•	•	•	—	2	—	•	•	—	•	—	•	•	•	•	—	•	•	2
	Jan. 24	•	•	•	•	•	—	1	—	2	•	—	•	—	•	•	•	•	—	•	1	4
City of Belfast	Jan. 3	4	1	•	•	•	—	107	—	5	8	—	2	—	•	•	•	•	•	•	•	127
	Jan. 10	9	•	•	•	•	—	75	—	4	8	—	1	—	•	•	•	•	•	•	•	97
	Jan. 17	3	•	•	•	•	—	76	—	7	9	—	•	—	•	1	•	3	•	•	•	99
	Jan. 24	6	•	•	•	•	—	87	—	6	7	—	1	—	•	3	•	1	•	•	•	111
City of Cork	Jan. 3	•	•	•	•	•	•	•	—	13	1	—	•	•	•	3	•	•	—	•	—	17
	Jan. 10	•	•	•	•	•	•	1	—	2	1	—	•	•	•	•	•	•	—	•	—	4[a]
	Jan. 17	•	•	•	•	•	•	•	—	8	•	—	•	•	•	2	•	•	—	•	—	10
	Jan. 24	•	•	•	•	•	•	•	—	4	•	—	•	•	•	4	•	•	—	•	—	8[a]
City of Londonderry	Jan. 3	•	•	•	•	•	—	3	—	1	1	—	•	—		•	•	•	•	—	—	5
	Jan. 10	•	•	•	•	•	—	3	—	2	•	—	•	—		•	•	•	•	—	—	5
	Jan. 17	•	•	•	•	•	—	4	—	•	•	—	•	—	•	•	•	•	•	—	—	4
	Jan. 24	•	•	•	•	•	—	8	—	2	2	—	•	—	•	•	•	•	•	—	—	12
City of Limerick	Jan. 3	•	•	•	•	•	—	•	—	•	•	—	•	—	•	•	•	•	•	•	—	•
	Jan. 10	•	•	•	•	•	—	•	—	2	•	—	•	—	•	•	•	•	•	•	—	2
	Jan. 17	•	•	•	•	•	—	•	—	1	•	—	•	—	•	•	•	•	•	•	—	1
	Jan. 24	•	•	•	•	•	—	•	—	1	•	—	•	—	•	•	•	•	•	•	—	1
City of Waterford	Jan. 3	•	•	•	•	•	—	•	—	•	•	—	•	—	•	•	•	•	—	—	•	•
	Jan. 10	•	•	•	•	•	—	•	—	•	•	—	•	—	•	•	•	•	—	—	•	•
	Jan. 17	•	•	•	•	•	—	•	—	•	•	—	•	—	•	•	•	•	—	—	1	1
	Jan. 24	•	•	•	•	•	—	•	—	•	•	—	•	—	•	•	•	•	—	—	1	1

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th January, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 9 and 22; typhus nil and one; measles 8 and 15; scarlet fever 18 and 152*; and diphtheria 4 and 26. Seven cases of pneumonia were admitted during the week and 22 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria, and 2 were from pneumonia.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 24th January, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

REGISTRATION—WEEK ENDING SATURDAY, 24TH JANUARY, 1920.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number	DEATHS. Total Number.	DEATHS. Under 1 year of Age	DEATHS. At 65 years and upwards.	DEATHS Caused by. Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)			(26)	(27)	(28)	(29)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	30·4	18·6	1·3	681	416	58	106	1	·	·	14	2	9	4	·	2	41	10	26	28	54	·	·	7	11	136	12
DUBLIN REGISTRATION AREA, ...	415,000	29·7	36·3	19·6	0·4	289	116	16	49	·	·	·	·	·	2	1	·	2	14	6	13	14	22	·	·	4	6	64	2
Urban Districts. CITY OF DUBLIN,	318,200	39·0	39·0	19·5	0·5	238	119	14	31	·	·	·	·	·	2	1	·	·	13	4	9	12	19	·	·	3	5	53	1
Urban Districts. RATHMINES and RATHGAR.	40,400	23·6	15·5	18·1	·	12	14	·	7	·	·	·	·	·	·	·	·	2	·	·	1	1	1	·	·	1	1	3	·
Urban Districts. PEMBROKE, ..	30,200	19·2	39·7	27·6	·	23	16	1	7	·	·	·	·	·	·	·	·	·	1	1	1	·	2	·	·	·	·	5	·
Urban Districts. BLACKROCK, ..	9,200	8·5	28·3	·	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	33·7	21·5	·	11	7	1	4	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	3	1
Urban Districts. BELFAST, ..	413,000	27·7	29·2	17·8	2·3	231	141	26	26	·	·	·	13	2	·	2	·	·	13	2	4	11	16	·	·	1	4	43	1
Urban Districts. CORK, ...	76,673	28·6	25·8	17·0	2·0	38	25	5	5	·	·	·	·	·	2	1	·	·	5	1	1	1	5	·	·	·	·	9	1
Urban Districts. LONDONDERRY, ..	44,000	17·1	20·1	8·3	·	17	7	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	2	1	1	1
Urban Districts. LIMERICK, ..	38,518	16·1	25·7	17·6	·	19	13	2	2	·	·	·	·	·	·	·	·	·	2	·	3	1	1	·	·	·	·	4	2
Urban Districts. WATERFORD, ..	27,464	19·1	20·9	20·9	7·6	11	11	2	4	1	·	·	·	·	3	·	·	·	·	·	·	·	1	·	·	·	1	3	1
Urban Districts. GALWAY,.. ..	13,255	2·5				6	7	1	1	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	·	1	1	·
Urban Districts. DUNDALK, ..	13,128	9·5				14	4	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				6	8	·	4	·	·	·	·	·	·	·	·	·	2	·	1	·	3	·	·	·	·	1	1
Urban Districts. DROGHEDA, ..	12,501	8·4				9	6	3	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	2
Urban Districts. LISBURN, ..	12,388	10·9				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				4	11	·	5	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·	·	1	4	·
Urban Districts. PORTADOWN, ..	11,727	15·3				10	9	2	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	2	·
Urban Districts. WEXFORD, ..	11,531	22·8				6	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	1
Urban Districts. BALLYMENA, ..	11,381	9·3				·	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				7	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KILKENNY, ..	10,514	11·4				1	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Urban Districts. TRALEE, ...	10,300	17·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	5	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
LONDON	4,206,901	—	—	15·1	—	2,961	1,164	228	368	1	·	·	19	3	18	29	—	—	85	21	106	126	117	15	4	41	104	512	2
EDINBURGH ...	342,300	—	—	15·3	—	179	100	9	44	·	·	·	2	·	·	1	—	·	—	—	—	—	—	·	—	3	—	—	—
GLASGOW	1,115,500	—	—	16·7	—	714	356g	70	100	1	·	·	4	·	1	3	—	4	—	—	—	—	—	6	—	16	—	—	—

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

METEOROLOGY. (c)

WEEK ENDING 24TH JANUARY, 1920.

Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
°	°	°	°	°	
(d) 56·4	33·6	51·5	35·7	43·6	1·07
(e) 58·2	36·9	50·6	38·9	44·8	0·92
(f) 55·6	35·0	50·5	36·7	43·6	1·02
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
63	37	55·1	38·8	46·9	0·61
58·0	33·5	51·0	38·6	44·8	1·11
52	37	50·6	42·4	46·5	0·98
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
52·6	34·0	47·8	37·0	42·4	0·98
·	·	·	·	·	·
52	31	47·3	34·0	40·6	1·40
52·6	34·0	47·8	37·0	42·4	0·98
52·6	34·0	47·8	37·0	42·4	0·98
·	·	·	·	·	·
·	·	·	·	·	·
53	32	48	36	42	1·24
55	31	50·8	38·5	44·6	1·07
·	·	·	·	·	·
·	·	·	·	·	·
55	30	49·4	38·9	44·2	0·20
52·0	33·0	46·1	35·1	40·6	0·65
50·8	33·3	45·7	36·4	41·1	1·60

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 3rd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday 24th January, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES	191·0	169	12	6	3	7	7	3	4	3	11	16	20	25	23	29	156
Enteric Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox . ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	4·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	2·0	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Diphtheria	1·0	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Croup	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	4·6	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	2
Dysentery	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non puerperal).	1·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	20·0	14	·	·	·	·	·	1	1	1	4	4	2	1	·	·	14
Tuberculous Meningitis	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Abdominal Tuberculosis	·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Tuberculosis of other Organs.	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·4	3	·	·	·	·	1	·	·	1	·	1	·	·	·	·	3
Venereal Diseases ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	10·2	13	·	·	·	·	·	·	·	·		2	4	3	1	3	13
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	2
Diabetes	1·4	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	2
Anæmia, Leucocythæmia.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Other General Diseases	2·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Alcoholism ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	1·8	3	·	·	·	2	1	·	·	·	·	·	·	·	·	·	3
Cerebral Hæmorrhage, Apoplexy.	7·0	7	·	·	·	·	·	·	·	·	·	·	2	2	2	1	7
Softening of Brain ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	2·0	3	·	·	·	·	·	·	·	·	·	·	·	2	·	1	3
Epilepsy, ...	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	2·6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Other Diseases of Nervous System.	3·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	23·0	22	·	1	·	·	1	1	·	·	·	1	5	2	6	5	20
Embolism and Thrombosis (including Cerebral).	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of the Larynx	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	29·2	17	·	1	1	1	·	·	·	·	·	·	1	3	2	8	17
Broncho-pneumonia ..	7·2	3	·	·	·	1	·	·	·	·	1	·	·	1	·	·	3
Lobar pneumonia ..	1·0	3	·	·	1	·	·	·	·	·	·	1	·	·	1	·	3
Pneumonia (type not distinguished).	5·0	8	·	·	1	·	1	·	·	·	1	3	·	·	1	1	8
Pleurisy	·6	2	·	·	·	·	·	·	·	·	1	·	·	·	·	1	2
Pulmonary Congestion, Pulmonary Apoplexy.	·	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2
Other Diseases of Respiratory System	1·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1

in the THIRD WEEK, ending Saturday, 24th January, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 3rd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 24th January, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death															
			0—5				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	1·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		·
Diarrhœa and Enteritis of Children under 2 years.	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·0	2	·	·	·	1	·	·	·	·	·	·	·	·	·	1		2
Appendicitis and Typhlitis.	1·2	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	2·0	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·		2
Cirrhosis of Liver ..	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Other Diseases of Liver	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		·
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	1·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Acute Nephritis ..	1·0	2	·	·	·	·	1	·	·	·	·	·	·	·	1	·		2
Chronic Bright's Disease	5·2	5	·	·	·	·	·	·	·	·	·	·	1	2	1	1		4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Puerperal Septicæmia, &c.	·	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·		2
Other causes incident to Pregnancy and Childbirth.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Diseases of Locomotor System.	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·		·
Congenital Malformations.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	4·2	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·		6
Congenital Debility ..	6·4	6	4	2	·	·	·	·	·	·	·	·	·	·	·	·		4
Old Age	8·4	9	·	·	·	·	·	·	·	·	·	·	·	·	5	4		9
Other Specified Diseases	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·6	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Not included in above—																		
Homicide. ..	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Suicide, ..	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·

TABLE IV.—Showing for the WEEK ENDED 24TH JANUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 24TH JANUARY, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	Total Deaths	DEATHS. Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	15·3	·	9	1	·	·	2	·	2	2	2	·	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	1	4	1	1	1	·
,, 1, W., ...	42,100	19·8	·	16	1	·	·	1	·	4	5	5	·	·	·	·	·	·	·	·	·	1	1	3	2	2	·	·	·	7	·	4	3	·
,, 2, ...	28,200	7·4	·	4	1	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·	·	·	·
,, 3, ...	35,000	16·0	·	11	3	1	·	2	2	·	2	1	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	8	1	3	2	1
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	·	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	22·5	·	6	·	·	1	·	·	1	3	1	·	·	·	·	·	·	·	·	·	·	·	3	·	2	·	·	·	1	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	18·3	·	4	·	·	1	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	1	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	17·7	·	15	3	1	·	·	·	2	3	6	·	·	·	·	·	·	·	·	·	1	·	·	1	5	·	·	·	8	·	3	4	·
,, 2, ...	18,600	33·6	2·8	12	·	·	3	2	·	1	3	3	·	·	·	·	·	·	1	·	·	·	·	·	2	3	·	·	·	6	1	1	5	·
,, 3, ...	44,400	25·8	1·2	22	2	1	·	1	1	7	5	5	·	·	·	·	·	1	·	·	·	4	·	3	3	2	·	·	1	8	1	8	5	·
,, 4, ...	33,600	21·7	1·6	14	3	·	·	·	·	4	2	5	·	·	·	·	·	1	·	·	·	2	·	·	1	4	·	·	1	5	1	3	3	·
NEW KILMAINHAM, ...	10,600	19·7	·	4	·	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·	2	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	18·1	·	14	·	·	·	·	·	2	5	7	·	·	·	·	·	·	·	·	2	·	·	1	1	1	·	·	1	8	1	2	1	·
PEMBROKE	30,200	27·6	·	16	1	·	1	·	·	1	6	7	·	·	·	·	·	·	·	·	·	1	1	1	·	2	·	·	·	11	·	3	2	·
BLACKROCK, ...	9,200	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	17,000	21·5	·	7	1	·	·	·	·	1	1	4	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	3	·	2	1	1
TOTAL CITY. North, ...	166,900	16·2	·	52	6	1	3	5	3	7	15	12	·	·	·	·	·	·	·	·	·	6	3	6	4	5	·	·	1	27	2	12	6	1
TOTAL CITY. South, ...	151,300	23·1	1·0	67	8	2	3	3	2	15	15	19	·	·	·	·	·	2	1	·	·	7	1	3	8	14	·	·	2	29	3	17	18	·
TOTAL CITY. North and South, ..	318,200	19·5	0·5	119	14	3	6	8	5	22	30	31	·	·	·	·	·	2	1	·	·	13	4	9	12	19	·	·	3	56	5	29	24	1
Total Urban Districts, ...	96,800	19·9	·	37	2	·	1	·	·	4	12	18	·	·	·	·	·	·	·	·	2	1	2	4	2	3	·	·	1	22	1	7	4	1
Total Registration Area, ..	415,000	19·6	0·4	156	16	3	7	8	5	26	42	49	·	·	·	·	·	2	1	·	2	14	6	13	14	22	·	·	4	78	6	36	28	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	2	·	·	2	2	1	3	3	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	11	1	10	3	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th January, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH JANUARY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSTION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	169	28	10	7	27	45	23	29	.	.	.	.	.	2	1	1	2	14	6	13	2	14	22	. .	.	5	87	2
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	28·5	8	1	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	5	.
II.	MIDDLE CLASS	101,798	18·4	36	4	2	3	2	9	6	10	.	.	.	.	.	.	.	.	2	2	1	4	.	3	4	.	.	.	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·3	36	1	3	1	7	13	7	4	.	.	.	.	.	.	.	.	.	5	2	3	.	1	4	.	.	.	21	.
IV	GENERAL SERVICE CLASS	167,479	18·1	58	17	4	2	15	10	3	7	.	.	.	.	.	2	.	1	.	4	1	4	2	9	8	.	.	3	24	2
V	INMATES OF WORKHOUSES, ...	5,602	—	31	5	1	1	2	10	6	6	.	.	.	.	.	.	1	.	.	3	2	1	.	1	6	.	.	.	17	.
I	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	1	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	5	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	6	2	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	4	.
	5 Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	1	.	.	1	1	2	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	5	.
	6 Clerks and Commercial Assistants,	33,249	—	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	7 Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	17	.	2	1	.	6	3	5	.	.	.	.	.	.	.	.	2	1	.	2	.	3	.	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ..	28,823	—	11	.	1	1	2	5	1	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	1	.	.	.	5	.
	10. Clothing Trades, ...	20,026	—	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	.	2	.	1	5	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	10	.
	13. Petty Shopkeepers, ...	6,772	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
IV	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	2	1	1	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	1	1	.
	15 Domestic Servants, ...	36,041	—	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
	16 Coach and Car Drivers, Vanmen, &c,	15,380	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	17 Hawkers, Porters, Labourers, &c., ..	103,081	—	44	13	3	1	12	8	3	4	.	.	.	.	.	2	.	1	.	4	1	3	1	6	3	.	.	2	21	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	31	5	1	1	2	10	6	6	.	.	.	.	.	.	1	.	.	3	2	1	.	1	6	.	.	.	17	.

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Nov. 1	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10	Jan. 17	Jan. 24.
No. of weeks in Annual Series ..	44	45	46	47	48	49	50	51	52	53	1	2	3	44	45	46	47	48	49	50	51	52	53	1	2	3
BIRTHS registered	233	216	216	184	195	208	220	224	123	265	249	266	289	220	234	200	209	225	241	226	235	127	296	292	234	231
Average Births in corresponding week of previous 10 years, ...	187	197	202	184	192	175	200	159	148	148	210	221	205	182	183	169	175	178	173	175	167	159	159	225	198	207
Number of Deaths, ...	138	99	105	138	117	137	151	133	92	155	138	119	156	115	159	147	167	133	169	160	185	156	197	150	166	141
Annual Death-rate per 1,000 ..	17·8	12·7	13·5	17·8	15·1	17·6	19·4	17·1	11·8	20·0	17·3	15·0	19·6	15·0	20·7	19·1	21·7	17·3	22·0	20·8	24·1	20·3	25·6	18·9	21·0	17·8
Average Deaths in corresponding week of previous 10 years, ...	176	185	167	164	165	169	164	164	158	158	190	175	180	114	137	155	170	162	164	151	144	152	152	151	158	142
Ages, .. Under one year, ..	18	19	23	19	18	26	19	19	11	29	24	25	16	19	28	25	23	20	30	19	28	25	27	33	29	26
1— 5 years, ..	8	8	4	10	4	7	7	8	6	14	14	9	10	19	19	16	30	18	21	24	34	24	36	24	34	18
5—25 ,, ..	14	11	11	8	15	12	15	15	10	7	15	10	13	23	22	15	22	22	23	23	26	19	31	16	23	18
25—45 ,, ..	20	12	17	28	16	19	22	18	15	18	11	11	26	12	20	19	14	12	19	15	26	22	24	13	17	17
45—65 ,, ..	45	27	18	38	31	33	39	37	23	38	32	25	42	25	34	40	39	22	37	41	37	36	50	25	31	36
65 and upwards, ..	33	22	32	35	33	40	49	36	27	49	42	39	49	17	36	32	39	39	39	38	34	30	29	39	32	26
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	·	1	1	·	3	·	2	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	2	1	1	·	·	1	·	·	1	·	1	·	1	4	2	9	10	15	14	32	19	26	19	21	13
Scarlet Fever, ...	1	·	1	2	1	1	1	·	2	·	1	1	·	11	10	5	8	8	9	12	4	3	8	3	7	2
Whooping-cough, . ..	·	·	·	·	·	2	2	1	2	2	·	2	2	1	·	·	·	·	·	·	·	1	1	·	1	1
Diphtheria, ...	2	1	·	1	·	1	1	1	·	1	·	1	1	1	·	·	2	2	1	1	1	2	1	·	1	2
Dysentery, ...	2	·	1	·	·	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	1	·	1	·	4	·	·	·	·	1	1	·	2	—	—	—	—	—	—	—	—	—	—	1	2	·
Tuberculosis { Pulmonary, ..	15	7	13	11	14	17	11	13	9	10	12	7	14	12	11	16	16	4	11	17	17	17	20	13	13	13
Other Forms, ..	4	6	7	2	5	6	9	7	2	4	5	6	6	5	7	4	4	2	4	4	3	1	4	5	3	2
Cancer, ...	12	7	4	12	8	8	9	8	5	11	5	7	13	6	6	7	9	6	7	11	4	10	11	7	3	4
Diseases of Respiratory System, { Pneumonia ..	5	10	8	14	3	9	12	2	8	16	11	11	14	9	14	11	17	17	18	12	10	11	11	11	15	11
Others, ..	16	14	13	19	23	16	23	24	12	22	19	16	22	11	17	29	25	12	23	23	18	19	17	17	15	16
Diarrhœa & Enteritis, under 2 years	4	2	5	5	1	5	3	1	2	4	1	2	·	1	3	2	1	2	1	3	·	2	4	1	2	·
Diarrhœa, 2 years and upwards..	1	·	·	·	·	·	·	·	·	·	·	·	·	1	4	1	1	1	·	2	2	2	2	·	1	·
Violent Deaths, ...	5	3	1	2	2	4	2	7	7	3	2	·	4	7	1	3	2	3	4	2	3	4	7	2	1	1
Number of Uncertified Deaths, ..	6	2	2	6	4	3	4	4	1	3	6	3	2	3	7	2	1	5	6	1	5	1	3	3	2	1
A Mean Maximum Temperature in degs	48·0	44·0	40·6	48·6	44 5	49·0	47·1	50·2	49·1	46·9	46·0	53 6	51·5	48·2	45·1	42·3	46·6	47·2	48·1	45·6	48·2	46·1	44·0	43·4	49·2	51·0
B Mean Minimum ,, ,,	34·0	32·3	22·6	35·4	33·4	35·5	37·8	40·5	33·9	31·7	32·0	40·0	35·7	39·0	38·2	29·0	30·5	36·7	33·2	35·7	36·4	37·8	33·1	34·1	36·7	38·6
Mean of A and B ,, ,,	41·0	38·2	31·6	42·0	38·9	42·3	42·4	45·3	41·5	39·3	39·0	46·8	43·6	43·6	41·6	35 6	38·5	41·9	40·6	40·6	42·3	41·9	38·5	38·8	42·9	44·8
Rainfall in inches	0·23	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·71	1 07	0·02	0·77	0·67	1·13	0·87	1·35	1·74	1·21	2·04	2·14	0·87	1·65	1·11

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th January, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
Belfast Urban No 1 District,	15,879	10	26·3	3·3	8	1	1	2	·	3	1	·	·	·	1	·	·	·	·	·	·	·	1	2	·	·	·	·	1	2	·
Do 2 do.	49,500	24	16·9	3·2	16	1	3	1	3	3	5	·	·	·	2	·	·	1	·	·	1	·	·	1	3	·	·	·	·	5	·
Do. 3 do.	50,032	32	19·8	3·1	19	6	1	·	·	8	4	·	·	·	3	·	·	·	·	·	·	·	·	4	4	·	·	·	·	3	·
Do. 4 do	32,637	14	20·8	3·2	13	3	1	3	3	2	1	·	·	·	2	·	·	·	·	·	1	1	·	·	1	·	·	·	·	6	·
Do 5 do.	16,112	18	29·1	3·2	9	1	1	·	3	4	·	·	·	·	1	·	·	·	·	·	2	·	·	·	1	·	·	·	·	2	·
Do. 6 do.	37,293	11	19·6	1 4	14	1	1	1	4	2	5	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·
Do. 7 do.	2,681	2	38·9	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	8·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do. 9 do.	24,427	14	19·2	4·3	9	2	3	1	·	1	2	·	·	·	·	1	1	·	·	·	·	1	·	·	·	·	·	·	·	5	·
Do. 10 do.	28,958	18	18·0	3·6	10	·	3	4	·	2	1	·	·	·	1	1	·	·	·	·	1	·	·	2	1	·	·	·	·	1	·
Do. 11 do.	39,311	25	6·6	·	5	1	·	3	·	·	1	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	6	1
Do. 12 do	38,076	28	23·3	4·1	17	8	2	2	·	3	2	·	·	·	2	·	·	1	·	·	3	·	1	·	2	·	·	·	·	2	·
Do 13 do.	23,233	8	18·0	·	8	1	·	1	1	3	2	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do	22,669	24	23·0	·	10	1	2	·	2	4	1	·	·	·	·	·	·	·	·	·	1	·	2	1	2	·	·	1	3	5	·
Total,	386,947	231	17·8	2·3	141	26	18	18	17	36	26	·	·	·	13	2	1	2	·	·	13	2	4	11	16	·	·	1	4	43	1
CITY OF CORK																															
Cork Urban No. 1 District,	13,455	1	19·4	·	5	·	·	·	·	2	3	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	2	·
Do. 2 do.	10,399	10	15·0	5·0	3	2	·	·	1	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	1	1
Do. 3 do.	9,793	12	5·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	7	39·9	5·7	7	2	2	·	1	·	2	·	·	·	·	·	1	·	·	·	1	·	·	1	2	·	·	·	·	·	·
Do. 5 do.	6,250	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do.	11,581	1	13·5	4·5	3	·	·	1	1	1	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	3	·
Do 7 do.	16,056	5	19·5	·	6	1	·	1	2	2	·	·	·	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	·	9	1
Total.	76,673	38	17·0	2·0	25	5	2	2	5	6	5	·	·	·	·	·	2	1	·	·	5	1	1	1	5	·	·	·	·		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th January, 1920.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 1, West ..	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	5	10
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	.	.	.	.	.	1	.	.	1	.	9	.	.	.	.	.	4	15
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	1	4
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 2	7	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	6	14
„ „ „ 3, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	5	8
„ „ „ 4, ...	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	7	.	.	.	.	10	2	.	3	.	10	.	.	1	.	.	26	59

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th January, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 24th January.			
	Jan. 3.	Jan. 10.	Jan. 17.	No admitted	Dis charged	Died.	No under treatment at close of week.
Enteric Fever, ...	6	5	14	9	1	.	22
Typhus, ...	1	1	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	6	8	8	1	.	15
Scarlet Fever, ...	176	178	167	18	33	.	152*
Diphtheria, ...	37	37	31	4	8	1	26
Pneumonia, ...	18	20	21	7	4	2	22

* Exclusive of one patient in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street Dublin

(13489). Wt. 8424. 3. 380. 1. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 4. Vol. LVII.] Week ending Saturday, 31st January, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 2nd February, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 18·1 and 18·4; Dublin Registration Area, 15·8 and 16·9: Dublin City, 17·2 and 17·8; Belfast, 20·3 and 19·5; Cork, 21·1 and 21·2; Londonderry, 20·1 and 16·3; Limerick, 21·7 and 21·3; and Waterford, 36·1 and 22·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·6 per 1,000. Among the 161 deaths from all causes for Belfast are 2 from enteric fever, 11 from measles, 6 from scarlet fever, one from whooping-cough, one from diarrhœa and enteritis of a child under 2 years, and one from influenza. Of the 31 deaths from all causes for Cork there are 4 from whooping-cough, and one from diphtheria. The 16 deaths from all causes for Limerick include one from enteric fever, and the 19 deaths recorded for Waterford include one from influenza, and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 238—126 boys and 112 girls—and the deaths to 138—69 males and 69 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·8 per 1,000 of the population. During the four weeks ending with Saturday last, the death-rate averaged 16·9 and was 6·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the four weeks was 18·3, and for the corresponding period of the preceding ten years 25·1.

Of the 126 deaths appertaining to the Area there was one from each of enteric fever, scarlet fever, and whooping-cough, 5 from diarrhœal diseases, and 3 from influenza.

In the 3 preceding weeks, deaths from scarlet fever were one, one, and 0; deaths from whooping-cough, 0, 2, and 2; deaths from diarrhœal diseases, one, 2, and 0; and deaths from influenza one, 0, and 2. There were no deaths from enteric fever registered in the three preceding weeks.

There were 13 deaths from pneumonia, comprising 9 from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Tuberculous disease caused 19 deaths (including 11 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 17, 13, and 20 in the three weeks preceding.

Six deaths were caused by cancer, 9 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, 5 were due to convulsions, one to bronchitis, 3 to broncho-pneumonia, one to pnemonia, 4 to diarrhœa and enteritis, 5 to premature birth, and 2 to congenital debility.

There was one death by violence.

Forty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 34 being infants under one year, of whom 9 were under one month old, and 24 deaths were those of persons aged 65 and upwards, of whom 18 were 70 years of age or over.

Of the 126 deaths recorded, 44 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 31st January, in 96 large English towns (including London, in which the rate was 16·8 was equal to an average annual death rate of 16·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·9 per 1,000 persons living, the rate for Glasgow being 15·6 and for Edinburgh 15·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st January. From this Report it appears that of 83 cases notified, 36 were scarlet fever, 19 pulmonary tuberculosis, 5 other forms of tuberculosis, 13 diphtheria, 5 erysipelas, 3 acute primary pneumonia, one puerperal fever, and one malaria. Among the 676 cases of infectious diseases in hospital at the close of the week were 221 of scarlet fever, 202 of pulmonary tuberculosis, 127 of diphtheria, 27 of measles, 12 of erysipelas, 3 of whooping-cough, one of cerebro-spinal fever, one of membranous croup and one of chicken pox.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 31st January, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Jan. 10	1	·	·	·	·	—	15	—	6	6	—	·	—	·	·	·	4	·	·	12	44
	Jan. 17	10	·	·	·	·	—	18	—	7	2	—	·	—	·	2	·	2	·	·	7	48
	Jan. 24	7	·	·	·	·	—	10	—	2	3	—	·	—	10	·	·	1	·	·	26	59
	Jan. 31	6	·	·	·	·	—	8	—	4	2	—	·	—	3	1	·	6	·	·	26	56
Rathmines & Rathgar Urban District	Jan. 10	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	1	·	·	—	6
	Jan. 17	·	·	·	·	·	—	4	—	·	4	—	·	—	·	·	·	·	·	·	—	8
	Jan. 24	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	·	—	3
	Jan. 31	·	·	·	·	·	—	8	—	1	·	—	·	—	·	·	·	1	·	·	—	10
Pembroke Urban District	Jan. 10	·	·	·	·	·	3	1	·	1	1	·	·	—	·	·	·	·	·	·	·	6
	Jan. 17	·	·	·	·	·	1	·	·	1	·	·	·	—	·	·	·	·	·	·	·	2
	Jan. 24	·	·	·	·	·	2	2	·	·	·	·	·	—	·	·	·	1	·	·	·	5
	Jan. 31	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
Blackrock Urban District	Jan. 10	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Jan 10	·	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	·	—	·	·	5
	Jan. 17	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	Jan. 24	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Jan. 10	9	·	·	·	·	—	75	—	4	8	—	1	—	·	·	·	·	·	·	·	97
	Jan. 17	3	·	·	·	·	—	76	—	7	9	—	·	—	·	1	·	3	·	·	·	99
	Jan. 24	6	·	·	·	·	—	87	—	6	7	—	1	—	·	3	·	1	·	·	·	111
	Jan. 31	12	·	·	·	·	—	80	—	7	9	—	3	—	·	·	·	3	·	·	1	115
City of Cork	Jan. 10	·	·	·	·	·	·	1	—	2	1	—	·	·	·	·	·	·	—	·	—	4*a*
	Jan. 17	·	·	·	·	·	·	·	—	8	·	—	·	·	·	2	·	·	—	·	—	10
	Jan. 24	·	·	·	·	·	·	·	—	4	·	—	·	·	·	4	·	·	—	·	—	8*a*
	Jan. 31	·	·	·	·	·	·	·	—	11	1	—	·	·	·	2	·	·	—	·	—	14
City of Londonderry	Jan. 10	·	·	·	·	·	—	3	—	2	·	—	·	—	·	·	·	·	·	—	—	5
	Jan. 17	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	—	—	4
	Jan. 24	·	·	·	·	·	—	8	—	2	2	—	·	—	·	·	·	·	·	—	—	12
	Jan. 31	1	·	·	·	·	—	5	—	1	·	—	·	—	·	·	·	·	·	—	—	7
City of Limerick	Jan. 10	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
	Jan. 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 31	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	2
City of Waterford	Jan. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Jan. 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Jan. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st January, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 5 and 25; typhus nil and one; measles 21 and 33; scarlet fever 21 and 133*; and diphtheria 4 and 25. Three cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospital during the week one was from enteric fever, 2 from scarlet fever, one from diphtheria, and one was from pneumonia.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 31st January, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 31ST JANUARY, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 31ST JANUARY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	27·9	18·1	1·6	625	406	84	80	4	·	·	11	7	6	1	·	5	43	16	16	42	49	6	1	12	13	140	11	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	29·9	15·8	1·0	238	126	34	24	1	·	·	·	1	1	·	·	3	11	8	6	13	17	4	1	1	1	44	3	(d) 52·6	28·8	49·1	34·2	41·6	0·66
Urban Districts. CITY OF DUBLIN,	318,200	39·0	33·8	17·2	1·3	206	105	31	18	1	·	·	·	1	1	·	·	2	8	7	3	12	16	4	1	1	·	40	3	(e) 52·0	34·0	48·7	36·7	42·7	1·01
																														(f) 52·8	30·0	49·4	35·1	42·2	0·77
RATHMINES and RATHGAR.	40,400	23·6	23·2	7·7	·	18	6	1	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	10·4	15·5	·	6	9	1	3	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	·	5·7	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	24·5	15·3	·	8	5	1	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	1	·	54	35	48·6	38·2	43·4	1·07
Urban Districts. BELFAST, ..	413,000	27·7	26·1	20·3	2·7	207	161	31	26	2	·	·	11	6	1	·	·	1	21	2	5	20	20	1	·	7	9	49	1	48·0	31·4	45·9	34·4	40·2	1·32
CORK, ...	76,673	28·6	36·7	21·1	3·4	54	31	5	8	·	·	·	·	·	4	1	·	·	3	1	2	4	2	·	·	·	·	13	2	51	34	48·4	37·6	43·0	1·81
LONDONDERRY, ..	44,000	17·1	33·2	20·1	·	28	17	3	4	·	·	·	·	·	·	·	·	·	·	2	1	3	3	·	·	·	·	3	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	23·0	21·7	1·4	17	16	1	5	1	·	·	·	·	·	·	·	·	2	·	1	·	4	·	·	2	2	5	2	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	34·2	36·1	1·9	18	19	3	4	·	·	·	·	·	·	·	·	1	1	1	1	2	1	1	·	·	·	13	·	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				8	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	54	31	50	33	41·5	0·92
DUNDALK, ..	13,128	9·5				·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	48·4	31·9	45·6	34·3	39·9	0·90
DROGHEDA, ..	12,501	8·4				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				13	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	·	·	48	29	45·9	32·1	39·0	1·35
NEWRY, ...	11,963	17·0				8	4	·	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	·	48·4	31·9	45·6	34·3	39·9	0·90
PORTADOWN, ..	11,727	15·3				8	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	48·4	31·9	45·6	34·3	39·9	0·90
WEXFORD, ..	11,531	22·8				5	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				6	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	53	29	46	34	40	1·46
KILKENNY, ..	10,514	11·4				1	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	54	28	47·8	32·2	40·0	1·39
TRALEE, ...	10,300	17·4				2	7	·	5	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	6	1	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				2	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	16·8	—	2,715	1,297	284	373	1	·	·	18	5	28	37	—	—	86	17	110	176	150	15	6	40	107	535	2	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	15·6	—	175	102	11	34	·	·	·	2	·	·	2	—	2	—	—	—	—	—	·	—	2	—	—	—	48·0	29·0	43·3	34·1	38·7	0·57
GLASGOW	1,115,500	—	—	15·9	—	691	340g	75	85	·	·	·	1	1	·	3	—	2	—	—	—	—	—	2	—	8	—	—	—	46·5	33·1	43·4	35·0	39·2	1·17

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population (provisional estimate) for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 4th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday 31st January, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES	192·0	138	9	26	4	7	1	4	5	5	8	12	16	16	16	9	126
Enteric Fever ..	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever ..	·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	2·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·4	3	.	.	.	.	.	.	1	.	.	1	1	.	.	.	3
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·0	14	.	.	.	1	.	1	1	3	1	3	2	2	.	.	11
Tuberculous Meningitis	3·4	4	.	2	.	1	.	1	.	.	.	.	.	.	.	.	4
Abdominal Tuberculosis	1·2	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2
Venereal Diseases ..	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	10·2	7	.	.	.	.	.	.	.	.	.	1	3	3	.	.	6
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia.	1 0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·8	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	5·0	7	2	3	1	1	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	3·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pericarditis ..	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	19·8	9	.	.	.	.	.	.	1	.	.	.	1	1	6	.	9
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Circulatory System.	1·2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Diseases of the Larynx	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	26·4	17	.	1	.	1	.	.	.	.	.	1	1	6	4	3	17
Broncho pneumonia ..	8·8	9	.	3	1	2	1	.	.	.	.	.	2	.	.	.	9
Lobar pneumonia ..	·6	3	.	.	1	.	.	.	.	.	2	.	.	.	.	.	2
Pneumonia (type not distinguished).	5·8	3	.	1	.	1	.	.	.	.	.	.	1	.	.	.	2
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the FOURTH WEEK, ending Saturday, 31st January, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 4th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 31st January, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·4	4	·	2	·	·	·	·	·	·	·	1	·	·	1	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	4·0	5	1	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Diarrhœa 2 years and upwards.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cirrhosis of Liver ..	·4	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2
Other Diseases of Liver	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Peritonitis (cause unknown).	·6	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	2
Other Diseases of Digestive System.	1·0	3	1	1	·	·	·	·	·	·	·	1	·	·	·	·	·	3
Acute Nephritis ..	·6	3	·	2	·	·	·	·	·	1	·	·	·	·	·	·	·	3
Chronic Bright's Disease	6·2	5	·	·	·	·	·	·	·	·	1	1	1	1	·	1	·	5
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·6	3	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	3
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·2	5	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	5
Congenital Debility ..	4·2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	8·2	4	·	·	·	·	·	·	·	·	·	·	·	·	1	3	·	4
Other Specified Diseases	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1
Not included in above—																		
Homicide. ..	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

TABLE IV.—Showing for the WEEK ENDED 31st JANUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population Middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths	WEEK ENDED SATURDAY, 31st JANUARY, 1920. DEATHS.								CAUSED BY																					In Institutions.		
		From all Causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	30·6	·	18	4	·	2	2	1	2	5	2	·	·	·	·	·	·	·	·	·	1	2	·	2	5	·	·	·	8	·	4	1	·
,, 1, W., ...	42,100	16·1	·	13	3	·	·	·	2	2	3	3	·	·	·	·	·	·	·	·	·	2	1	·	·	3	·	·	1	6	·	·	3	·
,, 2, ...	28,200	11·1	1·8	6	2	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	1	·	·	3	·	2	2	·
,, 3, ...	35,000	11·7	2·9	8	1	1	1	1	·	·	1	3	·	·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	·	3	·	1	1	1
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	1
COOLOCK AND DRUMCONDRA, part of ..	13,900	15·0	·	4	1	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	13·7	4·6	3	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	2	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	10·6	1·2	9	5	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	1	1	2	1	·	·	4	·	1	4	1
,, 2, ...	18,600	9·6	2·8	7	2	·	1	·	2	·	2	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	4	·	3	·	·
,, 3, ...	44,400	22·3	·	19	5	1	2	·	2	2	4	3	·	·	·	·	·	·	·	·	·	3	2	·	2	4	·	·	·	8	·	3	4	·
,, 4, ...	33,600	24·8	3·1	16	7	2	·	·	1	1	2	3	·	·	·	·	1	1	·	·	·	1	·	·	4	1	·	·	·	8	·	7	1	·
NEW KILMAINHAM, ...	10,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	7·7	·	6	1	·	·	1	·	·	2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	4	·	1	·	·
PEMBROKE	30,200	15·5	·	9	1	·	1	·	1	1	2	3	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	·	5	1	2	·	·
BLACKROCK, ...	9,200	5·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
KINGSTOWN, ...	17,000	15·3	·	5	1	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·
TOTAL CITY. North, ...	166,900	16·9	1·2	54	12	1	3	3	4	8	13	10	·	·	·	·	·	·	·	·	2	4	4	2	4	9	3	1	1	24	·	10	7	2
TOTAL CITY. South, ...	151,300	17·6	1·4	51	19	3	3	·	5	3	10	8	1	·	·	·	1	1	·	·	·	4	3	1	8	7	1	·	·	24	·	14	9	1
TOTAL CITY. North and South, ..	318,200	17·2	1·3	105	31	4	6	3	9	11	23	18	1	·	·	·	1	1	·	·	2	8	7	3	12	16	4	1	1	48	·	24	16	3
Total Urban Districts, ...	96,800	11·3	·	21	3	·	1	1	1	3	6	6	·	·	·	·	·	·	·	·	1	3	1	3	1	1	·	·	·	11	1	4	·	·
Total Registration Area, ..	415,000	15·8	1·0	126	34	4	7	4	10	14	29	24	1	·	·	·	1	1	·	·	3	11	8	6	13	17	4	1	1	59	1	28	16	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	1	·	·	1	·	6	3	1	·	·	·	·	·	·	·	·	·	3	1	1	2	·	1	·	2	2	2	11	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st January, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST JANUARY, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	138	46	5	10	20	32	16	9	1	.	.	.	1	1	.	.	3	14	9	7	7	15	17	5	1	3	54	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
II.	MIDDLE CLASS	101,798	14·3	28	4	3	.	7	8	4	2	.	.	.	.	.	.	.	.	1	3	.	3	.	3	1	2	1	1	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·5	28	10	.	7	2	5	3	1	1	.	.	.	.	.	.	.	1	3	3	1	3	3	3	1	.	.	9	1
IV.	GENERAL SERVICE CLASS	167,479	19·0	61	26	2	3	9	12	5	4	.	.	.	.	1	1	.	.	.	7	4	3	4	8	7	.	.	2	24	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	17	6	.	.	1	6	2	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.	5	2	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	2	.	.	.	4	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	5	1
	6. Clerks and Commercial Assistants,	33,249	—	9	2	1	.	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	.	1	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	1	1	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ..	28,823	—	9	3	.	2	.	3	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	2	1	.	.	3	.
	10. Clothing Trades, ...	20,026	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	11. Food Supply Trades, ...	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	5	.	4	2	2	1	1	1	.	.	.	.	.	.	.	.	2	1	1	2	2	.	.	.	.	6	1
	13. Petty Shopkeepers, ...	6,772	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	3	1	.	4	.	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	2	4	.
	15. Domestic Servants, ...	36,041	—	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	44	22	1	3	3	9	3	3	.	.	.	.	1	1	.	.	.	6	2	3	3	6	6	.	.	.	16	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	17	6	.	.	1	6	2	2	.	.	.	.	.	.	.	.	1	1	2	.	.	.	5	2	.	.	6	.

TABLE VI.—**Dublin Registration Area and Belfast City.** —Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.
No. of weeks in Annual Series ..	45	46	47	48	49	50	51	52	53	1	2	3	4	45	46	47	48	49	50	51	52	53	1	2	3	4
BIRTHS registered	216	216	184	195	208	220	224	123	265	249	266	289	238	234	200	209	225	241	226	235	127	296	292	234	231	207
Average Births in corresponding week of previous 10 years, ...	197	202	184	192	175	200	159	148	148	210	221	205	210	183	169	175	178	173	175	167	159	159	225	198	207	195
Number of Deaths, ...	99	105	138	117	137	151	133	92	155	138	119	156	126	159	147	167	133	169	160	185	156	197	150	166	141	161
Annual Death-rate per 1,000 ..	12·7	13·5	17·8	15·1	17·6	19·4	17·1	11·8	20·0	17·3	15·0	19·6	15·8	20·7	19·1	21·7	17·3	22·0	20·8	24·1	20·3	25·6	18·9	21·0	17·8	20·3
Average Deaths in corresponding week of previous 10 years, ...	185	167	164	165	169	164	164	158	158	190	175	180	184	137	155	170	162	164	151	144	152	152	151	158	142	159
Ages, .. Under one year, ..	19	23	19	18	26	19	19	11	29	24	25	16	34	28	25	23	20	30	19	28	25	27	33	29	26	31
1— 5 years, ..	8	4	10	4	7	7	8	6	14	14	9	10	11	19	16	30	18	21	24	34	24	36	24	34	18	18
5—25 ,, ..	11	11	8	15	12	15	15	10	7	15	10	13	14	22	15	22	22	23	23	26	19	31	16	23	18	25
25—45 ,, ..	12	17	28	16	19	22	18	15	18	11	11	26	14	20	19	14	12	19	15	26	22	24	13	17	17	25
45—65 ,, ..	27	18	38	31	33	39	37	23	38	32	25	42	29	34	40	39	22	37	41	37	36	50	25	31	36	36
65 and upwards, ..	22	32	35	33	40	49	36	27	49	42	39	49	24	36	32	39	39	39	38	34	30	29	39	32	26	26
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	·	1	1	·	3	·	2	·	2
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	2	1	1	·	·	1	·	·	1	·	1	·	·	4	2	9	10	15	14	32	19	26	19	21	13	11
Scarlet Fever, ...	·	1	2	1	1	1	·	2	·	1	1	·	1	10	5	8	8	9	12	4	3	8	3	7	2	6
Whooping-cough, ...	·	·	·	·	2	2	1	2	2	·	2	2	1	·	·	·	·	·	·	·	1	1	·	1	1	1
Diphtheria, ...	1	·	1	·	1	1	1	·	1	·	1	1	·	·	·	2	2	1	1	1	2	1	·	1	2	·
Dysentery, ...	·	1	·	·	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	1	·	4	·	·	·	·	1	1	·	2	3	—	—	—	—	—	—	—	—	—	1	2	·	1
Tuberculosis { Pulmonary, ..	7	13	11	14	17	11	13	9	10	12	7	14	11	11	16	16	4	11	17	17	17	20	13	13	13	21
Other Forms, ..	6	7	2	5	6	9	7	2	4	5	6	6	8	7	4	4	2	4	4	3	1	4	5	3	2	2
Cancer, ...	7	4	12	8	8	9	8	5	11	5	7	13	6	6	7	9	6	7	11	4	10	11	7	3	4	5
Diseases of Respiratory System, { Pneumonia ..	10	8	14	3	9	12	2	8	16	11	11	14	13	14	11	17	17	18	12	10	11	11	11	15	11	20
Others, ..	14	13	19	23	16	23	24	12	22	19	16	22	17	17	29	25	12	23	23	18	19	17	17	15	16	20
Diarrhœa & Enteritis, under 2 years	2	5	5	1	5	3	1	2	4	1	2	·	4	3	2	1	2	1	3	·	2	4	1	2	·	1
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	·	·	·	1	4	1	1	1	·	2	2	2	2	·	1	·	·
Violent Deaths, ...	3	1	2	2	4	2	7	7	3	2	·	4	1	1	3	2	3	4	2	3	4	7	2	1	1	7
Number of Uncertified Deaths, ..	2	2	6	4	3	4	4	1	3	6	3	2	3	7	2	1	5	6	1	5	1	3	3	2	1	1
A Mean Maximum Temperature in degs	44·0	40·6	48·6	44 5	49·0	47·1	50·2	49·1	46·9	46·0	53·6	51·5	49·1	45·1	42·3	46·6	47·2	48·1	45·6	48·2	46·1	44·0	43·4	49·2	51·0	45·9
B Mean Minimum ,, ,,	32·3	22·6	35·4	33·4	35·5	37·8	40·5	33·9	31·7	32·0	40·0	35·7	34·2	38·2	29·0	30·5	36·7	33·2	35·7	36·4	37·8	33·1	34·1	36·7	38·6	34·4
Mean of A and B ,, ,,	38·2	31·6	42·0	38·9	42·3	42·4	45·3	41·5	39·3	39·0	46·8	43·6	41·6	41·6	35·6	38·5	41·9	40·6	40·6	42·3	41·9	38·5	38·8	42·9	44·8	40·2
Rainfall in inches	0·39	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·71	1·07	0·66	0·77	0·07	1·13	0·87	1·35	1·74	1·21	2·04	2·14	0·87	1·65	1·11	1·32

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st January, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)		
CITY OF BELFAST.																																	
BELFAST URBAN No 1 DISTRICT,	15,879	5	19·7	6·6	6	1	2	1	·	·	2	·	·	·	2	·	·	·	·	·	1	·	·	·	·	·	·	·	·	4	·		
Do. 2 do.	49,500	33	19·0	2·1	18	1	1	1	3	6	6	·	·	·	1	1	·	·	·	1	1	·	1	1	2	·	·	1	1	6	·		
Do. 3 do.	50,032	25	18·8	3·1	18	3	2	4	1	5	3	·	·	·	3	·	·	·	·	·	2	1	1	1	3	·	·	1	1	3	1		
Do. 4 do.	32,637	19	22·4	1·6	14	2	·	5	2	2	3	·	·	·	·	·	·	·	·	·	4	·	1	1	·	1	·	1	2	4	·		
Do. 5 do.	16,112	8	32·4	3·2	10	5	1	1	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	2	4	·	·	·	·	2	·		
Do. 6 do.	37,293	13	12·6	1 4	9	2	·	2	·	3	2	·	·	·	·	1	·	·	·	·	1	·	·	2	1	·	·	·	·	3	·		
Do. 7 do.	2,681	·	38·9	·	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·		
Do. 8 do.	5,964	2	17·5	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·		
Do. 9 do.	24,427	11	23·5	4·3	11	1	2	1	3	4	·	·	·	·	·	2	·	·	·	·	2	·	·	2	1	·	·	1	1	4	·		
Do. 10 do.	28,958	15	30·6	1·8	17	5	1	1	3	5	2	·	·	·	1	·	·	·	·	·	1	·	·	4	1	·	·	·	·	7	·		
Do. 11 do.	39,311	32	27·9	4·0	21	5	2	3	6	3	2	1	·	·	2	·	·	·	·	·	4	·	1	3	2	·	·	·	1	6	·		
Do. 12 do	38,076	26	20·5	1·4	15	2	5	2	3	2	1	·	·	·	·	1	·	·	·	·	2	1	·	2	2	·	·	1	1	3	·		
Do 13 do.	23,233	5	13·5	2·2	6	1	·	1	1	1	2	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	·		
Do. 14 do	175	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·		
Do. 15 do.	22,669	13	25·3	6·9	11	3	2	1	3	1	1	·	·	·	1	1	1	·	·	·	·	·	·	2	3	·	·	1	1	4	·		
Total,	386,947	207	20·3	2·7	161	31	18	25	25	36	26	2	·	·	11	6	1	·	·	1	21	2	5	20	20	1	·	7	9	49	1		
CITY OF CORK.																																	
CORK URBAN No. 1 DISTRICT,	13,455	9	27·1	·	7	1	·	·	2	1	3	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	3	·		
Do. 2 do.	10,399	7	40·1	·	8	·	·	3	3	1	1	·	·	·	·	·	·	·	·	·	2	1	·	·	1	·	·	·	·	4	·		
Do. 3 do.	9,793	9	16·0	5·3	3	1	1	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	1		
Do. 4 do.	9,139	6	34·2	5·7	6	1	1	·	1	2	1	·	·	·	·	·	1	·	·	·	·	·	·	3	·	·	·	·	·	2	·		
Do. 5 do.	6,250	6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 6 do.	11,581	7	18·0	9·0	4	1	·	1	1	·	1	·	·	·	·	·	1	1	·	·	·	·	1	·	·	·	·	·	·	2	·		
Do 7 do.	16,056	10	9·7	3.2	3	1	1	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	1		
Total.	76,673	54	21·1	3·4	31	5	3	4	7	4	8	·	·	·	·	·	4	1	·	·	3	1	2	4	2	·	·	·	·	13	2		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st January, 1920

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	1	.	.	1	.	1	.	.	4	9
„ „ 1, West ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	5	6
„ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	4
„ „ 3, ...	1	.	.	.	.	2	1	.	.	.	3	.	.	1	.	.	1	9
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	3
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	7
„ „ „ 2, ...	5	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	8
„ „ „ 3, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	4	6
„ „ „ 4, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	6	.	.		.	8	4	.	2	.	3	1	.	6	.	.	26	56

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st January, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 31st January.			
	Jan. 10.	Jan. 17.	Jan. 24.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	5	14	22	5	1	1	25
Typhus, ...	1	1	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	8	15	21	3	.	33
Scarlet Fever, ...	178	167	152	21	38	2	133*
Diphtheria, ...	37	31	26	4	4	1	25
Pneumonia, ...	20	21	22	3	3	1	21

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street Dublin.

(13518). Wt. 8424. 3. 380. 1. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 5. VOL. LVII.] WEEK ENDING SATURDAY, 7TH FEBRUARY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 9th February, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·9 and 18·5; Dublin Registration Area, 19·2 and 17·4; Dublin City, 17·9 and 17·7; Belfast, 18·4 and 19·4; Cork, 19·0 and 20·2; Londonderry, 15·4 and 16·0; Limerick, 10·8 and 17·6; and Waterford, 22·8 and 23·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·2 per 1,000. Among the 146 deaths from all causes for Belfast are 2 from enteric fever, 12 from measles, 6 from scarlet fever, 2 from whooping-cough, 2 from diphtheria, 2 from diarrhœa and enteritis of children under 2 years, and 2 from influenza. Of the 28 deaths from all causes for Cork there are 2 from whooping-cough, and one from diphtheria. One of the 8 deaths from all causes for Limerick is from diphtheria. The 12 deaths from all causes for Waterford include one from enteric fever, and 5 from whooping-cough, and 2 of the 5 deaths from all causes for Newry are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 279—128 boys and 151 girls—and the deaths to 159—80 males and 79 females.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·2 per 1,000 of the population. During the five weeks ending with Saturday last, the death-rate averaged 17·4 and was 6·3 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the five weeks was 18·6, and for the corresponding period of the preceding ten years 25·2.

Of the 153 deaths appertaining to the Area one was from measles, 5 were from whooping-cough, 2 from diphtheria, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were one, 0, and 0; deaths from whooping-cough 2, 2, and one; deaths from diphtheria one, one, and 0, and deaths from diarrhœa and enteritis of children under 2 years 2, 0, and 4.

There were 14 deaths from pneumonia, comprising 9 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 18 deaths (including 12 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease), as against 13, 20, and 19 in the three weeks preceding.

Eleven deaths were caused by cancer, 14 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, 2 were due to whooping-cough, 10 to convulsions, one to bronchitis, 2 to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 9 to premature birth, and 3 to congenital debility.

There were 3 accidental deaths, 2 being caused by drowning and one by a vehicle.

Fifty of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 35 being infants under one year, of whom 17 were under one month old, and 40 deaths were those of persons aged 65 and upwards, of whom 32 were 70 years of age or over.

Of the 153 deaths recorded, 59 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 7th February, in 96 large English towns (including London, in which the rate was 17·2 was equal to an average annual death rate of 15·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 14·7 per 1,000 persons living, the rate for Glasgow being 15·7 and for Edinburgh 12·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th February. From this Report it appears that of 94 cases notified, 29 were scarlet fever, 27 diphtheria, 12 pulmonary tuberculosis, 9 other forms of tuberculosis, 9 erysipelas, 4 ophthalmia neonatorum, 2 acute primary pneumonia, and 2 puerperal fever. Among the 718 cases of infectious diseases in hospital at the close of the week were 218 of scarlet fever, 213 of pulmonary tuberculosis, 139 of diphtheria, 46 of measles, 12 of erysipelas, 3 of whooping-cough, one of cerebro-spinal fever, one of membranous croup and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th February, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Jan. 17	10	·	·	·	·	—	18	—	7	2	—	·	—	·	2	·	2	·	·	7	48
	Jan. 24	7	·	·	·	·	—	10	—	2	3	—	·	—	10	·	·	1	·	·	26	59
	Jan. 31	6	·	·	·	·	—	8	—	4	2	—	·	—	3	1	·	6	·	·	26	56
	Feb. 7	1	·	·	·	·	—	4	—	8	3	—	·	—	1	1	·	2	·	·	18	38
Rathmines & Rathgar Urban District	Jan. 17	·	·	·	·	·	—	4	—	·	4	—	·	—	·	·	·	·	·	·	—	8
	Jan 24	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	·	—	3
	Jan. 31	·	·	·	·	·	—	8	—	1	·	—	·	—	·	·	·	1	·	·	—	10
	Feb. 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Jan. 17	·	·	·	·	·	1	·	·	1	·	·	·	—	·	·	·	·	·	·	·	2
	Jan. 24	·	·	·	·	·	2	2	·	·	·	·	·	—	·	·	·	1	·	·	·	5
	Jan. 31	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
	Feb. 7	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	1	·	·	·	3
Blackrock Urban District	Jan. 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Jan 17	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	—	·	·	2
	Jan. 24	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Jan. 17	3	·	·	·	·	—	76	—	7	9	—	·	—	·	1	·	3	·	·	·	99
	Jan. 24	6	·	·	·	·	—	87	—	6	7	—	1	—	·	3	·	1	·	·	·	111
	Jan 31	12	·	·	·	·	—	80	—	7	9	—	3	—	·	·	·	3	·	·	1	115
	Feb. 7	11	·	·	·	·	—	68	—	10	8	—	3	—	·	·	·	2	·	·	·	102
City of Cork	Jan. 17	·	·	·	·	·	·	·	—	8	·	—	·	·	·	2	·	·	—	·	—	10
	Jan. 24	·	·	·	·	·	·	·	—	4	·	—	·	·	·	4	·	·	—	·	—	8a
	Jan. 31	·	·	·	·	·	·	·	—	11	1	—	·	·	·	2	·	·	—	·	—	14
	Feb. 7	·	·	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	5
City of Londonderry	Jan. 17	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	—	—	4
	Jan. 24	·	·	·	·	·	—	8	—	2	2	—	·	—	·	·	·	·	·	—	—	12
	Jan. 31	1	·	·	·	·	—	5	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	Feb. 7	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	Jan. 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 31	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	2
	Feb. 7	·	·	·	·	·	—	·	—	8	·	—	·	—	·	·	·	·	·	·	—	8
City of Waterford	Jan. 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	1	1	1
	Jan. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	1	1	1
	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb. 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th February, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 25; measles 14 and 41; scarlet fever 10 and 114*; and diphtheria 12 and 33. Five cases of pneumonia were admitted during the week and 15 remained under treatment at its close. Of the deaths in hospital during the week 2 were from diphtheria, and one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th February, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 7TH FEBRUARY 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b).	NUMBERS REGISTERED BIRTHS Total Number.	DEATHS Total Number.	DEATHS Under 1 year of Age.	DEATHS At 65 years and upwards.	DEATHS Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 7TH FEBRUARY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	33·1	18·9	2·2	740	423	87	101	3	·	·	15	6	14	6	·	2	38	19	28	31	37	5	·	7	8	125	20	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	35·1	19·2	1·4	279	153	35	40	·	·	·	1	·	5	2	·	·	12	6	11	14	19	3	·	3	4	59	5	(d) 55·2	22·3	50·5	37·8	44·1	0·59
Urban Districts. CITY OF DUBLIN,	318,200	39·0	38·5	17·9	1·6	235	109	29	23	·	·	·	1	·	4	2	·	·	9	4	9	8	15	3	·	3	4	48	1	(e) 55·8	31·2	50·4	40·9	45·7	0·61
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	19·4	23·2	1·3	15	18	1	8	·	·	·	·	·	1	·	·	·	1	·	1	2	3	·	·	·	·	·	2	(f) 55·6	25·0	51·1	39·0	45·1	0·55
Urban Districts. PEMBROKE, ..	30,200	19·2	15·5	19·0	·	9	11	2	4	·	·	·	·	·	·	·	·	·	1	1	·	3	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	39·7	34·0	·	7	6	1	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	39·9	27·6	·	13	9	2	1	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	5	1	60	31	52·0	41·2	46·6	0·20
Urban Districts. BELFAST, ..	413,000	27·7	34·2	18·4	3·3	271	146	33	23	2	·	·	12	6	2	2	·	2	12	7	7	14	8	2	·	3	3	36	3	54·0	28·8	49·7	38·3	44·0	0·28
Urban Districts. CORK, ...	76,673	28·6	28·6	19·0	2·0	42	28	3	9	·	·	·	·	·	2	1	·	·	5	3	5	1	2	·	·	·	·	13	2	51	35	49·6	41·9	45·8	0·47
Urban Districts. LONDONDERRY, ..	44,000	17·1	33·2	15·4	·	28	13	4	1	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	16·2	10·8	1·4	12	8	2	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	26·6	22·8	11·4	14	12	3	5	1	·	·	·	·	5	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				11	5	1	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	4	1	55	30	54	35	44·5	0·29
Urban Districts. DUNDALK, ..	13,128	9·5				10	3	1	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				8	6	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	·	56·1	33·0	49·3	39·4	44·3	0·33
Urban Districts. DROGHEDA, ..	12,501	8·4				10	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	7	1	3	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	·	·	1	·	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				8	5	·	2	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	56·1	33·0	49·3	39·4	44·3	0·33
Urban Districts. PORTADOWN, ..	11,727	15·3				5	4	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	56·1	33·0	49·3	39·4	44·3	0·33
Urban Districts. WEXFORD, ..	11,531	22·8				4	9	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				6	3	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				1	5	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	4	·	55	30	51	39	45	0·46
Urban Districts. KILKENNY, ..	10,514	11·4				11	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	54	25	49·5	36·5	43·0	0·59
Urban Districts. TRALEE, ...	10,300	17·4				10	7	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	2	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
LONDON	4,206,901	—	—	17·2	—	2,966	1,332	250	393	1	·	·	26	9	26	32	—	—	73	15	104	205	171	14	6	—	110	546	4	52	29	48	6	36·6	42·6	0·12
EDINBURGH ...	342,300	—	—	12·7	—	179	83	8	31	·	·	·	·	1	·	2	—	2	—	—	—	—	—	1	—	3	—	—	—	54·0	33·0	47·4	37·9	42·7	0·06
GLASGOW	1,115,500	—	—	15·7	—	692	334	74	78	·	·	·	1	3	2	6	—	1	—	—	—	—	—	6	—	22	—	—	—	52·4	33·2	46·6	39·0	42·8	0·72

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 5th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday 7th February, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	201·4	159	17	18	6	9	4	2	7	5	10	11	17	13	18	22	153
Enteric Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	2·8	5	.	2	1	2	.	.	.	.	.	.	.	.	.	.	5
Diphtheria	·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·8	12	.	.	.	.	.	1	3	2	3	2	.	1	.	.	12
Tuberculous Meningitis	4·0	3	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2
Abdominal Tuberculosis	2·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	3	.	.	1	1	.	.	.	1	.	.	.	.	.	.	3
Venereal Diseases ..	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	6·6	12	.	.	.	.	1	.	.	.	1	1	5	2	2	.	11
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Anæmia, Leucocythæmia.	1·6	3	.	.	.	.	.	.	1	.	.	.	.	.	1	1	3
Other General Diseases	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	3·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·2	4	.	.	.	.	.	.	.	.	.	1	.	.	2	1	4
Softening of Brain ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Paralysis, without specified cause.	3·4	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3
Epilepsy, ...	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·4	10	5	5	.	.	.	.	.	.	.	.	.	.	.	.	10
Other Diseases of Nervous System.	3 6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart.	15·6	14	.	.	.	.	.	.	1	1	1	.	3	1	4	3	14
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	33·4	17	.	1	.	2	.	.	.	.	.	1	1	5	3	4	17
Broncho-pneumonia ..	9·8	9	.	2	2	1	.	.	.	.	.	.	2	1	.	1	9
Lobar pneumonia ..	1·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	6·6	4	.	.	.	.	.	.	.	.	1	2	1	.	.	.	4
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System ..	3·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

in the FIFTH WEEK, ending Saturday, 7th February, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 5th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 7th February, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5				5—10.	10—15.	15—20	20—25.	25—35.	35—46.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa and Enteritis of Children under 2 years.	4·4	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·2	3	·	·	·	2	·	·	·	·	·	·	·	1	·	·	·	3
Appendicitis and Typhlitis.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·0	2	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1
Cirrhosis of Liver ..	1·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Chronic Bright's Disease	6·2	5	·	·	·	·	·	·	·	1	·	1	1	·	1	1	·	4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	5·6	9	9	·	·	·	·	·	·	·	·	·	·	·	·	·	·	9
Congenital Debility ..	5·6	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Old Age	7·8	8	·	·	·	·	·	·	·	·	·	·	·	·	·	8	8	8
Other Specified Diseases	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	4·0	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1

TABLE IV.—Showing for the WEEK ENDED 7TH FEBRUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS	WEEK ENDED SATURDAY, 7TH FEBRUARY, 1920. DEATHS.								CAUSED BY																					IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	15·3	·	9	1	·	·	·	·	3	4	1	·	·	·	·	·	·	·	·	·	·	1	·	3	·	·	2	3	2	3	3	·
,, 1, W., ...	42,100	18·6	·	15	2	·	·	1	1	2	8	1	·	·	·	·	·	·	·	·	·	1	2	2	3	3	·	·	1	3	2	3	4	·
,, 2, ...	28,200	16·6	1·8	9	4	1	1	1	·	·	1	1	·	·	·	·	·	·	1	·	·	·	1	1	·	·	·	·	·	6	·	2	1	·
,, 3, ...	35,000	10·2	·	7	2	·	·	·	2	·	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	4	·	2	2	·
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	·	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	22·5	3·8	6	1	·	1	1	1	2	·	·	·	·	·	·	·	·	1	·	·	1	·	1	1	·	·	·	·	2	·	3	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	13·7	·	3	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	1	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	16·6	1·2	14	4	·	·	1	1	1	2	5	·	·	·	·	·	·	·	·	·	2	·	4	·	1	1	·	·	6	·	1	5	·
,, 2, ...	18,600	30·8	5·6	11	5	1	·	1	·	1	1	2	·	·	·	1	·	·	·	·	·	1	·	·	1	1	1	·	·	6	·	3	1	·
,, 3, ...	44,400	18·8	·	16	4	1	1	·	2	3	2	3	·	·	·	·	·	·	·	·	·	3	·	·	3	2	·	·	·	8	·	4	4	1
,, 4, ...	33,600	23·3	6·2	15	5	2	1	1	·	1	1	4	·	·	·	·	·	3	·	·	·	·	1	·	·	2	1	·	·	8	·	2	2	·
NEW KILMAINHAM, ...	10,600	9·8	4·9	2	·	·	1	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	23·2	1·3	18	1	1	3	·	1	1	3	8	·	·	·	·	·	1	·	·	·	1	·	1	2	3	·	·	·	10	·	·	·	2
PEMBROKE	30,200	19·0	·	11	2	·	·	·	1	3	1	4	·	·	·	·	·	·	·	·	·	1	1	·	3	·	·	·	·	6	·	3	·	·
BLACKROCK, ...	9,200	34·0	·	6	1	·	·	·	·	1	·	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	5	·	·	3	1
KINGSTOWN, ...	17,000	27·6	·	9	2	·	·	·	1	·	5	1	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	5	·	1	4	1
TOTAL CITY. North, ...	166,900	15·9	0·6	51	11	1	3	3	4	7	13	9	·	·	·	·	·	·	2	·	·	3	3	5	4	9	·	·	3	22	4	14	10	·
TOTAL CITY. South, ...	151,300	20·0	2·8	58	18	4	3	3	3	6	7	14	·	·	·	1	·	4	·	·	·	6	1	4	4	6	3	·	·	29	·	11	13	1
TOTAL CITY. North and South, ..	318,200	17·9	1·6	109	29	5	6	6	7	13	20	23	·	·	·	1	·	4	2	·	·	9	4	9	8	15	3	·	3	51	4	25	23	1
Total Urban Districts, ...	96,800	23·7	0·5	44	6	1	3	·	3	5	9	17	·	·	·	·	·	1	·	·	·	3	2	2	6	4	·	·	·	26	·	4	7	4
Total Registration Area, ..	415,000	19·2	1·4	153	35	6	9	6	10	18	29	40	·	·	·	1	·	5	2	·	·	12	6	11	14	19	3	·	3	77	4	29	30	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				6	·	·	·	·	2	3	1	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	3	·	6	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th February, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH FEBRUARY, 1920.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	159	50	6	12	21	30	18	22	·	·	·	1	·	5	2	·	·	12	8	12	10	14	19	3	·	3	70	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	32·0	9	·	·	·	3	3	·	3	·	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	·	·	5	·
II.	MIDDLE CLASS	101,798	10·8	21	2	·	1	5	3	1	9	·	·	·	·	·	·	·	·	·	2	1	1	·	2	4	·	·	·	11	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	103,420	18·3	38	14	2	3	5	8	4	2	·	·	·	1	·	2	·	·	·	6	2	2	1	6	2	·	·	·	16	1
IV.	GENERAL SERVICE CLASS	167,479	19·0	61	28	4	6	6	8	6	3	·	·	·	·	·	3	2	·	·	2	1	6	8	4	6	2	·	3	24	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	6	·	2	2	8	7	5	·	·	·	·	·	·	·	·	·	1	3	2	1	1	7	1	·	·	14	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	·	·	·	3	2	·	2	·	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	·	·	3	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	·	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	·	·	·	1	1	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	1	3	·	·	·	2	·
	6. Clerks and Commercial Assistants,	33,249	—	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	1	·	·	3	1	·	4	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	7	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	10	6	·	·	1	3	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·	1	2	·	·	·	·	·
	10. Clothing Trades, ...	20,026	—	5	2	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	4	·
	11. Food Supply Trades, ...	8,952	—	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	5	2	2	2	2	3	2	·	·	·	1	·	·	·	·	·	3	1	·	1	3	·	·	·	·	9	1
IV.	GENERAL SERVICE CLASS.																														
	13. Petty Shopkeepers, ...	6,772	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	6	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	2	2	·	·	·	·	·	6	·
	15. Domestic Servants, ...	36,041	—	4	·	·	1	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	2	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	1	1	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	42	20	2	5	5	4	5	1	·	·	·	·	·	3	2	·	·	2	1	2	5	3	5	2	·	2	15	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	30	6	·	2	2	8	7	5	·	·	·	·	·	·	·	·	·	1	3	2	1	1	7	1	·	·	14	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan 10	Jan 17.	Jan 24.	Jan. 31.	Feb. 7.
No. of weeks in Annual Series ..	46	47	48	49	50	51	52	53	1	2	3	4	5	46	47	48	49	50	51	52	53	1	2	3	4	5
BIRTHS registered	216	184	195	208	220	224	123	265	249	266	289	238	279	200	209	225	241	226	235	127	296	292	234	231	207	271
Average Births in corresponding week of previous 10 years, ...	202	184	192	175	200	159	148	148	210	221	205	210	210	169	175	178	173	175	167	159	159	225	198	207	195	209
Number of Deaths, ...	105	138	117	137	151	133	92	155	138	119	156	126	153	147	167	133	169	160	185	156	197	150	166	141	161	146
Annual Death-rate per 1,000 ..	13·5	17·8	15·1	17·6	19·4	17·1	11·8	20·0	17·3	15·0	19·6	15·8	19·2	19·1	21·7	17·3	22·0	20·8	24·1	20·3	25·6	18·9	21·0	17·8	20·3	18·4
Average Deaths in corresponding week of previous 10 years, ...	167	164	165	169	164	164	158	158	190	175	180	184	186	155	170	162	164	151	144	152	152	151	158	142	159	170
Ages, .. Under one year, ..	23	19	18	26	19	19	11	29	24	25	16	34	35	25	23	20	30	19	28	25	27	33	29	26	31	33
1— 5 years, ..	4	10	4	7	7	8	6	14	14	9	10	11	15	16	30	18	21	24	34	24	36	24	34	18	18	22
5—25 „ ..	11	8	15	12	15	15	10	7	15	10	13	14	16	15	22	22	23	23	26	19	31	16	23	18	25	22
25—45 „ ..	17	28	16	19	22	18	15	18	11	11	26	14	18	19	14	12	19	15	26	22	24	13	17	17	25	15
45—65 „ ..	18	38	31	33	39	37	23	38	32	25	42	29	29	40	39	22	37	41	37	36	50	25	31	36	36	31
65 and upwards, ..	32	35	33	40	49	36	27	49	42	39	49	24	40	32	39	39	39	38	34	30	29	39	32	26	26	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	1	1	.	3	.	2	.	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	.	1	.	.	1	.	1	.	.	1	2	9	10	15	14	32	19	26	19	21	13	11	12
Scarlet Fever, ...	1	2	1	1	1	.	2	.	1	1	.	1	.	5	8	8	9	12	4	3	8	3	7	2	6	6
Whooping-cough, ...	.	.	.	2	2	1	2	2	.	2	2	1	5	.	.	.	.	.	.	1	1	.	1	1	1	2
Diphtheria, ...	.	1	.	1	1	1	.	1	.	1	1	.	2	.	2	2	1	1	1	2	1	.	1	2	.	2
Dysentery, ...	1	.	.	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	.	4	.	.	.	.	1	1	.	2	3	.	—	—	—	—	—	—	—	—	1	2	.	1	2
Tuberculosis { Pulmonary, ..	13	11	14	17	11	13	9	10	12	7	14	11	12	16	16	4	11	17	17	17	20	13	13	13	21	12
Other Forms, ..	7	2	5	6	9	7	2	4	5	6	6	8	6	4	4	2	4	4	3	1	4	5	3	2	2	7
Cancer, ...	4	12	8	8	9	8	5	11	5	7	13	6	11	7	9	6	7	11	4	10	11	7	3	4	5	7
Diseases of Respiratory System, { Pneumonia ..	8	14	3	9	12	2	8	16	11	11	14	13	14	11	17	17	18	12	10	11	11	11	15	11	20	14
Others, ..	13	19	23	16	23	24	12	22	19	16	22	17	19	29	25	12	23	23	18	19	17	17	15	16	20	8
Diarrhœa & Enteritis, under 2 years	5	5	1	5	3	1	2	4	1	2	.	4	3	2	1	2	1	3	.	2	4	1	2	.	1	2
Diarrhœa, 2 years and upwards..	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	2	2	2	2	.	1	.	.	.
Violent Deaths, ...	1	2	2	4	2	7	7	3	2	.	4	1	3	3	2	3	4	2	3	4	7	2	1	1	7	3
Number of Uncertified Deaths, ..	2	6	4	3	4	4	1	3	6	3	2	3	5	2	1	5	6	1	5	1	3	3	2	1	1	3
A Mean Maximum Temperature in degs	40·6	48·6	44 5	49·0	47·1	50·2	49·1	46·9	46·0	53·6	51·5	49·1	50·5	42·3	46·6	47·2	48·1	45·6	48·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7
B Mean Minimum „ „	22·6	35·4	33·4	35·5	37·8	40·5	33·9	31·7	32·0	40·0	35·7	34·2	37·8	29·0	30·5	36·7	33·2	35·7	36·4	37·8	33·1	34·1	36·7	38·6	34·4	38 3
Mean of A and B „ „	31·6	42·0	38·9	42·3	42·4	45·3	41·5	39·3	39·0	46·8	43·6	41·6	44·1	35·6	38·5	41·9	40·6	40·6	42·3	41·9	38·5	38·8	42·9	44·8	40·2	44·0
Rainfall in inches	0·22	0·69	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·71	1·07	0·66	0·59	0·07	1·13	0·87	1·35	1·74	1·21	2·04	2·14	0·87	1·65	1·11	1·32	0·28

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th February, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	15	16·4	·	5	2	·	·	1	2	·	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	·	·	3	·
Do. 2 do. ·	49,500	29	25·3	2·1	24	6	5	4	·	5	4	·	·	·	2	·	·	·	·	·	1	1	1	1	1	·	·	·	·	5	·
Do. 3 do. ·	50,032	28	22·9	5·2	22	8	5	2	·	1	6	·	·	·	1	1	2	·	·	·	·	1	2	2	2	1	·	1	·	3	1
Do. 4 do. ·	32,637	27	22·4	6·4	14	2	2	2	2	3	3	·	·	·	1	2	·	1	·	·	1	2	2	·	·	·	·	·	·	5	·
Do. 5 do. ·	16,112	15	22·7	·	7	1	1	·	·	4	1	·	·	·	·	·	·	·	·	1	·	1	·	2	1	·	·	·	·	1	1
Do. 6 do. ·	37,293	17	21·0	2 8	15	2	·	6	1	4	2	·	·	·	1	·	·	·	·	·	3	·	·	1	·	1	·	·	1	2	·
Do. 7 do. ·	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do. ·	5,964	·	8·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 9 do. ·	24,427	12	12·8	8·5	6	·	3	2	·	1	·	·	·	·	2	2	·	·	·	·	·	1	1	·	·	·	·	·	·	2	·
Do. 10 do. ·	28,958	24	28·8	5·4	16	6	2	2	4	1	1	1	·	·	2	·	·	·	·	·	·	·	·	2	1	·	·	1	1	8	·
Do. 11 do. ·	39,311	34	8·0	4·0	6	·	1	1	1	1	2	·	·	·	1	1	·	1	·	·	1	·	·	·	·	·	·	·	·	2	·
Do. 12 do ·	38,076	32	12·3	1·4	9	1	2	1	·	4	1	·	·	·	1	·	·	·	·	·	1	·	·	2	2	·	·	·	·	2	·
Do 13 do. ·	23,233	14	15·7	2·2	7	1	·	·	3	1	2	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	1
Do. 14 do ·	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do ·	22,669	24	32·2	2·3	14	4	1	2	3	4	·	·	·	·	1	·	·	·	·	1	3	·	·	3	·	·	·	1	1	2	·
Total, · ·	386,947	271	18·4	3·3	146	33	22	22	15	31	23	2	·	·	12	6	2	2	·	2	12	7	7	14	8	2	·	3	3	36	3
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT, ·	13,455	8	15·5	3·9	4	·	1	·	·	·	3	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	3	·
Do. 2 do. ·	10,399	6	15·0	5·0	3	·	1	1	·	1	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	·	·	·	·
Do. 3 do. ·	9,793	9	31·9	·	6	·	·	2	·	2	2	·	·	·	·	·	·	·	·	·	2	·	2	·	1	·	·	·	·	2	·
Do. 4 do. ·	9,139	4	22·8	·	4	·	·	3	1	·	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	·	2	·
Do. 5 do. ·	6,250	3	25·0	·	3	1	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	3	·
Do. 6 do. ·	11,581	7	13·5	·	3	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	1
Do 7 do. ·	16,056	5	16·2	3.2	5	2	1	·	·	·	2	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	1	1
Total. · ·	76,673	42	19·0	2·0	28	3	3	7	3	3	9	·	·	·	·	·	2	1	·	·	5	3	5	1	2	·	·	·	·	13	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th February, 1920.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
„ „ 1, West ..	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	5
„ „ 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	1	.		.	.	.	4	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
Finglas and Glasnevin (part of)	.	.	.	.	.	.	4	.	.	.	.	.	.	1	.	.	.	5
South City No. 1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	2	5
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	4
„ „ „ 3, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	3
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.		.	1	.	.	.	1
Total, ...	1	.	.		.	4	8	.	3	.	1	1	.	2	.	.	18	38

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th February, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 7th February.			
	Jan. 17.	Jan. 24.	Jan. 31.	No. admitted	Dis-charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	14	22	25	1	1	.	25
Typhus, ...	1	1	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	15	33	14	6	.	41
Scarlet Fever, ...	167	152	133	10	29	.	114*
Diphtheria, ...	31	26	25	12	2	2	33
Pneumonia, ...	21	22	21	5	10	1	15

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13571). Wt. 8424. 3. 380. 2. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 6. VOL. LVII.] WEEK ENDING SATURDAY, 14TH FEBRUARY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 16th February, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·2 and 18·5; Dublin Registration Area, 17·5 and 18·0; Dublin City, 17·0 and 17·9; Belfast, 20·1 and 19·1; Cork, 19·0 and 19·0; Londonderry, 9·5 and 13·3; Limerick, 17·6 and 16·9; and Waterford, 30·4 and 27·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 159 deaths from all causes for Belfast are 11 from measles, 2 from scarlet fever, one from whooping-cough, 2 from diarrhœa and enteritis of children under 2 years, 2 from influenza, and one from cerebro-spinal meningitis. Of the 28 deaths from all causes for Cork one is from whooping-cough. One of the 13 deaths from all causes for Limerick is from diphtheria. Of the 16 deaths from all causes for Waterford 3 are from whooping-cough, one of the 2 deaths for Lisburn is from diphtheria, and the 7 deaths from all causes for Kilkenny include one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 257—133 boys and 124 girls—and the deaths to 148—71 males and 77 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·5 per 1,000 of the population. During the six weeks ending with Saturday last, the death-rate averaged 17·4 and was 6·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the six weeks was 18·6, and for the corresponding period of the preceding ten years 25·3.

Of the 139 deaths appertaining to the Area 3 were from whooping-cough, 2 from diphtheria, 2 from diarrhœa and enteritis of children under 2 years, and 2 from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 2, one, and 5; deaths from diphtheria one, 0, and 2; deaths from diarrhœa and enteritis of children under 2 years 0, 4, and 3, and deaths from influenza 2, 3, and 0.

There were 15 deaths from pneumonia, comprising 7 from broncho-pneumonia, 3 from lobar pneumonia, and 5 from pneumonia (type not distinguished).

Tuberculous disease caused 21 deaths (including 18 from pulmonary tuberculosis, and 3 from other forms of tuberculous disease), as against 20, 19, and 18 in the three weeks preceding.

Seven deaths were caused by cancer, 19 by organic diseases of the heart, and 11 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, 6 to convulsions, one to bronchitis, 2 to broncho-pneumonia, one to lobar pneumonia, one to diarrhœa and enteritis, 6 to premature birth, and 4 to congenital debility.

There were 5 accidental deaths, one being caused by gas poisoning, 2 by burns or scalds, and one by gunshot wounds.

Thirty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 24 being infants under one year, of whom 14 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 28 were 70 years of age or over.

Of the 139 deaths recorded, 49 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 14th February, in 96 large English towns (including London, in which the rate was 18·4 was equal to an average annual death rate of 17·4 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 14·7 per 1,000 persons living, the rate for Glasgow being 15·3 and for Edinburgh 12·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th February. From this Report it appears that of 85 cases notified, 27 were scarlet fever, 26 diphtheria, 13 pulmonary tuberculosis, 5 other forms of tuberculosis, 4 ophthalmia neonatorum, 3 erysipelas, 3 puerperal fever, 2 malaria, one acute primary pneumonia, and one dysentery. Among the 689 cases of infectious diseases in hospital at the close of the week were 215 of pulmonary tuberculosis, 201 of scarlet fever, 138 of diphtheria, 47 of measles, 11 of erysipelas, 3 of whooping-cough, 2 of chicken-pox, one of cerebro-spinal fever, one of membranous croup and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th February, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Jan. 24	7	·	·	·	·	—	10	—	2	3	—	·	—	10	·	·	1	·	·	26	59
	Jan. 31	6	·	·	·	·	—	8	—	4	2	—	·	—	3	1	·	6	·	·	26	56
	Feb. 7	1	·	·	·	·	—	4	—	8	3	—	·	—	1	1	·	2	·	·	18	38
	Feb. 14	3	·	·	·	·	—	6	—	6	2	—	·	—	2	1	·	9	·	·	8	37
Rathmines & Rathgar Urban District	Jan. 24	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	·	—	3
	Jan. 31	·	·	·	·	·	—	8	—	1	·	—	·	—	·	·	·	1	·	·	—	10
	Feb. 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Feb. 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Jan. 24	·	·	·	·	·	2	2	·	·	·	·	·	—	·	·	·	1	·	·	·	5
	Jan. 31	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
	Feb. 7	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	1	·	·	·	3
	Feb. 14	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	1	·	·	·	6
Blackrock Urban District	Jan. 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Jan. 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Jan. 24	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb. 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb 14	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	—	·	1	4
City of Belfast	Jan. 24	6	·	·	·	·	—	87	—	6	7	—	1	—	·	3	·	1	·	·	·	111
	Jan 31	12	·	·	·	·	—	80	—	7	9	—	3	—	·	·	·	3	·	·	1	115
	Feb. 7	11	·	·	·	·	—	68	—	10	8	—	3	—	·	·	·	2	·	·	·	102
	Feb. 14	1	·	·	·	·	—	56	—	9	7	—	6	—	·	3	·	1	·	1	1	85
City of Cork	Jan. 24	·	·	·	·	·	·	·	—	4	·	—	·	·	·	4	·	·	—	·	—	8[a]
	Jan. 31	·	·	·	·	·	·	·	—	11	1	—	·	·	·	2	·	·	—	·	—	14
	Feb. 7	·	·	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	5
	Feb. 14	·	·	·	·	·	·	3	—	8	·	—	·	·	·	2	·	·	—	·	—	13
City of Londonderry	Jan. 24	·	·	·	·	·	—	8	—	2	2	—	·	—	·	·	·	·	·	·	—	12
	Jan. 31	1	·	·	·	·	—	5	—	1	·	—	·	—	·	·	·	·	·	·	—	7
	Feb. 7	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	·	—	3
	Feb. 14	·	·	·	·	·	—	2	—	2	1	—	·	—	·	·	·	·	·	·	—	5
City of Limerick	Jan. 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Jan. 31	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	2
	Feb. 7	·	·	·	·	·	—	·	—	8	·	—	·	—	·	·	·	·	·	·	—	8
	Feb. 14	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Jan. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Feb. 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	—	·	1
	Feb. 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th February, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 27; measles 25 and 45; scarlet fever 15 and 109*; and diphtheria 7 and 35. Twelve cases of pneumonia were admitted during the week and 19 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria, and 4 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 14th February, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 14TH FEBRUARY, 1920.

TOWNS AND DISTRICTS.	POPULATION.		Annual Rate per 1,000 Persons Represented by DEATHS.			BIRTHS	NUMBERS REGISTERED DEATHS Caused by																				METEOROLOGY. (c) WEEK ENDING 14TH FEBRUARY, 1920. Air Temperature.					
	Total (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	32·1	18·2	1·3	718	407	76	103	·	·	·	11	2	8	5	·	5	46	12	19	39	46	4	·	8	9	124	27	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	32·3	17·5	0·9	257	139	24	36	·	·	·	·	·	3	2	·	2	19	3	7	15	13	2	·	5	2	49	9	(d) 53·0	37·2	50·4	40·4	45·4	0·67
Urban Districts. CITY OF DUBLIN,	318,200	39·0	34·9	17·0	1·1	213	104	21	20	·	·	·	·	·	3	2	·	1	12	3	4	10	11	2	·	4	1	40	8	(e) 54·2	39·1	51·1	41·8	46·5	0·58
																														(f) 54·0	37·8	51·1	40·7	45·9	0·64
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	31·0	16·8	·	24	13	·	6	·	·	·	·	·	·	·	·	·	1	·	2	1	1	·	·	·	1	2	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	12·1	15·5	·	7	9	1	3	·	·	·	·	·	·	·	·	·	3	·	·	2	·	·	·	1	·	5	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	5·7	5·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	36·8	36·8	·	12	12	2	7	·	·	·	·	·	·	·	·	1	2	·	1	2	1	·	·	·	·	1	1	55	39	50·0	42·6	46·3	0·36
Urban Districts. BELFAST, ..	413,000	27·7	33·3	20·1	2·0	264	159g	37	27	·	·	·	11	2	1	·	·	2	15	6	8	20	15	2	·	2	4	39	2	53·0	35·0	49·5	39·5	44·5	0·84
Urban Districts. CORK, ...	76,673	28·6	29·9	19·0	0·7	44	28	2	12	·	·	·	·	·	1	·	·	·	4	2	2	1	4	·	·	·	·	17	·	54	42	51·0	44·1	47·6	0·31
Urban Districts. LONDONDERRY, ..	44,000	17·1	24·9	9·5	·	21	8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	3	·	·	·	1	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	16·2	17·6	1·4	12	13	1	3	·	·	·	·	·	·	1	·	·	3	·	·	·	4	·	·	·	·	6	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	32·3	30·4	5·7	17	16	5	3	·	·	·	·	·	3	·	·	·	2	·	1	·	1	·	·	·	·	3	3	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				11	4	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	3	54	36	52	39	45·5	1·19
Urban Districts. DUNDALK, ...	13,128	9·5				5	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ...	12,553	14·7				8	4	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. DROGHEDA, ..	12,501	8·4				6	8	1	4	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				9	2	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	52	33	48·9	36·6	42·7	0·98
Urban Districts. NEWRY, ...	11,963	17·0				9	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	52·2	36·5	49·0	39·3	44·1	0·95
Urban Districts. PORTADOWN, ..	11,727	15·3				12	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	52·2	36·5	49·0	39·3	44·1	0·95
Urban Districts. WEXFORD, ..	11,531	22·8				12	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	4	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	53	35	50	38	44	1·34
Urban Districts. KILKENNY, ..	10,514	11·4				10	7	1	3	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	4	·	54	36	50·5	39·7	45·1	0·60
Urban Districts. TRALEE, ...	10,300	17·4				8	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				8	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,206,901	—	—	18·4	—	2,803	1,423	359	417	·	·	·	35	3	37	29	—	—	104	19	98	222	214	22	6	45	127	564	·	54	33	51·3	38·0	44·7	0·12
EDINBURGH ...	342,300	—	—	12·7	—	177	83	21	29	·	·	·	2	·	1	1	—	·	—	—	—	—	—	1	—	2	—	—	—	51·0	33·0	45·7	36·0	40·9	1·14
GLASGOW	1,115,500	—	—	15·3	—	730	326	78	72	·	·	·	7	·	1	4	—	2	—	—	—	—	—	2	—	9	—	—	—	50·9	33·4	46·2	37·2	41·7	2·75

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 6th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday 14th February, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	195·4	148	14	10	10	5	·	7	5	1	15	13	19	13	17	19	139
Enteric Fever ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox . ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	3·2	3	·	1	1	1	·	·	·	·	·	·	·	·	·	·	3
Diphtheria	1·0	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	2
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	4·4	2	·	·	1	·	·	·	1	·	·	·	·	·	·	·	2
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·0	20	·	·	·	·	·	4	2	·	5	6	3	·	·	·	18
Tuberculous Meningitis	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Abdominal Tuberculosis	1·8	2	·	·	1	·	·	·	·	·	1	·	·	·	·	·	2
Tuberculosis of the Spinal Column.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·6	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Tuberculosis of other Organs.	·4	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Diseases ..	1·2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Cancer	8·8	7	·	·	·	·	·	·	·	·	·	·	1	1	4	1	7
Tumour, situation undefined.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	1 0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	1 0	3	·	·	·	·	·	·	·	·	2	·	·	·	1	·	3
Other General Diseases	1·8	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Alcoholism ..	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebral Hæmorrhage, Apoplexy.	7·2	3	·	·	·	·	·	·	·	·	·	·	·	1	·	2	3
Softening of Brain ..	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	2·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Epilepsy, ...	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Convulsions (non-puerperal).	4·4	6	3	3	·	·	·	·	·	·	·	·	·	·	·	·	6
Other Diseases of Nervous System.	3 8	7	·	·	·	·	·	·	·	·	2	1	1	1	1	1	6
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	13·8	19	·	·	·	·	·	·	·	·	1	2	5	2	4	5	19
Embolism and Thrombosis (including Cerebral).	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	2 0	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1
Diseases of the Larynx	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	33·0	11	·	1	3	·	·	·	·	·	·	·	2	1	1	3	11
Broncho-pneumonia ..	9·0	7	·	2	1	1	·	·	·	·	·	·	·	·	2	1	7
Lobar pneumonia ..	1·0	3	·	1	·	1	·	·	·	·	·	·	·	·	1	·	3
Pneumonia (type not distinguished).	6·4	7	·	·	·	·	·	1	·	·	1	1	1	2	1	·	5
Pleurisy	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Pulmonary Congestion, Pulmonary Apoplexy.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System	2·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1

in the SIXTH WEEK, ending Saturday, 14th February, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 6th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 14th February, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·0	3	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	4·4	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·4	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·4	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	2
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·8	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2
Puerperal Septicæmia, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·6	2	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	4·0	6	5	1	·	·	·	·	·	·	·	·	·	·	·	·	·	6
Congenital Debility ..	5·6	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	9·2	3	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	3
Other Specified Diseases	·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·6	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	2
Drowning	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·0	3	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	1
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Not included in above—																		
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·0	3	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	3

TABLE IV.—Showing for the WEEK ENDED 14TH FEBRUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 14TH FEBRUARY, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths	DEATHS.																													
					CAUSED BY																													
		From all Causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No 1, E., ...	30,700	10·2	·	6	1	1	·	·	·	2	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	3	·	1	·	1
,, 1, W., ...	42,100	26·0	2·5	21	9	·	2	2	·	2	1	5	·	·	·	·	·	1	1	·	·	3	·	·	·	1	·	·	1	14	·	7	1	2
,, 2, ...	28,200	20·3	·	11	4	1	·	·	2	1	3	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	1	6	1	4	2	1
,, 3, ...	35,000	14·6	·	10	1	1	·	·	·	4	3	1	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	1	6	·	4	1	2
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	11·3	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	9·1	4·6	2	·	1	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	18·9	3·5	16	1	3	2	·	·	1	4	5	·	·	·	·	·	2	·	·	·	·	·	·	2	3	1	·	·	8	·	2	3	·
,, 2, ...	18,600	16·8	·	6	·	1	·	·	·	·	2	3	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	·	2	·	1	2	·
,, 3, ...	44,400	12·9	·	11	3	·	1	1	·	3	3	·	·	·	·	·	·	·	·	·	·	1	1	·	3	2	·	·	·	4	·	2	1	1
,, 4, ...	33,600	20·2	1·6	13	2	2	·	·	2	2	3	2	·	·	·	·	·	·	·	·	·	2	2	2	1	·	1	·	1	4	·	3	3	1
NEW KILMAINHAM, ...	10,600	14·8	·	3	·	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	1	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	16·8	·	13	·	·	·	1	·	2	4	6	·	·	·	·	·	·	·	·	·	1	·	2	1	1	·	·	·	8	1	2	·	·
PEMBROKE	30,200	15·5	·	9	1	·	·	·	·	3	2	3	·	·	·	·	·	·	·	·	·	3	·	·	2	·	·	·	1	3	·	1	4	·
BLACKROCK, ...	9,200	5·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·
KINGSTOWN, ...	17,000	36·8	·	12	2	·	·	·	1	2	·	7	·	·	·	·	·	·	·	·	1	2	·	1	2	1	·	·	·	5	·	1	·	1
TOTAL CITY. North, ...	166,900	17·2	0·9	55	15	4	2	2	2	10	11	9	·	·	·	·	·	1	2	·	·	8	·	2	2	4	·	·	3	33	1	18	4	6
TOTAL CITY. South, ...	151,300	16·9	1·4	49	6	6	3	2	2	7	12	11	·	·	·	·	·	2	·	·	1	4	3	2	8	7	2	·	1	19	·	9	9	2
TOTAL CITY. North and South, ..	318,200	17·0	1·1	104	21	10	5	4	4	17	23	20	·	·	·	·	·	3	2	·	1	12	3	4	10	11	2	·	4	52	1	27	13	8
Total Urban Districts, ...	96,800	18·9	·	35	3	·	·	1	1	8	6	16	·	·	·	·	·	·	·	·	1	7	·	3	5	2	·	·	1	16	1	5	4	1
Total Registration Area, ..	415,000	17·5	0·9	139	24	10	5	5	5	25	29	36	·	·	·	·	·	3	2	·	2	19	3	7	15	13	2	·	5	68	2	32	17	9
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	·	·	·	2	1	3	3	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	2	4	2	9	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th February, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH FEBRUARY, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	148	39	7	6	28	32	17	19	·	·	·	·	·	3	2	·	2	20	3	7	6	17	13	2	·	7	66	9
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	14·2	4	·	·	1	1	1	·	1	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS	101,798	19·5	38	12	2	2	5	4	7	6	·	·	·	·	·	1	2	·	·	4	3	3	2	6	4	·	·	·	13	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·9	29	5	3	·	6	8	3	4	·	·	·	·	·	2	·	·	1	5	·	2	1	2	·	·	·	·	16	1
IV.	GENERAL SERVICE CLASS	167,479	18·7	60	20	2	3	14	12	6	3	·	·	·	·	·	·	·	·	·	7	·	1	3	8	5	2	·	6	28	8
V.	INMATES OF WORKHOUSES, ...	5,602	—	17	2	·	·	2	7	1	5	·	·	·	·	·	·	·	·	·	3	·	·	·	1	4	·	·	1	8	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	·	·	1	1	1	·	1	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	·	1	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	11	4	·	·	2	2	·	3	·	·	·	·	·	1	1	·	·	·	·	·	·	2	3	·	·	·	4	·
	6. Clerks and Commercial Assistants,	33,249	—	14	8	1	2	2	·	1	·	·	·	·	·	·	·	1	·	·	3	3	·	2	1	·	·	·	·	4	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	·	1	·	1	2	6	2	·	·	·	·	·	·	·	·	·	1	·	3	·	3	1	·	·	·	4	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1
	9. Building and Furnishing Trades, ..	28,823	—	7	3	·	·	1	2	1	·	·	·	·	·	·	1	·	·	1	·	·	1	1	·	·	·	·	·	3	·
	10. Clothing Trades, ...	20,026	—	5	1	·	·	1	1	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	3	·
	11. Food Supply Trades, ...	8,952	—	3	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	11	·	2	·	3	3	2	1	·	·	·	·	·	·	·	·	·	4	·	1	·	1	·	·	·	·	5	·
	13. Petty Shopkeepers, ...	6,772	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	4	·	2	2	4	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	1	1	1	·	3	6	2
	15. Domestic Servants, ...	36,041	—	7	·	·	·	3	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	4	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	37	15	2	1	8	6	3	2	·	·	·	·	·	·	·	·	·	6	·	·	2	4	4	1	·	3	17	6
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	5,602	—	17	2	·	·	2	7	1	5	·	·	·	·	·	·	·	·	·	3	·	·	·	1	4	·	·	1	8	·

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Nov. 22.	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14
No. of weeks in Annual Series ..	47	48	49	50	51	52	53	1	2	3	4	5	6	47	48	49	50	51	52	53	1	2	3	4	5	6
BIRTHS registered	184	195	208	220	224	123	265	249	266	289	238	279	257	209	225	241	226	235	127	296	292	234	231	207	271	264
Average Births in corresponding week of previous 10 years, ...	184	192	175	200	159	148	148	210	221	205	210	210	211	175	178	173	175	167	159	159	225	198	207	195	209	196
Number of Deaths, ...	138	117	137	151	133	92	155	138	119	156	126	153	139	167	133	169	160	185	156	197	150	166	141	161	146	159
Annual Death-rate per 1,000 ..	17·8	15·1	17·6	19·4	17·1	11·8	20·0	17·3	15·0	19·6	15·8	19·2	17·5	21·7	17·3	22·0	20·8	24·1	20·3	25·6	18·9	21·0	17·8	20·3	18·4	20·1
Average Deaths in corresponding week of previous 10 years, ...	164	165	169	164	164	158	158	190	175	180	184	186	187	170	162	164	151	144	152	152	151	158	142	159	170	184
Ages, .. Under one year, ..	19	18	26	19	19	11	29	24	25	16	34	35	24	23	20	30	19	28	25	27	33	29	26	31	33	37
1— 5 years, ..	10	4	7	7	8	6	14	14	9	10	11	15	15	30	18	21	24	34	24	36	24	34	18	18	22	16
5—25 ,, ..	8	15	12	15	15	10	7	15	10	13	14	16	10	22	22	23	23	26	19	31	16	23	18	25	22	17
25—45 ,, ..	28	16	19	22	18	15	18	11	11	26	14	18	25	14	12	19	15	26	22	24	13	17	17	25	15	28
45—65 ,, ..	38	31	33	39	37	23	38	32	25	42	29	29	29	39	22	37	41	37	36	50	25	31	36	36	31	34
65 and upwards, ..	35	33	40	49	36	27	49	42	39	49	24	40	36	39	39	39	38	34	30	29	39	32	26	26	23	27
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	·	1	1	·	3	·	2	·	2	2	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	·	1	·	·	1	·	1	·	·	1	·	9	10	15	14	32	19	26	19	21	13	11	12	11
Scarlet Fever, ...	2	1	1	1	·	2	·	1	1	·	1	·	·	8	8	9	12	4	3	8	3	7	2	6	6	2
Whooping-cough, ...	·	·	2	2	1	2	2	·	2	2	1	5	3	·	·	·	·	·	1	1	·	1	1	1	2	1
Diphtheria, ...	1	·	1	1	1	·	1	·	1	1	·	2	2	2	2	1	1	1	2	1	·	1	2	·	2	·
Dysentery, ...	·	·	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	4	·	·	·	·	1	1	·	2	3	·	2	—	—	—	—	—	—	—	1	2	·	1	2	2
Tuberculosis { Pulmonary, ..	11	14	17	11	13	9	10	12	7	14	11	12	19	16	4	11	17	17	17	20	13	13	13	21	12	15
Other Forms, ..	2	5	6	9	7	2	4	5	6	6	8	6	3	4	2	4	4	3	1	4	5	3	2	2	7	6
Cancer, ...	12	8	8	9	8	5	11	5	7	13	6	11	7	9	6	7	11	4	10	11	7	3	4	5	7	8
Diseases of Respiratory System, { Pneumonia ..	14	3	9	12	2	8	16	11	11	14	13	14	15	17	17	18	12	10	11	11	11	15	11	20	14	20
Others, ..	19	23	16	23	24	12	22	19	16	22	17	19	13	25	12	23	23	18	19	17	17	15	16	20	8	15
Diarrhœa & Enteritis, under 2 years	5	1	5	3	1	2	4	1	2	·	4	3	2	1	2	1	3	·	2	4	1	2	·	1	2	2
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	2	2	2	2	·	1	·	·	·	·
Violent Deaths, ...	2	2	4	2	7	7	3	2	·	4	1	3	5	2	3	4	2	3	4	7	2	1	1	7	3	2
Number of Uncertified Deaths, ..	6	4	3	4	4	1	3	6	3	2	3	5	9	1	5	6	1	5	1	3	3	2	1	1	3	2
A Mean Maximum Temperature in degs	48·6	44 5	49·0	47·1	50·2	49·1	46·9	46·0	53·6	51·5	49·1	50·5	50·4	46·6	47·2	48·1	45·6	48·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7	49·5
B Mean Minimum ,, ,,	35·4	33·4	35·5	37·8	40·5	33·9	31·7	32·0	40·0	35·7	34·2	37·8	40·4	30·5	36·7	33·2	35·7	36·4	37·8	33·1	34·1	36·7	38·6	34·4	38 3	39·5
Mean of A and B ,, ,,	42·0	38·9	42·3	42·4	45·3	41·5	39·3	39·0	46·8	43·6	41·6	44·1	45·4	38·5	41·9	40·6	40·6	42·3	41·9	38·5	38·8	42·9	44·8	40·2	44·0	44·5
Rainfall in inches	0·69	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·71	1·07	0·66	0·59	0·67	1·13	0·87	1·35	1·74	1·21	2·04	2·14	0·87	1·65	1·11	1·32	0·28	0 84

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th February, 1920, Deaths in Public Institutions or Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																											
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	16	13·1	3·3	4	1	1	·	·	·	2	·	·	·	1	·	·	·		·	·	1	·	·	1	·	·	·	·	2	·
Do 2 do.	49,500	32	16·9	3·2	16	4	2	1	2	5	2	·	·	·	2	·	·	·	·	·	·	·	1	4	·	1	·	1	1	7	·
Do. 3 do.	50,032	37	30·2	5·2	29	10	3	1	2	4	9	·	·	·	3	1	1	·	·	·	1	1	3	2	5	·	·	1	1	6	·
Do. 4 do.	32,637	25	25·6	1·6	16	3	·	3	6	1	3	·	·	·	1	·	·	·	·	·	2	·	1	1	·	·	·	·	1	6	·
Do 5 do.	16,112	16	22·7	·	7	·	1	2	·	3	1	·	·	·	·	·	·	·	·	·	1	2	1	·	2	·	·	·	·	2	·
Do. 6 do.	37,293	16	11·2	2·8	8	2	1	·	3	1	1	·	·	·	1	1	·	·	·	1	1	·	·	·	1	·	·	·	·	2	·
Do. 7 do.	2,681	2	19·4	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	43·7	·	5	3	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	25	19·2	2·1	9	1	1	1	1	5	·	·	·	·	1	·	·	·	·	·	2	·	1	1	·	·	·	·	·	1	1
Do. 10 do.	28,958	12	19·8	1·8	11	1	4	1	4	·	1	·	·	·	1	·	·	·	·	·	·	1	·	2	2	·	·	·	·	2	·
Do. 11 do.	39,311	19	19·9	1·3	15	6	1	1	1	2	4	·	·	·	·	·	·	·	·	·	1	·	·	5	2	1	·	·	·	3	·
Do 12 do.	38,076	32	21·9	·	16	2	·	5	3	5	1	·	·	·	·	·	·	·	·	1	5	·	·	3	1	·	·	·	1	2	1
Do 13 do.	23,233	12	20·2	·	9	1	·	·	4	3	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	15	29·9	2·3	13	2	2	2	1	4	2	·	·	·	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·	5	·
Total,	386,947	264	20·1	2·0	159	37	16	17	28	34	27	·	·	·	11	2	1	·	·	2	15	6	8	20	15	2	·	2	4	39	2
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	4	15·5	·	4	1	·	·	1	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 2 do.	10,399	6	30·1	5·0	6	·	1	1	2	1	1	·	·	·	·	·	1	·	·	·	3	·	·	·	·	·	·	·	·	5	·
Do. 3 do.	9,793	5	10·6	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	6	28·5	·	5	1	·	2	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	3	·
Do. 5 do.	6,250	6	16·7	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·
Do. 6 do.	11,581	3	9·0	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Do 7 do.	16,056	14	22·7	·	7	·	1		1	2	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·
Total.	76,673	44	19·0	0·7	28	2	2	3	4	5	12	·	·	·	·	·	1	·	·	·	4	2	2	1	4	·	·	·	·	17	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (‡) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th February, 1920

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	3	6
„ „ 1, West ..	.	.	.	.	.	3	2	.	1	.	.	.	.	.	.	.	.	6
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	2	.		2	.	.	.	5
Clontarf and Howth No. 1 (part of)	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	2	6
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ „ 3, ...	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	1	5
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.		3	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Total, ...	3	.	.		.	6	6	.	2	.	2	1	.	9	.	.	8	37

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th February, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 14th February.			
	Jan. 24.	Jan. 31.	Feb. 7.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	22	25	25	3	1	.	27
Typhus, ...	1	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	15	33	41	25	21	.	45
Scarlet Fever, ...	152	133	114	15	20	.	109*
Diphtheria, ...	26	25	33	7	4	1	35
Pneumonia, ...	22	21	15	12	4	4	19

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin

(13596). Wt. 8424. 3. 380. 2. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 7. VOL. LVII.] WEEK ENDING SATURDAY, 21ST FEBRUARY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 23rd February, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 17·9 and 18·3; Dublin Registration Area, 16·5 and 17·3; Dublin City, 16·9 and 17·3; Belfast, 18·2 and 19·2; Cork, 20·4 and 19·9; Londonderry, 27·3 and 18·1; Limerick, 20·3 and 17·6; and Waterford, 20·9 and 27·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 144 deaths from all causes for Belfast are 2 from enteric fever, 9 from measles, 2 from scarlet fever, 6 from whooping-cough, one from diarrhœa and enteritis of a child under 2 years, and 2 from influenza. Of the 30 deaths from all causes for Cork 2 are from whooping-cough. One of the 15 deaths from all causes for Limerick is from diphtheria. Of the 11 deaths from all causes for Waterford 2 are from whooping-cough, and 2 from diarrhœa and enteritis of children under 2 years, and the 4 deaths from all causes for Galway include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 258—134 boys and 124 girls—and the deaths to 140—63 males and 77 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·5 per 1,000 of the population. During the seven weeks ending with Saturday last, the death-rate averaged 17.3 and was 6·6 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the seven weeks was 18·5, and for the corresponding period of the preceding ten years 25·5.

Of the 131 deaths appertaining to the Area 3 are from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 0, one, and 0; deaths from scarlet fever, one, 0, and 0; deaths from whooping-cough, one, 5, and 3; deaths from diphtheria, 0, 2, and 2; and deaths from diarrhœa and enteritis of children under 2 years 4, 3, and 2.

There were 13 deaths from pneumonia, comprising 6 from broncho-pneumonia, 3 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 22 deaths (including 14 from pulmonary tuberculosis, one from tuberculous meningitis, and 7 from other forms of tuberculous disease), as against 19, 18, and 22 in the three weeks preceding.

Six deaths were caused by cancer, 12 by organic diseases of the heart, and 19 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 2 to whooping-cough, 5 to convulsions, one to bronchitis, 4 to broncho-pneumonia, 3 to diarrhœa and enteritis, 4 to premature birth, and 4 to congenital debility.

One death (that of a child aged 14 months), was caused by scalds.

Thirty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 7 were under one month old, and 30 deaths were those of persons aged 65 and upwards, of whom 26 were 70 years of age or over.

Of the 131 deaths recorded, 52 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 21st February, in 96 large English towns (including London, in which the rate was 17·7 was equal to an average annual death rate of 16·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 14·2 per 1,000 persons living, the rate for Glasgow being 13·6 and for Edinburgh 12·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st February. From this Report it appears that of 104 cases notified, 27 were scarlet fever, 25 diphtheria, 14 pulmonary tuberculosis, 11 other forms of tuberculosis, 9 erysipelas, 7 ophthalmia neonatorum, 5 acute primary pneumonia, 3 dysentery, 2 acute influenzal pneumonia, and one puerperal fever, Among the 679 cases of of infectious diseases in hospital at the close of the week were 208 of pulmonary tuberculosis, 204 of scarlet fever, 134 of diphtheria, 45 of measles, 13 of erysipelas, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st February, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total
City of Dublin	Jan. 31	6	·	·	·	·	—	8	—	4	2	—	·	—	3	1	·	6	·	·	26	56
	Feb. 7	1	·	·	·	·	—	4	—	8	3	—	·	—	1	1	·	2	·	·	18	38
	Feb. 14	3	·	·	·	·	—	6	—	6	2	—	·	—	2	1	·	9	·	·	8	37
	Feb. 21	1	·	·	·	·	—	12	—	4	·	—	·	—	1	·	·	2	3	·	15	38
Rathmines & Rathgar Urban District	Jan. 31	·	·	·	·	·	—	8	—	1	·	—	·	—	·	·	·	1	·	·	—	10
	Feb. 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Feb. 14	·	·	·	·	·	—	·	—	2	1	—	·	—	·	·	·	1	·	·	—	4
	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Jan. 31	·	·	·	·	·	3	·	·	·	·	·	·	—	·	·	·	·	·	·	·	3
	Feb. 7	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	1	·	·	·	3
	Feb. 14	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	1	·	·	·	6
	Feb. 21	·	·	·	·	·	20	3	2	·	·	·	·	—	·	·	·	·	·	·	·	25
Blackrock Urban District	Jan. 31	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 21	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb. 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb. 14	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	—	·	1	4
	Feb. 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	Jan. 31	12	·	·	·	·	—	80	—	7	9	—	3	—	·	·	·	3	·	·	1	115
	Feb. 7	11	·	·	·	·	—	68	—	10	8	—	3	—	·	·	·	2	·	·	·	102
	Feb. 14	1	·	·	·	·	—	56	—	9	7	—	6	—	·	3	·	1	·	1	1	85
	Feb. 21	6	·	·	·	·	—	52	—	6	4	—	2	—	·	6	·	13	·	·	2	91
City of Cork	Jan. 31	·	·	·	·	·	·	·	—	11	1	—	·	·	·	2	·	·	—	·	—	14
	Feb. 7	·	·	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	5
	Feb. 14	·	·	·	·	·	·	3	—	8	·	—	·	·	·	2	·	·	—	·	—	13
	Feb. 21	·	·	·	·	·	·	1	—	9	1	—	·	·	·	·	·	·	—	·	—	11
City of Londonderry	Jan. 31	1	·	·	·	·	—	5	—	1	·	—	·	—	·	·	·	·	·	—	—	7
	Feb. 7	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	—	—	3
	Feb. 14	·	·	·	·	·	—	2	—	2	1	—	·	—	·	·	·	·	·	—	—	5
	Feb. 21	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	Jan. 31	2	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	2
	Feb. 7	·	·	·	·	·	—	·	—	8	·	—	·	—	·	·	·	·	·	·	—	8
	Feb. 14	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Jan. 31	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Feb. 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	—	·	1
	Feb. 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st February, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 25; measles 20 and 47; scarlet fever 15 and 105*; and diphtheria 5 and 31. Thirteen cases of pneumonia were admitted during the week and 27 remained under treatment at its close. Of the deaths in hospital during the week one was from each of diphtheria, scarlet fever, and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 21st February, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 21ST FEBRUARY, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	36·5	17·9	1·7	816	401	79	94	2	·	·	12	3	13	2	·	2	45	17	21	26	52	7	·	4	4	116	20
DUBLIN REGISTRATION AREA, ...	415,000	29·7	32·4	16·5	1·3	258	131	27	30	·	·	·	3	1	2	1	·	·	14	8	6	13	22	3	·	1	·	52	8
Urban Districts. CITY OF DUBLIN,	318,200	39·0	38·0	16·9	1·5	232	103	25	22	·	·	·	2	1	2	1	·	·	10	5	6	10	20	3	·	1	·	45	8
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	15·5	15·5	·	12	12	1	5	·	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	·	3	·
Urban Districts. PEMBROKE, ..	30,200	19·2	13·8	20·7	1·7	8	12	1	3	·	·	·	1	·	·	·	·	·	·	3	·	3	·	·	·	·	·	2	·
Urban Districts. BLACKROCK, ..	9,200	8·5	11·3	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	12·3	12·3	·	4	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·
Urban Districts. BELFAST, ..	413,000	27·7	35·6	18·2	2·5	282	144	23	25	2	·	·	9	2	6	·	·	2	20	3	5	8	17	1	·	·	1	31	1
Urban Districts. CORK, ...	76,673	28·6	44·8	20·4	1·4	63	30	6	12	·	·	·	·	·	2	·	·	·	3	1	2	2	4	·	·	·	·	7	3
Urban Districts. LONDONDERRY, ..	44,000	17·1	64·0	27·3	1·2	54	23	8	6	·	·	·	·	·	·	·	·	·	2	·	·	1	1	1	·	2	2	6	·
Urban Districts. LIMERICK, ..	38,518	16·1	77·2	20·3	1·4	57	15	5	2	·	·	·	·	·	·	1	·	·	·	1	2	·	2	·	·	·	·	6	6
Urban Districts. WATERFORD, ..	27,464	19·1	34·2	20·9	7·6	18	11	4	3	·	·	·	·	·	2	·	·	·	1	·	2	·	·	2	·	·	·	4	·
Urban Districts. GALWAY, ...	13,255	2·5				6	4	·	1	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Urban Districts. DUNDALK, ..	13,128	9·5				10	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·
Urban Districts. LURGAN, ..	12,553	14·7				12	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. DROGHEDA, ..	12,501	8·4				6	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				8	4	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	2	·
Urban Districts. PORTADOWN, ..	11,727	15·3				7	6	2	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	·
Urban Districts. WEXFORD, ..	11,531	22·8				7	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	5	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Urban Districts. SLIGO, ...	11,163	3·8				4	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·
Urban Districts. KILKENNY, ..	10,514	11·4				6	4	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·
Urban Districts. TRALEE, ...	10,300	17·4				1	6	·	2	·	·	·	·	·	·	·	·	·	2	1	1	1	·	·	·	·	·	2	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
LONDON	4,206,901	—	—	17·7	—	2,710	1,370	270	413	1	·	·	48	·	41	16	—	—	97	20	118	188	162	16	—	42	122	574	4
EDINBURGH ...	342,300	—	—	12·8	—	197	84	15	29	·	·	·	·	·	·	2	—	3	—	—	—	—	—	·	—	3	—	—	—
GLASGOW	1,115,500	—	—	13·6	—	728	290	62	80	·	·	·	4	·	3	2	—	·	—	—	—	—	—	2	—	14	—	—	—

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

METEOROLOGY. (c)

WEEK ENDING 21ST FEBRUARY, 1920.

Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
°	°	°	°	°	
·	·	·	·	·	·
(d) 57·0	28·0	49·8	37·1	43·4	0·37
(e) 53·8	32·4	49·3	40·1	44·7	0·40
(f) 52·0	29·6	49·0	38·6	43·8	0·36
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
58	33	51·1	41·1	46·1	0·25
54·0	35·0	48·4	39·6	44·0	1·07
53	34	49·1	42·9	46·0	0·47
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
52·0	27·9	49·0	37·3	43·1	0·91
·	·	·	·	·	·
54	29	47·4	36	41·7	1·23
52·0	27·9	49·0	37·3	43·1	0·91
52·0	27·9	49·0	37·3	43·1	0·91
·	·	·	·	·	·
·	·	·	·	·	·
51	27	49	37	43	0·76
53	29	47·7	38·0	42·8	0·42
·	·	·	·	·	·
·	·	·	·	·	·
62	35	53	0 37·7	45·4	0·24
55·0	30·0	45·6	34·9	40·2	0·89
51·9	31·6	46·8	37·3	42·0	0·93

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 7th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 21st February, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES	213·8	140	7	20	4	7	6	1	7	5	9	7	16	20	16	15	131
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·2	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever ..	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	4·0	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	8·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·2	14	.	.	.	.	.	.	5	1	4	3	.	1	.	.	14
Tuberculous Meningitis	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Abdominal Tuberculosis	·6	3	.	.	.	.	2	.	.	1	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·6	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	3	.	.	.	.	1	.	1	1	.	.	.	.	.	.	3
Venereal Diseases ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·4	7	.	.	.	.	.	.	.	.	.	1	5	1	.	.	6
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Anæmia, Leucocythæmia.	·4	4	.	.	.	.	.	.	.	.	.	.	1	3	.	.	3
Other General Diseases	2·6	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·6	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·2	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3
Softening of Brain ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·2	5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	3·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pericarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·8	12	.	.	.	.	.	.	.	1	1	.	3	1	2	4	12
Embolism and Thrombosis (including Cerebral).	1 0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	32·6	19	.	1	.	1	1	.	.	.	.	.	1	3	7	5	19
Broncho-pneumonia ..	12·6	6	1	3	2	.	.	.	.	.	.	.	.	.	.	.	6
Lobar pneumonia ..	2·8	4	.	.	.	1	.	.	.	.	1	.	1	1	.	.	3
Pneumonia (type not distinguished).	10·0	4	.	.	.	.	1	.	.	.	.	.	1	.	1	1	4
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy,	·8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2
Other Diseases of Respiratory System	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

in the SEVENTH WEEK, ending Saturday, 21st February, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 7th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 21st February, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx. Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Stomach ..	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		1
Diarrhœa and Enteritis of Children under 2 years.	3·4	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·		3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Hernia and Intestinal Obstructions.	1·0	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·		1
Cirrhosis of Liver ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Nephritis ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	8·2	4	·	·	·	·	·	1	·	·	·	1	·	2	·	·		4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		·
Puerperal Septicæmia, &c.	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·	2	·	·	·	·	·	·	·	1	1	·	·	·	·	·		1
Diseases of Skin and Cellular Tissues.	1·6	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·		2
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Premature Birth ..	4·6	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·		4
Congenital Debility ..	3·6	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·		4
Old Age	11·4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4		4
Other Specified Diseases	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
VIOLENCE																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ..	·8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·		1
Drowning	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Not included in above—																		
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	4·4	3	·	·	·	·	·	·	·	·	·	·	·	3	·	·		3

TABLE IV.—Showing for the WEEK ENDED 21ST FEBRUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.	WEEK ENDED SATURDAY, 21ST FEBRUARY, 1920. DEATHS.								CAUSED BY																IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Diseases of Respiratory System. Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	28·9	5·1	17	7	1	1	1	·	2	2	3	·	·	·	·	·	2	·	·	·	2	·	1	3	4	1	·	·	4	·	2	·	3
,, 1, W., ...	42,100	21·1	2·5	17	4	·	·	2	1	3	2	5	·	·	·	·	·	·	1	·	·	1	2	2	1	1	1	·	·	8	·	8	4	·
,, 2, ...	28,200	16·6	·	9	1	·	·	·	1	1	2	4	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	·	4	·	2	3	·
,, 3, ...	35,000	13·1	2·9	9	3	1	1	·	1	1	1	1	·	·	·	1	1	·	·	·	·	1	·	·	1	·	·	·	·	5	·	3	2	1
CLONTARF AND HOWTH, No. 1, part of	5,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	3·8	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	9·1	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	14·2	1·2	12	2	·	1	·	1	1	5	2	·	·	·	·	·	·	·	·	·	·	1	·	2	1	1	·	·	7	·	3	2	·
,, 2, ...	18,600	14·0	·	5	·	·	·	1	·	1	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·	·	·	1	·	·	2	·
,, 3, ...	44,400	17·6	·	15	3	1	1	1	·	2	3	4	·	·	·	·	·	·	·	·	·	1	1	1	·	6	·	·	1	5	·	3	4	3
,, 4, ...	33,600	21·7	1·6	14	3	1	2	·	3	1	3	1	·	·	·	1	·	·	·	·	·	3	·	1	1	2	·	·	·	6	·	1	4	1
NEW KILMAINHAM, ...	10,600	9·8	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	15·5	·	12	1	·	·	·	1	1	4	5	·	·	·	·	·	·	·	·	·	3	·	·	·	2	·	·	·	7	·	3	·	·
PEMBROKE	30,200	20·7	1·7	12	1	·	1	2	1	·	4	3	·	·	·	1	·	·	·	·	·	·	3	·	3	·	·	·	·	5	·	1	1	·
BLACKROCK, ...	9,200	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ...	17,000	12·3	·	4	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	3	·	2	·	·
TOTAL CITY. North, ...	166,900	17·2	2·2	55	16	2	2	3	3	7	9	13	·	·	·	1	1	2	1	·	·	4	3	4	7	8	2	·	·	22	·	16	9	4
TOTAL CITY. South, ...	151,300	16·5	0·7	48	9	2	4	2	5	5	12	9	·	·	·	1	·	·	·	·	·	6	2	2	3	12	1	·	1	20	·	8	12	4
TOTAL CITY. North and South, ..	318,200	16·9	1·5	103	25	4	6	5	8	12	21	22	·	·	·	2	1	2	1	·	·	10	5	6	10	20	3	·	1	42	·	24	21	8
Total Urban Districts, ...	96,800	15·1	0·5	28	2	·	1	2	2	3	10	8	·	·	·	1	·	·	·	·	·	4	3	·	3	2	·	·	·	15	·	6	1	·
Total Registration Area, ..	415,000	16·5	1·3	131	27	4	7	7	10	15	31	30	·	·	·	3	1	2	1	·	·	14	8	6	13	22	3	·	1	57	·	30	22	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	·	·	·	·	2	1	5	1	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	·	5	·	9	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st February, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS. WEEK ENDING SATURDAY, 21ST FEBRUARY, 1920.																											
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																	
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	140	38	7	12	16	36	16	15	·	·	·	3	1	2	1	1	·	14	9	7	5	14	22	3	·	1	57	8
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	·	1	·	·	4	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	4	1
II.	MIDDLE CLASS	101,798	11·3	22	3	·	4	1	7	2	5	·	·	·	·	·	·	·	·	·	3	3	1	·	2	2	·	·	·	11	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	10	·	1	4	7	3	2	·	·	·	·	1	·	·	·	·	3	·	3	1	2	6	1	·	·	10	2
IV.	GENERAL SERVICE CLASS	167,479	19·3	62	20	5	5	9	13	7	3	·	·	·	3	·	2	1	1	·	7	3	1	4	8	8	1	·	1	22	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	5	1	2	2	5	4	3	·	·	·	·	·	·	·	·	·	1	2	2	·	1	5	1	·	·	10	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	·	1	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	1
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	3	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	3	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·
	6. Clerks and Commercial Assistants,	33,249	—	8	3	·	2	·	1	1	1	·	·	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	·	3	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	9	·	·	2	·	3	1	3	·	·	·	·	·	·	·	·	·	1	1	1	·	·	1	·	·	·	5	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	3	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·
	9. Building and Furnishing Trades, ..	28,823	—	10	3	·	1	1	4	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	3	1	·	·	4	2
	10. Clothing Trades, ...	20,026	—	4	1	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	2	·
	11. Food Supply Trades, ...	8,952	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	9	3	·	·	2	1	2	1	·	·	·	·	1	·	·	·	·	2	·	1	1	·	3	·	·	·	1	·
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	3	1	2	4	2	2	·	·	·	·	1	·	·	·	·	·	3	1	·	·	2	2	·	·	·	5	1
	15. Domestic Servants, ...	36,041	—	6	1	·	2	1	1	·	1	·	·	·	1	·	·	·	·	·	1	1	·	·	·	·	·	·	·	3	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	39	14	3	1	4	10	5	2	·	·	·	1	·	2	1	1	·	3	·	1	2	6	6	1	·	1	14	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	22	5	1	2	2	5	4	3	·	·	·	·	·	·	·	·	·	1	2	2	·	1	5	1	·	·	10	·

TABLE VI.—**Dublin Registration Area and Belfast City.** —Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Nov. 29.	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb 14	Feb. 21.
No. of weeks in Annual Series ..	48	49	50	51	52	53	1	2	3	4	5	6	7	48	49	50	51	52	53	1	2	3	4	5	6	7
BIRTHS registered	195	208	220	224	123	265	249	266	289	238	279	257	258	225	241	226	235	127	296	292	234	231	207	271	264	282
Average Births in corresponding week of previous 10 *years,*	192	175	200	159	148	148	210	221	205	210	210	211	205	178	173	175	167	159	159	225	198	207	195	209	196	197
Number of Deaths, ...	117	137	151	133	92	155	138	119	156	126	153	139	131	133	169	160	185	156	197	150	166	141	161	146	159	144
Annual Death-rate per 1,000 ..	15·1	17·6	19·4	17·1	11·8	20·0	17·3	15·0	19·6	15·8	19·2	17·5	16·5	17·3	22·0	20·8	24·1	20·3	25·6	18·9	21·0	17·8	20·3	18·4	20·1	18·2
Average Deaths in corresponding week of previous 10 *years,*	165	169	164	164	158	158	190	175	180	184	186	187	191	162	164	151	144	152	152	151	158	142	159	170	184	172
Ages, Under one year, ..	18	26	19	19	11	29	24	25	16	34	35	24	27	20	30	19	28	25	27	33	29	26	31	33	37	23
1— 5 years, ..	4	7	7	8	6	14	14	9	10	11	15	15	11	18	21	24	34	24	36	24	34	18	18	22	16	24
5—25 ,, ..	15	12	15	15	10	7	15	10	13	14	16	10	17	22	23	23	26	19	31	16	23	18	25	22	17	22
25—45 ,, ..	16	19	22	18	15	18	11	11	26	14	18	25	15	12	19	15	26	22	24	13	17	17	25	15	28	20
45—65 ,, ..	31	33	39	37	23	38	32	25	42	29	29	29	31	22	37	41	37	36	50	25	31	36	36	31	34	30
65 and upwards, ..	33	40	49	36	27	49	42	39	49	24	40	36	30	39	39	38	34	30	29	39	32	26	26	23	27	25
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	1	1	·	3	·	2	·	2	2	·	2
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	·	·	1	·	1	·	·	1	·	3	10	15	14	32	19	26	19	21	13	11	12	11	9
Scarlet Fever, ...	1	1	1	·	2	·	1	1	·	1	·	·	1	8	9	12	4	3	8	3	7	2	6	6	2	2
Whooping-cough, ...	·	2	2	1	2	2	·	2	2	1	5	3	2	·	·	·	·	1	1	·	1	1	1	2	1	6
Diphtheria, ...	·	1	1	1	·	1	·	1	1	·	2	2	1	2	1	1	1	2	1	·	1	2	·	2	·	·
Dysentery, ...	·	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	4	·	·	·	·	1	1	·	2	3	·	2	·	—	—	—	—	—	—	1	2	·	1	2	2	2
Tuberculosis { Pulmonary, ..	14	17	11	13	9	10	12	7	14	11	12	19	14	4	11	17	17	17	20	13	13	13	21	12	15	20
Other Forms, ..	5	6	9	7	2	4	5	6	6	8	6	3	8	2	4	4	3	1	4	5	3	2	2	7	6	3
Cancer, ...	8	8	9	8	5	11	5	7	13	6	11	7	6	6	7	11	4	10	11	7	3	4	5	7	8	5
Diseases of Respiratory System, { Pneumonia ..	3	9	12	2	8	16	11	11	14	13	14	15	13	17	18	12	10	11	11	11	15	11	20	14	20	8
Others, ..	23	16	23	24	12	22	19	16	22	17	19	13	22	12	23	23	18	19	17	17	15	16	20	8	15	17
Diarrhœa & Enteritis, under 2 years	1	5	3	1	2	4	1	2	·	4	3	2	3	2	1	3	·	2	4	1	2	·	1	2	2	1
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	2	2	2	2	·	1	·	·	·	·	·
Violent Deaths, ...	2	4	2	7	7	3	2	·	4	1	3	5	1	3	4	2	3	4	7	2	1	1	7	3	2	·
Number of Uncertified Deaths, ..	4	3	4	4	1	3	6	3	2	3	5	9	8	5	6	1	5	1	3	3	2	1	1	3	2	1
A Mean Maximum Temperature in degs	44 5	49·0	47·1	50·2	49·1	46·9	46·0	53·6	51·5	49·1	50·5	50·4	49·8	47·2	48·1	45·6	48·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7	49·5	48·4
B Mean Minimum ,, ,,	33·4	35·5	37·8	40·5	33·9	31·7	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·7	33·2	35·7	36·4	37·8	33·1	34·1	36·7	38·6	34·4	38 3	39·5	39·6
Mean of A and B ,, ,,	38·9	42 3	42·4	45·3	41·5	39·3	39·0	46·8	43·6	41·6	44·1	45·4	43·4	41·9	40 6	40·6	42·3	41·9	38·5	38·8	42·9	44·8	40·2	44·0	44·5	44·0
Rainfall in inches	0·96	1·07	0·78	0·82	0·93	0·83	1·31	0·71	1·07	0·66	0·59	0·67	0·37	0·87	1·35	1·74	1·21	2·04	2·14	0·87	1·65	1·11	1·32	0·28	0 84	1·07

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st February, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercular Pulmonary.	Tubercular Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	14	26·3	6·6	8	·	3	1	1	1	2	·	·	·	1	1	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·
Do. 2 do.	49,500	33	20·0	3·2	19	5	5	·	3	5	1	·	·	·	1	·	2	·	·	1	3	·	·	1	3	·	·	·	·	2	1
Do. 3 do.	50,032	40	24·0	4·2	23	4	2	7	1	5	4	·	·	·	1	·	3	·	·	·	4	·	·	1	3	·	·	·	·	5	·
Do. 4 do.	32,637	17	22·4	4·8	14	2	4		2	2	4	·	·	·	2	1	·	·	·	1	·	1	·	·	1	·	·	·	·	3	·
Do. 5 do.	16,112	16	6·2	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	37,293	23	16·8	1·4	12	1	2	1	2	3	3	·	·	·	1	·	·	·	·	·	2	1	·	·	1	·	·	·	·	2	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	8	26·2	8·7	3	1	·	1	·	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	9	14·9	·	7	2	1	1	·	2	1	·	·	·	1	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 10 do.	28,958	32	16·2	1·8	9	1	1	2	3	2	·	·	·	·	1	·	·	·	·	·	3	·	1	·	1	·	·	·	·	5	·
Do. 11 do.	39,311	26	15·9	·	12	·	1	2	·	6	3	·	·	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	·	3	·
Do. 12 do.	38,076	29	24·6	4·1	18	4	2	4	4	1	3	2	·	·	1	·	·	·	·	·	1	·	1	2	2	·	·	·	1	7	·
Do 13 do.	23,233	18	20·2	2·2	9	2	·	1	2	2	2	·	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	·	·	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	17	18·4	2·3	8	1	3	1	2	·	1	·	·	·	·	·	1	·	·	·	2	·	2	1	·	·	·	·	·	1	·
Total,	386,947	282	18·2	2·5	144	23	24	22	20	30	25	2	·	·	9	2	6	·	·	2	20	3	5	8	17	1	·	·	1	31	1
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	8	3·9	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	10,399	17	30·1	·	6	1	1	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Do. 3 do.	9,793	5	31·9	5·3	6	1	1	2	·	1	1	·	·	·	·	·	1	·	·	·	·	1	·	·	3	·	·	·	·	2	·
Do. 4 do.	9,139	9	28·5	5·7	5	2	·	·	·	1	2	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 5 do.	6,250	5	33·4	·	4	·	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do.	14,581	12	9·0	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Do 7 do.	16,056	10	19·5	·	6	2	1		·	2	1	·	·	·	·	·	·	·	·	·	2	·	1	1	·	·	·	·	·	1	1
Total.	76,673	66	20·4	1·4	30	6	3	2	·	7	12	·	·	·	·	·	2	·	·	·	3	1	2	2	4	·	·	·	·	7	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (‡) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st February, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	2	5
„ „ 1, West ..	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	3	6
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 3, ...	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	2	5
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 3, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.	3	8
„ „ „ 4, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	1	.	.		.	12	4	.	.	.	1	.	.	2	3	.	15	38

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st February, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 21st February.			
	Jan. 31.	Feb. 7.	Feb. 14.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	25	25	27	.	2	.	25
Typhus, ...	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	33	41	45	20	18	.	47
Scarlet Fever, ...	133	114	109	15	18	1	105*
Diphtheria, ...	25	33	35	5	8	1	31
Pneumonia, ...	21	15	19	13	4	1	27

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13631). Wt. 8424. 3. 380. 2. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37 Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 8. Vol. LVII.] Week ending Saturday, 28th February, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 1st March, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 20·2 and 18·8; Dublin Registration Area, 21·9 and 18·8; Dublin City, 22·8 and 18·7; Belfast, 21·8 and 19·6; Cork, 19·0 and 19·3; Londonderry, 13·0 and 16·3; Limerick, 24·4 and 18·3; and Waterford, 11·4 and 21·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 173 deaths from all causes for Belfast are one from enteric fever, 2 from measles, 4 from scarlet fever, 3 from whooping-cough, one from diphtheria, one from diarrhœa and enteritis of a child under 2 years, and 3 from influenza. Of the 28 deaths from all causes for Cork one is from whooping-cough, and 2 are of children under 2 years from diarrhœa and enteritis. One of the 11 deaths from all causes for Londonderry was due to diphtheria. Two of the 6 deaths from all causes for Waterford are from whooping-cough, and the 6 deaths from all causes for Newry include one from whooping-cough, and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 282—157 boys and 125 girls—and the deaths to 189—81 males and 108 females.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·9 per 1,000 of the population. During the eight weeks ending with Saturday last, the death-rate averaged 17·9 and was 6·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the eight weeks was 19·1, and for the corresponding period of the preceding ten years 25·9.

Of the 174 deaths appertaining to the Area one is from measles, 3 are from whooping-cough, 3 from diphtheria, one from dysentery, 3 from diarrhœa and enteritis of children under 2 years, 3 from influenza and one from cerebro-spinal fever.

In the 3 preceding weeks, deaths from measles were one, 0, and 3; deaths from whooping-cough, 5, 3, and 2; deaths from diphtheria, 2, 2, and one; deaths from diarrhœa and enteritis of children under 2 years 3, 2, and 3; and deaths from influenza 0, 2, and 0. There were no deaths from dysentery or cerebro-spinal fever registered in the 3 preceding weeks.

There were 14 deaths from pneumonia, comprising 10 from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Tuberculous disease caused 22 deaths (including 18 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease), as against 18, 22, and 22 in the three weeks preceding.

Eight deaths were caused by cancer, 13 by organic diseases of the heart, and 26 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, 3 to convulsions, 2 to broncho-pneumonia, 2 to diarrhœa and enteritis, 2 to congenital malformations, 11 to premature birth, and 9 to congenital debility.

There were 2 accidental deaths, and one death by homicide.

Forty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 33 being infants under one year, of whom 15 were under one month old, and 50 deaths were those of persons aged 65 and upwards, of whom 39 were 70 years of age or over.

Of the 174 deaths recorded, 74 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 28th February, in 96 large English towns (including London, in which the rate was 18·5 was equal to an average annual death rate of 17·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·7 per 1,000 persons living, the rate for Glasgow being 14·8 and for Edinburgh 14·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th February. From this Report it appears that of 96 cases notified, 35 were diphtheria, 22 scarlet fever, 14 pulmonary tuberculosis, 13 other forms of tuberculosis, 6 erysipelas, 3 ophthalmia neonatorum, one acute primary pneumonia, one malaria, and one membranous croup. Among the 686 cases of infectious diseases in hospital at the close of the week were 212 of pulmonary tuberculosis, 198 of scarlet fever, 149 of diphtheria, 43 of measles, 12 of erysipelas, 3 of whooping-cough, 2 of chicken-pox, one of membranous croup and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th February, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total
City of Dublin	Feb. 7	1	·	·	·	·	—	4	—	8	3	—	·	—	1	1	·	2	·	·	18	38
	Feb. 14	3	·	·	·	·	—	6	—	6	2	—	·	—	2	1	·	9	·	·	8	37
	Feb. 21	1	·	·	·	·	—	12	—	4	·	—	·	—	1	·	·	2	3	·	15	38
	Feb. 28	2	·	·	·	·	—	9	—	9	6	—	·	—	·	·	·	6	·	·	19	51
Rathmines & Rathgar Urban District	Feb. 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Feb. 14	·	·	·	·	·	—	·	—	2	1	—	·	—	·	·	·	1	·	·	—	4
	Feb. 21	·	·	·	·	·	—	3	—	·	1	—	·	—	1	·	·	·	·	·	—	5
	Feb. 28	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	·	—	4
Pembroke Urban District	Feb. 7	·	·	·	·	·	2	·	·	·	·	·	·	—	·	·	·	1	·	·	·	3
	Feb. 14	·	·	·	·	·	5	·	·	·	·	·	·	—	·	·	·	1	·	·	·	6
	Feb. 21	·	·	·	·	·	20	3	2	·	·	·	·	—	·	·	·	·	·	·	·	25
	Feb. 28	·	·	·	·	·	4	·	·	·	·	·	·	—	·	·	·	·	·	·	·	4
Blackrock Urban District	Feb. 7	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 14	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Feb. 21	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	1
	Feb. 28	·	·	·	·	·	1	1	—	·	·	—	·	—	·	·	·	·	·	·	·	2
Kingstown Urban District	Feb. 7	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Feb 14	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	—	·	1	4
	Feb. 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Feb. 7	11	·	·	·	·	—	68	—	10	8	—	3	—	·	·	·	2	·	·	·	102
	Feb. 14	1	·	·	·	·	—	56	—	9	7	—	6	—	·	3	·	1	·	1	1	85
	Feb. 21	6	·	·	·	·	—	52	—	6	4	—	2	—	·	6	·	13	·	·	2	91
	Feb. 28	7	·	·	·	·	—	50	—	7	2	—	4	—	·	·	·	13	·	·	1	84
City of Cork	Feb. 7	·	·	·	·	·	·	·	—	3	·	—	·	·	·	2	·	·	—	·	—	5
	Feb. 14	·	·	·	·	·	·	3	—	8	·	—	·	·	·	2	·	·	—	·	—	13
	Feb. 21	·	·	·	·	·	·	1	—	9	1	—	·	·	·	·	·	·	—	·	—	11
	Feb. 28	·	·	1	·	·	·	1	—	4	·	—	1	·	·	·	·	·	—	·	—	7
City of Londonderry	Feb. 7	·	·	·	·	·	—	2	—	1	·	—	·	—	·	·	·	·	·	—	—	3
	Feb. 14	·	·	·	·	·	—	2	—	2	1	—	·	—	·	·	·	·	·	—	—	5
	Feb. 21	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
City of Limerick	Feb. 7	·	·	·	·	·	—	·	—	8	·	—	·	—	·	·	·	·	·	·	—	8
	Feb. 14	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	·	—	1
	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Feb. 28	·	·	·	·	·	—	1	—	3	·	—	·	—	·	·	·	·	·	·	—	4
City of Waterford	Feb. 7	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	—	·	1
	Feb. 14	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	2	2
	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th February, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever nil and 21; measles 40 and 74; scarlet fever 20 and 103*; and diphtheria 10 and 35. Twelve cases of pneumonia were admitted during the week and 33 remained under treatment at its close. Of the deaths in hospital during the week 2 were from measles, 3 from diphtheria, and 2 from pneumonia.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th February, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 28TH FEBRUARY, 1920. Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS Total Number.	DEATHS Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 28TH FEBRUARY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	35·5	20·2	1·4	795	452	93	110	1	·	·	3	4	10	6	1	6	46	19	19	46	65	7	·	7	7	150	16	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	35·4	21·9	1·4	282	174g	33	50	·	·	·	1	·	3	3	1	3	18	4	8	14	30	3	·	3	2	74	6	(d) 57·2	28·8	49·5	36·0	42·7	0·28
Urban Districts. CITY OF DUBLIN,	318,200	39·0	40·3	22·8	1·6	246	139	29	36	·	·	·	1	·	3	3	1	2	15	4	6	13	24	2	·	2	1	65	6	(e) 57·8	35·2	49·5	39·6	44·6	0·27
																														(f) 59·2	31·0	50·0	37·6	43·8	0·28
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	14·2	20·7	·	11	16	2	7	·	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	1	1	8	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	24·2	20·7	1·7	14	12	2	4	·	·	·	·	·	·	·	·	1	1	·	1	·	2	1	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	5·7	5·7	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	30·7	18·4	·	10	6	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BELFAST, ..	413,000	27·7	40 5	21·8	1·5	321	173	41	34	1	·	·	2	4	3	1	·	3	15	8	5	27	23	1	·	3	4	51	2	51·0	33·0	48·5	36·5	42·5	0·01
Urban Districts. CORK, ...	76,673	28·6	32·6	19·0	2·0	48	28	6	8	·	·	·	·	·	1	·	·	·	6	2	2	·	1	2	·	·	·	6	2	56	34	50·3	39·0	44·7	0·31
Urban Districts. LONDONDERRY, ..	44,000	17·1	29·6	13·0	1·2	25	11	1	3	·	·	·	·	·	·	1	·	·	2	1	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	29·8	24·4	1·4	22	18	4	3	·	·	·	·	·	·	·	·	·	2	2	·	1	3	1	·	·	·	6	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	32·3	11·4	3·8	17	6	1	1	·	·	·	·	·	2	·	·	·	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·	52	30	51	33	42	0·14
Urban Districts. DUNDALK, ..	13,128	9·5				6	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				8	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	55·7	28·2	48·4	35·6	42·0	0·13
Urban Districts. DROGHEDA, ..	12,501	8·4				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				4	5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	54	30	48.7	32·8	40·7	0·07
Urban Districts. NEWRY, ...	11,963	17·0				14	6	1	2	·	·	·	·	·	1	1	·	·	·	·	1	·	2	·	·	·	·	1	·	55·7	28·2	48·4	35·6	42·0	0·13
Urban Districts. PORTADOWN ..	11,727	15·3				4	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	55·7	28·2	48·4	35·6	42·0	0·13
Urban Districts. WEXFORD, ..	11,531	22·8				6	4	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	55	26	49	36	42·5	0·35
Urban Districts. KILKENNY, ..	10,514	11·4				9	3	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	55	30	49·5	34·1	43·3	0·24
Urban Districts. TRALEE, ...	10,300	17·4				7	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				12	10	3	1	·	·	·	·	·	·	·	·	·	1	·	·	3	2	·	·	·	·	2	3	·	·	·	·	·	·
LONDON	4,206,901	—	—	18·5	—	2,649	1,425	284	412	1	·	·	52	3	52	19	—	—	118	20	89	194	180	18	3	49	117	636	4	54	27	51·1	32·9	42·0	0·08
EDINBURGH ...	342,300	—	—	14·2	—	186	93	22	26	·	·	·	2	1	·	3	—	1	—	—	—	—	—	·	—	3	—	—	—	56·0	33·0	46·6	37·1	41·9	0·10
GLASGOW	1,115,500	—	—	14·8	—	708	316g	70	78	·	·	·	3	·	2	5	—	7	—	—	—	—	—	5	—	13	—	—	—	52·5	34·0	47·0	38·5	42·7	0·15

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1917. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 8th Week of the 5 years. 1915-1919.	Deaths registered during week ending Saturday, 28th February, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES	244·2	189	15	19	7	7	5	2	9	6	14	18	12	24	36	15	174
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	3·2	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	3
Diphtheria	·8	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	3
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	23·6	3	.	.	.	.	.	.	.	.	1	1	.	1	.	.	3
Dysentery	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Erysipelas	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	25·6	19	.	.	.	1	.	2	2	2	6	5	.	1	.	.	18
Tuberculous Meningitis	3·0	3	.	.	1	.	.	.	2	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·4	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis	2·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Venereal Diseases ..	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·0	11	.	.	.	.	.	.	.	.	1	.	4	3	2	1	8
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Simple Meningitis ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	7·0	6	.	.	.	.	.	.	.	.	.	.	.	2	3	1	6
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Epilepsy, ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·0	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	4 2	5	.	1	.	.	.	.	.	1	1	.	1	.	1	.	4
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	17·6	13	.	.	.	.	.	.	.	.	.	1	1	5	6	.	13
Embolism and Thrombosis (including Cerebral)	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Diseases of the Larynx	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	39·0	27	.	.	1	.	1	.	.	1	.	3	3	6	8	4	26
Broncho-pneumonia ..	14·0	10	.	2	1	2	.	.	2	.	.	.	.	1	1	1	10
Lobar pneumonia ..	2·0	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Pneumonia (type not distinguished).	9·6	3	.	.	.	.	.	.	1	.	.	1	.	.	1	.	2
Pleurisy	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy,	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Respiratory System	2·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2

in the EIGHTH WEEK, ending Saturday, 28th February, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 8th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 28th February, 1920.																
			Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	0—5				5—10.	10—15.	15—20	20—25.	25—35.	35—45	45—55.	55—65	65—75	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·0	3	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	4·0	3	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Cirrhosis of Liver ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Acute Nephritis ..	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·6	8	·	·	·	·	·	·	·	·	1	1	2	2	2	·	·	7
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·2	2	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2
Diseases of Skin and Cellular Tissues.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Diseases of Locomotor System.	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Congenital Malformations.	·4	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	5·0	11	8	3	·	·	·	·	·	·	·	·	·	·	·	·	·	11
Congenital Debility ..	6·2	10	4	6	·	·	·	·	·	·	·	·	·	·	·	·	·	9
Old Age	8·2	9	·	·	·	·	·	·	·	·	·	·	·	·	4	5	·	9
Other Specified Diseases	3·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·8	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Not included in above—																		
Homicide, ..	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	5·2	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2

TABLE IV.—Showing for the WEEK ENDED 28TH FEBRUARY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 28TH FEBRUARY, 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		DEATHS. TOTAL DEATHS.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	IN INSTITUTIONS. In Hospitals, Prisons and Lunatic Asylums.	IN INSTITUTIONS. In Workhouse Hospitals.	Number of Uncertified Deaths
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*																																
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	23·8	1·7	14	7	·	·	1	2	·	1	3	·	·	·	·	·	·	1	·	·	1	1	·	·	3	·	·	·	8	·	4	1	1
,, 1, W., ...	42,100	17·3	·	14	5	·	·	·	1	3	3	2	·	·	·	·	·	·	·	·	·	2	·	1	1	3	·	·	·	7	·	2	5	·
,, 2, ...	28,200	33·3	1·8	18	5	·	1	2	·	2	7	1	·	·	·	·	·	·	·	1	·	2	·	3	·	2	·	·	·	10	·	5	4	1
,, 3, ...	35,000	21·8	·	15	1	1	1	·	1	3	3	5	·	·	·	·	·	·	·	·	1	1	1	·	1	5	·	·	·	6	·	3	2	2
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	15·0	·	4	·	·	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·	·	2	1
FINGLAS AND GLASNEVIN, part of ..	11,400	18·3	·	4	·	·	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	1	·	1	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	21·3	4·7	18	5	3	2	·	1	2	3	2	·	·	·	·	·	1	1	·	·	1	1	·	1	2	2	·	·	9	·	1	6	·
,, 2, ...	18,600	25·2	2·8	9	1	·	1	·	1	2	1	3	·	·	·	·	·	1	·	·	1	1	·	1	2	2	·	·	1	·	1	2	3	·
,, 3, ...	44,400	32·9	3·5	28	4	3	1	3	1	5	3	8	·	·	·	1	·	1	1	·	·	4	1	·	5	2	·	·	1	12	·	7	5	1
,, 4, ...	33,600	18·6	·	12	1	·	·	·	·	5	1	5	·	·	·	·	·	·	·	·	·	3	·	·	1	3	·	·	·	5	·	7	4	·
NEW KILMAINHAM, ...	10,600	9·8	·	2	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	20·7	·	16	2	·	1	·	·	3	3	7	·	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	1	10	1	5	3	·
PEMBROKE	30,200	20·7	1·7	12	2	·	·	1	·	2	3	4	·	·	·	·	·	·	·	·	1	1	·	1	·	2	1	·	·	6	·	·	1	·
BLACKROCK, ...	9,200	5.7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
KINGSTOWN, ...	17,000	18·4	·	6	·	·	·	·	·	1	3	2	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	3	·	·	·	·
TOTAL CITY. North, ...	166,900	21·9	0·6	70	18	1	2	3	5	9	15	17	·	·	·	·	·	·	1	1	1	6	2	5	4	14	·	·	·	36	·	15	14	5
TOTAL CITY. South, ...	151,300	23·8	2·8	69	11	6	4	3	4	14	8	19	·	·	·	1	·	3	2	·	1	9	2	1	9	10	2	·	2	27	1	17	19	1
TOTAL CITY. North and South, ..	318,200	22·8	1·6	139	29	7	6	6	9	23	23	36	·	·	·	1	·	3	3	1	2	15	4	6	13	24	2	·	2	63	1	32	33	6
Total Urban Districts, ...	96,800	18·9	0·5	35	4	·	1	1	·	6	9	14	·	·	·	·	·	·	·	·	1	3	·	2	1	6	1	·	1	20	1	5	4	·
Total Registration Area, ..	415,000	21·9	1·4	174	33	7	7	7	9	29	32	50	·	·	·	1	·	3	3	1	3	18	4	8	14	30	3	·	3	83	2	37	37	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				15	1	·	·	·	6	3	4	1	·	·	·	·	·	·	·	·	·	1	3	3	1	1	·	·	1	5	1	14	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th February, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH FEBRUARY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	189	48	7	15	32	36	36	15	·	·	·	1	·	3	3	1	3	19	7	11	3	15	31	3	·	4	85	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·
II.	MIDDLE CLASS	101,798	15·4	30	3	·	4	5	6	6	6	·	·	·	·	·	1	·	·	·	2	2	4	1	3	3	·	·	1	13	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	19·2	40	14	2	1	10	7	5	1	·	·	·	·	·	1	2	1	·	6	1	3	·	6	5	·	·	1	14	1
IV.	GENERAL SERVICE CLASS	167,479	24·3	78	25	5	8	14	14	8	4	·	·	·	1	·	1	1	·	2	9	3	2	2	3	16	2	·	2	34	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	38	5	·	2	3	9	15	4	·	·	·	·	·	·	·	·	1	2	1	2	·	3	7	·	·	·	22	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	1	·	1	·	1	1	1	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	·	·	2	1
	6. Clerks and Commercial Assistants,	33,249	—	6	·	·	·	1	1	2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	2	1	·	·	·	2	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	18	2	·	2	4	4	3	3	·	·	·	·	·	·	·	·	·	1	1	3	1	1	1	·	·	1	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	11	6	·	·	4	·	1	·	·	·	·	·	·	·	1	1	·	1	·	·	·	3	1	·	·	1	3	·
	10. Clothing Trades, ...	20,026	—	7	1	·	·	1	3	1	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	3	·	·	·	2	·
	11. Food Supply Trades, ...	8,952	—	4	1	1	·	1	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	3	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	18	6	1	1	4	4	2	·	·	·	·	·	·	1	·	·	·	5	1	1	·	3	1	·	·	·	6	1
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	15	2	·	3	3	6	·	1	·	·	·	1	·	·	·	·	1	1	1	·	·	·	3	·	·	1	7	·
	15. Domestic Servants, ...	36,041	—	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	4	2	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	1	·	·	·	·	·	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	55	20	5	3	10	7	7	3	·	·	·	·	·	1	1	·	·	7	2	2	1	2	12	2	·	1	24	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	38	5	·	2	3	9	15	4	·	·	·	·	·	·	·	·	1	2	1	2	·	3	7	·	·	·	22	·

TABLE VI.—Dublin Registration Area and Belfast City. -Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Dec. 6.	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Dec. 6.	Dec. 13.	Dec. 20.	Dec 27.	Jan 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb 14	Feb. 21.	Feb. 28.
No. of weeks in Annual Series ..	49	50	51	52	53	1	2	3	4	5	6	7	8	49	50	51	52	53	1	2	3	4	5	6	7	8
BIRTHS registered	208	220	224	123	265	249	266	289	238	279	257	258	282	241	226	235	127	296	292	234	231	207	271	264	282	321
Average Births in corresponding week of previous 10 years, ...	175	200	159	148	148	210	221	205	210	210	211	205	199	173	175	167	159	159	225	198	207	195	209	196	197	195
Number of Deaths, ...	137	151	133	92	155	138	119	156	126	153	139	131	174	169	160	185	156	197	150	166	141	161	146	159	144	173
Annual Death-rate per 1,000 ..	17·6	19·4	17·1	11·8	20·0	17·3	15·0	19·6	15·8	19·2	17·5	16·5	21·9	22·6	20·8	24·1	20·3	25·6	18·9	21·0	17·8	20·3	18·4	20·1	18·2	21·8
Average Deaths in corresponding week of previous 10 years, ...	169	164	164	158	158	190	175	180	184	186	187	191	212	164	151	144	152	152	151	158	142	159	170	184	172	172
Ages, Under one year, ..	26	19	19	11	29	24	25	16	34	35	24	27	33	30	19	28	25	27	33	29	26	31	33	37	23	41
1— 5 years, ..	7	7	8	6	14	14	9	10	11	15	15	11	14	21	24	34	24	36	24	34	18	18	22	16	24	21
5—25 ,, ..	12	15	15	10	7	15	10	13	14	16	10	17	16	23	23	26	19	31	16	23	18	25	22	17	22	24
25—45 ,, ..	19	22	18	15	18	11	11	26	14	18	25	15	29	19	15	26	22	24	13	17	17	25	15	28	20	26
45—65 ,, ..	33	39	37	23	38	32	25	42	29	29	29	31	32	37	41	37	36	50	25	31	36	36	31	34	30	27
65 and upwards, ..	40	49	36	27	49	42	39	49	24	40	36	30	50	39	38	34	30	29	39	32	26	26	23	27	25	34
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	1	·	·	·	1	·	·	·	·	·	1	1	·	3	·	2	·	2	2	·	2	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	1	·	·	1	·	1	·	·	1	·	3	1	15	14	32	19	26	19	21	13	11	12	11	9	2
Scarlet Fever, ...	1	1	·	2	·	1	1	·	1	·	·	1	·	9	12	4	3	8	3	7	2	6	6	2	2	4
Whooping-cough, ...	2	2	1	2	2	·	2	2	1	5	3	2	3	·	·	·	1	1	·	1	1	1	2	1	6	3
Diphtheria, ...	1	1	1	·	1	·	1	1	·	2	2	1	3	1	1	1	2	1	·	1	2	·	2	·	·	1
Dysentery, ...	·	2	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	·	·	·	1	1	·	2	3	·	2	·	3	—	—	—	—	—	1	2	·	1	2	2	2	3
Tuberculosis { Pulmonary, ..	17	11	13	9	10	12	7	14	11	12	19	14	18	11	17	17	17	20	13	13	13	21	12	15	20	15
Other Forms, ..	6	9	7	2	4	5	6	6	8	6	3	8	4	4	4	3	1	4	5	3	2	2	7	6	3	8
Cancer, ...	8	9	8	5	11	5	7	13	6	11	7	6	8	7	11	4	10	11	7	3	4	5	7	8	5	5
Diseases of Respiratory System, { Pneumonia ..	9	12	2	8	16	11	11	14	13	14	15	13	14	18	12	10	11	11	11	15	11	20	14	20	8	27
Others, ..	16	23	24	12	22	19	16	22	17	19	13	22	30	23	23	18	19	17	17	15	16	20	8	15	17	23
Diarrhœa & Enteritis, under 2 years	5	3	1	2	4	1	2	·	4	3	2	3	3	1	3	·	2	4	1	2	·	1	2	2	1	1
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	2	2	2	·	1	·	·	·	·	·	·
Violent Deaths, ...	4	2	7	7	3	2	·	4	1	3	5	1	3	4	2	3	4	7	2	1	1	7	3	2	·	3
Number of Uncertified Deaths, ..	3	4	4	1	3	6	3	2	3	5	9	8	6	6	1	5	1	3	3	2	1	1	3	2	1	2
A Mean Maximum Temperature in degs	49·0	47·1	50·2	49·1	46·9	46·0	53·6	51·5	49·1	50·5	50·4	49·8	49·5	48·1	45·6	48·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7	49·5	48·4	48·5
B Mean Minimum ,, ,,	35·5	37·8	40·5	33·9	31·7	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·0	33·2	35·7	36·4	37·8	33 1	34·1	36·7	38·6	34·4	38 3	39·5	39·6	36·5
Mean of A and B ,, ,,	42·3	42·4	45·3	41·5	39·3	39·0	46·8	43·6	41·6	41·1	45·4	43·4	42·7	40·6	40·6	42·3	41·9	38·5	38·8	42·9	44·8	40·2	44·0	44·5	44·0	42·5
Rainfall in inches	1·07	0·78	0·82	0·93	0·83	1·31	0·71	1 07	0·66	0·59	0·67	0·37	0·28	1·35	1·74	1·21	2·04	2·14	0·87	1·65	1·11	1·32	0·28	0·84	1·07	0 01

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th February, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	
CITY OF BELFAST.																																
BELFAST URBAN No. 1 DISTRICT,	15,879	11	13·1	·	4	1	·	·	1	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	
Do. 2 do.	49,500	27	24·2	1·1	23	2	3	5	4	1	8	·	·	·	1	·	·	·	·	·	1	2	1	3	4	·	·	·	1	9	·	
Do. 3 do.	50,032	39	26·1	4·2	25	4	4	4	3	2	8	·	·	·	1	3	·	·	·	·	1	2	·	4	5	·	·	·	·	6	1	
Do. 4 do.	32,637	27	19·2	·	12	5	1	1	2	1	2	·	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	1	7	1	
Do. 5 do.	16,112	25	45·3	·	14	2	3	2	·	4	3	·	·	·	·	·	·	·	·	1	1	·	2	3	2	·	·	·	·	4	·	
Do. 6 do.	37,293	26	19·6	·	14	3	·	1	1	6	3	·	·	·	·	·	·	·	·	·	·	3	2	2	3	·	·	·	·	4	·	
Do. 7 do.	2,681	1	19·4	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Do. 8 do.	5,964	7	8·7	8·7	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	
Do. 9 do.	24,427	14	27·8	4·3	13	3	2	1	2	3	2	·	·	·	·	·	2	·	·	1	1	·	·	1	2	·	·	·	·	3	·	
Do. 10 do.	28,958	28	19·8	3·6	11	5	·	1	2	2	1	·	·	·	·	·	1	·	·	·	1	·	·	1	·	1	·	·	·	2	·	
Do. 11 do.	39,311	37	19·9	1·3	15	4	3	·	5	1	2	·	·	·	·	1	·	·	·	·	2	·	·	4	2	·	·	·	·	3	·	
Do. 12 do.	38,076	43	26·0	·	19	8	3	3	2	1	2	·	·	·	·	·	·	·	·	·	3	1	·	4	2	·	·	·	·	6	·	
Do. 13 do.	23,233	11	18·0	2·2	8	1	1	4	1	·	1	1	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	1	1	3	·	
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
Do. 15 do.	22,669	25	29·9	·	13	2	1	1	3	4	2	·	·	·	·	·	·	·	·	·	·	·	·	2	3	·	·	1	1	3	·	
Total,	386,947	321	21·8	1·5	173	41	21	24	26	27	34	1	·	·	2	4	3	1	·	3	15	8	5	27	23	1	·	3	4	51	2	
CITY OF CORK																																
CORK URBAN No. 1 DISTRICT,	13,455	6	27·1	7·8	7	2	·	1	1	1	2	·	·	·	·	·	·	·	·	·	1	·	1	·	1	2	·	·	·	1	·	
Do. 2 do.	10,399	8	5·0	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	
Do. 3 do.	9,793	9	10·6	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	
Do. 4 do.	9,139	2	11·4	5·7	2	1	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	1	·	
Do. 5 do.	6,250	5	33·4	·	4	1	1	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	1	
Do. 6 do.	11,581	10	27·0	·	6	1	2	·	3	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	1	·	
Do. 7 do.	16,056	8	19·5	·	6	1	·	·	1	1	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	1	
Total,	76,673	48	19·0	2·0	28	6	4	1	6	3	8	·	·	·	·	·	1	·	·	·	6	2	2	·	1	2	·	·	·	6	2	

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th February, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	1	1	.	1	.	.	.	.	3	.	.	1	8
„ „ 1, West ..	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	5	7
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	3
„ „ 3, ...	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.	.	2	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	4	8
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
„ „ „ 3, ...	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	3	7
„ „ „ 4, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	.	.		.	9	9	.	6	.	.	.	.	6	.	.	19	51

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th February, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 28th February.			
	Feb. 7.	Feb. 14.	Feb. 21.	No. admitted	Dis charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	25	27	25	.	4	.	21
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.		.	.	.	.
Measles, ...	41	45	47	40	11	2	74
Scarlet Fever, ...	114	109	105	20	22	.	103*
Diphtheria, ...	33	35	31	10	3	3	35
Pneumonia, ...	15	19	27	12	4	2	33

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), Crow-street, Dublin

(13654.) Wt. 8424. 3. 380. 3. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 9. VOL. LVII.] WEEK ENDING SATURDAY, 6TH MARCH, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 8th March, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 22·5 and 19·7; Dublin Registration Area, 20·7 and 19·2; Dublin City, 21·6 and 19·6; Belfast, 27·0 and 21·8; Cork, 20·4 and 19·7; Londonderry, 19·0 and 17·2; Limerick, 16·2 and 19·6; and Waterford, 13·3 and 19·0.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 214 deaths from all causes for Belfast are 2 from enteric fever, 4 from measles, 4 from scarlet fever, 4 from whooping-cough, one from diphtheria, 2 from diarrhœa and enteritis of children under 2 years, and 12 from influenza. The 30 deaths from all causes for Cork include one from whooping-cough, 2 from diphtheria, and one of a child under 2 years from diarrhœa and enteritis, and 2 of the 6 deaths from all causes for Newry are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 277—145 boys and 132 girls—and the deaths to 175—104 males and 71 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·7 per 1,000 of the population. During the nine weeks ending with Saturday last, the death-rate averaged 18.2 and was 6·6 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the nine weeks was 19·4, and for the corresponding period of the preceding ten years 26·4.

Of the 165 deaths appertaining to the Area 7 are from whooping-cough, 3 from diphtheria, one from diarrhœa and enteritis of a child under 2 years, and 4 from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 3, 2, and 3; deaths from diphtheria, 2, one, and 3; deaths from diarrhœa and enteritis of children under 2 years 2, 3, and 3; and deaths from influenza 2, 0, and 3.

There were 18 deaths from pneumonia, comprising 9 from broncho-pneumonia, 3 from lobar pneumonia, and 6 from pneumonia (type not distinguished).

Tuberculous disease caused 17 deaths (including 14 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from disseminated tuberculosis, as against 22, 22, and 22 in the three weeks preceding.

Seven deaths were caused by cancer, 14 by organic diseases of the heart, and 23 by bronchitis.

Among deaths of infants under one year old, 2 were due to whooping-cough, one to diphtheria, 2 to convulsions, 3 to bronchitis, 3 to broncho-pneumonia, 2 to lobar pneumonia, one to pneumonia (type not distinguished), one to diarrhœa and enteritis, one to congenital malformation, 6 to premature birth, and 5 to congenital debility.

There were 4 accidental deaths, one having been caused by burns and one by drowning.

Fifty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 31 being infants under one year, of whom 12 were under one month old, and 54 deaths were those of persons aged 65 and upwards, of whom 38 were 70 years of age or over.

Of the 165 deaths recorded, 56 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 6th March, in 96 large English towns (including London, in which the rate was 17·4 was equal to an average annual death rate of 16·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·7 per 1,000 persons living, the rate for Glasgow being 15·8 and for Edinburgh 12·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th March, From this Report it appears that of 87 cases notified, 39 were diphtheria, 17 scarlet fever, 12 pulmonary tuberculosis, 11 other forms of tuberculosis, 3 erysipelas, 2 acute primary pneumonia, one malaria, one dysentery, and one puerperal fever. Among the 660 cases of infectious diseases in hospital at the close of the week were 219 of pulmonary tuberculosis, 186 of scarlet fever, 152 of diphtheria, 35 of measles, 7 of erysipelas, 3 of whooping-cough, and 2 of chicken-pox.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th March, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total
City of Dublin	Feb. 14	3	.	.	.	.	—	6	—	6	2	—	.	—	2	1	.	9	.	.	8	37
	Feb. 21	1	.	.	.	.	—	12	—	4	.	—	.	—	1	.	.	2	3	.	15	38
	Feb. 28	2	.	.	.	.	—	9	—	9	6	—	.	—	.	.	.	6	.	.	19	51
	Mar. 6	1	.	.	.	.	—	7	—	9	1	—	1	—	3	.	.	2	.	.	15	39
Rathmines & Rathgar Urban District	Feb. 14	.	.	.	.	.	—	.	—	2	1	—	.	—	.	.	.	1	.	.	—	4
	Feb. 21	.	.	.	.	.	—	3	—	.	1	—	.	—	1	.	.	.	.	.	—	5
	Feb. 28	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	.	—	4
	Mar. 6	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	.	—	3
Pembroke Urban District	Feb. 14	.	.	.	.	.	5	.	.	.	.	.	.	—	.	.	.	1	.	.	.	6
	Feb. 21	.	.	.	.	.	20	3	2	.	.	.	.	—	.	.	.	.	.	.	.	25
	Feb. 28	.	.	.	.	.	4	.	.	.	.	.	.	—	.	.	.	.	.	.	.	4
	Mar. 6	.	.	.	.	.	24	2	6	.	3	.	.	—	.	.	.	.	.	.	.	35
Blackrock Urban District	Feb. 14	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Feb. 21	.	.	.	.	.	.	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Feb. 28	.	.	.	.	.	1	1	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	Mar. 6	.	.	.	.	.	.	.	—	.	1	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Feb 14	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	—	.	1	4
	Feb. 21	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	1
	Feb. 28	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	2	3
	Mar. 6	.	.	.	.	.	—	1	—	1	.	—	.	—	.	5	.	.	—	.	.	7
City of Belfast	Feb. 14	1	.	.	.	.	—	56	—	9	7	—	6	—	.	3	.	1	.	1	1	85
	Feb. 21	6	.	.	.	.	—	52	—	6	4	—	2	—	.	6	.	13	.	.	2	91
	Feb. 28	7	.	.	.	.	—	50	—	7	2	—	4	—	.	.	.	13	.	.	1	84
	Mar. 6	7	.	.	.	.	—	70	—	6	3	—	1	—	.	.	.	22	.	.	.	109
City of Cork	Feb. 14	.	.	.	.	.	.	3	—	8	.	—	.	.	.	2	.	.	—	.	—	13
	Feb. 21	.	.	.	.	.	.	1	—	9	1	—	.	.	.	.	.	.	—	.	—	11
	Feb. 28	.	.	1	.	.	.	1	—	4	.	—	1	.	.	.	.	.	—	.	—	7
	Mar. 6	.	.	.	.	.	.	.	—	7	.	—	.	.	.	1	.	.	—	.	—	8
City of Londonderry	Feb. 14	.	.	.	.	.	—	2	—	2	1	—	.	—	.	.	.	.	.	—	—	5
	Feb. 21	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	—	—	2
	Feb. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Mar. 6	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	.	.	—	—	4
City of Limerick	Feb. 14	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Feb. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Feb. 28	.	.	.	.	.	—	1	—	3	.	—	.	—	.	.	.	.	.	.	—	4
	Mar. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Feb. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	2	2
	Feb. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Feb. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	Mar. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th March, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 16; measles 21 and 65; scarlet fever 14 and 104*; and diphtheria 12 and 39. Five cases of pneumonia were admitted during the week and 25 remained under treatment at its close. Of the deaths in hospital during the week 3 were from measles, 2 from diphtheria, and 4 from pneumonia.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th March, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases (b)	BIRTHS Total Number.	NUMBERS REGISTERED DEATHS Total Number.	Under 1 year of Age	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 6TH MARCH, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	33·8	22·5	1·7	757	503	99	136	2	·	·	6	4	12	6	·	16	43	13	17	61	76	5	2	9	9	151	16	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	34·8	20·7	1·4	277	165	31	54	·	·	·	·	·	7	3	·	4	14	3	7	18	26	1	·	4	4	56	5	(d) 61·8	31·9	53·3	40·5	46·9	0·70
Urban Districts. CITY OF DUBLIN,	318,200	39·0	35·2	21·6	1·8	215	132	27	41	·	·	·	·	·	7	3	·	3	11	1	6	16	22	1	·	4	4	51	3	(e) 61·0	36·8	54·2	43·7	49·0	0·57
																														(f) 62·6	33·0	54·2	41·5	47·9	0·62
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	36·1	16 8	·	28	13	2	6	·	·	·	·	·	·	·	·	·	2	1	1	1	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	41·4	15·5	·	24	9	·	2	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	5·7	22·7	·	1	4	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	27·6	21·5	·	9	7	2	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	2	64	37	56·1	44·0	50·0	0·61
Urban Districts. BELFAST, ..	413,000	27·7	33·2	27·0	2·1	263	214	48	40	2	·	·	4	4	4	1	·	12	23	4	4	34	38	2	·	3	3	58	5	56·8	33·0	51·5	40·3	45·9	0·63
Urban Districts. CORK, ...	76,673	28·6	33·3	20·4	2·7	49	30	4	11	·	·	·	·	·	1	2	·	·	1	2	1	2	3	1	·	·	·	12	·	50	36	48·7	43·0	45	9 0·83
Urban Districts. LONDONDERRY, ..	44,000	17·1	24·9	19·0	·	21	16	3	6	·	·	·	·	·	·	·	·	·	1	1	·	3	2	·	·	1	·	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	27·1	16·2	1·4	20	12	2	1	·	·	·	·	·	·	·	·	·	1	·	2	·	1	1	·	1	1	6	·	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	28·5	13·3	·	15	7	1	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				8	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	54	32	50·5	34·3	42·4	0·80
Urban Districts. DUNDALK, ..	13,128	9·5				9	6	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				11	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	55·9	34·0	51·3	40·4	45·8	1·04
Urban Districts. DROGHEDA, ..	12,501	8·4				2	6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				7	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	57	31	50.1	38·8	44·5	1·74
Urban Districts. NEWRY, ...	11,963	17·0				7	6	·	3	·	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	55·9	34·0	51·3	40·4	45·8	1 04
Urban Districts. PORTADOWN ..	11,727	15·3				10	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	55·9	34·0	51·3	40·4	45·8	1·04
Urban Districts. WEXFORD, ..	11,531	22·8				5	5	1	3	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. BALLYMENA ..	11,381	9·3				26	5	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,162	3·8				10	9	3	3	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	4	2	54	33	51	40	45·5	1·71
Urban Districts. KILKENNY. ..	10,514	11·4				5	6	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	1	·	·	3	·	60	28	51·4	38·7	45·0	0·83
Urban Districts. TRALEE, ...	10,300	17·4				8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				4	6	1	3	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	2	2	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	17·4	—	2,771	1,456	264	452	3	·	·	52	9	34	28	—	—	92	26	113	184	224	12	4	42	103	633	3	59	30	53 5	37·3	45·4	0·47
EDINBURGH ...	342,300	—	—	12·1	—	178	79	13	26	·	·	·	2	·	·	1	—	·	—	—	—	—	—	2	—	2	—	—	—	60·0	35·0	51·7	41·4	46·6	0·87
GLASGOW	1,115,500	—	—	15·8	—	711	337	74	73	·	·	·	5	3	5	5	—	5	—	—	—	—	—	5	—	15	—	—	—	54·0	38·0	50·0	42·2	46·1	1·32

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan. Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 9th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 6th March, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES	267·8	175	12	19	12	8	6	4	3	3	11	11	13	17	32	24	165
Enteric Fever ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox . ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	3·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scarlet Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	4·0	7	·	2	1	2	2	·	·	·	·	·	·	·	·	·	7
Diphtheria	·6	3	·	1	1	·	·	1	·	·	·	·	·	·	·	·	3
Croup	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	37·6	4	·	·	·	·	·	·	·	·	2	·	·	2	·	·	4
Dysentery	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	27·2	15	·	·	·	·	1	1	2	1	5	1	2	2	·	·	14
Tuberculous Meningitis	1·6	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	2
Abdominal Tuberculosis	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of the Spinal Column.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Venereal Diseases ..	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Cancer	11·0	11	·	·	·	·	·	·	·	·	·	2	3	3	3	·	7
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	1·0	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Anæmia, Leucocythæmia.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Other General Diseases	2·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Alcoholism ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·4	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Simple Meningitis ..	2·0	3	·	1	1	1	·	·	·	·	·	·	·	·	·	·	3
Cerebral Hæmorrhage, Apoplexy.	6·8	5	·	·	·	·	·	·	·	·	·	·	·	1	3	1	5
Softening of Brain ..	·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Paralysis, without specified cause.	3·0	5	·	·	·	·	·	·	·	·	·	·	·	·	3	2	5
Epilepsy, ...	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	3·8	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Other Diseases of Nervous System.	4·6	5	·	·	·	1	·	·	·	·	·	·	1	1	1	1	5
Pericarditis ..	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	21·0	14	·	·	·	·	·	1	·	·	1	1	2	1	5	3	14
Embolism and Thrombosis (including Cerebral)	6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Other Diseases of Circulatory System.	1·2	3	·	·	·	·	·	·	·	·	·	1	1	1	·	·	3
Diseases of the Larynx	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	41·4	23	1	2	3	·	·	·	·	·	·	1	1	·	8	7	23
Broncho-pneumonia ..	15·0	9	·	3	3	2	·	·	·	·	·	·	·	·	1	·	9
Lobar pneumonia ..	2·0	4	·	2	·	·	·	·	·	·	·	2	·	·	·	·	3
Pneumonia (type not distinguished).	14·0	8	·	1	·	1	1	·	·	1	3	·	·	1	·	·	6
Pleurisy	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy,	1·4	2	·	·	·	1	·	·	·	·	·	·	·	·	·	1	2
Other Diseases of Respiratory System	2·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1

in the NINTH WEEK, ending Saturday, 6th March, 1920, with the average deaths from eacn the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 9th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 6th March, 1920. All Ages.	Ages at Death. 0—5 Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	3·4	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	5·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Hernia and Intestinal Obstructions.	1·2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Cirrhosis of Liver ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Digestive System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Acute Nephritis ..	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Chronic Bright's Disease	6·6	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3
Urinary Calculi ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·6	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	6
Congenital Debility ..	5·0	5	2	3	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age	9·0	11	.	.	.	.	.	.	.	.	.	.	.	.	3	8	10
Other Specified Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Drowning	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Not included in above—																	
Homicide. ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	2·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 6TH MARCH, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 6TH MARCH, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																												
					Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																					
		From all Causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	22·1	3·4	13	5	·	·	2	·	1	1	4	·	·	·	·	·	·	1	·	·	1	·	·	2	3	1	·	·	5	·	3	·	·
,, 1, W., ...	42,100	12·4	·	10	2	·	·	·	·	2	2	4	·	·	·	·	·	·	·	·	·	1	·	1	·	3	·	·	·	5	·	3	1	·
,, 2, ...	28,200	33·3	1·8	18	5	1	1	·	1	1	5	4	·	·	·	·	·	·	1	·	·	3	·	·	4	1	·	·	1	8	·	7	2	·
,, 3, ...	35,000	24·8	1·5	17	1	·	·	2	1	1	5	7	·	·	·	·	·	·	1	·	1	2	·	2	2	2	·	·	·	7	·	5	4	1
CLONTARF AND HOWTH, No. 1, part of	5,600	27·9	·	3	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	7·5	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	13·7	4.6	3	·	·	1	·	·	·	·	2	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
South City.																																		
SOUTH CITY, No 1, ..	44,100	10·6	·	9	4	·	·	·	·	1	2	2	·	·	·	·	·	·	·	·	1	1	·	·	1	2	·	·	·	4	·	1	3	·
,, 2, ...	18,600	28·0	·	10	·	1	1	·	·	2	1	5	·	·	·	·	·	·	·	·	·	·	1	1	1	2	·	·	·	5	·	2	3	·
,, 3, ...	44,400	32·9	4·7	28	7	2	3	3	1	4	4	4	·	·	·	·	·	4	·	·	·	1	·	1	4	3	·	·	3	12	4	8	3	1
,, 4, ...	33,600	27·9	3·1	18	2	4	1	2	1	·	2	6	·	·	·	·	·	2	·	·	·	1	·	1	2	4	·	·	·	8	·	3	1	1
NEW KILMAINHAM, ...	10,600	4·9	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	16·8	·	13	2	1	·	·	1	1	2	6	·	·	·	·	·	·	·	·	·	2	1	1	1	·	·	·	·	8	·	3	·	·
PEMBROKE	30,200	15·5	·	9	·	2	1	1	·	1	2	2	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·	·	·	4	·	1	·	·
BLACKROCK, ...	9,200	22·7	·	4	·	·	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·	·	·	·
KINGSTOWN, ...	17,000	21·5	·	7	2	1	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	6	·	1	·	2
TOTAL CITY. North, ...	166,900	20·6	1·6	66	14	1	2	4	2	6	14	23	·	·	·	·	·	1	3	·	2	8	·	3	8	11	1	·	1	28	·	19	7	1
TOTAL CITY. South, ...	151,300	22·7	2·1	66	13	7	5	5	2	7	9	18	·	·	·	·	·	6	·	·	1	3	1	3	8	11	·	·	3	30	4	14	11	2
TOTAL CITY. North and South, ..	318,200	21·6	1·8	132	27	8	7	9	4	13	23	41	·	·	·	·	·	7	3	·	3	11	1	6	16	22	1	·	4	58	4	33	18	3
Total Urban Districts, ...	96,800	17·8	·	33	4	4	1	1	1	4	5	13	·	·	·	·	·	·	·	·	1	3	2	1	2	4	·	·	·	20	·	5	·	2
Total Registration Area, ..	415,000	20·7	1·4	165	31	12	8	10	5	17	28	54	·	·	·	·	·	7	3	·	4	14	3	7	18	26	1	·	4	78	4	38	18	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	·	·	·	·	1	5	2	2	·	·	·	·	·	·	·	·	·	1	·	4	3	1	·	·	·	1	·	10	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th March, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS. WEEK ENDING SATURDAY, 6TH MARCH, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	175	51	10	6	22	30	32	24	·	·	·	·	·	7	3	·	4	15	3	11	2	21	27	1	·	4	77	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·
II.	MIDDLE CLASS	101,798	20·0	39	7	2	2	4	10	9	5	·	·	·	·	·	1	·	·	1	5	2	5	·	4	1	·	·	·	20	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·3	36	13	4	·	2	4	10	3	·	·	·	·	·	1	1	·	1	1	·	·	1	5	8	·	·	1	17	1
IV.	GENERAL SERVICE CLASS	167,479	24·6	79	28	4	4	14	11	8	10	·	·	·	·	·	4	2	·	2	8	1	4	1	12	15	1	·	3	26	4
V	INMATES OF WORKHOUSES, ...	5,602	—	18	3	·	·	2	4	4	5	·	·	·	·	·	1	·	·	·	1	·	2	·	·	2	·	·	·	12	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																													
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	13	4	1	·	·	3	4	1	·	·	·	·	·	1	·	·	·	·	1	·	·	2	·	·	·	·	9	·
	6 Clerks and Commercial Assistants,	33,249	—	13	2	1	2	1	4	3	·	·	·	·	·	·	·	·	·	1	3	1	2	·	1	1	·	·	·	4	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	11	·	·	·	2	3	2	4	·	·	·	·	·	·	·	·	·	1	·	3	·	1	·	·	·		6	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	·	2	·	1	·	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	2	·
	9. Building and Furnishing Trades, ..	28,823	—	6	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	4	·
	10. Clothing Trades, ...	20,026	—	7	3	·	·	·	·	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·
	11. Food Supply Trades, ...	8,952	—	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	3	2	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	6	2	·	1	2	3	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	4	·	·	·	8	1
	13. Petty Shopkeepers, ...	6,772	—	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
IV.	GENERAL SERVICE CLASS.																													
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	13	6	1	1	1	1	1	2	·	·	·	·	·	3	·	·	·	·	1	1	·	3	4	·	·	·	1	·
	15. Domestic Servants, ...	36,041	—	3	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	1
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	6	·	·	·	1	1	3	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·	·	·	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	57	21	3	3	12	9	4	5	·	·	·	·	·	1	2	·	2	7	·	2	1	9	7	1	·	3	22	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	18	3	·	·	2	4	4	5	·	·	·	·	·	1	·	·	·	1	·	2	·	·	2	·	·	·	12	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City										
WEEK ENDING	Dec 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb 14	Feb. 21.	Feb. 28.	Mar. 6.
No. of weeks in Annual Series ..	50	51	52	53	1	2	3	4	5	6	7	8	9	50	51	52	53	1	2	3	4	5	6	7	8	9
BIRTHS registered	220	224	123	265	249	266	289	238	279	257	258	282	277	226	235	127	296	292	234	231	207	271	264	282	321	263
Average Births in corresponding week of previous 10 *years,*	200	159	148	148	210	221	205	210	210	211	205	199	205	175	167	159	159	225	198	207	195	209	196	197	195	213
Number of Deaths, ...	151	133	92	155	138	119	156	126	153	139	131	174	165	160	185	156	197	150	166	141	161	146	159	144	173	214
Annual Death-rate per 1,000 ..	19·4	17·1	11·8	20·0	17·3	15 0	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·8	24·1	20·3	25·6	18·9	21·0	17·8	20·3	18·4	20·1	18·2	21·8	27·0
Average Deaths in corresponding week of previous 10 *years,*	164	164	158	158	190	175	180	184	186	187	191	212	219	151	144	152	152	151	158	142	159	170	184	172	172	170
Ages, .. Under one year, ..	19	19	11	29	24	25	16	34	35	24	27	33	31	19	28	25	27	33	29	26	31	33	37	23	41	48
1— 5 years, ..	7	8	6	14	14	9	10	11	15	15	11	14	20	24	34	24	36	24	34	18	18	22	16	24	21	24
5—25 ,, ..	15	15	10	7	15	10	13	14	16	10	17	16	15	23	26	19	31	16	23	18	25	22	17	22	24	31
25—45 ,, ..	22	18	15	18	11	11	26	14	18	25	15	29	17	15	26	22	24	13	17	17	25	15	28	20	26	38
45—65 ,, ..	39	37	23	38	32	25	42	29	29	29	31	32	28	41	37	36	50	25	31	36	36	31	34	30	27	33
65 and upwards, ..	49	36	27	49	42	39	49	24	40	36	30	50	54	38	34	30	29	39	32	26	26	23	27	25	34	40
Deaths from :—																										
Enteric Fever, ...	·	·	·	1	·	·	·	1	·	·	·	·	·	1	1	·	3	·	2	·	2	2	·	2	1	2
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	·	1	·	1	·	·	1	·	3	1	·	14	32	19	26	19	21	13	11	12	11	9	2	4
Scarlet Fever, ...	1	·	2	·	1	1	·	1	·	·	1	·	·	12	4	3	8	3	7	2	6	6	2	2	4	4
Whooping-cough, ...	2	1	2	2	·	2	2	1	5	3	2	3	7	·	·	1	1	·	1	1	1	2	1	6	3	4
Diphtheria, ...	1	1	·	1	·	1	1	·	2	2	1	3	3	1	1	2	1	·	1	2	·	2	·	·	1	1
Dysentery, ...	2	·	·	1	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	·	·	1	1	·	2	3	·	2	·	3	4	—	—	—	—	1	2	·	1	2	2	2	3	12
Tuberculosis { Pulmonary, ..	11	13	9	10	12	7	14	11	12	19	14	18	14	17	17	17	20	13	13	13	21	12	15	20	15	23
Other Forms, ..	9	7	2	4	5	6	6	8	6	3	8	4	3	4	3	1	4	5	3	2	2	7	6	3	8	4
Cancer, ...	9	8	5	11	5	7	13	6	11	7	6	8	7	11	4	10	11	7	3	4	5	7	8	5	5	4
Diseases of Respiratory System, { Pneumonia ..	12	2	8	16	11	11	14	13	14	15	13	14	18	12	10	11	11	11	15	11	20	14	20	8	27	34
Others, ..	23	24	12	22	19	16	22	17	19	13	22	30	26	23	18	19	17	17	15	16	20	8	15	17	23	38
Diarrhœa & Enteritis, under 2 years	3	1	2	4	1	2	·	4	3	2	3	3	1	3	·	2	4	1	2	·	1	2	2	1	1	2
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	1	·	·	·	·	·	2	2	2	2	·	1	·	·	·	·	·	·	·
Violent Deaths, ...	2	7	7	3	2	·	4	1	3	5	1	3	4	2	3	4	7	2	1	1	7	3	2	·	3	3
Number of Uncertified Deaths, ..	4	4	1	3	6	3	2	3	5	9	8	6	5	1	5	1	3	3	2	1	1	3	2	1	2	5
A Mean Maximum Temperature in degs	47·1	50·2	49·1	46·9	46·0	53·6	51·5	49·1	50·5	50·4	49·8	49·5	53·3	45·6	48·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7	49·5	18·4	48·5	51·5
B Mean Minimum ,, ,,	37·8	40·5	33·9	31·7	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·0	40·5	35·7	36·4	37·8	33 1	34·1	36·7	38·6	34·4	38 3	39·5	39·6	36·5	40·3
Mean of A and B ,, ,,	42·4	45·3	41·5	39·3	39·0	46·8	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·6	42·3	41·9	38·5	38·8	42·9	44·8	40·2	44·0	44·5	44·0	42·5	45·9
Rainfall in inches	0·78	0·82	0·93	0·83	1·31	0·71	1·07	0·66	0·59	0·67	0·37	0·28	0·70	1·74	1·21	2·04	2·14	0·87	1·65	1·11	1·32	0·28	0 84	1·07	0 01	0·63

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th March, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Tuberculosis. Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)		
CITY OF BELFAST.																																	
BELFAST URBAN No. 1 DISTRICT,	15,879	14	29·6	·	9	1	3	1	2	1	1	·	·	·	·	·	·	·	·	1	·	·	·	4	1	·	·	1	1	3	·		
Do. 2 do.	49,500	28	27·4	·	26	5	1	3	6	6	5	·	·	·	·	·	·	·	·	3	2	·	·	5	6	·	·	·	·	7	2		
Do. 3 do.	50,032	29	33·4	4·2	32	10	5	5	4	4	4	·	·	·	1	1	2	·	·	5	2	·	·	4	7	·	·	1	1	8	1		
Do. 4 do.	32,637	16	22·4	·	14	1	·	3	2	6	2	·	·	·	·	·	·	·	·	·	1	1	2	2	1	·	·	·	·	4	·		
Do. 5 do.	16,112	20	48·5	9·7	15	4	6	3	1	·	1	·	·	·	1	1	1	·	·	·	2	·	·	5	3	·	·	·	·	4	·		
Do. 6 do.	37,293	20	28·0	2·8	20	3	1	2	7	1	6	1	·	·	·	1	·	·	·	·	2	1	1	2	2	·	·	·	·	6	·		
Do. 7 do.	2,681	1	77·8	·	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·		
Do. 8 do.	5,964	4	8·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 9 do.	24,427	15	40·6	2·1	19	4	3	2	3	3	4	·	·	·	1	·	·	·	·	·	3	1	·	5	7	·	·	·	·	3	·		
Do. 10 do.	28,958	27	34·2	3·6	19	5	2	3	3	2	4	·	·	·	·	1	1	·	·	1	3	1	·	2	3	·	·	·	·	3	·		
Do. 11 do.	39,311	28	30·5	1·3	23	6	·	5	5	4	3	·	·	·	·	·	·	·	·	2	5	·	·	2	2	1	·	·	·	9	1		
Do. 12 do.	38,076	32	13·7	1·4	10	4	1	1	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	2	1	·	1	1	4	1		
Do. 13 do.	23,233	14	20·2	4·5	9	1	1	·	2	3	2	1	·	·	·	·	·	1	·	·	1	·	1	·	1	·	·	·	·	3	·		
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 15 do.	22,669	15	29·9	2·3	13	2	1	2	1	1	6	·	·	·	1	·	·	·	·	·	2	·	·	1	3	·	·	·	·	4	·		
Total,	386,947	263	27·0	2·1	214	48	24	31	38	33	40	2	·	·	4	4	4	1	·	12	23	4	4	34	38	2	·	3	3	58	5		
CITY OF CORK.																																	
CORK URBAN No. 1 DISTRICT,	13,455	5	19·4	·	5	1	·	·	·	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·		
Do. 2 do.	10,399	7	15·0	5·0	3	·	1	1	·	1	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·		
Do. 3 do.	9,793	10	21·3	5·3	4	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	·		
Do. 4 do.	9,139	3	22·8	5·7	4	·	1	1	·	1	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 5 do.	6,250	7	33·4	·	4	1	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·		
Do. 6 do.	11,581	8	22·5	4·5	5	·	·	1	1	1	2	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	4	·		
Do. 7 do.	16,056	9	16·2	·	5	·	1	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	3	·		
Total.	76,673	49	20·4	2·7	30	4	3	6	1	5	11	·	·	·	·	·	1	2	·	·	1	2	1	2	3	1	·	·	·	12	·		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th March, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.	.	.	4
„ „ 1, West ..	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	5
„ „ 2, ...	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	5
„ „ 3, ...	1	.	.	.	.	.	3	.	.	.	3	.	.	.	.	.	3	10
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ „ 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	1	.	.		.	7	9	.	1	1	3	.	.	2		.	15	39

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th March, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 6th March.			
	Feb. 14.	Feb. 21	Feb. 28	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	27	25	21	2	7	.	16
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	45	47	74	21	27	3	65
Scarlet Fever, ...	109	105	103	14	13	.	104*
Diphtheria, ...	35	31	35	12	6	2	39
Pneumonia, ...	19	27	33	5	9	4	25

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13692.) Wt. 8424. 3. 380. 3. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 10. VOL. LVII.] WEEK ENDING SATURDAY, 13TH MARCH, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 15th March, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 22·1 and 20·7; Dublin Registration Area, 20·0 and 19·8; Dublin City, 21·3 and 20·7; Belfast, 28·4 and 23·8; Cork, 23·1 and 20·7; Londonderry, 10·7 and 17·5; Limerick, 12·2 and 18·3; and Waterford, 15·2 and 15·2.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·9 per 1,000. Among the 225 deaths from all causes for Belfast are 2 from enteric fever, 7 from measles, 4 from scarlet fever, 3 from whooping-cough, 2 from diphtheria, one from diarrhœa and enteritis of a child under 2 years, and 23 from influenza. The 34 deaths from all causes for Cork include 3 from whooping-cough, 3 from diphtheria, and one from influenza; 2 of the 8 deaths from all causes for Waterford are from whooping-cough; one of the 7 deaths from all causes for Portadown is from measles; among the 6 deaths from all causes for Ballymena is one from influenza, and one of the 5 deaths from all causes for Sligo is also from influenza.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 239—140 boys and 99 girls—and the deaths to 168—90 males and 78 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·0 per 1,000 of the population. During the ten weeks ending with Saturday last, the death-rate averaged 18·4 and was 6·8 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the ten weeks was 19·6, and for the corresponding period of the preceding ten years 26·8.

Of the 159 deaths appertaining to the Area 3 are from measles, 6 from whooping-cough, one from dysentery, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 3, one, and 0; deaths from whooping-cough were 2, 3, and 7; deaths from dysentery 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years 3, 3, and one.

There were 18 deaths from pneumonia, comprising 11 from broncho-pneumonia, 3 from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 21 deaths (including 15 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 4 from other forms of tuberculous disease, as against 22, 22, and 17 in the three weeks preceding.

Eleven deaths were caused by cancer, 17 by organic diseases of the heart, and 22 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 2 were due to whooping-cough, one to simple meningitis, 2 to bronchitis, 6 to broncho-pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 2 to premature birth, and 4 to congenital debility.

There were 2 accidental deaths.

Forty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 28 being infants under one year, of whom 7 were under one month old, and 35 deaths were those of persons aged 65 and upwards, of whom 31 were 70 years of age or over.

Of the 159 deaths recorded, 61 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 13th March, in 96 large English towns (including London, in which the rate was 17·2 was equal to an average annual death rate of 17·1 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 16·0 per 1,000 persons living, the rate for Glasgow being 14·9 and for Edinburgh 17·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson. M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th March. From this Report it appears that of 68 cases notified, 23 were diphtheria, 21 scarlet fever, 13 pulmonary tuberculosis, 5 other forms of tuberculosis, 4 erysipelas, and 2 acute primary pneumonia. Among the 643 cases of infectious diseases in hospital at the close of the week were 216 of pulmonary tuberculosis, 154 of scarlet fever, 152 of diphtheria, 40 of measles, 7 of erysipelas, 5 of whooping-cough, and one of chicken-pox.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th March, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total
City of Dublin	Feb. 21	1	·	·	·	·	—	12	—	4	·	—	·	—	1	·	·	2	3	·	15	38
	Feb. 28	2	·	·	·	·	—	9	—	9	6	—	·	—	·	·	·	6	·	·	19	51
	Mar. 6	1	·	·	·	·	—	7	—	9	1	—	1	—	3	·	·	2	·	·	15	39
	Mar. 13	·	·	·	·	·	—	13	—	8	3	—	·	—	1	·	·	5	·	·	20	50
Rathmines & Rathgar Urban District	Feb. 21	·	·	·	·	·	—	3	—	·	1	—	·	—	1	·	·	·	·	·	—	5
	Feb. 28	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	·	—	4
	Mar. 6	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	·	—	3
	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
Pembroke Urban District	Feb. 21	·	·	·	·	·	20	3	2	·	·	·	·	—	·	·	·	·	·	·	·	25
	Feb. 28	·	·	·	·	·	4	·	·	·	·	·	·	—	·	·	·	·	·	·	·	4
	Mar. 6	·	·	·	·	·	24	2	6	·	3	·	·	—	·	·	·	·	·	·	·	35
	Mar. 13	·	·	·	·	·	7	·	1	1	·	·	·	—	·	·	·	·	·	·	·	9
Blackrock Urban District	Feb. 21	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	1
	Feb. 28	·	·	·	·	·	1	1	—	·	·	—	·	—	·	·	·	·	·	·	·	2
	Mar. 6	·	·	·	·	·	·	·	—	·	1	—	·	—	·	·	·	·	·	·	·	1
	Mar. 13	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Feb. 21	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	·	1
	Feb. 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	2	3
	Mar. 6	·	·	·	·	·	—	1	—	1	·	—	·	—	·	5	·	·	—	·	·	7
	Mar. 13	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
City of Belfast	Feb. 21	6	·	·	·	·	—	52	—	6	4	—	2	—	·	6	·	13	·	·	2	91
	Feb. 28	7	·	·	·	·	—	50	—	7	2	—	4	—	·	·	·	13	·	·	1	84
	Mar. 6	7	·	·	·	·	—	70	—	6	3	—	1	—	·	·	·	22	·	·	·	109
	Mar. 13	8	·	·	·	·	—	40	—	6	5	—	·	—	1	7	·	25	·	·	2	94
City of Cork	Feb. 21	·	·	·	·	·	·	1	—	9	1	—	·	·	·	·	·	·	—	·	—	11
	Feb. 28	·	·	1	·	·	·	1	—	4	·	—	1	·	·	·	·	·	—	·	—	7
	Mar. 6	·	·	·	·	·	·	·	—	7	·	—	·	·	·	1	·	·	—	·	—	8
	Mar. 13	·	·	·	·	·	2	·	—	7	·	—	·	·	·	·	·	·	—	·	—	9
City of London-derry	Feb. 21	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Mar. 6	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Feb. 28	·	·	·	·	·	—	1	—	3	·	—	·	—	·	·	·	·	·	·	—	4
	Mar. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Feb. 21	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th March, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever one and 12 ; measles 13 and 48 ; scarlet fever 18 and 98*; and diphtheria 11 and 49. Twelve cases of pneumonia were admitted during the week and 29 remained under treatment at its close. Of the deaths in hospital during the week one was from each of measles and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 13th March, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: BIRTHS.	DEATHS: From all Causes.	DEATHS: From certain Epidemic Diseases (b).	REGISTRATION—WEEK ENDING SATURDAY, 13TH MARCH, 1920. NUMBERS REGISTERED: BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 13TH MARCH, 1920. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	31·6	22·1	1·9	708	494	98	104	2	·	·	11	4	14	5	1	26	51	18	25	57	77	4	1	4	4	139	11	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	30·0	20·0	1·6	239	159	28	35	·	·	·	3	·	6	·	1	·	15	6	11	18	27	3	·	2	1	61	2	(d) 52·2	26·0	48·9	32·1	40·5	0·43
Urban Districts. CITY OF DUBLIN,	318,200	39·0	33·6	21·3	1·8	205	130	24	25	·	·	·	3	·	5	·	·	·	12	5	9	16	22	3	·	2	1	53	2	(e) 52·8	29·0	46·6	35·2	40·9	0·52
																														(f) 52·4	28·0	47·2	32·8	40·0	0·43
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	20·7	18·1	2·6	16	14	2	4	·	·	·	·	·	1	·	1	·	2	·	1	1	2	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	17·3	10·4	·	10	6	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	·	11·3	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	24·5	21·5	·	8	7	1	3	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	·	1	·	55	29	48·8	34·6	41·7	0·43
Urban Districts. BELFAST, ..	413,000	27·7	28·4	28·4	2·4	225	225	56	33	2	·	·	7	4	3	2	·	23	21	2	6	37	33	1	·	2	3	50	5	51·0	26·5	46·0	32·8	39·4	0·57
Urban Districts. CORK, ...	76,673	28·6	41·5	23·1	4·1	61	34	6	9	·	·	·	·	·	3	3	·	1	3	4	·	1	3	·	·	·	·	13	1	51	33	47·7	36·6	42·2	1·06
Urban Districts. LONDONDERRY, ..	44,000	17·1	40·3	10·7	·	34	9	1	3	·	·	·	·	·	·	·	·	·	3	·	1	·	2	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	62·3	12·2	·	46	9	2	6	·	·	·	·	·	·	·	·	·	·	1	1	·	2	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	34·2	15·2	3·8	18	8	·	1	·	·	·	·	·	2	·	·	·	3	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				4	3	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	3	·	52	28	49·8	32·0	40·9	0·50
Urban Districts. DUNDALK, ..	13,128	9·5				14	4	·	2	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				7	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	50·1	23·0	46·6	32·4	39·5	0·56
Urban Districts. DROGHEDA, ..	12,501	8·4				1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	52	22	46·1	29·1	37·6	0·99
Urban Districts. NEWRY, ...	11,963	17·0				7	5	·	1	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·	·	2	·	50·1	23	0 46·6	32·4	39·5	0·56
Urban Districts. PORTADOWN, ..	11,727	15·3				13	7	1	2	·	·	·	1	·	·	·	·	·	·	2	2	·	·	·	·	·	·	2	·	50 1	23	0 46·6	32·4	39·5	0·56
Urban Districts. WEXFORD, ..	11,531	22·8				9	5	·	2	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				2	6	·	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				6	5	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·	1	3	50	27	47	31	39	1·17
Urban Districts. KILKENNY, ..	10,514	11·4				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	50	28	46·4	32·1	39·2	0·78
Urban Districts. TRALEE, ...	10,300	17·4				2	3	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				6	4	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

LONDON	4,358,309	—	—	17·2	—	2,701	1,436	240	427	·	·	·	56	5	41	25	—	—	94	22	88	197	179	13	7	38	111	649	3	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	17·4	—	193	114	17	40	·	·	·	5	1	·	2	—	2	—	—	—	—	—	1	—	1	—	—	—	47·0	26·0	43·1	31·1	37·1	0·06
GLASGOW	1,115,500	—	—	14·9	—	665	317	57	61	·	·	1	7	1	2	4	—	7	—	—	—	—	—	1	—	15	—	—	—	47·3	28·4	44·0	33·3	38·7	0·24

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 10th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 13th March, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	278·2	168	8	21	7	12	4	2	8	3	13	12	18	24	17	19	159
Enteric Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	4·6	3	·	1	1	1	·	·	·	·	·	·	·	·	·	·	3
Scarlet Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough ..	2·6	6	·	2	2	2	·	·	·	·	·	·	·	·	·	·	6
Diphtheria	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	37·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Dysentery	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	30·0	15	·	·	·	·	1	1	5	1	1	2	3	1	·	·	15
Tuberculous Meningitis	3·6	2	·	1	·	·	1	·	·	·	·	·	·	·	·	·	2
Abdominal Tuberculosis	1·8	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Tuberculosis of the Spinal Column.	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Tuberculosis of Joints	·6	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·8	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·
Scrofula	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·4	2	·	1	·	·	·	·	·	1	·	·	·	·	·	·	2
Venereal Diseases ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cancer	10·8	12	·	·	·	·	·	·	·	·	·	1	3	6	2	·	11
Tumour, situation undefined.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diabetes	·2	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	2
Anæmia, Leucocythæmia.	1·4	2	·	1	·	·	·	·	·	·	·	1	·	·	·	·	2
Other General Diseases	2·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Alcoholism ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Simple Meningitis ..	2·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Cerebral Hæmorrhage, Apoplexy.	6·0	4	·	·	·	·	·	·	·	·	·	·	·	1	·	3	4
Softening of Brain ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	3·0	4	·	·	·	·	·	·	·	·	·	·	1	2	·	1	4
Epilepsy, ...	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	4·2	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	2
Other Diseases of Nervous System.	4·8	6	·	·	·	1	·	·	·	·	1	·	1	·	2.	1	5
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	16·4	18	·	·	·	·	·	·	·	·	2	2	·	6	4	4	17
Embolism and Thrombosis (including Cerebral)	6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of the Larynx	·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Bronchitis	42·2	22	·	2	2	1	·	·	·	·	1	1	2	4	5	4	22
Broncho-pneumonia ..	18·2	11	1	5	1	2	·	·	·	·	·	1	·	·	·	1	11
Lobar pneumonia ..	2·4	3	·	·	·	·	·	·	·	·	2	·	·	1	·	·	3
Pneumonia (type not distinguished).	15·6	4	·	·	·	·	1	·	·	·	·	·	1	1	·	1	4
Pleurisy	·8	3	·	·	·	·	·	·	·	·	1	1	1	·	·	·	3
Pulmonary Congestion, Pulmonary Apoplexy,	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Respiratory System	2·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

in the TENTH WEEK, ending Saturday, 13th March, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 10th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 13th March, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	4·6	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Appendicitis and Typhlitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·2	5	·	·	·	1	·	1	·	·	1	·	2	·	·	·	·	3
Cirrhosis of Liver ...	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·6	2	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	2
Acute Nephritis ..	·8	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Chronic Bright's Disease	6·2	4	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	4
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	2·4	2	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·	2	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	2
Diseases of Skin and Cellular Tissues.	1·2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	5·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Congenital Debility ..	3·6	5	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	10·4	4	·	·	·	·	·	·	·	·	·	·	·	·	3	1	·	4
Other Specified Diseases	1·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·8	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1
Not included in above—																		
Homicide. ..	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 13TH MARCH, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		WEEK ENDED SATURDAY, 13TH MARCH, 1920.																														
				DEATHS.																														
												CAUSED BY																						
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*	TOTAL DEATHS	Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No 1, E., ...	30,700	18·7	1·7	11	5	·	1	·	·	2	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	7	·	2	1	·
,, 1, W., ...	42,100	18·6	1·2	15	2	·	·	·	3	1	4	5	·	·	·	1	·	·	·	·	·	3	·	·	1	4	·	·	·	6	·	6	2	·
,, 2, ...	28,200	14·8	·	8	2	·	2	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	2	3	1	1	·	1
,, 3, ...	35,000	20·4	1·5	14	1	·	2	1	1	2	4	3	·	·	·	1	·	·	·	·	·	1	2	1	·	2	·	·	·	7	·	4	3	·
CLONTARF AND HOWTH, No. 1, part of	5,600	..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	7·5	3·8	2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	18·3	·	4	·	·	1	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·	2	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	18·9	·	16	4	1	1	·	·	1	6	3	·	·	·	·	·	·	·	·	·	1	2	2	4	2	·	·	·	5	·	1	5	·
,, 2, ...	18,600	39·2	5·6	14	2	1	1	1	2	2	3	3	·	·	·	·	·	1	·	·	·	3	1	2	1	1	1	·	·	4	·	6	1	·
,, 3, ...	44,400	32·9	3·5	28	5	4	1	·	·	7	6	5	·	·	·	·	·	3	·	·	·	1	·	2	4	8	·	·	·	10	·	4	4	1
,, 4, ...	33,600	23·3	3·1	15	2	1	1	2	1	2	2	4	·	·	·	1	·	1	·	·	·	1	·	·	2	3	·	·	·	7	·	2	5	·
NEW KILMAINHAM, ...	10,600	14·8	·	3	·	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	2	·	·	2	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	18·1	2·6	14	2	·	2	·	1	·	5	4	·	·	·	·	·	1	·	1	·	2	·	1	1	2	·	·	·	6	·	3	·	·
PEMBROKE	30,200	10·4	·	6	1	·	·	·	1	1	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	4	·	2	1	·
BLACKROCK, ...	9,200	11·3	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·
KINGSTOWN, ...	17,000	21·5	·	7	1	·	·	·	·	2	1	3	·	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	3	·	·	1	·
TOTAL CITY. North, ...	166,900	16·9	1·2	54	11	·	6	1	4	6	17	9	·	·	·	2	·	·	·	·	·	5	2	3	5	8	2	·	2	25	1	17	6	1
TOTAL CITY. South, ...	151,300	26·2	2·4	76	13	7	4	4	3	13	16	16	·	·	·	1	·	5	·	·	·	7	3	6	11	14	1	·	·	28	·	13	17	1
TOTAL CITY. North and South, ..	318,200	21·3	1·8	130	24	7	10	5	7	19	33	25	·	·	·	3	·	5	·	·	·	12	5	9	16	22	3	·	2	53	1	30	23	2
Total Urban Districts, ...	96,800	15·6	1·1	29	4	·	2	·	2	4	7	10	·	·	·	·	·	1	·	1	·	3	1	2	2	5	·	·	·	14	·	6	2	·
Total Registration Area, ..	415,000	20·0	1·6	159	28	7	12	5	9	23	40	35	·	·	·	3	·	6	·	1	·	15	6	11	18	27	3	·	2	67	1	36	25	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	1	·	·	1	2	2	2	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	5	2	6	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th March, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH MARCH, 1920.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	168	48	6	11	25	42	17	19	·	·	·	3	·	6	·	1	·	15	7	12	2	18	27	3	·	4	70	2
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	7·1	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
II.	MIDDLE CLASS	101,798	18·4	36	6	2	2	5	11	4	6	·	·	·	·	·	·	·	·	·	3	1	3	·	6	7	·	·	2	14	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·4	34	13	1	2	3	10	2	3	·	·	·	·	·	1	·	1	·	4	1	1	1	5	7	1	·	·	12	1
IV.	GENERAL SERVICE CLASS	167,479	21·8	70	26	3	6	13	16	6	·	·	·	·	3	·	5	·	·	·	7	2	7	1	6	8	2	·	2	27	·
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	3	·	1	4	5	4	9	·	·	·	·	·	·	·	·	·	1	3	1	·	1	4	·	·	·	16	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	1	·	·	1	1	3	3	·	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	2	2	·
	6. Clerks and Commercial Assistants,	33,249	—	12	3	1	·	3	5	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	3	2	·	·	·	4	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	2	1	2	1	4	1	1	·	·	·	·	·	·	·	·	·	1	1	1	·	·	2	·	·	·	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	2	1	·	1	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	1	·	·	2	·
	9. Building and Furnishing Trades, ..	28,823	—	10	6	·	·	·	4	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	3	2	·	·	·	2	·
	10. Clothing Trades, ...	20,026	—	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·
	11. Food Supply Trades, ...	8,952	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	3	·	1	2	6	2	1	·	·	·	·	·	1	·	1	·	1	1	·	·	·	4	·	·	·	7	1
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	9	2	1	·	3	1	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	6	·
	15. Domestic Servants, ...	36,041	—	3	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	57	24	2	4	10	13	4	·	·	·	·	3	·	5	·	·	·	4	2	5	1	5	8	2	·	2	20	·
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	26	3	·	1	4	5	4	9	·	·	·	·	·	·	·	·	·	1	3	1	·	1	4	·	·	·	16	·

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Dec. 20.	Dec. 27.	Jan 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.
No. of weeks in Annual Series ..	51	52	53	1	2	3	4	5	6	7	8	9	10	51	52	53	1	2	3	4	5	6	7	8	9	10
BIRTHS registered	224	123	265	249	266	289	238	279	257	258	282	277	239	235	127	296	292	234	231	207	271	264	282	321	263	225
Average Births in corresponding week of previous 10 years, ...	159	148	148	210	221	205	210	210	211	205	199	205	215	167	159	159	225	198	207	195	209	196	197	195	213	201
Number of Deaths, ...	133	92	155	138	119	156	126	153	139	131	174	165	159	185	156	197	150	166	141	161	146	159	144	173	214	225
Annual Death-rate per 1,000 ..	17·1	11·8	20·0	17·3	15·0	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·1	20·3	25·6	18·9	21·0	17·8	20·3	18·4	20·1	18·2	21·8	27·0	28·4
Average Deaths in corresponding week of previous 10 years, ...	164	158	158	190	175	180	184	186	187	191	212	219	221	144	152	152	151	158	142	159	170	184	172	172	170	173
Ages, .. Under one year, ..	19	11	29	24	25	16	34	35	24	27	33	31	28	28	25	27	33	29	26	31	33	37	23	41	48	56
1— 5 years, ..	8	6	14	14	9	10	11	15	15	11	14	20	19	34	24	36	24	34	18	18	22	16	24	21	24	34
5—25 „ ..	15	10	7	15	10	13	14	16	10	17	16	15	14	26	19	31	16	23	18	25	22	17	22	24	31	29
25—45 „ ..	18	15	18	11	11	26	14	18	25	15	29	17	23	26	22	24	13	17	17	25	15	28	20	26	38	34
45—65 „ ..	37	23	38	32	25	42	29	29	29	31	32	28	40	37	36	50	25	31	36	36	31	34	30	27	33	39
65 and upwards, ..	36	27	49	42	39	49	24	40	36	30	50	54	35	34	30	29	39	32	26	26	23	27	25	34	40	33
Deaths from :—																										
Enteric Fever, ...	·	·	1	·	·	·	1	·	·	·	·	·	·	1	·	3	·	2	·	2	2	·	2	1	2	2
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	·	1	·	·	1	·	3	1	·	3	32	19	26	19	21	13	11	12	11	9	2	4	7
Scarlet Fever, ...	·	2	·	1	1	·	1	·	·	1	·	·	·	4	3	8	3	7	2	6	6	2	2	4	4	4
Whooping-cough, ...	1	2	2	·	2	2	1	5	3	2	3	7	6	·	1	1	·	1	1	1	2	1	6	3	4	3
Diphtheria, ...	1	·	1	·	1	1	·	2	2	1	3	3	·	1	2	1	·	1	2	·	2	·	·	1	1	2
Dysentery, ...	·	·	1	·	1	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	·	1	1	·	2	3	·	2	·	3	4	·	—	—	—	1	2	·	1	2	2	2	3	12	23
Tuberculosis { Pulmonary, ..	13	9	10	12	7	14	11	12	19	14	18	14	15	17	17	20	13	13	13	21	12	15	20	15	23	21
Other Forms, ..	7	2	4	5	6	6	8	6	3	8	4	3	6	3	1	4	5	3	2	2	7	6	3	8	4	2
Cancer, ...	8	5	11	5	7	13	6	11	7	6	8	7	11	4	10	11	7	3	4	5	7	8	5	5	4	6
Diseases of Respiratory System, { Pneumonia ..	2	8	16	11	11	14	13	14	15	13	14	18	18	10	11	11	11	15	11	20	14	20	8	27	34	37
Others, ..	24	12	22	19	16	22	17	19	13	22	30	26	27	18	19	17	17	15	16	20	8	15	17	23	38	38
Diarrhœa & Enteritis, under 2 years	1	2	4	1	2	·	4	3	2	3	3	1	3	·	2	4	1	2	·	1	2	2	1	1	2	1
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	1	·	·	·	·	·	·	2	2	2	·	1	·	·	·	·	·	·	·	·
Violent Deaths, ...	7	7	3	2	·	4	1	3	5	1	3	4	2	3	4	7	2	1	1	7	3	2	·	3	3	2
Number of Uncertified Deaths, ..	4	1	3	6	3	2	3	5	9	8	6	5	2	5	1	3	3	2	1	1	3	2	1	2	5	5
A Mean Maximum Temperature in degs	50·2	49·1	46·9	46·0	53·6	51·5	49·1	50·5	50·4	49·8	49·5	53·3	48·9	48·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7	49·5	48·4	48·5	51·5	46·0
B Mean Minimum „ „	40·5	33·9	31·7	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·0	40·5	32·1	36·4	37·8	33·1	34·1	36·7	38·6	34·4	38·3	39·5	39·6	36·5	40·3	32·8
Mean of A and B „ „	45·3	41·5	39·3	39·0	46·8	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·5	42·3	41·9	38·5	38·8	42·9	44·8	40·2	44·0	44·5	44·0	42·5	45 9	39·4
Rainfall in inches	0·82	0·93	0·83	1·31	0·71	1·07	0·66	0·59	0·67	0·37	0·28	0·70	0·43	1·21	2·04	2·14	0·87	1·65	1·11	1·32	0·28	0·84	1·07	0·01	0·63	0·57

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th March, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths			
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)			
CITY OF BELFAST.																																		
BELFAST URBAN No 1 DISTRICT,	15,879	18	32·8	·	10	3	·	·	·	4	3	·	·	·	·	·	·	·	·	1	·	·	·	2	4	·	·	·	·	1	·			
Do. 2 do. ·	49,500	19	30·5	3·2	29	11	5	1	5	1	6	·	·	·	2	·	1	·	·	9	·	·	2	4	2	·	·	·	·	5	1			
Do. 3 do. ·	50,032	26	34·4	5·2	33	8	5	3	8	4	5	1	·	·	2	·	1	1	·	3	3	·	·	6	7	·	·	1	2	7	·			
Do. 4 do. ·	32,637	19	24·0	·	15	4	·	5	·	5	1	·	·	·	·	·	·	·	·	·	2	·	·	·	5	·	·	·	·	5	·			
Do. 5 do. ·	16,112	16	64·7	·	20	7	2	2	4	3	2	·	·	·	·	·	·	·	·	1	3	·	·	6	3	·	·	·	·	4	·			
Do. 6 do. ·	37,293	19	19·6	4·2	14	2	2	1	5	2	2	·	·	·	1	2	·	·	·	2	1	·	·	·	·	·	·	·	·	7	1			
Do. 7 do. ·	2,681	1	38·9	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·			
Do. 8 do. ·	5,964	3	17·5	8·7	2	·	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·			
Do. 9 do. ·	24,427	12	25·6	4·3	12	4	2	2	1	2	1	·	·	·	1	·	1	·	·	·	2	·	1	2	1	·	·	·	·	3	·			
Do. 10 do. ·	28,958	22	39·6	·	22	10	3	2	2	1	4	·	·	·	·	·	·	·	·	1	3	·	·	9	4	·	·	·	·	4	·			
Do. 11 do. ·	39,311	23	22·5	2·7	17	·	4	5	2	2	4	·	·	·	·	2	·	·	·	1	1	·	1	2	3	·	·	·	·	5	1			
Do. 12 do. ·	38,076	27	42·5	2·7	31	4	6	5	6	7	3	1	·	·	·	·	·	·	·	5	2	2	·	4	4	1	·	1	1	6	1			
Do 13 do. ·	23,233	7	13·5	·	6	·	·	·	1	4	1	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·			
Do. 14 do ·	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·			
Do. 15 do. ·	22,669	13	27·6	2·3	12	1	4	2	·	4	1	·	·	·	·	·	·	1	·	·	3	·	·	2	3	·	·	·	·	3	1			
Total, · ·	386,947	225	28·4	2·4	225	56	34	29	34	39	33	2	·	·	7	4	3	2	·	23	21	2	6	37	38	1	·	2	3	50	5			
CITY OF CORK.																																		
CORK URBAN No. 1 DISTRICT, ·	13,455	7	11·6	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·			
Do. 2 do. ·	10,399	8	35·1	5·0	7	1	·	3	2	1	·	·	·	·	·	·	·	1	·	·	2	1	·	·	1	·	·	·	·	2	·			
Do. 3 do. ·	9,793	15	5·3	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·			
Do. 4 do. ·	9,139	8	39·9	11·4	7	1	1	2	·	1	2	·	·	·	·	·	1	1	·	1	1	·	·	·	·	·	·	·	·	3	·			
Do. 5 do. ·	6,250	2	8·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·			
Do. 6 do. ·	11,581	7	27·0	9·0	6	1	1	·	·	·	4	·	·	·	·	·	2	·	·	·	·	·	·	1	1	·	·	·	·	1	1			
Do 7 do. ·	16,056	14	29·2	3.2	9	2	1	1	3	1	1	·	·	·	·	·	·	1	·	·	·	3	·	·	·	·	·	·	·	4	·			
Total. · ·	76,673	61	23·1	4·1	34	6	3	6	5	5	9	·	·	·	·	·	3	3	·	1	3	4		1	3	·	·	·	·	13	1			

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th March, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia.—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	2	.	1	.	.	.	.	2	.	.	1	7
„ „ 1, West ..	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	1	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	4
Finglas and Glasnevin (part of)	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	2	2	.	.	.	.	.	.	1	.	.	3	8
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	.	.	.	.	.	.	2	.	1	.	.	.	.	1	.	.	4	8
„ „ „ 4, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Total, ...	.	.	.	.	.	13	8	.	3	.	1	.	.	5	.	.	20	50

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th March, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 13th March.			
	Feb. 21.	Feb. 28.	March 6.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	25	21	16	1	5	.	12
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	47	74	65	13	29	1	48
Scarlet Fever, ...	105	103	104	18	24	.	98*
Diphtheria, ...	31	35	39	11	1	.	49
Pneumonia, ...	27	33	25	12	7	1	29

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13715.) Wt. 8424. 3. 380. 3. 1920. G., III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE,

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 11. Vol. LVII.] Week ending Saturday, 20th March, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 22nd March, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 27·5 and 23·1; Dublin Registration Area, 24·5 and 21·8; Dublin City, 26·9 and 23·2; Belfast, 37·0 and 28·5; Cork, 28·6 and 22·8; Londonderry, 14·2 and 14·2; Limerick, 20·3 and 18·3; and Waterford, 13·3 and 13·3.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·3 per 1,000. Among the 293 deaths from all causes for Belfast are 2 from enteric fever, 3 from measles, 5 from scarlet fever, 8 from whooping-cough, one from diphtheria, 7 from diarrhœal diseases, 33 from influenza, and 67 from pneumonia. The 42 deaths from all causes for Cork include 2 from whooping-cough; one of the 4 deaths from all causes for Lurgan is from influenza; among the 4 deaths from all causes for Newry are 2 from measles, and 2 of the 7 deaths from all causes for Portadown are also from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—122 boys and 93 girls—and the deaths to 212—102 males and 110 females.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·5 per 1,000 of the population. During the eleven weeks ending with Saturday last, the death-rate averaged 18·8 and was 6·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the eleven weeks was 20·2, and for the corresponding period of the preceding ten years 26·8.

Of the 195 deaths appertaining to the Area one is from enteric fever, 3 are from measles, one from scarlet fever, 9 from whooping-cough, one from diphtheria, 3 from diarrhœa and enteritis of children under 2 years, and 2 from influenza.

In the 3 preceding weeks, deaths from measles were one, 0, and 3; deaths from whooping-cough were 3, 7, and 6; deaths from diphtheria 3, 3, and 0; deaths from diarrhœa and enteritis of children under 2 years 3, one, and 3; and deaths from influenza 3, 4, and 0. There were no deaths from enteric fever or scarlet fever registered in the three preceding weeks.

There were 26 deaths from pneumonia, comprising 17 from broncho-pneumonia, 2 from lobar pneumonia, and 7 from pneumonia (type not distinguished).

Tuberculous disease caused 26 deaths (including 13 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 11 from other forms of tuberculous disease) as against 22, 17, and 21 in the three weeks preceding.

Ten deaths were caused by cancer, 10 by organic diseases of the heart, and 34 by bronchitis.

Among deaths of infants under one year old, 5 were due to whooping-cough, 5 to convulsions, 6 to bronchitis, 7 to broncho-pneumonia, one to pneumonia, 3 to diarrhœa and enteritis, 5 to premature birth, and 4 to congenital debility.

There were 4 accidental deaths.

Seventy-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 45 being infants under one year, of whom 13 were under one month old, and 46 deaths were those of persons aged 65 and upwards, of whom 32 were 70 years of age or over.

Of the 195 deaths recorded, 85 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 20th March, in 96 large English towns (including London, in which the rate was 17·8 was equal to an average annual death rate of 17·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 17·8 per 1,000 persons living, the rate for Glasgow being 19·1 and for Edinburgh 13·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson. M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th March. From this Report it appears that of 74 cases notified, 31 were diphtheria, 14 scarlet fever, 12 pulmonary tuberculosis, 4 other forms of tuberculosis, 4 erysipelas, 4 acute primary pneumonia, 4 ophthalmia neonatorum, and one cerebro-spinal fever. Among the 628 cases of infectious diseases in hospital at the close of the week were 217 of pulmonary tuberculosis, 152 of diphtheria, 151 of scarlet fever, 32 of measles, 9 of erysipelas, 4 of whooping-cough, 2 of ophthalmia neonatorum, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th March, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Feb. 28	2	·	·	·	·	—	9	—	9	6	—	·	—	·	·	·	6	·	·	19	51
	Mar. 6	1	·	·	·	·	—	7	—	9	1	—	1	—	3	·	·	2	·	·	15	39
	Mar. 13	·	·	·	·	·	—	13	—	8	3	—	·	—	1	·	·	5	·	·	20	50
	Mar. 20	1	·	·	·	·	—	16	—	10	2	—	·	—	3	·	·	8	·	·	15	55
Rathmines & Rathgar Urban District	Feb. 28	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	·	—	4
	Mar. 6	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	·	—	3
	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	Mar. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	Feb. 28	·	·	·	·	·	4	·	·	·	·	·	·	—	·	·	·	·	·	·	·	4
	Mar. 6	·	·	·	·	·	24	2	6	·	3	·	·	—	·	·	·	·	·	·	·	35
	Mar. 13	·	·	·	·	·	7	·	1	1	·	·	·	—	·	·	·	·	·	·	·	9
	Mar. 20	·	·	·	·	·	8	2	2	1	·	·	·	—	·	·	·	1	·	·	·	14
Blackrock Urban District	Feb. 28	·	·	·	·	·	1	1	—	·	·	—	·	—	·	·	·	·	·	·	·	2
	Mar. 6	·	·	·	·	·	·	·	—	·	1	—	·	—	·	·	·	·	·	·	·	1
	Mar. 13	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Mar. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Feb. 28	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	—	·	2	3
	Mar. 6	·	·	·	·	·	—	1	—	1	·	—	·	—	·	5	·	·	—	·	·	7
	Mar. 13	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Feb. 28	7	·	·	·	·	—	50	—	7	2	—	4	—	·	·	·	13	·	·	1	84
	Mar. 6	7	·	·	·	·	—	70	—	6	3	—	1	—	·	·	·	22	·	·	·	109
	Mar. 13	8	·	·	·	·	—	40	—	6	5	—	·	—	1	7	·	25	·	·	2	94
	Mar. 20	4	·	·	·	·	—	46	—	3	5	—	3	—	·	1	·	26	·	·	2	90
City of Cork	Feb. 28	·	·	1	·	·	·	1	—	4	·	—	1	·	·	·	·	·	—	·	—	7
	Mar. 6	·	·	·	·	·	·	·	—	7	·	—	·	·	·	1	·	·	—	·	—	8
	Mar. 13	·	·	·	·	·	2	·	—	7	·	—	·	·	·	·	·	·	—	·	—	9
	Mar. 20	·	·	·	·	·	·	2	—	2	·	—	·	·	·	·	·	·	—	·	—	4
City of Londonderry	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	Mar. 6	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Mar. 20	·	1	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	Feb. 28	·	·	·	·	·	—	1	—	3	·	—	·	—	·	·	·	·	·	·	—	4
	Mar. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Mar. 20	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
City of Waterford	Feb. 28	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th March, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever nil and 8 ; measles 27 and 53 ; scarlet fever 26 and 110*; and diphtheria 13 and 50. Twelve cases of pneumonia were admitted during the week and 32 remained under treatment at its close. Of the deaths in hospital during the week one was from each of enteric fever, scarlet fever and diphtheria, and 2 were from pnenmonia.

* See note (*) at foot of Table IX

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 20th March, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 20TH MARCH, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED BIRTHS Total Number	DEATHS Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 20TH MARCH, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	29·4	27·5	2·3	658	615	137	117	3	·	·	10	6	19	2	·	36	42	21	20	105	104	10	2	7	12	197	21	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	27·0	24·5	2·3	215	195	45	46	1	·	·	3	1	9	1	·	2	13	13	10	26	37	3	·	4	4	85	8	(d) 57·6	32·1	51·2	37·7	44·4	0·24
Urban Districts. CITY OF DUBLIN,	318,200	39·0	30·0	26·9	2·8	183	164	41	35	1	·	·	3	1	8	1	·	1	13	9	7	20	32	3	·	4	4	73	7	(e) 57·2	33·9	51·5	40·0	45·8	0·11
																														(f) 57 2	33·0	51·7	38·9	45·3	0·25
RATHMINES and RATHGAR,	40,400	23·6	12·9	14·2	·	10	11	1	6	·	·	·	·	·	·	·	·	1	·	3	·	1	2	·	·	·	·	5	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	20·7	22·4	1·7	12	13	3	2	·	·	·	·	·	1	·	·	·	·	·	1	5	2	·	·	·	·	2	1	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	17·0	22·7	·	3	4	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	3	·	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	21·5	9·2	·	7	3	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	2	·	59	34	50	39	44·5	0·06
Urban Districts. BELFAST, ..	413,000	27·7	34·7	37·0	3·3	275	293	72	40	2	·	·	3	5	8	1	·	33	17	5	4	67	51	6	1	1	5	81	3	57·0	32·0	50·9	35·0	42·9	0·56
CORK, ...	76,673	28·6	27·2	28·6	1·4	40	42	4	13	·	·	·	·	·	2	·	·	·	5	·	2	2	6	·	·	1	1	21	·	56	35	51·1	38·6	44	9 0·55
LONDONDERRY, ..	44,000	17·1	33·2	14·2	·	28	12	2	2	·	·	·	·	·	·	·	·	·	1	·	·	4	1	·	·	·	·	·	1	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	10·8	20·3	·	8	15	4	3	·	·	·	·	·	·	·	·	·	2	·	1	1	1	·	·	·	·	5	4	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	22·8	13·3	·	12	7	1	1	·	·	·	·	·	·	·	·	·	1	·	2	·	3	·	·	·	·	1	1	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				11	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	2	·	·	55	30	50	34	42	0·89
DUNDALK, ..	13,128	9·5				10	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				7	4	·	1	·	·	·	·	·	·	·	·	1	2	·	·	·	1	·	·	·	·	1	·	56·5	31·0	51·0	37·7	44·3	0·36
DROGHEDA, ..	12,501	8·4				7	5	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				11	7	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	55	30	50 3	34·7	42·5	0·51
NEWRY, ...	11,963	17·0				5	4	·	·	·	·	·	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	56·5	31·0	51·0	37·7	44·3	0·36
PORTADOWN, ..	11,727	15·3				11	7	1	1	·	·	·	2	·	·	·	·	·	·	2	1	1	1	·	·	·	·	1	·	56·5	31·0	51·0	37·7	44·3	0·36
WEXFORD, ..	11,531	22·8				1	6	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				2	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	57	31	51	38	44·5	0·60
KILKENNY, ..	10,514	11·4				6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	59	31	51·5	35·0	43·3	0·26
TRALEE, ...	10,300	17·4				2	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	17·8	—	2,672	1,484	244	440	—	·	·	70	5	37	29	—	—	100	21	101	183	180	14	4	42	96	619	4	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	13·3	—	180	87	22	25	·	·	·	1	·	·	1	—	2	—	—	—	—	—	·	—	7	—	—	—	54·0	32·0	46·6	37·4	42·0	0·15
GLASGOW	1,115,500	—	—	19·1	—	689	407g	65	91	2	·	·	9	2	5	4	—	11	—	—	—	—	—	5	—	19	—	—	—	51·1	33·0	47·3	38·7	43·0	0·53

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 11th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 20th March, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	233·2	212	13	33	16	15	3	3	4	4	11	20	19	21	33	17	195
Enteric Fever ..	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·8	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever ..	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	4·6	9	.	5	1	3	.	.	.	.	.	.	.	.	.	.	9
Diphtheria	·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	26·8	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·8	14	.	.	.	1	.	.	2	2	4	3	2	.	.	.	13
Tuberculous Meningitis	3·4	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	2·0	5	.	1	.	.	1	1	.	.	1	1	.	.	.	.	5
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	5	.	2	1	.	.	1	.	.	1	.	.	.	.	.	5
Venereal Diseases ..	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·4	13	.	.	.	.	.	.	.	.	.	2	6	4	.	1	10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Other General Diseases	2·0	6	.	.	.	2	.	.	.	.	1	.	2	.	1	.	5
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·0	8	.	.	.	.	.	.	.	.	.	.	1	2	5	.	8
Softening of Brain ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy, ...	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	6·2	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	5
Other Diseases of Nervous System.	2·8	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	3
Pericarditis ..	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Acute Endocarditis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·8	12	.	.	.	.	1	.	.	.	.	1	1	2	4	3	10
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	34·0	34	1	5	5	1	.	.	.	.	1	3	2	3	9	4	34
Broncho-pneumonia ..	15·4	17	.	7	4	2	.	.	.	.	.	.	.	3	.	1	17
Lobar pneumonia ..	1·8	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2
Pneumonia (type not distinguished).	9·6	9	.	1	.	2	1	.	.	.	1	2	1	1	.	.	7
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·4	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	3

in the ELEVENTH WEEK, ending Saturday, 20th March, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 11th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 20th March, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	2·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	2·2	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·0	3	·	1	·	·	·	·	·	·	·	·	·	·	2	·	·	3
Cirrhosis of Liver ...	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·2	2	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	1
Acute Nephritis ..	1·0	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Chronic Bright's Disease	4·2	3	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	2
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	3	·	1	·	·	·	·	·	·	·	1	·	·	1	·	·	·
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	1·2	2	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Diseases of Locomotor System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	4·8	5	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5
Congenital Debility ..	4·6	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	9·4	10	·	·	·	·	·	·	·	·	·	·	·	·	4	6	·	10
Other Specified Diseases	1·6	4	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	4
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		4	·	·	·	·	·	·	·	·	·	2	·	·	2	·	·	3
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	4·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 20TH MARCH, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 20TH MARCH, 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS	DEATHS.																												
													CAUSED BY																	IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No 1, E..	30,700	35·7	3·4	21	5	3	2	·	·	2	7	2	·	·	·	·	·	1	1	·	·	2	1	2	3	6	·	·	1	4	·	3	4	·
,, 1, W., ...	42,100	27·2	2·5	22	5	1	2	·	2	3	3	6	·	·	·	·	·	1	·	·	·	1	·	2	3	2	1	·	1	11	1	6	2	·
,, 2, ...	28,200	22·2	1·8	12	1	1	2	·	1	·	2	5	·	·	·	1	·	·	·	·	·	1	·	·	1	1	·	·	·	8	·	2	4	·
,, 3, ...	35,000	29·1	2·9	20	4	3	1	·	·	5	1	6	·	·	·	2	·	·	·	·	·	2	2	·	2	5	·	·	1	6	·	5	6	2
CLONTARF AND HOWTH, No. 1, part of	5,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	11·3	·	3	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	1	·	1
FINGLAS AND GLASNEVIN, part of ..	11,400	13·7	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	1	1	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	26·0	3·5	22	11	1	1	·	1	2	3	3	·	·	·	·	1	2	·	·	·	1	3	·	1	4	·	·	·	10	2	4	9	3
,, 2, ...	18,600	30·8	2·8	11	2	1	·	1	1	3	1	2	1	·	·	·	·	·	·	·	·	1	·	1	·	3	·	·	·	5	·	4	3	1
,, 3, ...	44,400	32·9	5·9	28	8	3	4	1	·	6	2	4	·	·	·	·	·	3	·	·	1	3	1	·	4	7	2	·	·	7	·	3	6	·
,, 4, ...	33,600	31·0	1·6	20	4	3	2	·	1	1	4	5	·	·	·	·	·	1	·	·	·	1	·	1	6	4	·	·	1	6	1	7	2	·
NEW KILMAINHAM, ...	10,600	9·8	·	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	14·2	·	11	1	·	·	1	·	1	2	6	·	·	·	·	·	·	·	·	1	·	3	·	1	2	·	·	·	4	·	3	2	·
PEMBROKE	30,200	22·4	1·7	13	3	·	1	1	·	2	4	2	·	·	·	·	·	1	·	·	·	·	·	1	5	2	·	·	·	4	·	2	·	1
BLACKROCK, ...	9,200	22·7	·	4	·	·	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	2	·	2	1	·
KINGSTOWN, ...	17,000	9·2	·	3	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	·	1	1	·
TOTAL CITY. North, ...	166,900	25·3	2·2	81	16	8	7	·	3	10	16	21	·	·	·	3	·	2	1	·	·	7	3	5	9	14	1	·	3	33	1	18	17	3
TOTAL CITY. South, ...	151,300	28·6	3·4	83	25	8	7	4	3	12	10	14	1	·	·	·	1	6	·	·	1	6	6	2	11	18	2	·	1	28	3	18	20	4
TOTAL CITY. North and South, ..	318,200	26·9	2·8	164	41	16	14	4	6	22	26	35	1	·	·	3	1	8	1	·	1	13	9	7	20	32	3	·	4	61	4	36	37	7
Total Urban Districts, ...	96,800	16·7	0·5	31	4	·	1	2	·	4	9	11	·	·	·	·	·	1	·	·	1	·	4	3	6	5	·	·	·	11	·	8	4	1
Total Registration Area, ..	415,000	24·5	2·3	195	45	16	15	6	6	26	35	46	1	·	·	3	1	9	1	·	2	13	13	10	26	37	3	·	4	72	4	44	41	8
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				17	1	·	·	·	2	5	5	4	·	·	·	·	·	·	·	·	·	1	·	3	2	·	·	·	1	10	1	17	·	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th March, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH MARCH, 1920.																													
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	212	77	6	8	31	40	33	17	1	.	.	3	1	9	1	.	2	14	13	13	5	28	37	3	.	5	77	8
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	10·7	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	21·0	41	9	1	3	5	10	7	6	1	.	.	.	.	1	.	.	2	1	1	4	1	6	2	.	.	1	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	22·6	47	18	1	2	6	13	6	1	.	.	.	.	1	1	.	.	.	3	3	5	1	6	8	.	.	1	18	2
IV.	GENERAL SERVICE CLASS	167,479	21·9	80	43	4	3	14	8	5	3	.	.	.	3	.	7	1	.	.	8	4	4	3	13	15	3	.	2	17	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	41	7	.	.	6	7	15	6	.	.	.	.	.	.	.	.	.	2	5	.	.	1	12	.	.	1	20	1
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	1	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	3	.
	6. Clerks and Commercial Assistants,	33,249	—	14	4	.	2	3	3	2	.	1	.	.	.	.	1	.	.	1	1	.	.	.	2	1	.	.	1	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	17	3	.	1	2	4	2	5	.	.	.	.	.	.	.	.	1	.	.	3	.	2	1	.	.		10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	7	4	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	4	1
	9. Building and Furnishing Trades, ..	28,823	—	15	5	.	.	1	6	2	1	.	.	.	.	.	.	.	.	.	.	2	2	.	2	1	.	.	.	8	.
	10. Clothing Trades, ...	20,026	—	7	3	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	6	.	1	.	5	3	.	.	.	.	.	1	1	.	.	.	2	.	2	.	3	4	.	.	.	2	1
	13. Petty Shopkeepers, ...	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	5	1	.	1	2	1	.	.	.	.	1	.	1	.	.	.	1	1	1	1	1	1	.	.	1	1	1
	15 Domestic Servants, ...	36,041	—	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	1
	16 Coach and Car Drivers, Vanmen, &c,	15,380	—	5	4	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	17 Hawkers, Porters, Labourers, &c., ..	103,081	—	61	31	3	3	11	6	4	3	.	.	.	1	.	6	1	.	.	7	3	2	1	11	12	2	.	1	14	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	—	41	7	.	.	6	7	15	6	.	.	.	.	.	.	.	.	.	2	5	.	.	1	12	.	.	1	20	1

TABLE VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Dec. 27.	Jan 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.
No. of weeks in Annual Series ..	52	53	1	2	3	4	5	6	7	8	9	10	11	52	53	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered	123	265	249	266	289	238	279	257	258	282	277	239	215	127	296	292	234	231	207	271	264	282	321	263	225	275
Average Births in corresponding week of previous 10 years, ...	148	148	210	221	205	210	210	211	205	199	205	215	201	159	159	225	198	207	195	209	196	197	195	213	201	202
Number of Deaths, ...	92	155	138	119	156	126	153	139	131	174	165	159	195	156	197	150	166	141	161	146	159	144	173	214	225	293
Annual Death-rate per 1,000 ..	11·8	20·0	17·3	15·0	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·5	20·3	25·6	18·9	21·0	17·8	20·3	18·4	20·1	18·2	21·8	27·0	28·4	37·0
Average Deaths in corresponding week of previous 10 years, ...	158	158	190	175	180	184	186	187	191	212	219	221	200	152	152	151	158	142	159	170	184	172	172	170	173	172
Ages, .. Under one year, ..	11	29	24	25	16	34	35	24	27	33	31	28	45	25	27	33	29	26	31	33	37	23	41	48	56	72
1— 5 years, ..	6	14	14	9	10	11	15	15	11	14	20	19	31	24	36	24	34	18	18	22	16	24	21	24	34	43
5—25 ,, ..	10	7	15	10	13	14	16	10	17	16	15	14	12	19	31	16	23	18	25	22	17	22	24	31	29	41
25—45 ,, ..	15	18	11	11	26	14	18	25	15	29	17	23	26	22	24	13	17	17	25	15	28	20	26	38	34	50
45—65 ,, ..	23	38	32	25	42	29	29	29	31	32	28	40	35	36	50	25	31	36	36	31	34	30	27	33	39	47
65 and upwards, ..	27	49	42	39	49	24	40	36	30	50	54	35	46	30	29	39	32	26	26	23	27	25	34	40	33	40
Deaths from :—																										
Enteric Fever, ...	·	1	·	·	·	1	·	·	·	·	·	·	1	·	3	·	2	·	2	2	·	2	1	2	2	2
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	1	·	1	·	·	1	·	3	1	·	3	3	19	26	19	21	13	11	12	11	9	2	4	7	3
Scarlet Fever, ...	2	·	1	1	·	1	·	·	1	·	·	·	1	3	8	3	7	2	6	6	2	2	4	4	4	5
Whooping-cough, ...	2	2	·	2	2	1	5	3	2	3	7	6	9	1	1	·	1	1	1	2	1	6	3	4	3	8
Diphtheria, ...	·	1	·	1	1	·	2	2	1	3	3	·	1	2	1	·	1	2	·	2	·	·	1	1	2	1
Dysentery, ...	·	1	·	1	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	1	1	·	2	3	·	2	·	3	4	·	2	—	—	1	2	·	1	2	2	2	3	12	23	33
Tuberculosis { Pulmonary, ..	9	10	12	7	14	11	12	19	14	18	14	15	13	17	20	13	13	13	21	12	15	20	15	23	21	17
Other Forms, ..	2	4	5	6	6	8	6	3	8	4	3	6	13	1	4	5	3	2	2	7	6	3	8	4	2	5
Cancer, ...	5	11	5	7	13	6	11	7	6	8	7	11	10	10	11	7	3	4	5	7	8	5	5	4	6	4
Diseases of Respiratory System, { Pneumonia ..	8	16	11	11	14	13	14	15	13	14	18	18	26	11	11	11	15	11	20	14	20	8	27	34	37	67
Others, ..	12	22	19	16	22	17	19	13	22	30	26	27	37	19	17	17	15	16	20	8	15	17	23	38	38	51
Diarrhœa & Enteritis, under 2 years	2	4	1	2	·	4	3	2	3	3	1	3	3	2	4	1	2	·	1	2	2	1	1	2	1	6
Diarrhœa, 2 years and upwards..	·	·	·	·	·	1	·	·	·	·	·	·	·	2	2	·	1	·	·	·	·	·	·	·	·	1
Violent Deaths, ...	7	3	2	·	4	1	3	5	1	3	4	2	4	4	7	2	1	1	7	3	2	·	3	3	2	1
Number of Uncertified Deaths, ..	1	3	6	3	2	3	5	9	8	6	5	2	8	1	3	3	2	1	1	3	2	1	2	5	5	3
A Mean Maximum Temperature in degs	49·1	46·9	46·0	53·6	51·5	49·1	50·5	50·4	49·8	49·5	53·3	48·9	51·2	46·1	44·0	43·4	49·2	51·0	45·9	49·7	49·5	48·4	48·5	51·5	46·0	50·9
B Mean Minimum ,, ,,	33·9	31·7	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·0	40·5	32·1	37·7	37·8	33·1	34·1	36·7	38·6	34·4	38·3	39·5	39·6	36·5	40·3	32·8	35·0
Mean of A and B ,, ,,	41·5	39·3	39·0	46·8	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·5	44·4	41 9	38·5	38·8	42·9	44·8	40·2	44·0	44·5	44·0	42·5	45·9	39·4	42·9
Rainfall in inches	0·93	0·83	1·31	0·71	1 07	0·66	0·59	0·67	0·37	0·28	0·70	0·43	0·24	2·04	2·14	0 87	1·65	1·11	1·32	0 28	0 84	1 07	0 01	0·63	0·57	0·56

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th March, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)				
CITY OF BELFAST.																																			
BELFAST URBAN No 1 DISTRICT,	15,879	12	65·7	6·6	20	8	1	2	5	1	3	·	·	·	·	1	·	·	·	4	·	·	·	5	4	1	·	·	·	9	·			
Do. 2 do.	49,500	33	43·2	1·1	41	8	5	8	5	6	9	·	·	·	·	·	·	·	·	6	1	·	2	9	11	1	·	1	2	11	·			
Do. 3 do.	50,032	29	40·6	4·2	39	12	3	8	5	6	5	·	·	·	·	1	3	·	·	5	2	2	·	6	8	·	·	·	·	13	·			
Do. 4 do.	32,637	25	22.4	3·2	14	5	2	3	1	2	1	·	·	·	1	·	·	·	·	1	1	·	·	3	2	1	·	·	·	5	1			
Do. 5 do.	16,112	9	61·5	3·2	19	2	4	2	6	4	1	·	·	·	·	·	1	·	·	1	3	1	·	3	4	·	·	·	1	5	·			
Do. 6 do.	37,293	20	18·2	1·4	13	2	·	1	3	5	2	1	·	·	·	·	·	·	·	1	2	1	·	2	3	·	·	·	·	4	·			
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·			
Do. 8 do.	5,964	·	17·5	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·			
Do. 9 do.	24,427	32	27·8	4·3	13	1	4	1	5	1	1	·	·	·	·	2	·	·	·	1	·	·	·	4	1	·	·	·	·	4	·			
Do. 10 do.	28,958	21	59·4	7·2	33	7	5	5	6	5	5	·	·	·	·	1	1	·	·	3	3	·	1	9	4	1	1	·	·	6	1			
Do. 11 do.	39,311	32	33·2	·	25	7	·	4	5	4	5	·	·	·	·	·	·	·	·	5	2	·	·	6	2	·	·	·	·	4	·			
Do. 12 do	38,076	41	50·7	5·5	37	14	10	4	2	3	4	1	·	·	·	·	·	1	·	4	1	·	1	8	9	2	·	·	·	8	·			
Do 13 do.	23,233	4	20·2	2·2	9	1	·	2	3	3	·	·	·	·	1	·	·	·	·	1	·	·	·	3	1	·	·	·	·	3	1			
Do. 14 do	175	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·			
Do. 15 do	22,669	16	62·1	9·2	27	4	9	·	4	7	3	·	·	·	1	·	3	·	·	1	2	·	·	9	2	·	·	·	2	7	·			
Total,	386,947	275	37·0	3·3	293	72	43	41	50	47	40	2	·	·	3	5	8	1	·	33	17	5	4	67	51	6	1	1	5	81	3			
CITY OF CORK																																			
CORK URBAN No. 1 DISTRICT,	13,455	8	34·9	·	9	·	·	2	1	2	4	·	·	·	·	·	·	·	·	·	2	·	·	·	2	·	·	·	·	8	·			
Do. 2 do.	10,399	9	25·1	5 0	5	1	·	·	·	2	2	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	2	·			
Do. 3 do.	9,793	6	42·6	·	8	·	·	2	2	2	2	·	·	·	·	·	·	·	·	·	3	·	1	·	2	·	·	1	1	4	·			
Do. 4 do.	9,139	6	11·4	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·			
Do. 5 do.	6,250	2	41·7	·	5	·	·	·	·	3	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	·			
Do. 6 do.	11,581	4	13·5	·	3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·			
Do 7 do.	16,056	5	32·5	3.2	10	·	2	·	1	4	3	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	3	·			
Total.	76,673	40	28·6	1·4	42	4	2	6	4	13	13	·	·	·	·	·	2	·	·	·	5	·	2	2	6	·	·	1	1	21	·			

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th March, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
„ „ 1, West ..	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	3	8
„ „ 2, ...	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	2	6
„ „ 3, ...	.	.	.	.	.	.	1	.	2	.	3	.	.	4	.	.	.	10
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	1	.	.	4	8
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	4
„ „ „ 3, ...	.	.	.	.	.	4	4	.	.	.	.	.	.	2	.	.	1	11
„ „ „ 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Total, ...	1	.	.		.	16	10	.	2	.	3	.	.	8	.	.	15	55

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th March, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 20th March.			
	Feb. 28.	March 6.	March 13.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	16	12	.	3	1	8
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	74	65	48	27	22	.	53
Scarlet Fever, ...	103	104	98	26	13	1	110*
Diphtheria, ...	35	39	49	13	11	1	50
Pneumonia, ...	33	25	29	12	7	2	32

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13754.) Wt. 8424. 3. 380. 3. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 12. VOL. LVII.] WEEK ENDING SATURDAY, 27TH MARCH, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 29th March, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 25·0 and 24·3; Dublin Registration Area, 23·9 and 22·3; Dublin City, 26·7 and 24·1; Belfast, 35·9 and 32·1; Cork, 14·3 and 21·6; Londonderry, 8·3 and 13·1; Limerick, 14·9 and 15·9; and Waterford, 7·6 and 12·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·2 per 1,000. Among the 284 deaths from all causes for Belfast are one from enteric fever, 3 from measles, 2 from scarlet fever, 6 from whooping-cough, 4 from diarrhœa and enteritis of children under 2 years, 30 from influenza, and 68 from pneumonia. The 21 deaths from all causes for Cork include 3 from whooping-cough; one of the 7 deaths from all causes for Londonderry is from diphtheria; among the 11 deaths from all causes for Limerick are 3 from diphtheria; 2 of the 7 deaths from all causes for Newry are from measles, and of the 3 deaths from all causes for Ballymena one is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 257—132 boys and 125 girls—and the deaths to 209—115 males and 94 females.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·9 per 1,000 of the population. During the twelve weeks ending with Saturday last, the death-rate averaged 19·3 and was 6·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twelve weeks was 20·7, and for the corresponding period of the preceding ten years 26·9.

Of the 190 deaths appertaining to the Area 11 are from measles, 2 from scarlet fever, 10 from whooping-cough, and 2 from influenza.

In the 3 preceding weeks, deaths from measles were 0, 3, and 3; deaths from scarlet fever 0, 0, and one; deaths from whooping-cough 7, 6, and 9; and deaths from influenza 4, 0, and 2.

There were 28 deaths from pneumonia, comprising 17 from broncho-pneumonia, 3 from lobar pneumonia, and 8 from pneumonia (type not distinguished).

Tuberculous disease caused 23 deaths (including 17 from pulmonary tuberculosis, one from tuberculous meningitis, and 5 from other forms of tuberculous disease) as against 17, 21, and 26 in the three weeks preceding.

Four deaths were caused by cancer, 13 by organic diseases of the heart, and 27 by bronchitis.

Among deaths of infants under one year old, 2 were due to measles, 2 to whooping-cough, one to disseminated tuberculosis, 3 to venereal disease, one to simple meningitis, 7 to convulsions, 10 to bronchitis, 7 to broncho-pneumonia, one to congenital malformation, 3 to premature birth, and 7 to congenital debility.

There were 3 accidental deaths and one homicidal death.

Seventy-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 45 being infants under one year, of whom 6 were under one month old, and 46 deaths were those of persons aged 65 and upwards, of whom 39 were 70 years of age or over.

Of the 190 deaths recorded, 61 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 27th March, in 96 large English towns (including London, in which the rate was 19·3 was equal to an average annual death rate of 18·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·0 per 1,000 persons living, the rate for Glasgow being 19·5 and for Edinburgh 14·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th March. From this Report it appears that of 73 cases notified, 24 were scarlet fever, 20 diphtheria, 9 erysipelas, 7 pulmonary tuberculosis, 5 other forms of tuberculosis, 2 acute primary pneumonia, 2 ophthalmia neonatorum, 2 malaria, one enteric fever, and one cerebro-spinal fever. Among the 605 cases of infectious diseases in hospital at the close of the week were 215 of pulmonary tuberculosis, 145 of scarlet fever, 133 of diphtheria, 29 of measles, 8 of erysipelas, 3 of whooping-cough, 2 of ophthalmia neonatorum, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 27th March, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Mar. 6	1	·	·	·	·	—	7	—	9	1	—	1	—	3	·	·	2	·	·	15	39
	Mar. 13	·	·	·	·	·	—	13	—	8	3	—	·	—	1	·	·	5	·	·	20	50
	Mar. 20	1	·	·	·	·	—	16	—	10	2	—	·	—	3	·	·	8	·	·	15	55
	Mar. 27	1	·	·	·	·	—	9	—	5	5	—	1	—	1	·	·	12	·	·	21	55
Rathmines & Rathgar Urban District	Mar. 6	·	·	·	·	·	—	3	—	·	·	—	·	—	·	·	·	·	·	·	—	3
	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	Mar. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Mar. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
Pembroke Urban District	Mar. 6	·	·	·	·	·	24	2	6	·	3	·	·	—	·	·	·	·	·	·	·	35
	Mar. 13	·	·	·	·	·	7	·	1	1	·	·	·	—	·	·	·	·	·	·	·	9
	Mar. 20	·	·	·	·	·	8	2	2	1	·	·	·	—	·	·	·	1	·	·	·	14
	Mar. 27	·	·	·	·	·	2	·	·	1	·	·	·	—	·	·	·	·	·	·	·	3
Blackrock Urban District	Mar. 6	·	·	·	·	·	·	·	—	·	1	—	·	—	·	·	·	·	·	·	·	1
	Mar. 13	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Mar. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	Mar. 6	·	·	·	·	·	—	1	—	1	·	—	·	—	·	5	·	·	—	·	·	7
	Mar. 13	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Mar. 27	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	Mar. 6	7	·	·	·	·	—	70	—	6	3	—	1	—	·	·	·	22	·	·	·	109
	Mar. 13	8	·	·	·	·	—	40	—	6	5	—	·	—	1	7	·	25	·	·	2	94
	Mar. 20	4	·	·	·	·	—	46	—	3	5	—	3	—	·	1	·	26	·	·	2	90
	Mar. 27	2	·	·	·	·	—	37	—	3	5	—	1	—	·	1	·	43	·	·	1	93
City of Cork	Mar. 6	·	·	·	·	·	·	·	—	7	·	—	·	·	·	1	·	·	—	·	—	8
	Mar. 13	·	·	·	·	·	2	·	—	7	·	—	·	·	·	·	·	·	—	·	—	9
	Mar. 20	·	·	·	·	·	·	2	—	2	·	—	·	·	·	·	·	·	—	·	—	4
	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	·	·	·	·	·	—	·	—	1
City of Londonderry	Mar. 6	·	·	·	·	·	—	2	—	2	·	—	·	—	·	·	·	·	·	—	—	4
	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Mar. 20	·	1	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Mar. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	Mar. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Mar. 20	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
	Mar. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	·	·	·	·	·	—	3
City of Waterford	Mar. 6	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 27	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th March, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 8; measles 36 and 63; scarlet fever 19 and 92*; and diphtheria 5 and 41. Thirty-six cases of pneumonia were admitted during the week and 53 remained under treatment at its close. Of the deaths in hospital during the week 3 were from measles, 2 from scarlet fever, and 9 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th March, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 27TH MARCH, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b)	NUMBERS REGISTERED. BIRTHS Total Number.	DEATHS Total Number.	DEATHS Under 1 year of Age.	DEATHS At 65 years and upwards.	DEATHS Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 27TH MARCH, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	31·0	25·0	2·2	695	560	125	119	1	·	·	16	4	19	5	·	33	60	14	12	98	89	4	·	8	10	151	14	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	32·3	23·9	2·9	257	190	45	46	·	·	·	11	2	10	·	·	2	17	6	4	28	29	·	·	4	4	61	3	(d) 57·2	30·9	51·9	36·8	44·4	0·80
Urban Districts. CITY OF DUBLIN,	318,200	39·0	36·7	26·7	3·6	224	163	40	35	·	·	·	11	2	9	·	·	1	17	5	3	24	24	·	·	4	4	58	2	(e) 56·8	37·0	51·9	40·2	46·1	0·57
																														(f) 57·8	33·0	51·7	38·0	44·9	0·56
RATHMINES and RATHGAR,	40,400	23·6	16·8	9·0	1·3	13	7	2	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	20·7	17·3	·	12	10	1	5	·	·	·	·	·	·	·	·	1	·	·	·	1	4	·	·	·	·	1	·	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	5·7	28·3	·	1	5	1	2	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	21·5	15·3	·	7	5	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	1	60	35	52·6	39·0	45·8	0·80
Urban Districts. BELFAST, ..	413,000	27·7	32·6	35·9	2·0	258	284	63	47	1	·	·	3	2	6	·	·	30	31	7	5	68	43	4	·	3	5	69	2	55·0	35·0	51·1	40·3	45·7	0·61
CORK, ...	76,673	28·6	22·4	14·3	2·0	33	21	7	6	·	·	·	·	·	3	·	·	·	3	·	·	1	4	·	·	·	·	9	1	53	40	50·1	43·3	46·7	1·61
LONDONDERRY, ..	44,000	17·1	42·7	8·3	1·2	36	7	1	1	·	·	·	·	·	·	1	·	·	3	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	8·1	14·9	4·1	6	11	2	2	·	·	·	·	·	·	3	·	·	1	·	2	·	1	·	·	1	1	4	2	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	22·8	7·6	·	12	4	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				15	4	·	3	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	2	·	·	·	·	·	·
DUNDALK, ..	13,128	9·5				7	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				8	3	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	1	54·6	33·2	51·1	37·7	44·4	1·01
Urban Districts. DROGHEDA, ..	12,501	8·4				6	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				4	7	2	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	55	32	51·3	36·6	43·9	1·32
NEWRY, ...	11,963	17·0				7	7	2	1	·	·	·	2	·	·	·	·	·	1	·	1	·	1	·	·	·	·	3	·	54·6	33·2	51·1	37·7	44·4	1·01
PORTADOWN, ..	11,727	15·3				8	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	54·6	33·2	51·1	37·7	44·4	1·01
WEXFORD, ..	11,531	22·8				4	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	1	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	3	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	56	33	53	37	45	1·10
KILKENNY, ..	10,514	11·4				4	5	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	57	33	51·7	37·2	44·4	1·40
TRALEE, ...	10,300	17·4				11	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				8	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	19·3	—	2,520	1,609	233	462	—	·	·	69	3	35	27	—	—	124	17	119	229	217	23	7	44	114	736	4	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	14·2	—	183	93g	21	25	·	·	·	2	·	·	2	—	—	—	—	—	—	—	1	—	3	—	—	—	55·0	36·0	50·1	38·9	44·5	0·76
GLASGOW	1,115,500	—	—	19·5	—	678	415g	74	85	1	·	·	12	·	2	1	—	16	—	—	—	—	—	5	—	18	—	—	—	50·6	36·7	48·9	40·0	44·5	1·54

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Edinburgh and 3 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATHS.	Average number of deaths in 12th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 27th March, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	240·4	209	8	39	18	14	12	4	6	10	11	14	12	13	25	23	190
Enteric Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	6·2	11	.	2	4	3	2	.	.	.	.	.	.	.	.	.	11
Scarlet Fever ..	·2	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2
Whooping-cough ..	6·6	10	.	2	3	4	1	.	.	.	.	.	.	.	.	.	10
Diphtheria	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	20·0	7	.	.	.	.	.	.	.	3	3	1	.	.	.	.	2
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	30·4	17	.	.	.	.	2	2	2	2	2	4	3	.	.	.	17
Tuberculous Meningitis	2·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	1·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	3	.	1	.	.	.	.	1	.	1	.	.	.	.	.	3
Venereal Diseases ..	·2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Cancer	10·2	5	.	.	.	.	.	.	.	.	1	1	.	2	1	.	4
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Simple Meningitis ..	1·8	6	.	1	.	2	1	1	.	.	.	1	.	.	.	.	6
Cerebral Hæmorrhage, Apoplexy.	7·2	8	.	.	.	.	.	.	.	.	.	.	.	4	.	4	7
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	4·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy, ...	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·4	7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	2·6	6	.	.	.	.	.	.	.	1	.	1	1	1	2	.	4
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·4	13	.	.	.	.	.	.	.	.	2	1	1	1	6	2	13
Embolism and Thrombosis (including Cerebral).	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	·2	4	.	.	.	.	1	.	.	.	.	.	1	.	1	1	4
Diseases of the Larynx	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	34·8	27	1	9	2	.	.	.	.	.	.	.	1	2	7	5	27
Broncho-pneumonia ..	13·4	17	.	7	6	2	1	.	.	.	.	.	.	.	1	.	17
Lobar pneumonia ..	2·8	3	.	.	1	.	.	.	.	.	.	1	1	.	.	.	3
Pneumonia (type not distinguished).	10·6	8	.	.	1	.	3	.	2	.	.	.	.	.	2	.	8
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy,	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System	1·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

in the TWELFTH WEEK, ending Saturday, 27th March, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 12th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 27th March, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	2·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	4·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Appendicitis and Typhlitis.	·8	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Cirrhosis of Liver ...	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1
Peritonitis (cause unknown).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	6·6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·0	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·4	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	4·2	5	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	4·6	7	1	6	·	·	·	·	·	·	·	·	·	·	·	·	·	7
Old Age	8·0	12	·	·	·	·	·	·	·	·	·	·	·	·	4	8	·	11
Other Specified Diseases	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	2
Not included in above—																		
Homicide, ..	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 27TH MARCH, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 27TH MARCH, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths	DEATHS.																														
					CAUSED BY																																
		From all Causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																			
North City, No. 1, E., ...	30,700	25·5	·	15	5	·	·	1	2	3	2	2	·	·	·	·	·	·	·	·	·	3	1	·	3	1	·	·	·	7	·	3	1	·
,, 1, W., ...	42,100	26·0	1·2	21	5	·	2	3	1	3	3	4	·	·	·	1	·	·	·	·	·	2	1	1	3	1	·	·	1	11	·	8	3	·
,, 2, ...	28,200	18·5	9·2	10	2	3	1	·	·	·	1	3	·	·	·	1	·	4	·	·	·	1	·	·	·	1	·	·	·	3	·	2	·	·
,, 3, ...	35,000	21·8	4·4	15	8	·	·	2	1	·	2	2	·	·	·	2	1	·	·	·	·	·	1	·	2	2	·	·	·	7	·	6	1	1
Clontarf and Howth, No. 1, part of	5,600	9·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Coolock and Drumcondra, part of ..	13,900	7·5	·	2	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·
Finglas and Glasnevin, part of ..	11,400	13·7	4·6	3	·	·	·	1	·	·	1	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	2	·	·
South City.																																			
South City, No. 1, ..	44,100	35·5	2·4	30	4	4	2	1	2	5	3	9	·	·	·	1	·	1	·	·	1	·	1	·	5	4	·	·	1	16	2	4	9	1
,, 2, ...	18,600	33·6	·	12	3	1	2	·	1	1	2	2	·	·	·	·	·	·	·	·	·	1	1	·	3	3	·	·	·	4	·	1	2	·
,, 3, ...	44,400	29·4	4·7	25	8	4	3	4	2	·	1	3	·	·	·	1	·	3	·	·	·	4	·	1	4	5	·	·	2	5	2	4	3	·
,, 4, ...	33,600	40·3	9·3	26	5	4	3	3	1	3	1	6	·	·	·	5	·	1	·	·	·	4	·	·	4	6	·	·	·	6	·	3	5	·
New Kilmainham, ...	10,600	14·8	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	1	·	·	1	·
Urban Districts.																																			
Rathmines and Rathgar, ..	40,400	9·0	1·3	7	2	1	·	·	1	·	1	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	5	·	1	·	·
Pembroke	30,200	17·3	·	10	1	·	·	1	·	1	2	5	·	·	·	·	·	·	·	·	1	·	·	·	1	4	·	·	·	4	·	1	·	·
Blackrock, ...	9,200	28·3	·	5	1	1	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	2	·	·	·	·
Kingstown, ...	17,000	15·3	·	5	1	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	3	·	·	1	1
TOTAL CITY. North, ...	166,900	20·9	3·1	67	20	3	3	7	5	7	9	13	·	·	·	4	2	4	·	·	·	7	3	1	8	6	·	·	1	31	·	21	5	1
TOTAL CITY. South, ...	151,300	33·1	4·1	96	20	13	10	8	6	9	8	22	·	·	·	7	·	5	·	·	1	10	2	2	16	18	·	·	3	32	4	12	20	1
TOTAL CITY. North and South, ..	318,200	26·7	3·6	163	40	16	13	15	11	16	17	35		·	·	11	2	9	·	·	1	17	5	3	24	24	·	·	4	63	4	33	25	2
Total Urban Districts, ...	96,800	14·5	0·5	27	5	2	1	1	1	1	5	11	·	·	·	·	·	1	·	·	1	·	1	1	4	5	·	·	·	14	·	2	1	1
Total Registration Area, ..	415,000	23·9	2·9	190	45	18	14	16	12	17	22	46	·	·	·	11	2	10	·	·	2	17	6	4	28	29	·	·	4	77	4	35	26	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				19	2	·	·	·	4	8	3	2	·	·	·	·	·	·	·	·	5	·	1	1	·	·	·	·	2	10	·	18	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th March, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH MARCH, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	269	79	16	16	25	25	25	23	·	·	·	11	2	10	·	·	7	17	7	5	7	28	29	·	·	6	80	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	·	·	·	·	2	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5	·
II.	MIDDLE CLASS	101,798	20·0	39	8	3	4	5	8	7	4	·	·	·	2	1	·	·	·	·	3	2	1	·	2	4	·	·	2	22	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	17·8	37	15	3	1	6	3	4	5	·	·	·	2	·	5	·	·	1	5	1	·	·	6	6	·	·	1	10	·
IV.	GENERAL SERVICE CLASS	167,479	31·4	101	50	10	9	12	8	9	3	·	·	·	7	1	5	·	·	5	8	3	1	7	20	10	·	·	3	31	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	6	·	2	2	4	5	8	·	·	·	·	·	·	·	·	1	1	1	3	·	·	9	·	·	·	12	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	·	·	·	·	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	10	3	·	·	1	3	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	1	3	·	·	·	5	·
	6. Clerks and Commercial Assistants,	33,249	—	14	3	2	4	2	1	2	·	·	·	·	1	·	·	·	·	·	3	1	·	·	1	·	·	·	2	6	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	2	1	·	2	3	2	2	·	·	·	·	1	·	·	·	·	·	1	1	·	·	1	·	·	·	8	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	3	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	12	3	3	·	5	·	1	·	·	·	·	1	·	1	·	·	·	4	·	·	·	2	1	·	·	1	2	·
	10. Clothing Trades, ...	20,026	—	4	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·
	11. Food Supply Trades, ...	8,952	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	6	·	1	1	2	2	4	·	·	·	1	·	3	·	·	1	1	1	·	·	2	2	·	·	·	5	·
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	23	12	1	3	4	2	·	1	·	·	·	·	·	2	·	·	3	1	1	·	2	4	1	·	·	1	8	·
	15. Domestic Servants, ...	36,041	—	5	·	·	3	·	·	2	·	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	8	1	3	·	1	2	1	·	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·	·	·	·	4	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	65	37	6	3	7	4	6	2	·	·	·	6	·	3	·	·	2	5	2	1	5	14	9	·	·	2	16	3
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	5,602	—	27	6	·	2	2	4	5	8	·	·	·	·	·	·	·	·	1	1	1	3	·	·	9	·	·	·	12	·

TABLE VI.—**Dublin Registration Area and Belfast City.** Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Jan 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.
No. of weeks in Annual Series ..	53	1	2	3	4	5	6	7	8	9	10	11	12	53	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered	265	249	266	289	238	279	257	258	282	277	239	215	257	296	292	234	231	207	271	264	282	321	263	225	275	258
Average Births in corresponding week of previous 10 years, ...	148	210	221	205	210	210	211	205	199	205	215	201	220	159	225	198	207	195	209	196	197	195	213	201	202	212
Number of Deaths, ...	155	138	119	156	126	153	139	131	174	165	159	195	190	197	150	166	141	161	146	159	144	173	214	225	293	284
Annual Death-rate per 1,000 ..	20·0	17·3	15·0	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·5	23·9	25·6	18·9	21·0	17·8	20·3	18·4	20·1	18·2	21·8	27·0	28·4	37·0	35·9
Average Deaths in corresponding week of previous 10 years, ...	158	190	175	180	184	186	187	191	212	219	221	200	204	152	151	158	142	159	170	184	172	172	170	173	172	169
Ages, .. Under one year, ..	29	24	25	16	34	35	24	27	33	31	28	45	45	27	33	29	26	31	33	37	23	41	48	56	72	63
1— 5 years, ..	14	14	9	10	11	15	15	11	14	20	19	31	32	36	24	34	18	18	22	16	24	21	24	34	43	43
5—25 ,, ..	7	15	10	13	14	16	10	17	16	15	14	12	28	31	16	23	18	25	22	17	22	24	31	29	41	26
25—45 ,, ..	18	11	11	26	14	18	25	15	29	17	23	26	17	24	13	17	17	25	15	28	20	26	38	34	50	46
45—65 ,, ..	38	32	25	42	29	29	29	31	32	28	40	35	22	50	25	31	36	36	31	34	30	27	33	39	47	59
65 and upwards, ..	49	42	39	49	24	40	36	30	50	54	35	46	46	29	39	32	26	26	23	27	25	34	40	33	40	47
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	1	.	.	.	.	.	.	1	.	3	.	2	.	2	2	.	2	1	2	2	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	.	.	1	.	3	1	.	3	3	11	26	19	21	13	11	12	11	9	2	4	7	3	3
Scarlet Fever, ...	.	1	1	.	1	.	.	1	.	.	.	1	2	8	3	7	2	6	6	2	2	4	4	4	5	2
Whooping-cough, ...	2	.	2	2	1	5	3	2	3	7	6	9	10	1	..	1	1	1	2	1	6	3	4	3	8	6
Diphtheria, ...	1	.	1	1	.	2	2	1	3	3	.	1	.	1	.	1	2	.	2	.	.	1	1	2	1	.
Dysentery, ...	1	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	1	.	2	3	.	2	.	3	4	.	2	2	—	1	2	.	1	2	2	2	3	12	23	33	30
Tuberculosis { Pulmonary, ..	10	12	7	14	11	12	19	14	18	14	15	13	17	20	13	13	13	21	12	15	20	15	23	21	17	31
Other Forms, ..	4	5	6	6	8	6	3	8	4	3	6	13	6	4	5	3	2	2	7	6	3	8	4	2	5	7
Cancer, ...	11	5	7	13	6	11	7	6	8	7	11	10	4	11	7	3	4	5	7	8	5	5	4	6	4	5
Diseases of Respiratory System, { Pneumonia ..	16	11	11	14	13	14	15	13	14	18	18	26	28	11	11	15	11	20	14	20	8	27	34	37	67	68
Others, ..	22	19	16	22	17	19	13	22	30	26	27	37	29	17	17	15	16	20	8	15	17	23	38	38	51	43
Diarrhœa & Enteritis, under 2 years	4	1	2	.	4	3	2	3	3	1	3	3	.	4	1	2	.	1	2	2	1	1	2	1	6	4
Diarrhœa, 2 years and upwards..	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.
Violent Deaths, ...	3	2	.	4	1	3	5	1	3	4	2	4	4	7	2	1	1	7	3	2	.	3	3	2	1	3
Number of Uncertified Deaths, ..	3	6	3	2	3	5	9	8	6	5	2	8	3	3	3	2	1	1	3	2	1	2	5	5	3	2
A Mean Maximum Temperature in degs	46·9	46·0	53·6	51·5	49·1	50·5	50·4	49·8	49·5	53·3	48·9	51·2	51·9	44·0	43·4	49·2	51·0	45·9	49·7	49·5	48·4	48·5	51·5	46 0	50·9	51·1
B Mean Minimum ,, ,,	31·7	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·0	40·5	32·1	37·7	36·8	33·1	34·1	36·7	38·6	34·4	38 3	39·5	39·6	36·5	40·3	32·8	35 0	40 3
Mean of A and B ,, ,,	39·3	39·0	46·8	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·5	44·4	44·4	38·5	38·8	42·9	44·8	40·2	44·0	44·5	44·0	42·5	45·9	39·4	42·9	45 7
Rainfall in inches	0·83	1·31	0·71	1·07	0·66	0·59	0·67	0·37	0·28	0·70	0·43	0·24	0·80	2·14	0·87	1·65	1·11	1·32	0·28	0 84	1 07	0 01	0·63	0·57	0·56	0·61

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th March, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
Belfast Urban No 1 District,	15,879	12	62·4	·	19	4	5	·	2	6	2	·	·	·	·	·	·	·	·	1	2	·	·	7	2	·	·	·	1	4	·
Do 2 do.	49,500	37	37·9	·	36	10	2	4	5	8	7	·	·	·	·	·	2	·	·	6	3	·	·	6	5	·	·	1	1	11	·
Do. 3 do.	50,032	33	43·8	4·2	42	13	10	3	4	7	5	·	·	·	·	·	·	·	·	5	1	1	1	14	4	2	·	1	1	7	1
Do 4 do.	32,637	21	33·6	·	21	3	2	·	6	5	5	·	·	·	·	·	·	·	·	·	2	·	1	4	2	·	·	·	·	7	·
Do 5 do.	16,112	17	51·8	6·5	16	5	2	1	1	5	2	·	·	·	·	·	1	·	·	2	1	·	·	3	6	1	·	·	·	5	·
Do 6 do.	37,293	13	25·2	1·4	18	2	1	1	5	5	4	·	·	·	·	1	·	·	·	3	1	1	·	4	2	·	·	·	·	6	·
Do 7 do.	2,681	1	38·9	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do 8 do.	5,964	2	17·5	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·
Do. 9 do.	24,427	6	19·2	2·1	9	·	2	2	1	1	3	·	·	·	1	·	·	·	·	·	1	1	·	3	3	·	·	·	·	1	·
Do 10 do.	28,958	17	34·2	3·6	19	6	2	1	3	5	2	·	·	·	·	·	2	·	·	1	5	2	1	1	4	·	·	·	·	1	1
Do. 11 do.	39,311	32	35·8	1.3	27	3	2	1	8	7	6	·	·	·	·	·	·	·	·	1	5	·	1	4	5	1	·	·	·	9	·
Do 12 do	38,076	28	46·6	4·1	34	8	6	7	3	4	6	1	·	·	1	1	·	·	·	7	4	2	·	6	4	·	·	1	1	10	·
Do 13 do.	23,233	18	24·7	·	11	2	3	·	3	2	1	·	·	·	·	·	·	·	·	3	1	·	1	4	2	·	·	·	·	1	·
Do. 14 do	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 15 do.	22,669	21	64·4	4·6	28	7	6	5	4	3	3	·	·	·	1	·	1	·	·	1	5	·	·	11	2	·	·	·	1	7	·
Total,	386,947	258	35·9	2·0	284	63	43	26	46	59	47	1	·	·	3	2	6	·	·	30	31	7	5	68	43	4	·	3	5	69	2
CITY OF CORK.																															
Cork Urban No. 1 District,	13,455	8	3·9	3·9	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 2 do.	10,399	4	5·0	5·0	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	3	21·3	·	4	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·
Do. 4 do.	9,139	5	22·8	5·7	4	1	1	1	·	·	1	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 5 do.	6,250	1	16·7	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do.	11,581	3	13·5	·	3	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1
Do 7 do.	16,056	9	19·5	·	6	1	2	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	4	·
Total.	76,673	33	14·3	2·0	21	7	3	1	·	4	6	·	·	·	·	·	3	·	·	·	3	·	·	1	4	·	·	·	·	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th March, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	3	6
„ „ 1, West ..	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	3	6
„ „ 2, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2
„ „ 3, ...	·	·	·	·	·	·	1	·	3	·	·	·		·	·	·	1	5
Clontarf and Howth No. 1 (part of)	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Coolock and Drumcondra (part of)	·	·	·	·	·	·	·	·		·	·	·	·	·	·	·	1	1
Finglas and Glasnevin (part of)	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	2
South City No. 1, ...	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·	·	1	5
„ „ „ 2, ...	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	7	9
„ „ „ 3, ...	·	·	·	·	·	1	1	·	1	·	1	·	·	2	·	·	3	9
„ „ „ 4, ...	·	·	·	·	·	2	1	·	1	·	·	·	·	3	·	·	1	8
New Kilmainham, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Total, ...	1	·	·		·	9	5	·	5	1	1	·	·	12	·	·	21	55

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th March, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 27th March.			
	March 6.	March 13.	March 20.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	16	12	8	3	3	·	8
Typhus, ...	·	·	·	·	·	·	·
Small-pox, ...	·	·	·	·	·	·	·
Measles, ...	65	48	53	36	23	3	63
Scarlet Fever, ...	104	98	110	19	35	2	92*
Diphtheria, ...	39	49	50	5	14	·	41
Pneumonia, ...	25	29	32	36	6	9	53

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13768.) Wt. 8424. 3. 380. 3. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

UU OFFICIAL

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 13. Vol. LVII.] Week ending Saturday, 3rd April, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 6th April, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 24·0 and 24·6; Dublin Registration Area, 23·2 and 22·9; Dublin City, 26·4 and 25·3; Belfast, 31·3 and 33·1; Cork, 22·4 and 22·1; Londonderry, 17·8 and 12·8; Limerick, 13·5 and 15·2; and Waterford, 9·5 and 11·4.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·6 per 1,000. Among the 248 deaths from all causes for Belfast are 2 from measles, 2 from scarlet fever, 5 from whooping-cough, 4 from diarrhœa and enteritis of children under 2 years, 33 from influenza, and 53 from pneumonia. The 33 deaths from all causes for Cork include 2 from whooping-cough; one of the 5 deaths from all causes for Waterford is from whooping-cough; among the 7 deaths from all causes for Lurgan is one from diphtheria; and the only death recorded for Drogheda is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—95 boys and 86 girls—and the deaths to 202—102 males and 100 females.

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·2 per 1,000 of the population. During the thirteen weeks ending with Saturday last, the death-rate averaged 19·6 and was 5·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirteen weeks was 21·1, and for the corresponding period of the preceding ten years 26·9.

Of the 185 deaths appertaining to the Area 3 are from measles, one from scarlet fever, 10 from whooping-cough, one from diphtheria, 2 from diarrhœa and enteritis of children under 2 years and 3 from influenza.

In the 3 preceding weeks, deaths from measles were 3, 3, and 11; deaths from scarlet fever 0, one, and 2; deaths from whooping-cough 6, 9, and 10; deaths from diphtheria 0, one, and 0; deaths from diarrhœa and enteritis of children under 2 years 3, 3, and 0; and deaths from influenza 0, 2, and 2.

There were 32 deaths from pneumonia, comprising 22 from broncho-pneumonia, one from lobar pneumonia, and 9 from pneumonia (type not distinguished).

Tuberculous disease caused 22 deaths (including 13 from pulmonary tuberculosis, 4 from tuberculous meningitis, and 5 from other forms of tuberculous disease) as against 21, 26, and 23 in the three weeks preceding.

Three deaths were caused by cancer, 13 by organic diseases of the heart, and 31 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 6 were due to whooping-cough, one to tuberculous meningitis, one to venereal disease, 2 to simple meningitis, 4 to convulsions, 13 to bronchitis, 8 to broncho-pneumonia, 2 to pneumonia (type not distinguished), 2 to diarrhœa and enteritis, one to congenital malformation, 7 to premature birth, and 4 to congenital debility.

There were 3 accidental deaths and one homicidal death.

Sixty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 52 being infants under one year, of whom 11 were under one month old, and 45 deaths were those of persons aged 65 and upwards, of whom 32 were 70 years of age or over.

Of the 185 deaths recorded, 77 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 3rd April, in 96 large English towns was equal to an average annual death rate of 16·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 17·2 per 1,000 persons living, the rate for Glasgow being 17·6 and for Edinburgh 17·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd April. From this Report it appears that of 68 cases notified, 19 were pulmonary tuberculosis, 10 other forms of tuberculosis, 18 scarlet fever, 11 diphtheria, 4 erysipelas, 3 ophthalmia neonatorum, one acute primary pneumonia, one malaria, and one dysentery. Among the 559 cases of infectious diseases in hospital at the close of the week were 214 of pulmonary tuberculosis, 132 of scarlet fever, 113 of diphtheria, 27 of measles, 7 of erysipelas, one of whooping-cough, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd April, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Mar. 13	·	·	·	·	·	—	13	—	8	3	—	·	—	1	·	·	5	·	·	20	50
	Mar. 20	1	·	·	·	·	—	16	—	10	2	—	·	—	3	·	·	8	·	·	15	55
	Mar. 27	1	·	·	·	·	—	9	—	5	5	—	1	—	1	·	·	12	·	·	21	55
	Apr. 3	3	·	1	·	·	—	11	—	2	1	—	·	—	1	·	·	6	·	·	11	36
Rathmines & Rathgar Urban District	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	Mar. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Mar. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Mar. 13	·	·	·	·	·	7	·	1	1	·	·	·	—	·	·	·	·	·	·	·	9
	Mar. 20	·	·	·	·	·	8	2	2	1	·	·	·	—	·	·	·	1	·	·	·	14
	Mar. 27	·	·	·	·	·	2	·	·	1	·	·	·	—	·	·	·	·	·	·	·	3
	Apr. 3	·	·	·	·	·	·	·	·	·	·	·	·	—	·	·	·	·	·	·	·	·
Blackrock Urban District	Mar. 13	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Mar. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	·
	Apr. 3	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	Mar. 13	·	·	·	·	·	—	1	—	2	·	—	·	—	·	·	·	·	—	·	1	4
	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Mar. 27	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Mar. 13	8	·	·	·	·	—	40	—	6	5	—	·	—	1	7	·	25	·	·	2	94
	Mar. 20	4	·	·	·	·	—	46	—	3	5	—	3	—	·	1	·	26	·	·	2	90
	Mar. 27	2	·	·	·	·	—	37	—	3	5	—	1	—	·	1	·	43	·	·	1	93
	Apr. 3	5	·	·	·	·	—	33	—	5	4	—	1	—	·	·	·	20	·	·	·	68
City of Cork	Mar. 13	·	·	·	·	·	2	·	—	7	·	—	·	·	·	·	·	·	—	·	—	9
	Mar. 20	·	·	·	·	·	·	2	—	2	·	—	·	·	·	·	·	·	—	·	—	4
	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	·	·	·	·	·	—	·	—	1
	Apr. 3	1	·	·	·	·	·	·	—	5	·	—	·	·	·	3	·	·	—	·	—	9
City of Londonderry	Mar. 13	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Mar. 20	·	1	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Mar. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	Apr. 3	·	1	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Mar. 20	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
	Mar. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	·	·	·	·	·	—	3
	Apr. 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
City of Waterford	Mar. 13	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 27	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd April, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 8: measles 29 and 63; scarlet fever 30 and 102*; and diphtheria 6 and 34. Twenty-one cases of pneumonia were admitted during the week and 56 remained under treatment at its close. Of the deaths in hospital during the week 3 were from measles, 2 from diphtheria, and 8 from pneumonia.

* See note (*) at foot of Table IX.

YEARLY SUMMARY OF THE WEEKLY RETURNS, 1919.

TABLE V, PAGE X.

Defects observable in certain Printed Copies.

Rathmines and Rathgar Urban District, col. 2, for 1·4 read 16·4.

Pembroke " " col. 6, for 52 read 526.

Blackrock " " col. 6, for 13 read 131.

WILLIAM J. THOMPSON,

Registrar-General.

GENERAL REGISTER OFFICE,
CHARLEMONT HOUSE, DUBLIN,
March, 1920.

13746. Wt. 10586. 300. 3/20. A. T & Co., Ltd.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 3rd April, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 3RD APRIL, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 3RD APRIL, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	30·7	24·0	1·6	687	537	133	119	·	·	·	5	3	19	2	·	36	40	18	16	95	71	6	·	11	14	176	15	°	°	°	°	°	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	22·7	23·2	2·1	181	185	52	45	·	·	·	3	1	10	1	·	3	13	9	3	32	34	2	·	4	2	77	4	(d) 53·6	37·0	49·2	39·6	44·4	0·55
Urban Districts. CITY OF DUBLIN,	318,200	39·0	22·6	26·4	2·5	138	161	47	38	·	·	·	3	·	9	1	·	3	12	8	1	29	31	2	·	3	1	72	2	(e) 53·1	41·0	49·7	42·2	46·0	0·45
																														(f) 57·6	40·2	50·5	41·3	45·9	0·50
RATHMINES and RATHGAR,	40,400	23·6	20·7	11·6	2·6	16	9	3	1	·	·	·	·	1	1	·	·	·	·	·	1	2	·	·	·	·	·	1	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	27·6	8·6	·	16	5	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	17·0	17·0	·	3	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	·	1	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	24·5	21·5	·	8	7	1	2	·	·	·	·	·	·	·	·	·	1	1	1	·	2	·	·	·	·	3	·	54	41	49·6	42·0	45·8	0·37
Urban Districts. BELFAST, ..	413,000	27·7	37·5	31·3	1·6	297	248	64	41	·	·	·	2	2	5	·	·	33	16	7	5	53	30	4	·	·	3	63	5	55·5	34·5	49·5	40·8	45·2	1·03
CORK, ...	76,673	28·6	40·1	22·4	1·4	59	33	5	8	·	·	·	·	·	2	·	·	·	2	1	2	6	2	·	·	4	6	19	1	55	39	52·6	41·1	46·9	0·39
LONDONDERRY, ..	44,000	17·1	39·1	17·8	·	33	15	2	6	·	·	·	·	·	·	·	·	·	·	·	1	2	2	·	·	1	1	1	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	44·7	13·5	·	33	10	·	2	·	·	·	·	·	·	·	·	·	3	1	1	·	1	·	·	·	·	7	·	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	19·0	9·5	1·9	10	5	1	1	·	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				5	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
DUNDALK, ..	13,128	9·5				16	6	3	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	3	56	34	53	36	44·5	0·37
LURGAN, ..	12,553	14·7				6	7	1	3	·	·	·	·	·	·	1	·	·	1	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	·
DROGHEDA, ..	12,501	8·4				3	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·
NEWRY, ...	11,963	17·0				6	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
PORTADOWN, ..	11,727	15·3				7	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
WEXFORD, ..	11,531	22·8				3	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				7	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	57	30	53	36	44 5	0·40
KILKENNY, ..	10,514	11·4				·	5	·	4	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	55	37	50·5	39·4	45·0	0·54
TRALEE, ...	10,300	17·4				10	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				2	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	·	—	·	·	·	·	—	·	·	·	·	·	·	—	—	—	—	—	—	—	·	—	—	—	—	—	65	34	58·9	43·3	51·0	0·53
EDINBURGH ...	342,300	—	—	17·9	—	166	117	30	34	·	·	·	1	1	1	1	—	3	—	—	—	—	—	1	—	4	—	—	—	50·0	38·0	45·0	39·6	42·3	1·41
GLASGOW	1,115,500	—	—	17·6	—	590	376	64	72	1	·	2	22	3	3	3	—	15	—	—	—	—	—	2	—	22	—	—	—	49·0	40·2	46·9	41·6	44·2	0·69

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John William Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 13th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 3rd April, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES.	208·0	202	11	41	14	10	6	5	5	6	20	6	12	19	25	22	185
Enteric Fever ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	5·2	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever ..	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	4·4	10	.	6	2	2	.	.	.	.	.	.	.	.	.	.	10
Diphtheria	·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	10·8	4	.	.	.	.	.	.	.	1	2	.	.	.	.	1	3
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	26·4	15	.	.	.	.	1	.	.	2	6	2	3	1	.	.	13
Tuberculous Meningitis	3·4	6	.	1	1	.	.	2	1	.	1	.	.	.	.	.	4
Abdominal Tuberculosis	1·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Scrofula	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Disseminated Tuberculosis.	1·6	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2
Venereal Diseases ..	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·2	6	.	.	.	.	.	.	.	.	.	.	.	3	2	1	3
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other General Diseases	2·0	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·8	3	.	2	.	.	.	.	.	.	.	1	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	6·6	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	4	.	.	.	.	.	.	.	.	.	.	1	2	1	.	4
Epilepsy	·6	3	.	.	.	.	.	1	.	.	2	.	.	.	.	.	3
Convulsions (non-puerperal).	3·4	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·6	14	.	.	.	.	.	.	.	1	.	.	4	3	3	3	13
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·0	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
Diseases of the Larynx	·8	2	.	.	2	.	.	.	.	.	1	.	.	2	7	7	31
Bronchitis	31·8	31	.	13	1	.	.	.	.	.	1	.	1	1	.	.	22
Broncho-pneumonia ..	12·6	22	.	8	7	3	.	1	.	.	1	.	.	.	.	.	1
Lobar pneumonia ..	2·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	9
Pneumonia (type not distinguished).	5·8	10	1	1	.	1	.	.	2	1	4	.	.	.	.	.	.
Pleurisy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy,	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

in the THIRTEENTH WEEK, ending Saturday, 3rd April, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 13th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 3rd April, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	1·8	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	4·6	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa 2 years and upwards.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	3·0	3	·	·	·	1	1	·	·	·	·	·	·	1	·	·	·	1
Cirrhosis of Liver ...	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Peritonitis (cause unknown).	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Acute Nephritis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·8	4	·	·	·	·	·	·	·	·	·	·	·	1	3	·	·	3
Urinary Calculi ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Puerperal Septicæmia, &c.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	1·4	1	·	·	·	·	·	·		·	·	·	·	·	1	·	·	1
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Premature Birth ..	2·4	7	6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	7
Congenital Debility ..	4·8	4	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Old Age	8·2	10	·	·	·	·	·	·	·	·	·	·	·	·	5	5	·	10
Other Specified Diseases	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	1·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Drowning	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Not included in above—																		
Homicide, ..	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	3·0	3	·	·	·	·	1	·	·	·	·	·	1	1	·	·	·	2

TABLE IV.—Showing for the WEEK ENDED 3RD APRIL, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths	WEEK ENDED SATURDAY, 3RD APRIL, 1920. DEATHS.								CAUSED BY																			In Institutions.		Number of Uncertified Deaths.
		From all Causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums,	In Workhouse Hospitals.	
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	22·1	1·7	13	5	·	·	·	1	1	3	3	·	·	·	·	·	1	·	·	·	4	·	·	1	5	·	·	·	2	·	4	·	·
,, 1, W., ...	42,100	26·0	2·5	21	6	3	2	·	1	2	4	3	·	·	·	·	·	1	1	·	·	1	1	·	6	3	·	·	·	8	·	10	5	1
,, 2, ...	28,200	27·7	·	15	8	·	1	·	1	1	·	4	·	·	·	·	·	·	·	·	2	·	1	·	2	4	·	·	1	5	·	2	2	·
,, 3, ...	35,000	23·3	1·5	16	3	·	1	2	·	2	1	7	·	·	·	·	·	·	·	·	·	2	1	·	1	2	1	·	·	9	·	·	5	·
CLONTARF AND HOWTH, No. 1, part of	5,600	27·9	·	3	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	1	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	15·0	·	4	1	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	·	·	..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	27·2	1·2	23	6	2	·	1	2	4	2	6	·	·	·	·	·	1	·	·	1	·	2	·	3	5	·	·	1	10	·	8	6	·
,, 2, ...	18,600	33·6	2·8	12	3	4	·	1	·	1	1	2	·	·	·	·	·	·	·	·	·	1	·	·	4	4	1	·	·	2	·	2	2	·
,, 3, ...	44,400	29·4	3·5	25	7	1	4	3	1	2	1	6	·	·	·	1	·	2	·	·	·	2	1	1	6	5	·	·	1	6	1	7	5	1
,, 4, ...	33,600	40·3	9·3	26	7	4	1	·	2	3	6	3	·	·	·	2	·	4	·	·	·	1	2	·	4	2	·	·	·	11	·	6	5	·
NEW KILMAINHAM, ...	10,600	14·8	·	3	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	11·6	2·6	9	3	·	·	1	1	·	3	1	·	·	·	·	1	1	·	·	·	·	·	1	2	·	·	·	·	4	·	1	·	·
PEMBROKE	30,200	8·6	·	5	·	·	·	·	·	·	1	4	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	4	·	·	1	1
BLACKROCK, ...	9,200	17·0	·	3	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	1	·	1	1
KINGSTOWN, ...	17,000	21·5	·	7	1	·	·	·	·	2	2	2	·	·	·	·	·	·	·	·	·	1	1	1	·	2	·	·	·	2	·	2	1	·
TOTAL CITY. North, ...	166,900	22·5	1·2	72	23	3	4	3	3	7	9	20	·	·	·	·	·	2	1	·	2	7	3	·	12	14	1	·	1	29	·	18	13	1
TOTAL CITY. South, ...	151,300	30·7	3·8	89	24	11	5	5	5	11	10	18	·	·	·	3	·	7	·	·	1	5	5	1	17	17	1	·	2	30	1	23	18	1
TOTAL CITY. North and South, ..	318,200	26·4	2·5	161	47	14	9	8	8	18	19	38	·	·	·	3	·	9	1	·	3	12	8	1	29	31	2	·	3	59	1	41	31	2
Total Urban Districts, ...	96,800	12·9	1·1	24	5	·	·	1	1	2	8	7	·	·	·	·	1	1	·	·	·	1	1	2	3	3	·	·	1	11	1	3	2	2
Total Registration Area, ..	415,000	23·2	2·1	185	52	14	9	9	9	20	27	45	·	·	·	3	1	10	1	·	3	13	9	3	32	34	2	·	4	70	2	44	33	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				17	·	·	1	2	2	6	4	2	·	·	·	·	·	·	1	·	1	2	2	3	1	·	·	·	·	7	1	16	1	1

* See note (†) at foot of first page.

TABLE V.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 3rd April, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Registration of Deaths, Week ending Saturday, 3rd April, 1920. Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	202	76	11	11	26	31	25	22	·	·	·	3	1	10	2	·	4	15	11	6	4	33	34	2	·	4	73	5
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	Professional and Independent Class,	14,658	21·3	6	·	1	·	1	2	1	1	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	3	·
II.	Middle Class	101,798	15·9	31	8	4	1	4	6	1	7	·	·	·	·	·	1	1	·	1	4	1	1	·	3	4	·	·	1	14	1
III.	Artisan Class and Petty Shopkeepers,	108,420	17·3	36	18	·	4	2	6	2	4	·	·	·	·	·	1	1	·	1	3	2	·	·	9	8	1	·	·	10	·
IV.	General Service Class	167,479	29·6	95	48	5	6	10	11	12	3	·	·	·	3	·	8	·	·	1	4	6	3	4	20	13	1	·	2	30	4
V.	Inmates of Workhouses, ...	5,602	—	34	2	1	·	9	6	9	7	·	·	·	·	·	·	·	·	1	4	2	·	·	1	9	·	·	1	16	·
I.	Professional and Independent Class,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	·	1	·	1	1	1	1	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
II.	Middle Class.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	1	·	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	8	2	3	·	·	1	·	2	·	·	·	·	·	·	1	·	·	·	1	·	·	1	2	·	·	·	3	·
	6. Clerks and Commercial Assistants,	33,249	—	12	5	·	1	3	·	1	2	·	·	·	·	·	1	·	·	1	1	·	·	·	2	1	·	·	·	6	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	7	1	1	·	·	2	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	5	·
III.	Artisan Class and Petty Shopkeepers.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	11	5	·	1	2	3	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	5	·	·	·	·	2	·
	10. Clothing Trades, ...	20,026	—	3	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·
	11. Food Supply Trades, ...	8,952	—	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	16	6	·	2	·	2	2	4	·	·	·	·	·	·	1	·	1	1	·	·	·	2	3	·	·	·	8	·
	13. Petty Shopkeepers, ...	6,772	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
IV.	General Service Class.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	18	11	2	1	1	2	1	·	·	·	·	·	·	2	·	·	·	2	1	·	1	7	·	·	·	·	5	·
	15. Domestic Servants, ...	36,041	—	7	1	1	1	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	2	·	·	1	2	·
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	10	5	1	1	1	2	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	3	1	·	·	1	2	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	60	31	1	3	6	6	10	3	·	·	·	3	·	3	·	·	1	2	4	3	3	9	10	1	·	·	21	3
V.	Inmates of Workhouses.																														
	18. Workhouse Inmates, ...	5,602	—	34	2	1	·	9	6	9	7	·	·	·	·	·	·	·	·	1	4	2	·	·	1	9	·	·	1	16	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City											
WEEK ENDING	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Jan. 10	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.
No. of weeks in Annual Series ..	1	2	3	4	5	6	7	8	9	10	11	12	13	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered	249	266	289	238	279	257	258	282	277	239	215	257	181	292	234	231	207	271	264	282	321	263	225	275	258	297
Average Births in corresponding week of previous 10 years, ...	210	221	205	210	210	211	205	199	205	215	201	220	209	225	198	207	195	209	196	197	195	213	201	202	212	202
Number of Deaths, ...	138	119	156	126	153	139	131	174	165	159	195	190	185	150	166	141	161	146	159	144	173	214	225	293	284	248
Annual Death-rate per 1,000 ..	17·3	15·0	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·5	23·9	23·2	18·9	21·0	17·8	20·3	18·4	20·1	18·2	21·8	27·0	28·4	37·0	35·9	31·3
Average Deaths in corresponding week of previous 10 years, ...	190	175	180	184	186	187	191	212	219	221	200	204	191	151	158	142	159	170	184	172	172	170	173	172	169	163
Ages, .. Under one year, ..	24	25	16	34	35	24	27	33	31	28	45	45	52	33	29	26	31	33	37	23	41	48	56	72	63	64
1— 5 years, ..	14	9	10	11	15	15	11	14	20	19	31	32	23	24	34	18	18	22	16	24	21	24	34	43	43	33
5—25 ,, ..	15	10	13	14	16	10	17	16	15	14	12	28	18	16	23	18	25	22	17	22	24	31	29	41	26	28
25—45 ,, ..	11	11	26	14	18	25	15	29	17	23	26	17	20	13	17	17	25	15	28	20	26	38	34	50	46	41
45—65 ,, ..	32	25	42	29	29	29	31	32	28	40	35	22	27	25	31	36	36	31	34	30	27	33	39	47	59	41
65 and upwards, ..	42	39	49	24	40	36	30	50	54	35	46	46	45	39	32	26	26	23	27	25	34	40	33	40	47	41
Deaths from :—																										
Enteric Fever, ...	·	·	·	1	·	·	·	·	·	·	1	·	·	·	2	·	2	2	·	2	1	2	2	2	1	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	1	·	·	1	·	3	1	·	3	3	11	3	19	21	13	11	12	11	9	2	4	7	3	3	2
Scarlet Fever, ...	1	1	·	1	·	·	1	·	·	·	1	2	1	3	7	2	6	6	2	2	4	4	4	5	2	2
Whooping-cough, ...	·	2	2	1	5	3	2	3	7	6	9	10	10	·	1	1	1	2	1	6	3	4	3	8	6	5
Diphtheria, ...	·	1	1	·	2	2	1	3	3	·	1	·	1	·	1	2	·	2	·	·	1	1	2	1	·	·
Dysentery, ...	·	1	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	1	·	2	3	·	2	·	3	4	·	2	2	3	1	2	·	1	2	2	2	3	12	23	33	30	33
Tuberculosis { Pulmonary, ..	12	7	14	11	12	19	14	18	14	15	13	17	13	13	13	13	21	12	15	20	15	23	21	17	31	16
Other Forms, ..	5	6	6	8	6	3	8	4	3	6	13	6	9	5	3	2	2	7	6	3	8	4	2	5	7	7
Cancer, ...	5	7	13	6	11	7	6	8	7	11	10	4	3	7	3	4	5	7	8	5	5	4	6	4	5	5
Diseases of Respiratory System, { Pneumonia ..	11	11	14	13	14	15	13	14	18	18	26	28	32	11	15	11	20	14	20	8	27	34	37	67	68	53
Others, ..	19	16	22	17	19	13	22	30	26	27	37	29	34	17	15	16	20	8	15	17	23	38	38	51	43	30
Diarrhœa & Enteritis, under 2 years	1	2	·	4	3	2	3	3	1	3	3	·	2	1	2	·	1	2	2	1	1	2	1	6	4	4
Diarrhœa, 2 years and upwards..	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·
Violent Deaths, ...	2	·	4	1	3	5	1	3	4	2	4	4	4	2	1	1	7	3	2	·	3	3	2	1	3	·
Number of Uncertified Deaths, ..	6	3	2	3	5	9	8	6	5	2	8	3	4	3	2	1	1	3	2	1	2	5	5	3	2	5
A Mean Maximum Temperature in degs	46·0	53·6	51·5	49·1	50·5	50·4	49·8	49·5	53·3	48·9	51·2	51·9	49·2	43·4	49·2	51·0	45·9	49·7	49·5	48·4	48·5	51·5	46·0	50·9	51·1	49·5
B Mean Minimum ,, ,,	32·0	40·0	35·7	34·2	37·8	40·4	37·1	36·0	40·5	32·1	37·7	36·8	39·6	34·1	36·7	38·6	34·4	38·3	39·5	39·6	36·5	40·3	32·8	35·0	40·3	40·8
Mean of A and B ,, ,,	39·0	46·8	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·5	44·4	44·4	44·4	38·8	42·9	44·8	40·2	44·0	44·5	44·0	42·5	45·9	39·4	42·9	45·7	45·2
Rainfall in inches	1·31	0·71	1·07	0·66	0·59	0·67	0·37	0·28	0·70	0·43	0·24	0·80	0·55	0·87	1·65	1·11	1·32	0·28	0·84	1·07	0·01	0·63	0·57	0·56	0·61	1·03

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd April, 1920 Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	12	55·8	·	17	3	3	2	1	5	3	·	·	·	·	·	·	·	·	4	1	·	1	3	·	·	·	·	·	8	·
Do 2 do.	49,500	28	35·8	2·1	34	6	3	6	5	6	8	·	·	·	·	1	·	·	·	6	4	·	·	4	4	1	·	·	·	6	1
Do. 3 do.	50,032	44	35·4	5·2	34	11	7	7	2	5	2	·	·	·	1	·	4	·	·	3	1	3	2	7	6	·	·	·	·	8	·
Do. 4 do.	32,637	21	30·4	1·6	19	4	4	·	4	4	3	·	·	·	·	1	·	·	·	1	·	·	1	4	2	·	·	·	·	14	·
Do 5 do.	16,112	14	35·6	·	11	1	2	3	3	1	1	·	·	·	·	·	·	·	·	1	3	·	·	4	1	·	·	·	·	5	·
Do. 6 do.	37,293	32	22·4	1·4	16	3	2	1	3	4	3	·	·	·	·	·	·	·	·	2	·	·	·	2	·	1	·	·	·	2	1
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	17·5	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	11	19·2	·	9	2	1	1	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	2	1
Do. 10 do.	28,958	23	48·6	3·6	27	14	4	2	2	3	2	·	·	·	1	·	1	·	·	2	1	·	1	11	4	·	·	·	·	1	1
Do. 11 do.	39,311	22	23·9	·	18	5	·	·	5	3	5	·	·	·	·	·	·	·	·	1	1	·	·	1	5	·	·	·	1	4	1
Do. 12 do	38,076	41	35·6	1·4	26	10	2	3	3	3	5	·	·	·	·	·	·	·	·	4	·	3	·	5	3	1	·	·	1	3	·
Do 13 do.	23,233	11	18·0	2·2	8	2	·	·	2	2	2	·	·	·	·	·	·	·	·	1	·	1	·	2	1	1	·	·	·	3	·
Do. 14 do	175	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do 15 do.	22,669	30	59·8	·	26	3	5	2	7	4	5	·	·	·	·	·	·	·	·	8	1	·	·	8	3	·	·	·	·	6	·
Total,	386,947	297	31·3	1·6	248	64	33	28	41	41	41	·	·	·	2	2	5	·	·	33	16	7	5	53	30	4	·	·	3	63	5
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	12	11·6	·	3	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·
Do. 2 do.	10,399	6	20·1	5·0	4	1	1	·	2	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	1	2	·
Do. 3 do.	9,793	8	10·6	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·
Do. 4 do.	9,139	8	39·9	5·7	7	2	1	·	·	1	3	·	·	·	·	·	1	·	·	·	·	·	·	2	1	·	·	1	1	3	·
Do. 5 do.	6,250	6	41·7	·	5	1	·	·	2	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	1	4	·
Do. 6 do.	11,581	7	22·5	·	5	1	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	2	1
Do 7 do.	16,056	12	22·7	·	7	·	1	1	1	3	1	·	·	·	·	·	·	·	·	·	1	·	2	2	·	·	·	·	1	4	·
Total.	76,673	59	22·4	1·4	33	5	5	3	6	6	8	·	·	·	·	·	2	·	·	·	2	1	2	6	2	·	·	4	6	19	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The figures given for the districts of Belfast relate to the areas as constituted prior to the 1st April, 1920.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd April, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 1, West ..	.	.	.	.	.	2	2	.	.	.	1	.	.	.	.	.	3	8
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4
„ „ 3, ...	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	..	.
South City No. 1, ...	1	.	.	.	.	5	.	.	.	.	.	.	.	1	.	.	1	8
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ „ 3, ...	.	.	1	.	.	1	.	.	.	.	.	.	.	2	.	.	.	4
„ „ „ 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	..	.	.	.	.	.	.	.
Total, ...	3	.	1		.	11	2	.	1	.	1	.	.	6	.	.	11	36

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd April, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 3rd April.			
	March 13.	March 20.	March 27.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	12	8	8	1	1	.	8
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	48	53	63	29	26	3	63
Scarlet Fever, ...	98	110	92	30	20	.	102*
Diphtheria, ...	49	50	41	6	11	2	34
Pneumonia, ...	29	32	53	21	10	8	56

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13785.) Wt. 8424. 3. 380. 4. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1920.

Price 1½*d. Net.*

VOL. LVII.] QUARTER ENDING SATURDAY, 3RD APRIL, 1920. [No. 13A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 3rd April, 1920, 3,287 births—1,713 boys and 1,574 girls—being equal to an annual rate of 31·7 in every 1,000 of the population.

The number of births recorded for the city was 2,780, equivalent to an annual rate of 34·9 in every 1,000 of the population; and for the urban districts named above, 507, equal to an annual rate of 21·0 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 31·4 per 1,000 of the population; in Glasgow the birth rate was 32·7 per 1,000, and in Edinburgh 27·6 per 1,000.

DEATHS.—Omitting the deaths (154) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,030, were equivalent to an annual rate of 19·6 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 25·3. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,184—1,095 males and 1,089 females—affording an annual ratio of 21·1 in every 1,000 of the estimated population, as compared with 26·9 per 1,000 for the first quarter of the ten years, 1910-1919.

The number of deaths of inhabitants* of the North City districts registered last quarter was 771, representing an annual mortality of 18·5 in every 1,000 of the population; and the number in the South City districts was 868, equivalent to a rate of 22·9 per 1,000. For the urban districts the number of deaths registered was 391, being equal to an annual death-rate of 16·2 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 16·4 in every 1,000 of the civil population; in Glasgow the death-rate was 16·5 per 1,000 of the total population, and in Edinburgh the annual rate was 14·2 per 1,000.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 147, being equal to an annual rate of 1·42 per 1,000 of the population.

Enteric Fever.—As in the preceding quarterly period 2 deaths from enteric fever were registered.

There was no record of mortality from typhus or small-pox during the period under notice.

Measles.—Deaths from measles numbered 26, as compared with 6, 3, and 7 in the 3 preceding quarterly periods and 19 deaths in the first quarter of 1919.

Scarlet Fever.—Eight deaths were caused by scarlet fever; in the three preceding periods deaths from this disease were 5, 4 and 12, respectively.

Whooping-Cough.—The deaths ascribed to whooping-cough amounted to 60, which number represents a rate of 0·58 per 1,000 of the estimated population of the Area; the deaths in the 3 preceding periods were respectively 7, 0 and 10.

Diphtheria.—Of 16 deaths from this cause, one was that of a person not belonging to the Area, 11 were of residents in north Dublin city, 3 of south Dublin city and one belonged to the urban district of Rathmines and Rathgar. In the three preceding periods the deaths from diphtheria were 5, 6 and 15.

Dysentery—Five deaths from dysentery were registered, of these 2 were those of non-residents.

Diarrhœal Diseases.—Of 30 deaths, 29 were those of children under 2 years of age, 2 being deaths of non-residents; in September quarter of 1919, diarrhœal diseases caused 185 deaths; in December quarter the number declined to 68, and further to 30 in the period under notice.

Influenza.—Twenty-eight deaths from influenza were recorded; of this number, 6 were deaths of non-residents. In the 3 quarters preceding, deaths from influenza numbered respectively 155, 13, and 13, and in the corresponding March quarter of 1919 the deaths attributed to influenza amounted to 731.

Cerebro-Spinal Fever.—Three deaths from this disease were registered.

Tuberculosis.—Altogether the deaths from tuberculosis amounted to 284 including the deaths of 22 non-residents. The above total represents an annual rate of 2·74 per 1000 of the population as compared with 3·63, 2·31, and 2·48 per 1,000 in each of the 3 preceding periods. The aggregate includes 190 deaths from pulmonary tuberculosis, 27 from tuberculous meningitis, 20 from abdominal tuberculosis, 4 from tuberculosis of the spinal column, 5 from tuberculosis of joints, 7 from tuberculosis of other organs, one from scrofula and 30 from disseminated tuberculosis. In the north city districts the death rate from all forms of tuberculosis was 2·49; in the south city districts, 2·86, and in the urban districts it was 2·07 per 1,000 of the estimated population.

Cancer.—There were 118 deaths assigned to malignant disease; this number includes the deaths of 20 non-residents, and is equal to an annual rate of 1·14 per 1,000, as compared with 1·16, 1·33, and 1·26 in the three preceding periods.

Pneumonia.—Altogether the deaths of 241 persons were caused by pneumonia; of the total, 133 were from broncho-pneumonia, 31 from lobar pneumonia, and 77 from pneumonia (type not distinguished). The total includes the deaths of 14 non-residents and is equal to an annual rate of 2·32 per 1,000, as compared with 1·93, 0·82, and 1·09 per 1,000 in the three preceding quarters, and in the March Quarter of 1919, 5·45 per 1,000.

Diseases of the Brain and Nervous System.—To varied conditions in this group the deaths of 239 persons were attributed, including 62 deaths from convulsions, all of which were children under 5 years of age. The average of deaths under this group is 265, and the rate representing the 239 deaths is 2·30 per 1,000 of the estimated population.

Diseases of the Circulatory System.—These in the aggregate numbered 217, which corresponds to an annual rate of 2·09 per 1,000.

* See note (*) page 130*d*.

Bronchitis.—The deaths from bronchitis numbered 276 as compared with 598 in the corresponding period of 1919, 228 in the June quarter of that year, 86 in the September quarter and 199 in the December quarter.

Congenital Conditions.—There were 9 deaths from congenital malformations, 77 from premature birth and 61 from congenital debility.

Violence.—The 49 deaths from all kinds of violence, include 6 homicide, one suicide, 4 by gunshot wounds, 8 by vehicles and horses, 7 by burns and scalds and 6 by drowning.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 3rd April, 1920.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	6	37	33	2	8
Typhus, ...	1	.	1	.	.
Small-pox, ...	.	.	.	.	.
Measles, ...	8	260	193	12	63
Scarlet Fever, ...	176	252	318	8	102*
Diphtheria, ...	37	102	89	16	34
Pneumonia, ...	18	156	78	40	56

* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 65 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 65 cases, 40 (or 61·5 per cent.) were deaths of children under 5 years of age. Of the deaths of 147 infants under one month old registered, there were 21 (or 14·3 per cent.) regarding which the cause was uncertified.

From Table III., page 130*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 1·4 per 1,000, that in the City it was 1·6, and in the urban districts 0·5, the rates for the several districts varying from 0·0 in three of the districts to 3·2 in South City No. 4, the 212 deaths from all causes for that district including 9 from measles, one from scarlet fever, 15 from whooping-cough, and 2 from diarrhœa and enteritis of children under 2 years.

Occupations.—In Table IV., page 130*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·9 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 16·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·5; and in the "General Service Class" it was 21·9.

Ages.—Of the 2,184 persons whose deaths were registered in the Dublin Registration Area during the quarter, 656 were under 5 years of age, including 429 infants under one year of age, the latter representing a rate of 131 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 64·1 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 5·6 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 6·6 per 1,000, the total number under 25 years being equal to an annual mortality of 18·5 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 9·7; for those between 45 and 65 it was 29·8; among persons between 65 and 75 the rate was 73·7; and among those aged 75 and upwards the average annual death rate was 176·0 per 1,000. The deaths of 16 persons (4 males and 16 females), aged 90 years and upwards were registered.

Public Institutions.—Of the 2,184 deaths recorded during the quarter, 942, or 43·1 per cent occurred in public institutions, viz., 592 in the various hospitals, prisons, and lunatic asylums; 335 in the Dublin Union Workhouse; and 15 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 43·6°. At Greenwich it was 44·6°; at Glasgow, 41·9°; and at Edinburgh, 41·3°.

† See note (*) on page 130*d*.

The rainfall at Dublin during the thirteen weeks measured 8·35 inches; at Greenwich it was 4·53 inches; at Glasgow, 13·83 inches; and at Edinburgh, 7·90 inches.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 20·7 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest:—Galway, 13·3; Dundalk, 13·7; Sligo, 14·7; Londonderry, 15·4; Tralee, 15·5; Drogheda, 15·7; Lisburn, 16·8; Ballymena, 16·9; Portadown, 17·1; Waterford, 17·9; Clonmel, 18·0; Limerick, 18·1; Wexford, 18·4; Lurgan, 18·8; Kilkenny, 19·0; Dublin Registration Area, 19·6; Cork, 20·8; Newry, 23·1; and Belfast, 24·3.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·8 per 1,000 of the population, the rates varying from 0·0 in two of the districts to 4·0 in Newry; the 69 deaths from all causes in that district, including 10 from measles, one from whooping-cough, and one from diphtheria. The 2,504 deaths from all causes for Belfast include 16 from enteric fever, 117 from measles, 49 from scarlet fever, 41 whooping-cough, 10 from diphtheria, 144 from influenza, 29 from diarrhœal diseases, one from cerebro-spinal fever, and 385 from pneumonia.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts*, already named, and Tables II. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—Sixteen deaths were recorded for Belfast, 2 for Waterford and one for Limerick.

Typhus.—No death from this disease was recorded.

Small-pox.— No case of this disease was reported.

Measles.—In addition to 117 deaths from measles appertaining to Belfast, 10 belonged to Newry and 3 to Portadown.

Scarlet Fever.—Forty-nine deaths from scarlet fever were recorded for Belfast. There were no deaths from this cause in any of the other provincial urban districts.

Whooping-cough.—For Belfast, 41 deaths from this disease were reported, for Cork 25 deaths, for Waterford 20 deaths, for each of Galway and Sligo 4 deaths, and for Limerick, Drogheda and Newry one death each.

Diphtheria.—The deaths from this cause comprise 10 each for Belfast and Cork, 8 for Limerick, 5 for Londonderry and one for each of Lurgan, Lisburn, Newry, Ballymena and Kilkenny.

Influenza.—For Belfast, 144 deaths from influenza were recorded, for Lurgan 3 deaths, and for each of Cork, Waterford, Ballymena and Sligo, one death.

Diarrhœal Diseases.—The deaths under this heading include 27 deaths of children under 2 years of age from diarrhœa and enteritis for Belfast, 4 for Cork, 3 for Waterford and 2 for Limerick.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·95 per 1,000 of the estimated population; for the Dublin Registration Area it was 1·73 per 1,000; for Belfast county borough 2·23 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 1·87.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 3rd April, 1920,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS	POPULATION. Total.*	Persons to an Acre.	Annual Rate per 1,000 persons Represented by BIRTHS.	DEATHS. From all Causes	DEATHS. From certain Epidemic Diseases.†	REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 3RD APRIL, 1920. NUMBERS REGISTERED BIRTHS. Total Number	DEATHS. Total Number	Under 1 year of Age	At 65 Years and upwards	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
TOTAL OF 19 TOWN DISTRICTS ..	1,167,268	20·4	32·0	20·7	1·8	9,351	6,045	1,224	1,393	21	·	·	156	57	157	53	3	173	568	202	262	689	810	66	8	95	122	1,839	214
DUBLIN REGISTRATION AREA.—																													
TOTAL	415,000	29·7	31·7	19·6	1·4	3,287	2,030*a*	419	536	2	·	·	26	8	60	15	3	22	179	83	93	227	311	27	1	37	34	788	64
Urban Districts. CITY OF DUBLIN ..	318,200	39·0	34·9	20·6	1·6	2,780	1,639	372	385	2	·	·	25	7	55	14	2	14	147	65	74	191	267	25	1	33	28	687	52
Urban Districts. RATHMINES AND RATHGAR ..	40,400	23·6	20·2	15·2	0·8	204	154	16	68	·	·	·	·	1	4	1	1	3	13	5	10	10	17	·	·	2	3	37	2
Urban Districts. PEMBROKE	30,200	19·2	22·0	17·1	0·4	166	129	16	42	·	·	·	1	·	1	·	·	4	9	8	3	15	15	1	·	1	1	32	2
Urban Districts. BLACKROCK	9,200	8·5	11·7	11·7	·	27	27	3	14	·	·	·	·	·	·	·	·	·	1	2	·	5	4	·	·	1	1	8	2
Urban Districts. KINGSTOWN	17.000	11·6	25·9	19·1	·	110	81	12	27	·	·	·	·	·	·	·	·	1	6	3	11	6	8	·	·	·	1	24	6
Urban Districts. BELFAST	413,000	27·7	33·1	24·3	2·5	3,420	2,504*a*	556	433	16	·	·	117	49	41	10	·	144	230	61	68	385	331	27	2	28	52	640	35
Urban Districts. CORK	76,673	28·6	33·6	20·8	2·0	644	399	66	117	·	·	·	·	·	25	10	·	1	47	19	21	26	42	4	·	6	8	164	16
Urban Districts. LONDONDERRY	44,000	17·1	35·0	15·4	0·6	385	169	32	37	·	·	·	·	·	·	5	·	·	14	5	6	20	20	1	·	7	6	17	4
Urban Districts. LIMERICK	38,518	16·1	32·0	18·1	1·3	308	174	30	36	1	·	·	·	·	1	8	·	·	21	6	14	4	23	2	1	6	6	64	29
Urban Districts. WATERFORD	27,464	19·1	27·7	17·9	3·6	190	123	27	31	2	·	·	·	·	20	·	·	1	15	1	11	3	9	3	·	1	2	41	9
Urban Districts. GALWAY	13,255	2·5	29·6	13·3	1·5	98	44	5	15	·	·	·	·	·	4	·	·	·	4	3	3	1	5	1	·	2	4	10	10
Urban Districts. DUNDALK	13,128	9·5	34·7	13·7	·	114	45	5	12	·	·	·	·	·	·	·	·	·	5	1	2	4	4	·	·	1	1	8	2
Urban Districts. LURGAN	12,553	14·7	33·5	18·8	0·3	105	59	12	18	·	·	·	·	·	·	1	·	3	7	·	3	2	7	·	·	1	1	9	3
Urban Districts. DROGHEDA	12,501	8·4	23·4	15·7	0·6	73	49	9	13	·	·	·	·	·	·	·	1	·	3	2	2	1	5	·	1	·	·	6	4
Urban Districts. LISBURN	12,388	10·9	30·0	16·8	0·3	93	52	12	12	·	·	·	·	·	·	1	·	·	5	1	3	2	6	·	·	2	4	4	·
Urban Districts. NEWRY	11,963	17·0	33·1	23·1	4·0	99	69	7	22	·	·	·	10	·	1	1	·	·	8	3	5	·	11	·	·	·	1	15	5
Urban Districts. PORTADOWN	11,727	15·3	37·2	17·1	1·0	109	50	9	9	·	·	·	3	·	·	·	·	·	2	7	7	1	5	·	·	·	·	9	1
Urban Districts. WEXFORD	11,531	22·8	27·7	18·4	0·3	80	53	7	22	·	·	·	·	·	·	·	·	·	5	4	1	2	11	·	1	·	·	6	1
Urban Districts. BALLYMENA	11,381	9·3	28·1	16·9	0·4	80	48	1	17	·	·	·	·	·	·	·	1	1	4	·	4	3	4	·	·	3	2	4	3
Urban Districts. SLIGO..	11,163	3·8	21·1	14·7	1·8	59	41	11	12	·	·	·	·	·	·	4	·	1	3	2	2	·	7	1	·	·	·	10	0
Urban Districts. KILKENNY	10,514	11·4	24·0	19·0	0·8	63	50	6	24	·	·	·	·	·	·	·	1	·	3	1	8	1	6	·	1	·	·	19	·
Urban Districts. TRALEE	10,300	17·4	29·5	15·5	·	76	40	5	13	·	·	·	·	·	·	·	·	·	8	2	2	4	1	·	·	·	1	12	6
Urban Districts. CLONMEL	10,209	7·8	26·6	18·0	0·4	68	46	5	14	·	·	·	·	·	·	·	·	·	5	1	2	3	2	·	1	·	·	13	7

*According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1920. † See note (*) on page 130f.

(*a*) Including 2 deaths from cerebro-spinal fever for Dublin and one for Belfast.

TABLE III.—Showing for the **Quarter (13 weeks) ended 3rd April, 1920,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 3RD APRIL, 1920.

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION TO MIDDLE OF 1919.	Annual Rate of Mortality per 1000 Living represented by Deaths: From All Causes.	Annual Rate of Mortality per 1000 Living represented by Deaths: From certain Epidemic Diseases.*	TOTAL DEATHS	DEATHS: AGES AT DEATH. Under 1 year.	1 and under 2	2 and under 5.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other	Diarrhœa and Enteritis of Children under 2 years	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	In Institutions: Inquest Cases.	In Institutions: Hospitals, Prisons and Lunatic Asylums.	In Institutions: Workhouse Hospitals.	Number of Uncertified Deaths
Col.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1 E. ..	30,700	21·2	1·3	163	52	6	6	11	7	21	32	28	·	·	·	·	·	4	3	·	·	23	6	5	15	35	3	·	4	65	4	33	16	6
,, 1 W. ..	42,100	20·0	1·1	211	46	6	9	11	14	29	45	51	·	·	·	3	·	3	3	1	·	20	10	14	22	29	2	·	5	99	3	61	34	5
,, 2 ..	28,200	20·1	1·6	142	42	8	11	4	9	9	32	27	·	·	·	2	·	4	2	1	3	12	5	6	16	17	2	·	5	67	3	34	24	3
,, 3 ..	35,000	18·3	1·4	160	32	8	8	11	10	20	27	44	·	·	·	6	2	·	1	·	2	13	9	3	14	26	2	1	3	78	1	40	35	11
CLONTARF AND HOWTH, No. 1, part of.	5,600	12·1	·	17	3	·	·	·	1	3	4	6	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	·	·	13	·	4	1	1
COOLOCK AND DRUMCONDRA, part of.	13,900	11·8	0·6	41	7	·	2	2	3	5	12	10	·	·	·	·	·	·	1	·	2	2	·	6	5	3	1	·	·	21	·	15	2	2
FINGLAS AND GLASNEVIN, part of	11,400	13·0	1·4	37	1	1	4	1	·	5	11	14	·	·	·	·	1	1	1	·	1	2	1	6	4	3	1	·	·	16	·	13	1	·
South City.																																		
SOUTH CITY, No. 1	44,100	19·5	1·5	215	53	17	10	3	11	22	42	57	·	·	·	1	1	7	1	·	3	8	12	9	24	35	7	·	2	105	4	32	68	5
,, 2	18,600	26·7	1·9	124	20	14	9	7	7	17	18	32	2	·	·	1	·	2	1	·	2	9	5	5	20	26	3	·	1	47	2	27	29	2
,, 3	44,400	25·9	2·3	288	67	22	26	19	11	44	42	57	·	·	·	3	2	18	1	·	1	30	8	11	40	52	2	·	10	110	9	65	50	13
,, 4	33,600	25·2	3·2	212	46	24	12	9	14	24	32	51	·	·	·	9	1	15	·	·	·	22	6	6	30	35	2	·	3	83	2	45	39	3
NEW KILMAINHAM	10,600	10·9	0·4	29	3	·	1	4	3	5	5	8	·	·	·	·	·	1	·	·	·	5	3	2	1	4	·	·	·	13	·	6	8	1
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	15·2	0·8	154	16	4	6	4	7	11	38	68	·	·	·	·	1	4	1	1	3	13	5	10	10	17	1	·	2	86	3	29	8	2
PEMBROKE	30,200	17·1	0·4	129	16	2	5	6	6	18	34	42	·	·	·	1	·	1	·	·	4	9	8	3	15	15	1	·	1	71	1	21	11	2
BLACKROCK	9,200	11·7	·	27	3	1	1	·	·	5	3	14	·	·	·	·	·	·	·	·	·	1	2	·	5	4	·	·	1	14	1	4	4	2
KINGSTOWN	17,000	19·1	·	81	12	1	·	·	3	14	24	27	·	·	·	·	·	·	·	·	1	9	3	11	6	8	·	·	·	43	1	13	11	6
Total City. North, ...	166,900	18·5	1·2	771	183	29	40	40	44	92	163	180	·	·	·	11	3	12	11	2	8	73	31	41	76	115	11	1	17	359	11	205	113	28
Total City. South, ...	151,300	22·9	2·1	818	189	77	58	42	46	112	139	205	2	·	·	14	4	43	3	·	6	74	34	33	115	152	14	·	16	358	17	175	191	24
Total City. North and South,	318,200	20·6	1·6	1,639	372	106	98	82	90	204	302	385	2	·	·	25	7	55	14	2	14	147	65	74	191	267	25	1	33	717	28	380	307	52
Total Urban Districts, ..	96,800	16·2	0·5	391	47	8	12	10	16	48	99	151	·	·	·	1	1	5	1	1	8	32	18	24	36	44	2	·	4	214	6	67	34	12
Total Registration Area, ..	415,000	19·6	1·4	2,030	419	114	110	92	106	252	401	536	2	·	·	26	8	60	15	3	22	179	83	98	227	311	27	1	37	931	34	447	341	64
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				154	10	·	3	8	26	49	37	21	·	·	·	·	·	·	1	2	6	11	11	20	14	3	2	·	12	72	10	145	9	1

* See note (*) on page 130d.

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 3rd April, 1920**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 3RD APRIL, 1920.																														
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths	AGES.							CAUSES OF DEATH																					
					Under 5 Years.	5 and under 15.	15 and under 25	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia	Diseases of the Respiratory System. Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS, ...	397,957	·	2,184	656	100	132	301	438	311	246	2	·	·	26	8	60	16	5	28	190	94	118	62	241	314	29	1	49	941	65
	CLASSES																																
	Deaths in Families of the—																																
I.	PROFESSIONAL AND INDEPENDENT CLASS,..	14,658	16·9	62	3	2	1	7	20	9	20	·	·	·	·	1	·	·	·	1	2	2	5	·	5	5	2	·	2	37	1
II.	MIDDLE CLASS	101,798	16·1	410	71	20	30	55	94	62	78	1	·	·	3	1	5	3	·	7	33	19	36	4	42	39	2	1	9	206	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS..	108,420	16·5	446	144	24	26	60	95	65	32	1	·	·	3	4	14	5	3	5	51	18	24	11	57	67	5	·	5	173	15
IV.	GENERAL SERVICE CLASS	167,479	21·9	916	384	50	61	138	147	88	48	·	·	·	21	2	40	7	2	11	79	30	38	46	125	129	15	·	30	341	41
V.	INMATES OF WORKHOUSES	5,602	·	350	54	4	14	41	82	87	68	·	·	·	·	·	1	1	·	4	25	25	15	1	12	74	5	·	3	184	1
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments ..	868	·	50	3	2	1	7	15	6	16	·	·	·	·	1	·	·	·	1	2	1	4	·	3	5	2	·	2	29	1
	2. Merchants and Manufacturers, Higher Class	1,347	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described	5,443	·	12	·	·	·	·	5	3	4	·	·	·	·	·	·	·	·	·	·	1	1	·	2	·	·	·	·	8	·
II.	MIDDLE CLASS.																																
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	·	36	5	2	2	5	10	5	7	·	·	·	·	·	·	·	·	·	5	4	2	1	2	1	·	·	1	20	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	·	99	20	5	2	7	22	18	25	·	·	·	1	·	3	2	·	·	3	2	5	2	10	23	1	·	2	47	2
	6. Clerks and Commercial Assistants ..	33,249	·	121	33	6	17	20	21	16	8	1	·	·	1	·	3	1	·	4	17	8	5	·	17	7	1	·	3	52	1
	7 Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	·	151	13	7	9	23	41	23	38	·	·	·	·	1	·	·	·	3	8	5	24	1	13	8	·	1	3	87	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	·	39	18	4	1	8	2	3	3	·	·	·	·	·	3	·	·	1	3	·	·	1	3	6	2	·	·	20	3
	9. Building and Furnishing Trades ..	28,823	·	127	46	6	6	17	32	15	5	·	·	·	1	2	4	1	·	2	11	5	4	2	11	10	·	·	·	19	1
	10. Clothing Trades	20,026	·	62	20	2	3	8	12	10	7	·	·	·	·	·	·	1	·	·	·	·	1	·	4	3	·	·	2	10	·
	11. Food Supply Trades	8,952	·	21	5	2	·	4	7	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades	32,070	·	185	50	10	14	22	40	33	16	1	·	·	2	2	7	3	2	2	24	6	10	5	18	26	·	·	1	76	9
	13. Petty Shopkeepers	6,772	·	12	3	·	2	1	2	1	1	·	·	·	·	·	·	·	·	·	2	1	·	·	2	1	1	·	·	3	·
IV.	GENERAL SERVICE CLASS.																																
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	·	160	62	11	15	29	24	11	8	·	·	·	3	·	8	·	·	4	11	8	7	7	25	16	1	·	9	61	4
	15. Domestic Servants	36,041	·	60	11	1	9	9	15	8	7	·	·	·	1	1	·	·	·	·	4	2	1	3	7	7	·	·	1	33	2
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	·	56	21	5	3	8	11	6	2	·	·	·	2	·	·	·	·	1	5	1	4	5	6	9	1	·	2	17	3
	17. Hawkers, Porters, Labourers, &c. ..	103,081	·	640	290	33	34	92	97	63	31	·	·	·	15	1	29	7	2	6	59	19	26	31	87	97	13	·	18	230	32
V	INMATES OF WORKHOUSES.																																
	18. Workhouse Inmates	5,602	·	350	54	4	14	41	82	87	68	·	·	·	·	·	1	1	·	4	25	25	15	1	12	74	5	·	3	184	1

1920, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from all Causes and from certain Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS.																												
			All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH						DEATHS FROM																						
						Under 1 year.	1 year and under 5 years.	5 years and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery	Influenza.	Tubercuulosis. Pulmonary.	Tubercuulosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
City of Belfast.																																	
BELFAST URBAN No. 1 DISTRICT,	15,879	158	30·5	2·8	121	27	24	9	13	27	21	·	·	·	7	2	·	·	·	11	8	1	2	27	15	1	1	2	4	39	·
Do. 2 do.	49,500	384	24·9	2·1	308	61	39	38	43	57	70	·	·	·	15	3	3	2	·	33	18	4	9	40	43	3	·	4	6	82	6
Do. 3 do.	50,032	438	29·1	4·3	364	100	56	48	35	58	67	1	·	·	21	8	19	1	·	22	21	11	12	52	58	4	·	6	10	79	5
Do. 4 do.	32,637	278	23·8	2·5	194	41	21	29	32	38	33	·	·	·	12	5	·	1	·	3	21	5	9	18	17	2	·	2	4	74	2
Do. 5 do.	16,112	206	35·2	2·5	142	33	26	18	20	30	15	·	·	·	5	1	3	·	·	7	18	6	3	31	27	1	·	·	1	37	1
Do. 6 do.	37,293	247	19·2	1·6	179	25	11	19	36	45	43	2	·	·	5	6	·	·	·	9	19	7	5	17	13	2	·	·	1	44	3
Do. 7 do.	2,681	12	23·9	1·5	16	5	1	1	1	5	3	·	·	·	1	·	·	·	·	·	1	·	·	1	4	·	·	1	1	·	·
Do. 8 do.	5,964	48	18·8	2·7	28	6	1	6	4	4	7	·	·	·	2	1	·	1	·	·	3	2	1	2	2	·	·	·	·	6	·
Do. 9 do.	24,427	190	21·5	3·3	131	22	25	19	20	27	18	·	·	·	6	9	4	·	·	4	13	4	3	24	19	1	·	1	1	30	2
Do. 10 do.	28,958	282	31·4	4·0	227	66	35	28	35	33	30	1	·	·	14	5	6	·	·	8	23	5	5	44	31	2	1	1	1	49	3
Do. 11 do.	39,311	353	21·7	1·4	213	43	17	29	43	37	44	1	·	·	5	4	·	1	·	10	29	3	4	32	28	3	·	·	3	55	3
Do. 12 do.	38,076	425	28·8	3·3	274	76	51	43	32	37	35	6	·	·	15	3	·	2	·	21	23	11	4	40	37	5	·	5	9	68	4
Do. 13 do.	23,233	153	18·4	1·9	107	14	8	12	24	30	19	5	·	·	2	1	·	1	·	5	10	2	7	12	11	2	·	1	1	21	4
Do. 14 do.	175	2	—	·	3	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	·
Do. 15 do.	22,669	244	34·8	2·8	197	36	39	21	32	41	28	·	·	·	7	1	6	1	·	11	21	·	4	45	26	1	·	5	10	53	2
Total, ...	386,947	3,420	24·3	2·5	2,504	556	354	322	370	469	433	16	·	·	117	49	41	10	·	144	230	61	68	385	331	27	2	28	52	640	35
City of Cork.																																	
CORK URBAN No. 1 DISTRICT, ..	13,455	91	17·5	1·2	59	8	2	6	7	10	26	·	·	·	·	·	2	·	·	·	8	1	2	3	11	2	·	·	·	29	1
Do. 2 do. ..	10,399	112	21·2	3·5	55	10	6	10	12	10	7	·	·	·	·	·	7	2	·	·	12	3	3	1	3	·	·	1	1	17	1
Do. 3 do. ..	9,793	111	20·8	1·2	51	9	2	9	3	15	13	·	·	·	·	·	2	·	·	·	9	2	5	·	12	1	·	3	3	18	1
Do. 4 do. ..	9,139	80	28·4	4·8	65	14	8	12	5	10	16	·	·	·	·	·	8	2	·	1	5	4	4	9	5	1	·	1	1	22	·
Do. 5 do. ..	6,250	49	22·4	·	35	4	1	1	4	10	15	·	·	·	·	·	·	·	·	·	3	2	1	3	3	·	·	1	1	20	1
Do. 6 do. ..	11,581	79	17·6	2·4	51	8	6	8	9	4	16	·	·	·	·	·	4	3	·	·	2	3	3	2	4	·	·	·	1	20	7
Do. 7 do. ..	16,056	122	20·7	1·2	83	13	13	5	9	19	24	·	·	·	·	·	2	3	·	·	8	4	3	8	4	·	·	·	1	38	5
Total, ...	76,673	644	20·8	2·0	399	66	38	51	49	78	117	·	·	·	·	·	25	10	·	1	47	19	21	26	42	4	·	6	8	164	16

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (*) on page 130*d*.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
29th April, 1920.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By A. THOM & Co., Ltd., Crow Street, Dublin.
(13822). Wt. 8424. 3, 380. 4/1920.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 14. Vol. LVII.] Week ending Saturday, 10th April, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 12th April, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 23·7 and 25·0; Dublin Registration Area, 26·8 and 24·6; Dublin City, 29·5 and 27·4; Belfast, 26·6 and 32·7; Cork, 24·5 and 22·4; Londonderry, 10·7 and 12·8; Limerick, 21·7 and 17·6; and Waterford, 7·6 and 9·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 211 deaths from all causes for Belfast are one from measles, 2 from scarlet fever, 2 from whooping-cough, one from diphtheria, 2 from diarrhœal diseases, 21 from influenza, and 57 from pneumonia. The 36 deaths from all causes for Cork include one from whooping-cough. Two of the 4 deaths from all causes for Waterford are from whooping-cough. One of the 5 deaths from all causes for Lurgan is from influenza. The only death registered for Newry is from influenza; and one of the 2 deaths recorded for Kilkenny is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 256—129 boys and 127 girls—and the deaths to 222—119 males and 103 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·8 per 1,000 of the population. During the fourteen weeks ending with Saturday last, the death-rate averaged 20·1 and was 5·2 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the fourteen weeks was 21·6, and for the corresponding period of the preceding ten years 26·9.

Of the 213 deaths appertaining to the Area one is from paratyphoid, 7 are from measles, 13 from whooping-cough, 4 from diarrhœal diseases, 5 from influenza, and one from cerebro-spinal fever.

In the 3 preceding weeks, deaths from enteric fever were one, 0, and 0; deaths from measles were 3, 11, and 3; deaths from whooping-cough 9, 10, and 10; deaths from diarrhœal diseases 3, 0, and 2; and deaths from influenza 0, 2, and 3.

There were 27 deaths from pneumonia, comprising 21 from broncho-pneumonia, and 6 from pneumonia (type not distinguished).

Tuberculous disease caused 25 deaths (including 19 from pulmonary tuberculosis, 5 from tuberculous meningitis, and one from renal tuberculosis) as against 26, 23, and 22 in the three weeks preceding.

Six deaths were caused by cancer, 16 by organic diseases of the heart, and 36 by bronchitis.

Among deaths of infants under one year old, 3 were due to measles, 3 to whooping-cough, one to pulmonary tuberculosis, one to venereal disease, 3 to convulsions, 13 to bronchitis, 9 to broncho-pneumonia, one to pulmonary congestion, 3 to diarrhœa and enteritis, 2 to congenital malformation, 6 to premature birth, and 6 to congenital debility.

There were 2 accidental deaths.

Eighty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 52 being infants under one year, of whom 12 were under one month old, and 49 deaths were those of persons aged 65 and upwards, of whom 34 were 70 years of age or over.

Of the 213 deaths recorded, 73 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 10th April, in 96 large English towns (including London in which the rate was 17·6) was equal to an average annual death rate of 16·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 17·3 per 1,000 persons living, the rate for Glasgow being 17·8 and for Edinburgh 15·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th April. From this Report it appears that of 69 cases notified, 20 were diphtheria, 15 scarlet fever, 14 pulmonary tuberculosis, 8 other forms of tuberculosis, 6 erysipelas, 2 acute primary pneumonia, one puerperal fever, one cerebo-spinal fever, one ophthalmia neonatorum and one dysentery. Among the 539 cases of infectious diseases in hospital at the close of the week were 216 of pulmonary tuberculosis, 7 other forms of tuberculosis, 115 of scarlet fever, 109 of diphtheria, 38 of venereal disease, 23 of measles, 9 of erysipelas, 2 of cerebro-spinal fever, one of puerperal fever, and one of chicken-pox.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th April, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Mar. 20	1	·	·	·	·	—	16	—	10	2	—	·	—	3	·	·	8	·	·	15	55
	Mar. 27	1	·	·	·	·	—	9	—	5	5	—	1	—	1	·	·	12	·	·	21	55
	Apr. 3	3	·	1	·	·	—	11	—	2	1	—	·	—	1	·	·	6	·	·	11	36
	Apr. 10	2	·	·	·	·	—	14	—	1	1	—	·	—	·	·	·	11	·	·	15	44
Rathmines & Rathgar Urban District	Mar. 20	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Mar. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Apr. 3	·	·	·	·	·	—	2	—	·	·	—	·	—	·	1	·	1	·	·	—	4
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Mar. 20	·	·	·	·	·	8	2	2	1	·	·	·	—	·	·	·	1	·	·	·	14
	Mar. 27	·	·	·	·	·	2	·	·	1	·	·	·	—	·	·	·	·	·	·	·	3
	Apr. 3	·	·	·	·	·	10	1	6	1	·	·	·	—	·	·	·	1	·	·	·	19
	Apr. 10	·	·	·	·	·	9	1	3	2	·	·	·	—	·	·	·	·	·	·	·	15
Blackrock Urban District	Mar. 20	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	1
	Apr. 3	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Apr. 10	·	·	·	·	·	3	·	—	1	·	—	·	—	·	·	·	·	·	·	·	4
Kingstown Urban District	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Mar. 27	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Apr. 10	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	Mar. 20	4	·	·	·	·	—	46	—	3	5	—	3	—	·	1	·	26	·	·	2	90
	Mar. 27	2	·	·	·	·	—	37	—	3	5	—	1	—	·	1	·	43	·	·	1	93
	Apr. 3	5	·	·	·	·	—	33	—	5	4	—	1	—	·	·	·	20	·	·	·	68
	Apr. 10	2	·	·	·	·	—	23	—	6	2	—	1	—	·	·	·	14	·	·	·	48
City of Cork	Mar. 20	·	·	·	·	·	·	2	—	2	·	—	·	·	·	·	·	·	—	·	—	4
	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	·	·	·	·	·	—	·	—	1
	Apr. 3	1	·	·	·	·	·	·	—	5	·	—	·	·	·	3	·	·	—	·	—	9
	Apr. 10	·	·	1	·	·	·	·	—	7	·	—	·	·	·	2	·	·	—	·	—	10
City of Londonderry	Mar. 20	·	1	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	2
	Mar. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	Apr. 3	·	1	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	3
	Apr. 10	·	1	·	·	·	—	3	—	1	·	—	·	—	·	·	·	·	·	—	—	5
City of Limerick	Mar. 20	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
	Mar. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	·	·	·	·	·	—	3
	Apr. 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Mar. 20	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	Mar. 27	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th April, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 7; measles 21 and 44; scarlet fever 12 and 94*; and diphtheria 5 and 25. Twenty cases of pneumonia were admitted during the week and 57 remained under treatment at its close. Of the deaths in hospital during the week one was from enteric fever, 7 from measles, and 7 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 10th April, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS.	POPULATION.		REGISTRATION—WEEK ENDING SATURDAY, 10TH APRIL, 1920.																								METEOROLOGY. (c) WEEK ENDING 10TH APRIL, 1920.					
			Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																					Air Temperature.					
				DEATHS.		BIRTHS	DEATHS.																									
										Caused by																					
	Total (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	Total Number.	Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	Absolute Highest.	Absolute Lowest.	Mean Maximum (A)	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	28·9	23·7	1·7	648	531	129	100	1	·	·	8	2	18	2	·	28	44	11	13	91	85	5	2	8	10	144	9	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	32·2	26·8	3·1	256	213*g*	52	49	1	·	·	7	·	13	·	·	5	19	6	6	27	40	3	1	2	3	73	1	(*d*) 55·0	28·9	49·2	37·4	43·3	0·78
Urban Districts. CITY OF DUBLIN,	318,200	39·0	36·1	29·5	3·8	220	180	42	37	1	·	·	7	·	11	·	·	3	17	4	3	24	34	3	1	2	3	68	1	(*e*) 55·3	37·8	49·3	40·9	45·1	0·78
																														(*f*) 53·2	32·8	49·2	38·8	44·0	0·79
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	9·0	18·1	·	7	14	2	4	·	·	·	·	·	·	·	·	1	2	2	·	2	3	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	34·5	22·4	3·5	20	13	6	4	·	·	·	·	·	2	·	·	1	·	·	1	1	1	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	17·0	5·7	·	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	18·4	15·3	·	6	5	1	4	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	54	38	47·4	40·8	44·1	0·6
Urban Districts. BELFAST, ..	413,000	27·7	30·7	26·6	1·0	243	211	63	22	·	·	·	1	2	2	1	·	21	10	1	5	57	36	1	1	3	4	44	1	56·0	29·2	49·4	38·0	43·7	0·39
Urban Districts. CORK, ...	76,673	28·6	25·8	24·5	0·7	38	36	6	11	·	·	·	·	·	1	·	·	·	4	·	1	2	3	·	·	·	·	12	2	54	37	50·4	41·3	45·9	2·13
Urban Districts. LONDONDERRY, ..	44,000	17·1	22·5	10·7	·	19	9	1	2	·	·	·	·	·	·	·	·	·	·	1	·	2	2	·	·	1	1	1	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	14·9	21·7	·	11	16	4	2	·	·	·	·	·	·	·	·	·	2	·	·	2	2	·	·	1	1	3	2	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	22·8	7·6	3·8	12	4	·	1	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. GALWAY,.. ..	13,255	2·5				7	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. DUNDALK, ..	13,128	9·5				2	3	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				10	5	1	2	·	·	·	·	·	·	·	·	1	1	1	·	1	·	·	·	1	1	·	·	·	·	·	·	·	·
Urban Districts. DROGHEDA, ..	12,501	8·4				3	9	·	5	·	·	·	·	·	·	·	·	·	1	2	·	·	1	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	56	26	49·3	35·3	42·3	0·24
Urban Districts. NEWRY, ...	11,963	17·0				6	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. PORTADOWN, ..	11,727	15·3				7	4	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. WEXFORD, ..	11,531	22·8				8	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				4	5	·	2	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	55	26	51	34	42·5	0·38
Urban Districts. KILKENNY, ..	10,514	11·4				3	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	55	32	49·8	38·8	44·3	1·35
Urban Districts. TRALEE, ...	10,300	17·4				6	6	·	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	5	1	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	17·6	—	2,461	1,471	196	434	4	·	·	62	6	31	22	—	—	113	25	123	194	149	18	7	49	114	667	1	64	34	57·4	43·4	50·4	0·40
EDINBURGH ...	342,300	—	—	15·7	—	197	103	22	39	·	·	·	·	·	·	1	—	6	—	—	—	—	—	2	—	4	—	—	—	48·0	31·0	45·3	36·7	41·0	0·18
GLASGOW	1,115,500	—	—	17·8	—	725	389*g*	80	86	·	·	·	17	1	5	5	—	21	—	—	—	—	—	5	—	11	—	—	—	50·0	31·4	47·6	37·8	42·7	0·31

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(*a*) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920 as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (*b*) See note (†) at foot of first page. (*c*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (*d*) Observations at Ordnance Survey [illegible] by Sir John William Moore, taken at Fitzwilliam Square. (*e*) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (*g*) Including one

TABLE III.—DUBLIN REGISTRATION AREA.—Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 14th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 10th April, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	213·0	222	12	40	20	15	5	4	6	9	13	16	14	17	31	20	213
Enteric Fever	·8	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	5·6	9	·	3	1	3	1	·	·	1	·	·	·	·	·	·	7
Scarlet Fever	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Whooping-cough	5·8	13	·	3	5	3	2	·	·	·	·	·	·	·	·	·	13
Diphtheria	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	11·2	7	·	·	1	·	·	·	1	·	1	1	·	1	·	2	5
Dysentery	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	26·8	20	·	1	1	1	·	·	1	2	7	5	2	·	·	·	19
Tuberculous Meningitis	3·2	5	·	·	·	·	·	3	2	·	·	·	·	·	·	·	5
Abdominal Tuberculosis	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of the Spinal Column.	·2	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·8	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Venereal Diseases	·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Cancer	9·0	6	·	·	·	·	·	·	·	·	·	·	·	2	2	2	6
Tumour, situation undefined.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Rheumatic Fever	·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Diabetes	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Anæmia, Leucocythæmia.	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Other General Diseases	2·8	3	·	·	·	·	·	·	·	·	·	·	1	·	1	1	3
Alcoholism	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever	·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Simple Meningitis	2·2	4	·	·	2	1	1	·	·	·	·	·	·	·	·	·	4
Cerebral Hæmorrhage, Apoplexy.	4·4	9	·	·	·	·	·	·	·	·	·	2	1		4	2	9
Softening of Brain	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Paralysis, without specified cause.	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Epilepsy	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	4·2	4	2	1	1	·	·	·	·	·	·	·	·	·	·	·	4
Other Diseases of Nervous System.	5·0	3	·	·	·	·	·	·	·	·	·	1	2	·	·	·	3
Pericarditis	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis	·4	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2
Organic Diseases of the Heart.	14·4	16	·	·	·	·	·	·	1	·	·	·	2	4	7	2	16
Embolism and Thrombosis (including Cerebral)	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Circulatory System.	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of the Larynx	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	32·0	37	·	13	2	·	·	·	·	·	·	·	1	5	13	3	36
Broncho pneumonia	11·2	21	·	9	6	5	·	·	·	·	·	·	1	·	·	·	21
Lobar pneumonia	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pneumonia (type not distinguished).	8·2	7	·	·	1	1	1	·	·	·	1	3	·	·	·	·	6
Pleurisy	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy,	·8	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	2
Other Diseases of Respiratory System	2·4	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2

in the FOURTEENTH WEEK, ending Saturday, 10th April, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 14th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 10th April, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5											
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	3·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	3·2	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Enteritis 2 years and upwards.	·6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	2·4	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Cirrhosis of Liver ...	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Other Diseases of Liver	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·8	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Acute Nephritis ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	5·2	6	·	·	·	·	·	·	·	1	1	1	2	·	1	·	6
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2
Puerperal Septicæmia, &c.	·2	2	·	·	·	·	·	·	·	2	·		·	·	·	·	2
Other causes incident to Pregnancy and Childbirth.	1·0	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	3·0	6	6	·	·	·	·	·	·	·	·	·	·	·	·	·	6
Congenital Debility ..	4·6	6	2	4	·	·	·	·	·	·	·	·	·	·	·	·	6
Old Age	7·4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	4	4
Other Specified Diseases	2·4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	2·0	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																	
Homicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·0	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1

TABLE IV.—Showing for the WEEK ENDED 10TH APRIL, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual RATE per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 10TH APRIL, 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS	DEATHS.								CAUSED BY																				IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	27·2	·	16	8	1	·	·	2	1	1	3	·	·	·	·	·	·	·	·	·	1	·	·	2	6	·	·	1	6	1	1	1	·
„ 1, W., ...	42,100	29·7	5·0	24	3	2	2	2	2	2	2	9	·	·	·	1	·	2	·	·	·	1	1	1	3	4	1	·	1	9	1	4	3	·
„ 2, ...	28,200	48·1	3·7	26	5	5	2	·	·	3	4	7	·	·	·	1	·	1	·	·	2	1	·	·	4	6	·	·	·	11	1	5	4	·
„ 3, ...	35,000	20·4	4·4	14	4	1	1	·	1	3	1	3	1	·	·	1	·	1	·	·	·	·	·	·	2	1	·	·	·	8	·	5	·	·
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	33·8	·	9	1	1	·	·	·	2	2	3	·	·	·	·	·	·	·	·	·	2	·	·	1	3	·	·	·	3	·	2	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	9·1	·	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	28·4	1·2	24	6	1	2	·	·	3	7	5	·	·	·	·	·	·	·	·	·	2	1	·	5	4	1	·	·	11	·	5	6	·
„ 2, ...	18,600	22·4	2·8	8	2	·	2	·	1	·	1	2	·	·	·	1	·	·	·	·	·	1	·	1	·	1	·	·	·	4	·	3	2	·
„ 3, ...	44,400	25·8	4·7	22	4	5	1	2	2	3	2	3	·	·	·	2	·	1	·	·	·	3	2	·	3	3	·	1	·	7	·	7	2	·
„ 4, ...	33,600	41·9	7·8	27	6	3	1	2	2	5	6	2	·	·	·	1	·	4	·	·	1	4	·	1	3	5	·	·	·	8	·	13	2	·
NEW KILMAINHAM, ...	10,600	29·5	14·8	6	2	1	2	·	·	1	·	·	·	·	·	·	·	2	·	·	·	1	·	·	1	·	1	·	·	1	·	·	1	1
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	18·1	·	14	2	·	1	1	3	1	2	4	·	·	·	·	·	·	·	·	1	2	2	·	2	3	·	·	·	4	·	3	1	·
PEMBROKE	30,200	22·4	3·5	13	6	·	1	·	·	·	2	4	·	·	·	·	·	2	·	·	1	·	·	1	1	1	·	·	·	7	·	·	1	·
BLACKROCK, ...	9,200	5·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
KINGSTOWN, ...	17,000	15·3	·	5	1	·	·	·	·	·	·	4	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	166,900	29·1	2·8	93	22	10	5	2	6	12	11	25	1	·	·	3	·	4	·	·	2	6	1	1	12	21	1	·	2	39	3	19	8	·
TOTAL CITY. South, ...	151,300	30·0	4·8	87	20	10	8	4	5	12	16	12	·	·	·	4	·	7	·	·	1	11	3	2	12	13	2	1	·	31	·	28	13	1
TOTAL CITY. North and South, ..	318,200	29·5	3·8	180	42	20	13	6	11	24	27	37	1	·	·	7	·	11	·	·	3	17	4	3	24	34	3	1	2	70	3	47	21	1
Total Urban Districts, ...	96,800	17·8	1·1	33	10	·	2	1	3	1	4	12	·	·	·	·	·	2	·	·	2	2	2	3	3	6	·	·	·	13	·	3	2	·
Total Registration Area, ..	415,000	26·8	3·1	213	52	20	15	7	14	25	31	49	1	·	·	7	·	13	·	·	5	19	6	6	27	40	3	1	2	83	3	50	23	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	·	·	·	2	1	4	·	2	·	·	·	2	·	·	·	·	2	1	1	·	1	1	·	·	1	·	1	8	1	·

See note (†) at foot of first page

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th April, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH APRIL, 1920.

CLASS	OCCUPATION OR SOCIAL POSTION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	222	87	9	15	29	31	31	20	1	.	.	9	.	13	.	.	7	20	7	6	4	28	41	3	1	3	79	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	.	.	.	1	.	2	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	13·3	26	3	1	1	6	4	5	6	.	.	.	.	.	.	.	.	1	2	2	3	1	2	1	.	1	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	25·5	53	22	3	5	6	6	5	6	1	.	.	5	.	3	.	.	.	4	4	1	.	8	11	.	.	.	16	1
IV.	GENERAL SERVICE CLASS	167,479	35·5	114	58	4	9	13	16	11	3	.	.	.	4	.	10	.	.	5	11	.	.	3	17	25	3	.	3	33	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	4	1	.	3	5	8	3	.	.	.	.	.	.	.	.	.	2	1	1	.	1	4	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	5	.	.	.	1	.	2	2	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	2	.
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	1	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants,	33,249	—	9	1	.	1	4	2	1	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	12	1	1	.	.	2	3	5	.	.	.	.	.	.	.	.	1	.	1	2	.	1	1	.	1	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	2	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ..	28,823	—	12	7	1	.	2	1	1	.	.	.	.	1	.	.	.	.	.	2	1	.	.	1	3	.	.	.	4	.
	10. Clothing Trades, ...	20,026	—	7	1	.	1	1	2	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.
	11. Food Supply Trades, ...	8,952	—	4	2	1	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	21	8	1	3	2	.	3	4	.	.	.	1	.	1	.	.	.	2	3	.	.	3	5	.	.	.	6	1
	13. Petty Shopkeepers, ...	6,772	—	5	2	.	1	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	22	9	.	3	7	1	1	1	.	.	.	2	.	1	.	.	2	4	.	.	1	2	4	.	.	1	5	.
	15. Domestic Servants, ...	36,041	—	10	3	1	1	2	3	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	1	.	.	.	1	5	.
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	6	4	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	2	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	76	42	3	4	4	11	10	2	.	.	.	1	.	8	.	.	1	7	.	.	.	12	21	3	.	1	22	.
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	24	4	1	.	3	5	8	3	.	.	.	.	.	.	.	.	.	2	1	1	.	1	4	.	.	.	15	.

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

WEEK ENDING	Dublin Registration Area.													Belfast City.											
	Jan. 17.	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Jan. 17	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10
No. of weeks in Annual Series ..	2	3	4	5	6	7	8	9	10	11	12	13	14	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered	266	289	238	279	257	258	282	277	239	215	257	181	256	234	231	207	271	264	282	321	263	225	275	258	297	243
Average Births in corresponding week of previous 10 *years,*	221	205	210	210	211	205	199	205	215	201	220	209	210	198	207	195	209	196	197	195	213	201	202	212	202	202
Number of Deaths, ...	119	156	126	153	139	131	174	165	159	195	190	185	213	166	141	161	146	159	144	173	214	225	293	284	248	211
Annual Death-rate per 1,000 ..	15·0	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·5	23·9	23·2	26·8	21·0	17·8	20·3	18·4	20·1	18·2	21·8	27·0	28·4	37·0	35·9	31·3	26·6
Average Deaths in corresponding week of previous 10 *years,*	175	180	184	186	187	191	212	219	221	200	204	191	197·6	158	142	159	170	184	172	172	170	173	172	169	163	165
Ages, .. Under one year, ..	25	16	34	35	24	27	33	31	28	45	45	52	52	29	26	31	33	37	23	41	48	56	72	63	64	63
1— 5 years, ..	9	10	11	15	15	11	14	20	19	31	32	23	35	34	18	18	22	16	24	21	24	34	43	43	33	31
5—25 ,, ..	10	13	14	16	10	17	16	15	14	12	28	18	21	23	18	25	22	17	22	24	31	29	41	26	28	18
25—45 ,, ..	11	26	14	18	25	15	29	17	23	26	17	20	25	17	17	25	15	28	20	26	38	34	50	46	41	33
45—65 ,, ..	25	42	29	29	29	31	32	28	40	35	22	27	31	31	36	36	31	34	30	27	33	39	47	59	41	44
65 and upwards, ..	39	49	24	40	36	30	50	54	35	46	46	45	49	32	26	26	23	27	25	34	40	33	40	47	41	22
Deaths from :—																										
Enteric Fever, ...	·	·	1	·	·	·	·	·	·	1	·	·	1	2	·	2	2	·	2	1	2	2	2	1	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	·	1	·	3	1	·	3	3	11	3	7	21	13	11	12	11	9	2	4	7	3	3	2	1
Scarlet Fever, ...	1	·	1	·	·	1	·	·	·	1	2	1	·	7	2	6	6	2	2	4	4	4	5	2	2	2
Whooping-cough, ...	2	2	1	5	3	2	3	7	6	9	10	10	13	1	1	1	2	1	6	3	4	3	8	6	5	2
Diphtheria, ...	1	1	·	2	2	1	3	3	·	1	·	1	·	1	2	·	2	·	·	1	1	2	1	·	·	1
Dysentery, ...	1	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	2	3	·	2	·	3	4	·	2	2	3	5	2	·	1	2	2	2	3	12	23	33	30	33	21
Tuberculosis { Pulmonary, ..	7	14	11	12	19	14	18	14	15	13	17	13	19	13	13	21	12	15	20	15	23	21	17	31	16	10
Other Forms, ..	6	6	8	6	3	8	4	3	6	13	6	9	6	3	2	2	7	6	3	8	4	2	5	7	7	1
Cancer, ...	7	13	6	11	7	6	8	7	11	10	4	3	6	3	4	5	7	8	5	5	4	6	4	5	5	5
Diseases of Respiratory System, { Pneumonia ..	11	14	13	14	15	13	14	18	18	26	28	32	27	15	11	20	14	20	8	27	34	37	67	68	53	57
Others, ..	16	22	17	19	13	22	30	26	27	37	29	34	40	15	16	20	8	15	17	23	38	38	51	43	30	36
Diarrhœa & Enteritis, under 2 years	2	·	4	3	2	3	3	1	3	3	·	2	3	2	·	1	2	2	1	1	2	1	6	4	4	1
Diarrhœa, 2 years and upwards..	·	·	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	1
Violent Deaths, ...	·	4	1	3	5	1	3	4	2	4	4	4	2	1	1	7	3	2	·	3	3	2	1	3	·	3
Number of Uncertified Deaths, ..	3	2	3	5	9	8	6	5	2	8	3	4	1	2	1	1	3	2	1	2	5	5	3	2	5	1
A Mean Maximum Temperature in degs	53·6	51·5	49·1	50·5	50·4	49·8	49·5	53·3	48·9	51·2	51·9	49·2	49·2	49·2	51·0	45·9	49·7	49·5	48·4	48·5	51·5	46·0	50·9	51·1	49·5	49·4
B Mean Minimum ,, ,,	40·0	35·7	34·2	37·8	40·4	37·1	36·0	40·5	32·1	37·7	36·8	39·6	37·4	36·7	38·6	34·4	38·3	39·5	39·6	36·5	40·3	32·8	35·0	40·3	40·8	38·0
Mean of A and B ,, ,,	46·8	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·5	44·4	44·4	44·4	43·3	42·9	44·8	40·2	44·0	44·5	44·0	42·5	45·9	39·4	42·9	45·7	45·2	43·7
Rainfall in inches	0·71	1·07	0·66	0·59	0·67	0·37	0·28	0·70	0·43	0·24	0·80	0·55	0·78	1·65	1·11	1·32	0·28	0·84	1·07	0·01	0·63	0·57	0·56	0·61	1·03	0·39

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th April, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	15	42·7	·	13	6	1	1	2	2	1	·	·	·	·	·	·	·	·	1	·	·	·	4	1	·	·	1	1	3	·
Do. 2 do. ·	49,500	27	29·5	·	28	9	3	1	6	7	2	·	·	·	·	·	·	·	·	2	3	·	·	7	3	·	·	·	·	7	·
Do. 3 do. ·	50,032	28	28·1	1·0	27	9	5	3	2	6	2	·	·	·	·	1	·	·	·	1	2	·	·	12	3	·	·	·	1	3	·
Do. 4 do. ·	32,637	15	27·2	1·6	17	6	2	4	1	4	·	·	·	·	·	1	·	·	·	·	1	·	1	5	4	·	·	·	·	3	·
Do 5 do. ·	16,112	13	38·8	9·7	12	3	5	1	2	·	1	·	·	·	1	·	1	1	·	2	1	·	·	2	2	·	·	·	·	2	·
Do. 6 do. ·	37,293	21	21·0	·	15	1	3	1	5	3	2	·	·	·	·	·	·	·	·	2	·	·	1	1	5	·	·	·	·	5	·
Do. 7 do. ·	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do. ·	5,964	4	43·7	·	5	1	1	1	·	2	·	·	·	·	·	·	·	·	·	1	1	·	·	1	2	·	·	·	·	1	·
Do. 9 do. ·	24,427	1	36·3	2·1	17	5	·	·	5	4	3	·	·	·	·	·	·	·	·	6	·	·	·	5	2	·	1	·	·	3	·
Do. 10 do. ·	28,958	25	25·2	1·8	14	4	1	1	1	4	3	·	·	·	·	·	1	·	·	2	·	·	1	3	4	·	·	1	1	2	·
Do. 11 do. ·	—	22	·	·	16	2	3	1	5	2	3	·	·	·	·	·	·	·	·	1	·	·	·	3	3	1	·	1	1	4	·
Do. 12 do. ·	—	26	·	·	12	6	2	·	2	2	·	·	·	·	·	·	·	·	·	2	·	·	·	4	1	·	·	·	·	3	1
Do 13 do. ·	—	17	·	·	11	2	·	3	1	2	3	·	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	3	·
Do. 14 do. ·	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do. ·	22,669	16	34·5	·	15	2	5	1	·	6	1	·	·	·	·	·	·	·	·	1	1	·	2	7	1	·	·	·	·	5	·
Do. 16 do. ·	—	12	·	·	9	7	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	3	3	·	·	·	·	·	·
Total, · ·	386,947	243	26·6	1·0	211	63	31	18	33	44	22	·	·	·	1	2	2	1	·	21	10	1	5	57	36	1	1	3	4	44	1
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT, ·	13,455	6	7·8	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 2 do. ·	10,399	6	25·1	·	5	1	1	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	3	·
Do. 3 do. ·	9,793	7	21·3	·	4	1	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·
Do. 4 do. ·	9,139	6	28·5	·	5	1	·	·	2	2	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·
Do. 5 do. ·	6,250	4	16·7	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do. ·	11,581	6	36·0	4·5	8	1	2	1	1	2	1	·	·	·	·	·	1	·	·	·	1	·	·	1	1	·	·	·	·	·	·
Do 7 do. ·	16,056	3	32·5	·	10	1	1	·	2	1	5	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	6	2
Total. · ·	76,673	38	24·5	0·7	36	6	5	1	7	6	11	·	·	·	·	·	1	·	·	·	4	·	1	2	3	·	·	·	·	12	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. · † See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 24·9, and from certain epidemic diseases 0·6 per 1000.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th April, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	1	.	.	.	.	.	.	.	4	.	.	.	6
„ „ 1, West ..	.	.	.	.	.	3	.	.	.	.	.	.	.	1	.	.	2	6
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	3
„ „ 3, ...	.	.	.	.	.	.	.	.		.	.	.		.	.	.	1	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	3	6
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4
„ „ „ 3, ...	1	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	7
„ „ „ 4, ...	.	.	.	.	.	4	.	.	1	.	.	.	.	1	.	.	2	8
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	.	.		.	14	1	.	1	.	.	.	.	11	.	.	15	44

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th April, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 10th April.			
	March 20.	March 27.	April 3.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	8	8	8	3	3	1	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	53	63	63	21	33	7	44
Scarlet Fever, ...	110	92	102	12	20	.	94*
Diphtheria, ...	50	41	34	5	14	.	25
Pneumonia, ...	32	53	56	20	12	7	57

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13809.) Wt. 8424. 3. 380. 4. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER: 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 15. VOL. LVII.] WEEK ENDING SATURDAY, 17TH APRIL, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 19th April, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 27·2 and 25·0; Dublin Registration Area, 31·5 and 26·3; Dublin City, 34·7 and 29·3; Belfast, 28·9 and 30·7; Cork, 18·4 and 19·9; Londonderry, 27·3 and 16·0; Limerick, 13·5 and 15·9; and Waterford, 19·0 and 10·9.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·7 per 1,000. Among the 229 deaths from all causes for Belfast are 5 from measles, one from scarlet fever, 6 from whooping-cough, 2 from diarrhœa and enteritis of children under 2 years, 17 from influenza, and 42 from pneumonia. The 27 deaths from all causes for Cork include one from whooping-cough and one from diphtheria. One of the 23 deaths from all causes for Londonderry is from influenza. Of the 10 deaths from all causes for Waterford one is from whooping-cough and one from diarrhœa and enteritis of a child under 2 years. Of the 8 deaths from all causes for Galway one is from enteric fever. One of the 4 deaths for Drogheda is from whooping-cough. Two of the 12 deaths from all causes for Newry are from measles and 2 deaths from measles and one from influenza are among the 6 deaths from all causes for Portadown. Included in the 4 deaths from all causes for Kilkenny is one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 261—130 boys and 131 girls—and the deaths to 273—148 males and 125 females.

The deaths registered, omitting the deaths (numbering 22) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 31·5 per 1,000 of the population. During the fifteen weeks ending with Saturday last, the death-rate averaged 20·9 and was 4·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the fifteen weeks was 22·4, and for the corresponding period of the preceding ten years 26·8.

Of the 251 deaths appertaining to the Area 5 are from measles, one from scarlet fever, 16 from whooping-cough, one from diphtheria, 3 from diarrhœal diseases, and 5 from influenza.

In the 3 preceding weeks, deaths from measles were 11, 3, and 7; deaths from scarlet fever 2, one and 0; deaths from whooping-cough 10, 10, and 13; deaths from diphtheria 0, one and 0; deaths from diarrhœal diseases 0, 2, and 4; and deaths from influenza 2, 3, and 5.

There were 55 deaths from pneumonia, comprising 38 from broncho-pneumonia, 7 from lobar pneumonia, and 10 from pneumonia (type not distinguished).

Tuberculous disease caused 25 deaths (including 21 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease) as against 23, 22, and 25 in the three weeks preceding.

Eleven deaths were caused by cancer, 10 by organic diseases of the heart, and 26 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 6 were due to whooping-cough, one to influenza, one to simple meningitis, 11 to convulsions, 2 to bronchitis, 16 to broncho-pneumonia, one to lobar pneumonia, 4 to pneumonia (type not distinguished), 2 to diarrhœa and enteritis, one to congenital malformation, 4 to premature birth, and 1 to congenital debility.

There was one accidental death, and one homicidal death.

One hundred and eleven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 65 being infants under one year, of whom 14 were under one month old, and 54 deaths were those of persons aged 65 and upwards, of whom 43 were 70 years of age or over.

Of the 251 deaths recorded, 80 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 17th April, in 96 large English towns (including London in which the rate was 16·1) was equal to an average annual death rate of 15·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·9 per 1,000 persons living, the rate for Glasgow being 19·4 and for Edinburgh 16·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th April. From this Report it appears that of 62 cases notified, 18 were scarlet fever, 13 diphtheria, 8 pulmonary tuberculosis, 4 other forms of tuberculosis, 8 acute primary pneumonia, 5 erysipelas, 2 acute influenzal pneumonia, 2 ophthalmia neonatorum, one malaria and one dysentery. Among the 543 cases of infectious diseases in hospital at the close of the week were 219 of pulmonary tuberculosis, 7 other forms of tuberculosis, 117 of scarlet fever, 107 of diphtheria, 37 of venereal disease, 25 of measles, 9 of erysipelas, 2 of chicken-pox, 2 of acute influenzal pneumonia, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th April, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Mar. 27	1	·	·	·	·	—	9	—	5	5	—	1	—	1	·	·	12	·	·	21	55
	Apr. 3	3	·	1	·	·	—	11	—	2	1	—	·	—	1	·	·	6	·	·	11	36
	Apr. 10	2	·	·	·	·	—	14	—	1	1	—	·	—	·	·	·	11	·	·	15	44
	Apr. 17	3	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	7	·	·	7	22
Rathmines & Rathgar Urban District	Mar. 27	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Apr. 3	·	·	·	·	·	—	2	—	·	·	—	·	—	·	1	·	1	·	·	—	4
	Apr. 10	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	1	·	·	—	2
	Apr. 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Mar. 27	·	·	·	·	·	2	·	·	1	·	·	·	—	·	·	·	·	·	·	·	3
	Apr. 3	·	·	·	·	·	10	1	6	1	·	·	·	—	·	·	·	1	·	·	·	19
	Apr. 10	·	·	·	·	·	9	1	3	2	·	·	·	—	·	·	·	·	·	·	·	15
	Apr. 17	·	·	·	·	·	4	1	8	1	·	·	·	—	·	·	·	·	·	·	·	14
Blackrock Urban District	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	—	·	·	·	·	·	·	·	1
	Apr. 3	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Apr. 10	·	·	·	·	·	3	·	—	1	·	—	·	—	·	·	·	·	·	·	·	4
	Apr. 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Mar. 27	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Apr. 10	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
	Apr. 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	Mar. 27	2	·	·	·	·	—	37	—	3	5	—	1	—	·	1	·	43	·	·	1	93
	Apr. 3	5	·	·	·	·	—	33	—	5	4	—	1	—	·	·	·	20	·	·	·	68
	Apr. 10	2	·	·	·	·	—	22	—	6	2	—	1	—	·	·	·	14	·	·	·	48
	Apr. 17	2	·	·	·	·	—	34	—	5	2	—	2	—	·	·	·	7	·	·	·	52
City of Cork	Mar. 27	·	·	·	·	·	·	·	—	1	·	—	·	·	·	·	·	·	—	·	—	1
	Apr. 3	1	·	·	·	·	·	·	—	5	·	—	·	·	·	3	·	·	—	·	—	9
	Apr. 10	·	·	1	·	·	·	·	—	7	·	—	·	·	·	2	·	·	—	·	—	10
	Apr. 17	·	·	·	·	·	1	·	—	4	1	—	1	·	·	·	·	·	—	·	—	7
City of Londonderry	Mar. 27	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	—	—	2
	Apr. 3	·	1	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	3
	Apr. 10	·	1	·	·	·	—	3	—	1	·	—	·	—	·	·	·	·	·	—	—	5
	Apr. 17	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	·	·	—	—	5
City of Limerick	Mar. 27	·	·	·	·	·	—	·	—	3	·	—	·	—	·	·	·	·	·	·	—	3
	Apr. 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Apr. 17	1	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	3
City of Waterford	Mar. 27	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	—	1	2
	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Apr. 17	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th April, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 10; measles 44 and 71; scarlet fever 10 and 96*; and diphtheria 3 and 22. Fourteen cases of pneumonia were admitted during the week and 42 remained under treatment at its close. Of the deaths in hospital during the week 4 were from measles, one from scarlet fever, and 7 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th April, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 17TH APRIL, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis under 2 years of age.	Diarrhœa and Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 17TH APRIL, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	29·9	27·2	2·7	670	610	145	135	1	·	·	24	2	25	3	·	24	53	21	30	107	80	5	1	8	8	173	18	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	32·8	31·5	4·5	261	251	65	54	·	·	·	15	1	16	1	·	5	21	4	11	55	35	2	1	2	3	80	4	(d) 57·2	27·1	54·0	40·7	47·3	0·94
Urban Districts. CITY OF DUBLIN,	318,200	39·0	36·1	34·7	5·7	220	212	58	35	·	·	·	15	1	15	1	·	5	17	3	8	50	28	2	1	2	3	71	2	(e) 56·2	35·0	52·0	42·8	47·4	1·04
																														(f) 58 2	30·0	53·7	41·7	47·7	0·89
RATHMINES and RATHGAR,	40,400	23·6	21·9	23·2	·	17	18	2	8	·	·	·	·	·	·	·	·	·	4	·	2	4	5	·	·	·	·	4	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	25·9	24·2	1·7	15	14	2	8	·	·	·	·	·	1	·	·	·	·	1	1	1	2	·	·	·	·	5	1	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	17·0	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	18·4	21·5	·	6	7	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	57	34	51·7	44·2	47·9	0·51
Urban Districts. BELFAST, ..	413,000	27·7	33·1	28·9	1·8	262	229	52	44	·	·	·	5	1	6	·	·	17	16	11	8	42	29	2	·	6	5	57	4	57·0	38·0	50·5	42·3	46·4	0·97
CORK, ...	76,673	28·6	20·4	18·4	1·4	30	27	5	9	·	·	·	·	·	1	1	·	·	3	·	3	1	4	·	·	·	·	10	3	56	37	52·3	43·4	47·8	1·30
LONDONDERRY, ..	44,000	17·1	29·6	27·3	·	25	23	9	4	·	·	·	·	·	·	·	·	1	3	1	1	5	5	·	·	·	·	1	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	10·8	13·5	·	8	10	2	2	·	·	·	·	·	·	·	·	·	3	·	2	1	2	·	·	·	·	3	·	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	26·6	19·0	3·8	14	10	2	2	·	·	·	·	·	1	·	·	·	·	·	3	·	2	1	·	·	·	2	·	·	·	·	·	·	·
GALWAY, ..	13,255	2·5				5	8	2	4	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	3	2	·	·	·	·	·	·
DUNDALK, ..	13,128	9·5				3	2	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				5	4	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·	·	·	·	·	·	·
DROGHEDA, ..	12,501	8·4				4	4	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				6	7	4	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	2	·	56	28	51·6	40·1	45·8	1·22
NEWRY, ...	11,963	17·0				8	12	·	7	·	·	·	2	·	·	·	·	·	1	1	1	1	1	·	·	·	·	7	·	·	·	·	·	·	·
PORTADOWN, ..	11,727	15·3				11	6	·	1	·	·	·	2	·	·	·	·	1	1	·	·	2	·	·	·	·	·	1	·	·	·	·	·	·	·
WEXFORD, ..	11,531	22·8				9	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	7	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				8	3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	58	34	54	42	48	0·99
KILKENNY, ..	10,514	11·4				3	4	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	2	54	32	53·7	42·0	47·8	0·83
TRALEE, ...	10,300	17·4				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	16·1	—	2,650	1,342	207	384	1	·	·	76	4	42	20	·	—	97	18	121	140	118	17	6	36	103	606	1	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	16·5	—	185	108	—	—	·	·	·	1	·	·	1	—	8	—	—	—	—	—	·	—	—	—	—	—	53·0	34·0	48·4	38·9	43·6	0·30
GLASGOW	1,115,500	—	—	19·4	—	737	414	—	—	2	·	·	25	2	2	5	—	29	—	—	—	—	—	1	—	—	—	—	—	51·8	34·3	48·4	39·9	44·1	0·79

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 15th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 17th April, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES.	206·2	273	16	52	33	14	9	1	7	7	13	15	28	22	30	26	251
Enteric Fever ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	5·0	18	.	1	9	4	1	.	1	2	.	.	.	.	.	.	15
Scarlet Fever ..	·6	1	.	.		1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough ..	4·4	16	.	6	5	4	1	.	.	.	.	.	.	.	.	.	16
Diphtheria	·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	7·2	8	.	1	1	1	.	.	.	2	2	.	.	1	.	.	5
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·8	25	.	.	.	.	1	.	2	1	6	5	7	2	1	.	21
Tuberculous Meningitis	3·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	2·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·2	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2
Venereal Diseases ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·0	12	.	.	.	.	1	.	1	.	.	1	5	1	2	1	11
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	2	.	.	.	.	.	.		.	.	.	1	1	.	.	2
Other General Diseases	2·2	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	6·2	2	.	.	.	.	.	.	.	.	.	.	.		1	1	2
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy	1 0	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Convulsions (non-puerperal).	3·6	12	4	7	.	1	.	.	.	.	.	.	.	.	.	.	12
Other Diseases of Nervous System.	1 6	6	.	.	.	.	.	.	.	.	1	.	.	2	1	2	5
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	18·6	12	.	.	.	.	.	.	.	.	.	2	1	3	4	2	10
Embolism and Thrombosis (including Cerebral)	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1 6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·4	1	.	.	.	.	.	.	.	.		.	.	1	.	.	1
Bronchitis	30·4	26	.	2	1	.	.	1	.	.	.	1	4	5	6	6	26
Broncho-pneumonia ..	9·2	38	3	13	13	1	2	.	.	.	.	.	.	1	3	2	38
Lobar pneumonia ..	3·6	7	.	1	1	.	.	.	.	.	1	1	1	.	2	.	7
Pneumonia (type not distinguished).	7·2	10	.	4	2	.	.	.	.	.	1	1	1	1	.	.	10
Pleurisy	·4	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.	1·4	6	.	.	.	.	.	.	.	.	.	1	.	1	3	1	6

in the FIFTEENTH WEEK, ending Saturday, 17th April, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 15th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 17th April, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	1·2	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa and Enteritis of Children under 2 years.	2·2	2	1	1	·	·	·	·	·	·	·	·	·	·	·	·	2
Diarrhœa 2 years and upwards.	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Enteritis 2 years and upwards.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Cirrhosis of Liver ...	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·8	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Acute Nephritis ..	·4	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Chronic Bright's Disease	5·4	6	·	·	·	·	·	·	·	1	1	·	2	1	1	·	5
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·		·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·4	2	·	·	·	·	·	·		1	·	·	·	·	1	·	2
Diseases of Locomotor System.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·8	3	·	2	·	·	1	·	·	·	·	·	·	·	·	·	2
Premature Birth ..	5·0	6	5	1	·	·	·	·	·	·	·	·	·	·	·	·	4
Congenital Debility ..	4·6	10	2	8	·	·	·	·	·	·	·	·	·	·	·	·	10
Old Age	8·4	10	·	·	·	·	·	·	·	·	·	·	·	·	2	8	10
Other Specified Diseases	1·6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	2·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Not included in above—																	
Homicide, ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Suicide, ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	2·8	3	·	·	·	·	·	·	·	·	·	·	·	1	2	·	3

TABLE IV.—Showing for the WEEK ENDED 17TH APRIL, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 17TH APRIL, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths	DEATHS.																														
					Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																								
		From all Causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	40·8	3·4	24	8	3	1	·	2	2	5	3	·	·	·	2	·	·	·	·	1	1	1	1	7	4	·	·	·	7	·	5	1	2
,, 1, W.	42,100	45·8	5·0	37	11	3	3	1	2	3	8	6	·	·	·	3	·	1	·	·	2	2	·	·	12	5	·	·	·	12	·	11	2	·
,, 2,	28,200	37·0	12·9	20	7	2	2	1	·	2	3	3	·	·	·	1	·	4	1	·	·	4	·	·	2	2	·	1	·	5	·	4	2	·
,, 3,	35,000	20·4	5·8	14	3	2	3	·	·	2	·	4	·	·	·	·	1	2	·	·	·	·	·	1	5	3	1	·	·	1	·	2	1	·
CLONTARF AND HOWTH, No. 1, part of	5,600	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of	13,900	26·3	·	7	·	·	·	·	1	1	1	4	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	1	3	1	1	1	·
FINGLAS AND GLASNEVIN, part of	11,400	9·1	·	2	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	2	·	·
South City.																																		
SOUTH CITY, No. 1,	44,100	52·0	10·6	44	14	8	3	2	2	·	7	8	·	·	·	5	·	3	·	·	·	3	·	3	8	3	1	·	·	18	·	9	13	·
,, 2,	18,600	33·6	8·4	12	6	3	·	·	·	·	2	1	·	·	·	1	·	2	·	·	·	·	·	·	4	1	·	·	·	4	·	1	2	·
,, 3,	44,400	34·1	2·3	29	5	6	1	5	·	4	4	4	·	·	·	1	·	1	·	·	·	3	1	2	9	4	·	·	1	7	2	5	4	·
,, 4,	33,600	31·0	6·2	20	4	5	·	·	1	2	6	2	·	·	·	2	·	2	·	·	2	3	1	1	1	2	·	·	·	6	·	·	5	·
NEW KILMAINHAM,	10,600	14·8	·	3	·	·	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR,	40,400	23·2	·	18	2	·	·	1	·	4	3	8	·	·	·	·	·	·	·	·	·	4	·	2	4	5	·	·	·	3	·	3	1	·
PEMBROKE	30,200	24·2	1·7	14	2	·	·	·	1	·	3	8	·	·	·	·	·	1	·	·	·	·	1	1	1	2	·	·	·	8	·	4	1	1
BLACKROCK,	9,200	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
KINGSTOWN,	17,000	21·5	·	7	3	·	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	7	·	·	·	1
TOTAL CITY. North,	166,900	32·5	5·3	104	29	10	9	2	5	10	19	20	·	·	·	6	1	7	1	·	3	8	1	2	28	16	1	1	1	28	1	25	7	2
TOTAL CITY. South,	151,300	37·2	6·2	108	29	22	5	7	3	6	21	15	·	·	·	9	·	8	·	·	2	9	2	6	22	12	1	·	1	36	2	15	24	·
TOTAL CITY. North and South,	318,200	34·7	5·7	212	58	32	14	9	8	16	40	35	·	·	·	15	1	15	1	·	5	17	3	8	50	28	2	1	2	64	3	40	31	2
Total Urban Districts,	96,800	21·0	0·5	39	7	·	·	1	1	5	6	19	·	·	·	·	·	1	·	·	·	4	1	3	5	7	·	·	·	18	·	7	2	2
Total Registration Area,	415,000	31·5	4·5	251	65	32	14	10	9	21	46	54	·	·	·	15	1	16	1	·	5	21	4	11	55	35	2	1	2	82	3	47	33	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				22	3	1	·	·	5	7	4	2	·	·	·	3	·	·	·	·	3	4	·	1	·	2	·	·	2	7	1	18	4	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th April, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH APRIL, 1920.

CLASS	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	273	115	10	14	28	50	30	26	·	·	·	18	1	16	1	·	8	25	4	12	12	55	37	2	1	4	77	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	21·3	6	·	1	·	2	1	·	2	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	3	·
II.	MIDDLE CLASS	101,798	23·6	46	8	2	1	7	9	10	9	·	·	·	·	·	2	·	·	1	4	1	3	·	9	8	1	·	·	17	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	23·6	49	21	·	3	5	11	3	6	·	·	·	4	·	2	·	·	1	6	1	2	3	12	6	1	·	1	10	1
IV.	GENERAL SERVICE CLASS	167,479	42·0	135	78	7	7	11	17	10	5	·	·	·	14	1	12	1	·	6	9	2	3	9	32	15	·	1	2	28	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	37	8	·	3	3	12	7	4	·	·	·	·	·	·	·	·	·	4	·	3	·	2	8	·	·	1	19	·
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	·	1	·	1	1	·	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	1	·
	2. Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	8	2	1	·	·	1	3	1	·	·	·	·	·	·	·	·	·	·	·	1	·	4	·	·	·	·	3	·
	6. Clerks and Commercial Assistants,	33,249	—	15	5	·	1	·	6	2	1	·	·	·	·	·	2	·	·	·	2	·	·	·	3	2	1	·	·	5	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	21	1	·	·	7	2	5	6	·	·	·	·	·	·	·	·	1	2	·	2	·	2	6	·	·	·	8	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	20	11	·	1	2	4	2	·	·	·	·	1	·	·	·	·	·	4	·	·	2	8	2	1	·	·	2	·
	10. Clothing Trades, ...	20,026	—	6	·	·	2	·	2	·	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	·	3	·
	11. Food Supply Trades, ...	8,952	—	5	5	·	·	·	·	·	·	·	·	·	2	·	2	·	·	·	·	·	·	·	1	·	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	15	4	·	·	3	3	1	4	·	·	·	1	·	·	·	·	·	2	·	·	1	3	4	·	·	1	3	1
	13. Petty Shopkeepers, ...	6,772	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	20	8	2	4	3	1	1	1	·	·	·	3	·	1	·	·	4	2	·	1	·	5	1	·	·	1	2	·
	15. Domestic Servants, ...	36,041	—	6	2	·	·	1	1	·	2	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	3	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	16	7	1	1	2	3	2	·	·	·	·	·	·	·	·	·	1	1	·	·	·	6	1	·	·	1	6	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	93	61	4	2	5	12	7	2	·	·	·	11	1	10	1	·	1	6	1	1	9	21	13	·	1	·	17	3
	INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates, ...	5,602	—	37	8	·	3	3	12	7	4	·	·	·	·	·	·	·	·	·	4	·	3	·	2	8	·	·	1	19	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

WEEK ENDING	Dublin Registration Area.													Belfast City.											
	Jan. 24.	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10	Apr. 17
No. of weeks in Annual Series ..	3	4	5	6	7	8	9	10	11	12	13	14	15	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered	289	238	279	257	258	282	277	239	215	257	181	256	261	231	267	271	264	282	321	263	225	275	258	297	243	262
Average Births in corresponding week of previous 10 years, ...	205	210	210	211	205	199	205	215	201	220	209	210	211	207	195	209	196	197	195	213	201	202	212	202	202	208
Number of Deaths, ...	156	126	153	139	131	174	165	159	195	190	185	213	251	141	161	146	159	144	173	214	225	293	284	248	211	229
Annual Death-rate per 1,000 ..	19·6	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·5	23·9	23·2	26·8	31·5	17·8	20·3	18·4	20·1	18·2	21·8	27·0	28·4	37·0	35·9	31·3	26·6	28·9
Average Deaths in corresponding week of previous 10 years, ...	180	184	186	187	191	212	219	221	200	204	191	198	189	142	159	170	184	172	172	170	173	172	169	163	165	164
Ages, .. Under one year, ..	16	34	35	24	27	33	31	28	45	45	52	52	65	26	31	33	37	23	41	48	56	72	63	64	63	52
1— 5 years, ..	10	11	15	15	11	14	20	19	31	32	23	35	46	18	18	22	16	24	21	24	34	43	43	33	31	29
5—25 ,, ..	13	14	16	10	17	16	15	14	12	28	18	21	19	18	25	22	17	22	24	31	29	41	26	28	18	27
25—45 ,, ..	26	14	18	25	15	29	17	23	26	17	20	25	21	17	25	15	28	20	26	38	34	50	46	41	33	37
45—65 ,, ..	42	29	29	29	31	32	28	40	35	22	27	31	46	36	36	31	34	30	27	33	39	47	59	41	44	40
65 and upwards, ..	49	24	40	36	30	50	54	35	46	46	45	49	54	26	26	23	27	25	34	40	33	40	47	41	22	44
Deaths from :—																										
Enteric Fever, ...	·	1	·	·	·	·	·	·	1	·	·	1	·	·	2	2	·	2	1	2	2	2	1	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	·	1	·	3	1	·	3	3	11	3	7	15	13	11	12	11	9	2	4	7	3	3	2	1	5
Scarlet Fever, ...	·	1	·	·	1	·	·	·	1	2	1	·	1	2	6	6	2	2	4	4	4	5	2	2	2	1
Whooping-cough, ...	2	1	5	3	2	3	7	6	9	10	10	13	16	1	1	2	1	6	3	4	3	8	6	5	2	6
Diphtheria, ...	1	·	2	2	1	3	3	·	1	·	1	·	1	2	·	2	·	·	1	1	2	1	·	·	1	·
Dysentery, ...	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	2	3	·	2	·	3	4	·	2	2	3	5	5	·	1	2	2	2	3	12	23	33	30	33	21	17
Tuberculosis { Pulmonary, ..	14	11	12	19	14	18	14	15	13	17	13	19	21	13	21	12	15	20	15	23	21	17	31	16	10	16
Other Forms, ..	6	8	6	3	8	4	3	6	13	6	9	6	4	2	2	7	6	3	8	4	2	5	7	7	1	11
Cancer, ...	13	6	11	7	6	8	7	11	10	4	3	6	11	4	5	7	8	5	5	4	6	4	5	5	5	8
Diseases of Respiratory System, { Pneumonia ..	14	13	14	15	13	14	18	18	26	28	32	27	55	11	20	14	20	8	27	34	37	67	68	53	57	42
Others, ..	22	17	19	13	22	30	26	27	37	29	34	40	35	16	20	8	15	17	23	38	38	51	43	30	36	29
Diarrhœa & Enteritis, under 2 years	·	4	3	2	3	3	1	3	3	·	2	3	2	·	1	2	2	1	1	2	1	6	4	4	1	2
Diarrhœa, 2 years and upwards..	·	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	1	·
Violent Deaths, ...	4	1	3	5	1	3	4	2	4	4	4	2	2	1	7	3	2	·	3	3	2	1	3	·	3	6
Number of Uncertified Deaths, ..	2	3	5	9	8	6	5	2	8	3	4	1	4	1	1	3	2	1	2	5	5	3	2	5	1	4
A Mean Maximum Temperature in degs	51·5	49·1	50·5	50·4	49·8	49·5	53·3	48·9	51·2	51·9	49·2	49·2	54·0	51·0	45·9	49·7	49·5	48·4	48·5	51·5	46·0	50·9	51·1	49·5	49·4	50·5
B Mean Minimum ,, ,,	35·7	24·2	37·8	40·4	37·1	36·0	40·5	32·1	37·7	36·8	39·6	37·4	40·7	38·6	34·4	38 3	39·5	39·6	36·5	40·3	32·8	35 0	40·3	40·8	38·0	42·3
Mean of A and B ,, ,,	43·6	41·6	44·1	45·4	43·4	42·7	46·9	40·5	44·4	44·4	44·4	43 3	47·3	44·8	40·2	44·0	44·5	44·0	42·5	45·9	39·4	42·9	45·7	45·2	43·7	46·4
Rainfall in inches	1·07	0 66	0·59	0·67	0·37	0·28	0·70	0 43	0·24	0·80	0·55	0·78	0·94	1·11	1·32	0·28	0·84	1·07	0·01	0·63	0·57	0·56	0·61	1·03	0·39	0·97

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th April, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	8	42·7	·	13	2	·	2	3	3	3	·	·	·	·	·	·	·	·	2	1	·	·	2	·	·	·	1	1	4	·
Do. 2 do.	49,500	29	29·5	1·1	28	5	5	3	5	5	5	·	·	·	·	·	1	·	·	4	1	1	2	2	5	·	·	1	1	7	1
Do. 3 do.	50,032	38	24·0	6·3	23	6	5	4	2	3	3	·	·	·	2	·	4	·	·	1	2	1	·	6	1	·	·	·	·	5	·
Do 4 do.	32,637	18	41·5	·	26	11	3	·	6	2	4	·	·	·	·	·	·	·	·	2	1	1	2	5	3	·	·	1	·	8	·
Do 5 do.	16,112	21	32·4	·	10	2	3	1	·	2	2	·	·	·	·	·	·	·	·	·	1	1	·	2	2	·	·	·	·	4	1
Do. 6 do.	37,293	23	26·6	1·4	19	4	·	3	3	2	7	·	·	·	·	1	·	·	·	2	2	2	·	4	1	·	·	·	·	5	·
Do. 7 do.	2,681	·	38·9	·	2	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·
Do. 8 do.	5,964	3	17·5	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·
Do. 9 do.	24,427	16	36·3	2·1	17	3	2	2	4	3	3	·	·	·	·	·	·	·	·	1	1	·	·	3	2	1	·	1	1	5	·
Do. 10 do.	28,958	18	34·2	1·8	19	5	3	3	2	4	2	·	·	·	·	·	·	·	·	1	1	1	1	3	6	1	·	·	·	3	·
Do. 11 do.	—	27	·	·	15	4	·	2	3	1	5	·	·	·	·	·	·	·	·	·	2	1	·	2	3	·	·	·	·	2	·
Do 12 do.	—	15	·	·	16	1	·	2	5	5	3	·	·	·	1	·	·	·	·	·	·	1	2	2	2	·	·	1	1	6	1
Do 13 do.	—	10	·	·	5	2	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do 15 do.	22,669	21	50·6	4·6	22	2	7	2	3	4	4	·	·	·	1	·	1	·	·	2	4	1	·	7	·	·	·	·	·	4	·
Do. 16 do.	—	15	·	·	12	4	1	2	1	3	1	·	·	·	1	·	·	·	·	2	·	·	1	3	1	·	·	·	·	4	·
Total,	386,947	262	28·9	1·8	229	52	29	27	37	40	44	·	·	·	5	1	6	·	·	17	16	11	8	42	29	2	·	6	5	57	4
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	.	23·3	·	6	·	·	·	1	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	3	·
Do. 2 do.	10,399	11	25·1	5·0	5	·	1	·	·	2	2	·	·	·	·	·	1	·	·	·	·	·	1	·	2	·	·	·	·	1	·
Do. 3 do.	9,793	3	26·6	5·3	5	·	·	3	1	1	·	·	·	·	·	·	·	1	·	·	2	·	1	·	·	·	·	·	·	3	·
Do. 4 do.	9,139	4	11·4	·	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·
Do. 5 do.	6,250	2	8·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	6	22·5	·	5	2	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1
Do 7 do.	16,056	4	9·7	·	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Total.	76,673	30	18·4	1·4	27	5	2	3	3	5	9	·	·	·	·	·	1	1	·	·	3	·	3	1	4	·	·	·	·	10	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 24·9, and from certain epidemic diseases 1·0 per 1000.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th April, 1920

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3	5
„ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	2	5
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	.	4
„ „ „ 4, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	3	.	.	.	.	3	1	.	1	.	.	.	.	7	.	.	7	22

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th April, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 17th April.			
	March 27.	April 3.	April 10.	No. admitted	Discharged	Died.	No. under treatment at close of week.
Enteric Fever, ...	8	8	7	3	.	.	10
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	63	63	44	44	13	4	71
Scarlet Fever, ...	92	102	94	10	7	1	96*
Diphtheria, ...	41	34	25	3	6	.	22
Pneumonia, ...	53	56	57	14	22	7	42

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13821.) Wt. 200. 3. 380. 4. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin:
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 16. Vol. LVII.] Week ending Saturday, 24th April, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 26th April, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 25·6 and 25·1; Dublin Registration Area, 28·5 and 27·5; Dublin City, 29·7 and 30·1; Belfast, 27·6 and 28·6; Cork, 23·8 and 22·3; Londonderry, 19·0 and 18·7; Limerick, 14·9 and 15·9; and Waterford, 22·8 and 14·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 219 deaths from all causes for Belfast are one from measles, 5 from diarrhœa and enteritis of children under 2 years, 13 from influenza, and 38 from pneumonia. The 35 deaths from all causes for Cork include 2 from whooping-cough and one from influenza. One of the 16 deaths from all causes for Londonderry is from diphtheria. Of the 11 deaths from all causes for Limerick one is from measles. Of the 12 deaths from all causes for Waterford 2 are from whooping-cough. Included among the 4 deaths from all causes for Drogheda is one from influenza, and one death from influenza is also among the 6 deaths from all causes for Portadown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 277—137 boys and 140 girls—and the deaths to 251—130 males and 121 females.

The deaths registered, omitting the deaths (numbering 24) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 28·5 per 1,000 of the population. During the sixteen weeks ending with Saturday last, the death-rate averaged 21·4 and was 3·8 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the sixteen weeks was 23·0, and for the corresponding period of the preceding ten years 26·8.

Of the 227 deaths appertaining to the Area 9 are from measles, 9 from whooping-cough, 2 from diarrhœa and enteritis of children under 2 years, and 5 from influenza.

In the 3 preceding weeks, deaths from measles were 3, 7, and 15; deaths from whooping-cough 10, 13, and 16; deaths from diarrhœa and enteritis of children under 2 years 2, 3, and 2; and deaths from influenza 3, 5, and 5.

There were 47 deaths from pneumonia, comprising 37 from broncho-pneumonia, one from lobar pneumonia, and 9 from pneumonia (type not distinguished).

Tuberculous disease caused 21 deaths (including 16 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of tuberculous disease) as against 22, 25, and 25 in the three weeks preceding.

Nine deaths were caused by cancer, 14 by organic diseases of the heart, and 33 by bronchitis.

Among deaths of infants under one year old, 3 were due to measles, one to whooping-cough, one to influenza, 7 to convulsions, 3 to bronchitis, 14 to broncho-pneumonia, 2 to pneumonia (type not distinguished), one to diarrhœa and enteritis, 2 to congenital malformations, 7 to premature birth, and 4 to congenital debility.

There were 6 deaths caused by violence, one of which was attributed to homicide.

Ninety-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 48 being infants under one year, of whom 18 were under one month old, and 46 deaths were those of persons aged 65 and upwards, of whom 37 were 70 years of age or over.

Of the 227 deaths recorded, 72 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND

The mortality among civilians for the week ended 24th April, in 96 large English towns (including London in which the rate was 14·2) was equal to an average annual death rate of 14·5 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 19·2 per 1,000 persons living, the rate for Glasgow being 19·2 and for Edinburgh 14·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th April. From this Report it appears that of 64 cases notified, 21 were diphtheria, 16 scarlet fever, 7 pulmonary tuberculosis, 7 other forms of tuberculosis, 6 acute primary pneumonia, 2 cerebro-spinal fever, one acute influenzal pneumonia, one ophthalmia neonatorum, 2 malaria, and one erysipelas. Among the 520 cases of infectious diseases in hospital at the close of the week were 214 of pulmonary tuberculosis, 8 other forms of tuberculosis, 110 of scarlet fever, 96 of diphtheria, 41 of venereal disease, 25 of measles, 7 of erysipelas, 2 of cerebro-spinal fever, 2 of acute influenzal pneumonia, one of chicken-pox and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th April, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Apr. 3	3	·	1	·	·	—	11	—	2	1	—	·	—	1	·	·	6	·	·	11	36
	Apr. 10	2	·	·	·	·	—	14	—	1	1	—	·	—	·	·	·	11	·	·	15	44
	Apr. 17	3	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	7	·	·	7	22
	Apr. 24	4	·	·	·	·	—	6	—	2	6	—	·	—	·	·	·	1	·	·	15	34
Rathmines & Rathgar Urban District	Apr. 3	·	·	·	·	·	—	2	—	·	·	—	·	—	·	1	·	1	·	·	—	4
	Apr. 10	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	1	·	·	—	2
	Apr. 17	·	·	·	·	·	—	2	—	2	1	—	·	—	·	·	·	1	·	·	—	6
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Apr. 3	·	·	·	·	·	10	1	6	1	·	·	·	—	·	·	·	1	·	·	·	19
	Apr. 10	·	·	·	·	·	9	1	3	2	·	·	·	—	·	·	·	·	·	·	·	15
	Apr. 17	·	·	·	·	·	4	1	8	1	·	·	·	—	·	·	·	·	·	·	·	14
	Apr. 24	·	·	·	·	·	31	·	5	·	·	·	·	—	·	·	·	2	·	·	·	38
Blackrock Urban District	Apr. 3	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	Apr. 10	·	·	·	·	·	3	·	—	1	·	—	·	—	·	·	·	·	·	·	·	4
	Apr. 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Apr. 27	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	Apr. 10	·	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	·	·	1
	Apr. 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	Apr. 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
City of Belfast	Apr. 3	5	·	·	·	·	—	33	—	5	4	—	1	—	·	·	·	20	·	·	·	68
	Apr. 10	2	·	·	·	·	—	23	—	6	2	—	1	—	·	·	·	14	·	·	·	48
	Apr. 17	2	·	·	·	·	—	34	—	5	2	—	2	—	·	·	·	7	·	·	·	52
	Apr. 24	3	·	·	·	·	—	42	—	2	1	—	·	—	·	2	·	7	·	·	1	58
City of Cork	Apr. 3	1	·	·	·	·	·	·	—	5	·	—	·	·	·	3	·	·	—	·	—	9
	Apr. 10	·	·	1	·	·	·	·	—	7	·	—	·	·	·	2	·	·	—	·	—	10
	Apr. 17	·	·	·	·	·	1	·	—	4	1	—	1	·	·	·	·	·	—	·	—	7
	Apr. 24	·	·	·	·	·	·	·	—	8	·	—	·	·	·	·	·	·	—	·	—	8
City of Londonderry	Apr. 3	·	1	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	—	—	3
	Apr. 10	·	1	·	·	·	—	3	—	1	·	—	·	—	·	·	·	·	·	—	—	5
	Apr. 17	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	·	·	—	—	5
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
City of Limerick	Apr. 3	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	·	—	1
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	Apr. 17	1	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	3
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Apr. 3	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	Apr. 10	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	Apr. 17	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	—	—	8	10
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th April, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 7; measles 28 and 77; scarlet fever 16 and 87*; and diphtheria 6 and 26. Thirteen cases of pneumonia were admitted during the week and 44 remained under treatment at its close. Of the deaths in hospital during the week one was from measles, and one from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 24th April, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 24TH APRIL, 1920.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	35·1	25·6	1·4	785	573	124	121	·	·	·	11	·	13	1	·	21	56	16	22	98	91	7	·	10	11	162	19
DUBLIN REGISTRATION AREA, ...	415,000	29·7	34·8	28·5	2·5	277	227	48	46	·	·	·	9	·	9	·	·	5	16	5	9	47	38	2	·	6	6	72	4
Urban Districts. CITY OF DUBLIN,	318,200	39·0	39·5	29·7	2·8	241	181	43	31	·	·	·	8	·	7	·	·	4	13	4	6	38	30	2	·	6	5	64	4
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	23·2	23·2	·	18	18	1	7	·	·	·	·	·	·	·	·	1	·	·	1	5	4	·	·	·	1	4	·
Urban Districts. PEMBROKE, ..	30,200	19·2	22·4	25·9	5·2	13	15	4	2	·	·	·	1	·	2	·	·	·	1	1	·	4	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	·	28·3	·	·	5	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	2	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	15·3	24·5	·	5	8	·	3	·	·	·	·	·	·	·	·	·	·	·	2	·	2	·	·	·	·	2	·
Urban Districts. BELFAST, ..	413,000	27·7	35·7	27·6	0·8	283	219	53	41	·	·	·	1	·	·	·	·	13	23	8	5	38	36	5	·	3	4	57	4
Urban Districts. CORK, ...	76,673	28·6	28·6	23·8	1·4	42	35	4	9	·	·	·	·	·	2	·	·	1	5	1	4	4	3	·	·	1	1	9	1
Urban Districts. LONDONDERRY, ..	44,000	17·1	30·8	19·0	1·2	26	16	4	3	·	·	·	·	·	·	1	·	·	1	·	1	1	7	·	·	·	·	2	·
Urban Districts. LIMERICK, ..	38,518	16·1	24·4	14·9	1·4	18	11	2	3	·	·	·	1	·	·	·	·	·	2	·	·	1	3	·	·	·	·	4	1
Urban Districts. WATERFORD, ..	27,464	19·1	24·7	22·8	3·8	13	12	2	2	·	·	·	·	·	2	·	·	·	2	1	·	·	1	·	·	·	·	6	1
Urban Districts. GALWAY, ..	13,255	2·5				4	4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2
Urban Districts. DUNDALK, ..	13,128	9·5				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				9	5	1	2	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	·
Urban Districts. DROGHEDA, ..	12,501	8·4				5	4	1	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	2	·
Urban Districts. LISBURN, ..	12,388	10·9				11	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				4	6	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1
Urban Districts. PORTADOWN, ..	11,727	15·3				6	6	1	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	·
Urban Districts. WEXFORD, ..	11,531	22·8				10	4	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	2	1
Urban Districts. BALLYMENA, ..	11,381	9·3				36	6	1	1	·	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				9	9	1	2	·	·	·	·	·	·	·	·	·	3	·	1	·	·	·	·	·	·	7	1
Urban Districts. KILKENNY, ..	10,514	11·4				15	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Urban Districts. TRALEE, ...	10,300	17·4				2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				12	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	14·2	—	2,665	1,185	195	389	1	·	·	40	4	29	12	·	—	91	17	97	113	111	15	3	44	93	577	1
EDINBURGH ...	342,300	—	—	14·4	—	180	94	19	32	·	·	·	2	·	·	2	—	4	—	—	—	—	—	·	—	2	—	—	—
GLASGOW	1,115,500	—	—	19·2	—	770	410(g)	96	81	1	·	3	20	1	4	3	—	31	—	—	—	—	—	7	—	19	—	—	—

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

METEOROLOGY. (c)

WEEK ENDING 24TH APRIL, 1920.

Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
°	°	°	°	°	
·	·	·	·	·	·
(d) 58·0	29·1	54·7	37·8	46·3	0·39
(e) 58·8	36·8	55·3	42·1	48·7	0·39
(f) 59·6	30·2	55·0	40·4	47·7	0·53
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
54·0	30·0	52·3	36·8	44·5	0·70
58	39	53·9	42·0	48·0	0·81
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
56	34	54	40	47	1·09
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
62	29	53·7	36·3	45	1·07
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
61	33	54	37	45·5	1·22
59	38	56·2	42·4	49·3	0·65
·	·	·	·	·	·
·	·	·	·	·	·
58·0	38·0	53·6	40·1	46·9	0·13
56·2	36·6	52·4	40·6	46·5	0·44

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 16th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 24th April, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	197·6	251	20	31	29	19	3	6	7	8	14	25	22	20	22	25	227
Enteric Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	5·2	9	.	3	3	3	.	.	.	.	.	.	.	.	.	.	9
Scarlet Fever ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	5·6	9	.	1	4	4	.	.	.	.	.	.	.	.	.	.	9
Diphtheria	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5·8	9	.	1	.	.	.	.	1	2	2	1	1	.	1	.	5
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	22·6	17	.	.	.	1	.	1	2	1	5	5	2	.	.	.	16
Tuberculous Meningitis	4·2	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	3·6	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Tuberculosis of other Organs.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·8	13	.	.	.	.	.	.	.	.	.	2	6	3	2	.	9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Diabetes	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Anæmia, Leucocythæmia.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·6	4	.	.	.	2	.	.	.	.	1	.	.	.	.	1	4
Alcoholism ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	1·6	3	.	.	1	1	.	.	.	.	.	1	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	5 8	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	3
Softening of Brain ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	3·0	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Epilepsy	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Convulsions (non-puerperal).	4·4	7	6	1	.	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	3 6	4	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·2	14	.	.	.	.	.	.	.	.	2	.	2	6	3	1	14
Embolism and Thrombosis (including Cerebral)	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Circulatory System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	22·6	34	.	3	7	.	.	1	.	.	.	1	3	4	6	9	33
Broncho-pneumonia ..	8·2	37	2	12	12	6	1	.	.	.	.	2	1	1	.	.	37
Lobar pneumonia ..	2·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	8·0	10	1	1	.	.	.	.	.	1	.	3	2	.	1	1	9
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Respiratory System.	1·6	4	.	.	.	.	.	.	.	1	.	1	1	.	.	1	4

in the SIXTEENTH WEEK, ending Saturday, 24th April, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 16th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 24th April, 1920. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ...	2·6	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Diarrhœa and Enteritis of Children under 2 years.	2·6	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·8	5	.	.	.	1	1	1	.	.	.	.	.	.	1	1	5
Appendicitis and Typhlitis.	·4	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Cirrhosis of Liver ...	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis ..	·4	3	.	.	.	.	.	1	.	.	.	1	.	1	.	.	2
Chronic Bright's Disease	5·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·8	3	.	.	.	.	.	.	.	1	.	2	.	.	.	.	3
Diseases of Skin and Cellular Tissues.	1·2	3	.	.	.	.	.	.		.	.	.	1	.	1	1	3
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Premature Birth ..	3·4	8	7	1	.	.	.	.	.	.	.	.	.	.	.	.	7
Congenital Debility ..	5·4	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	4
Old Age	7·8	7	.	.	.	.	.	.	.	.	.	.	.	.	1	6	7
Other Specified Diseases	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·2	1		.	.	.	.	.	.	.	.	1	.	.	.	.	1
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	2·6	3	.	.	.	.	.	.	1	2	.	.	.	.	.	.	2
Other Violent Deaths		2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Not included in above—																	
Homicide. ..	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Suicide, ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	2·8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2

TABLE IV.—Showing for the WEEK ENDED 24TH APRIL, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 24TH APRIL, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths. From all Causes	From certain Epidemic Diseases*	DEATHS. Total Deaths	Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY: Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	20·4	3·4	12	1	3	3	·	·	2	2	1	·	·	·	1	·	·	·	·	1	·	1	·	4	1	1	·	·	3	·	2	4	·
,, 1, W., ...	42,100	39·7	6·2	32	7	6	4	1	1	5	1	7	·	·	·	2	·	3	·	·	·	3	·	·	6	5	·	·	1	12	1	7	3	1
,, 2, ...	28,200	29·6	·	16	5	4	2	·	·	1	1	3	·	·	·	·	·	·	·	·	1	·	·	·	10	2	·	·	·	3	·	·	3	·
,, 3, ...	35,000	35·0	2·9	24	5	1	1	1	3	4	7	2	·	·	·	·	·	1	·	·	1	3	1	2	3	3	1	·	1	8	·	6	5	1
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ..	13,900	30·0	3·8	8	2	·	·	1	·	·	1	4	·	·	·	1	·	·	·	·	·	·	·	1	1	1	·	·	·	4	·	·	·	·
FINGLAS AND GLASNEVIN, part of ..	11,400	4·6	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ..	44,100	30·7	2·4	26	7	5	1	2	·	2	3	6	·	·	·	1	·	1	·	·	1	·	·	1	5	5	·	·	·	12	·	3	1	1
,, 2, ...	18,600	28·0	8·4	10	2	1	·	·	·	2	4	1	·	·	·	2	·	1	·	·	·	1	1	·	·	2	·	·	·	3	·	1	4	·
,, 3, ...	44,400	32·9	·	28	6	2	1	2	4	4	4	5	·	·	·	·	·	·	·	·	·	3	1	1	4	7	·	·	3	9	3	8	4	1
,, 4, ...	33,600	29·5	3·1	19	5	2	4	·	1	4	1	2	·	·	·	1	·	1	·	·	·	2	·	1	2	3	·	·	1	8	1	10	2	·
NEW KILMAINHAM, ...	10,600	14·8	·	3	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	1	·	·	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	23·2	·	18	1	1	1	1	1	1	5	7	·	·	·	·	·	·	·	·	1	·	·	1	5	4	·	·	·	7	1	2	2	·
PEMBROKE	30,200	25·9	5·2	15	4	4	2	·	·	1	2	2	·	·	·	1	·	2	·	·	·	1	1	·	4	1	·	·	·	5	·	·	·	·
BLACKROCK, ...	9,200	28·3	·	5	·	·	·	·	·	2	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	2	·	·	2	·
KINGSTOWN, ...	17,000	24·5	·	8	·	·	·	·	·	2	3	3	·	·	·	·	·	·	·	·	·	·	·	2	·	2	·	·	·	4	·	·	2	·
TOTAL CITY. North, ...	166,900	29·7	3·1	95	21	14	10	3	5	12	13	17	·	·	·	4	·	4	·	·	3	6	2	3	26	13	2	·	2	30	1	15	15	2
TOTAL CITY. South, ...	151,300	29·6	2·4	86	22	10	6	4	5	13	12	14	·	·	·	4	·	3	·	·	1	7	2	3	12	17	·	·	4	33	4	22	12	2
TOTAL CITY. North and South, ..	318,200	29·7	2·8	181	43	24	16	7	10	25	25	34	·	·	·	8	·	7	·	·	4	13	4	6	38	30	2	·	6	63	5	37	27	4
Total Urban Districts, ...	96,800	24·8	1·6	46	5	5	3	1	1	6	10	15	·	·	·	1	·	2	·	·	1	3	1	3	9	8	·	·	·	18	1	2	6	·
Total Registration Area, ..	415,000	28·5	2·5	227	48	29	19	8	11	31	35	46	·	·	·	9	·	9	·	·	5	16	5	9	47	38	2	·	6	81	6	39	33	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				24	3	·	·	1	4	8	7	1	·	·	·	·	·	·	·	·	4	1	1	4	1	1	1	·	2	9	1	17	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 24th April, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH APRIL, 1920.

Class.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	251	99	9	15	39	42	22	25	·	·	·	9	·	9	·	·	9	17	6	13	7	48	39	3	·	8	83	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	32·0	9	2	·	·	1	3	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	6	·
II.	MIDDLE CLASS	101,798	22·5	44	10	2	·	10	9	3	10	·	·	·	·	·	1	·	·	1	2	1	5	·	7	7	1	·	·	19	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	25·5	53	20	2	2	9	12	6	2	·	·	·	2	·	1	·	·	1	4	·	5	·	14	7	·	·	2	18	1
IV.	GENERAL SERVICE CLASS	167,479	34·2	110	61	5	12	13	9	4	6	·	·	·	7	·	7	·	·	7	6	3	2	6	23	15	1	·	6	27	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	6	·	1	6	9	7	6	·	·	·	·	·	·	·	·	1	5	2	·	1	4	9	·	·	·	13	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	2	·	·	1	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	5	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	·	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	7	2	·	·	3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	1	·	·	3	1
	6. Clerks and Commercial Assistants,	33,249	—	13	5	·	·	2	1	2	3	·	·	·	·	·	1	·	·	1	1	·	·	·	3	4	·	·	·	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	21	3	2	·	5	7	·	4	·	·	·	·	·	·	·	·	·	1	1	4	·	1	2	·	·	·	12	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·
	9. Building and Furnishing Trades, ..	28,823	—	9	6	·	·	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	4	·	·	·	·	3	·
	10. Clothing Trades, ...	20,026	—	6	3	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	3	1
	11. Food Supply Trades, ...	8,952	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	29	8	·	1	7	8	3	2	·	·	·	1	·	1	·	·	·	3	·	4	·	7	5	·	·	2	6	·
	13. Petty Shopkeepers, ...	6,772	—	6	2	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	17	7	·	5	4	·	·	1	·	·	·	·	·	2	·	·	4	2	1	·	·	2	1	·	·	3	2	·
	15. Domestic Servants, ...	36,041	—	13	2	·	3	4	1	1	2	·	·	·	·	·	·	·	·	1	2	·	·	·	1	3	·	·	2	4	·
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	14	11	2	1	·	·	·	·	·	·	·	2	·	1	·	·	1	·	·	·	·	5	2	1	·	1	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	66	41	3	3	5	8	3	3	·	·	·	5	·	4	·	·	1	2	2	2	6	15	9	·	·	·	20	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	35	6	·	1	6	9	7	6	·	·	·	·	·	·	·	·	1	5	2	·	1	4	9	·	·	·	13	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Jan. 31	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10	Apr. 17	Apr. 24.
No. of weeks in Annual Series ..	4	5	6	7	8	9	10	11	12	13	14	15	16	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered	238	279	257	258	282	277	239	215	257	181	256	261	277	207	271	264	282	321	263	225	275	258	297	243	262	283
Average Births in corresponding week of previous 10 *years*, ...	210	210	211	205	199	205	215	201	220	209	210	211	208	195	209	196	197	195	213	201	202	212	202	202	208	214
Number of Deaths, ...	126	153	139	131	174	165	159	195	190	185	213	251	227	161	146	159	144	173	214	225	293	284	248	211	229	219
Annual Death-rate per 1,000 ..	15·8	19·2	17·5	16·5	21·9	20·7	20·0	24·5	23·9	23·2	26·8	31·5	28·5	20·3	18·4	20·1	18·2	21·8	27·0	28·4	37·0	35·9	31·3	26·6	28·9	27·6
Average Deaths in corresponding week of previous 10 *years*, ...	184	186	187	191	212	219	221	200	204	191	198	189	188	159	170	184	172	172	170	173	172	169	163	165	164	158
Ages, .. Under one year, ..	34	35	24	27	33	31	28	45	45	52	52	65	48	31	33	37	23	41	48	56	72	63	64	63	52	53
1— 5 years, ..	11	15	15	11	14	20	19	31	32	23	35	46	48	18	22	16	24	21	24	34	43	43	33	31	29	23
5—25 ,, ..	14	16	10	17	16	15	14	12	28	18	21	19	19	25	22	17	22	24	31	29	41	26	28	18	27	23
25—45 ,, ..	14	18	25	15	29	17	23	26	17	20	25	21	31	25	15	28	20	26	38	34	50	46	41	33	37	28
45—65 ,, ..	29	29	29	31	32	28	40	35	22	27	31	46	35	36	31	34	30	27	33	39	47	59	41	44	40	51
65 and upwards, ..	24	40	36	30	50	54	35	46	46	45	49	54	46	26	23	27	25	34	40	33	40	47	41	22	44	41
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	1	.	.	1	.	.	2	2	.	2	1	2	2	2	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	3	1	.	3	3	11	3	7	15	9	11	12	11	9	2	4	7	3	3	2	1	5	1
Scarlet Fever, ...	1	.	.	1	.	..	.	1	2	1	.	1	.	6	6	2	2	4	4	4	5	2	2	2	1	.
Whooping-cough, ...	1	5	3	2	3	7	6	9	10	10	13	16	9	1	2	1	6	3	4	3	8	6	5	2	6	.
Diphtheria, ...	.	2	2	1	3	3	.	1	.	1	.	1	.	.	2	.	.	1	1	2	1	.	.	1	.	.
Dysentery, ...	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3	.	2	.	3	4	.	2	2	3	5	5	5	1	2	2	2	3	12	23	33	30	33	21	17	13
Tuberculosis { Pulmonary, ..	11	12	19	14	18	14	15	13	17	13	19	21	16	21	12	15	20	15	23	21	17	31	16	10	16	23
Other Forms, ..	8	6	3	8	4	3	6	13	6	9	6	4	5	2	7	6	3	8	4	2	5	7	7	1	11	8
Cancer, ...	6	11	7	6	8	7	11	10	4	3	6	11	9	5	7	8	5	5	4	6	4	5	5	5	8	5
Diseases of Respiratory System, { Pneumonia ..	13	14	15	13	14	18	18	26	28	32	27	35	47	20	14	20	8	27	34	37	67	68	53	57	42	38
Others, ..	17	19	13	22	30	26	27	37	29	34	40	35	38	20	8	15	17	23	38	38	51	43	30	36	29	36
Diarrhœa & Enteritis, under 2 years	4	3	2	3	3	1	3	3	.	2	3	2	2	1	2	2	1	1	2	1	6	4	4	1	2	5
Diarrhœa, 2 years and upwards..	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Violent Deaths, ...	1	3	5	1	3	4	2	4	4	4	2	2	6	7	3	2	.	3	3	2	1	3	.	3	6	3
Number of Uncertified Deaths, ..	3	5	9	8	6	5	2	8	3	4	1	4	4	1	3	2	1	2	5	5	3	2	5	1	4	4
A Mean Maximum Temperature in degs	49·1	50·5	50·4	49·8	49·5	53·3	48·9	51·2	51·9	49·2	49·2	54·0	54·7	45·9	49·7	49·5	48·4	48·5	51·5	46·0	50·9	51·1	49·5	49·4	50·5	52·3
B Mean Minimum ,, ,,	34·2	37·8	40·4	37·1	36·0	40·5	32·1	37·7	36·8	39·6	37·4	40·7	37·8	34·4	38 3	39·5	39·6	36·5	40·3	32·8	35·0	40·3	40·8	38·0	42·3	36 8
Mean of A and B ,, ,,	41·6	44·1	45·4	43·4	42·7	46·9	40·5	44·1	44·4	44·4	43 3	47·3	46·3	40·2	44·0	44 5	44·0	42·5	45·9	39·4	42·9	45·7	45·2	43·7	46·4	44·5
Rainfall in inches	0·66	0·59	0·67	0·37	0·28	0·70	0 43	0·24	0·80	0·55	0·78	0·94	0·39	1·32	0·28	0·84	1·07	0·01	0·63	0·57	0·56	0·61	1·03	0·39	0·97	0 70

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended **24th April, 1920**, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	
CITY OF BELFAST.																																
BELFAST URBAN No. 1 DISTRICT,	15,879	13	16·4	3·3	5	·	1	2	·	2	·	·	·	·	1	·	·	·	·	·	1	·	·	1	·	·	·	·	1	1	·
Do. 2 do.	49,500	39	13·7	1·1	13	2	1	1	2	3	4	·	·	·	·	·	·	·	1	2	·	·	·	3	1	·	·	·	·	1	·
Do. 3 do.	50,032	39	27·1	·	26	7	2	2	3	5	7	·	·	·	·	·	·	·	1	1	1	1	3	3	·	·	·	·	·	6	·
Do. 4 do.	32,637	19	52·7	4·8	33	17	2	7	·	6	1	·	·	·	·	·	·	·	2	4	2	·	5	3	3	·	·	·	·	17	·
Do. 5 do.	16,112	11	25·9	·	8	1	·	·	1	5	1	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	·	2	·
Do. 6 do.	37,293	26	41·9	·	30	5	5	3	5	4	8	·	·	·	·	·	·	·	2	3	·	·	5	5	·	·	1	1	5	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	4	17·5	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·
Do. 9 do.	24,427	10	34·2	·	16	3	2	1	3	3	4	·	·	·	·	·	·	·	2	1	2	·	4	5	·	·	·	·	2	·
Do. 10 do.	28,958	37	39·6	1·8	22	5	2	·	3	7	5	·	·	·	·	·	·	·	2	1	·	2	5	5	1	·	·	·	6	1
Do. 11 do.	—	27	—	·	22	3	1	1	6	6	5	·	·	·	·	·	·	·	1	2	1	1	3	4	·	·	1	·	4	2
Do. 12 do.	—	12	—	·	12	3	·	2	3	2	2	·	·	·	·	·	·	·	·	4	·	·	2	1	·	·	·	1	2	1
Do. 13 do.	—	11	—	·	5	1	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	16	39·1	·	17	4	7	·	2	4	·	·	·	·	·	·	·	·	·	1	·	1	·	9	2	·	·	·	·	6	·
Do. 16 do.	—	18	—	·	8	2	·	3	·	3	·	·	·	·	1	·	·	·	·	1	3	·	·	·	1	·	·	1	1	3	·
Total,	386,947	283	27·6	0·8	219	53	23	23	28	51	41	·	·	·	1	·	·	·	·	13	23	8	5	38	36	5	·	3	4	57	4
CITY OF CORK.																																
CORK URBAN No. 1 DISTRICT,	13,455	11	15·5	·	4	·	1	·	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·
Do. 2 do.	10,399	7	55·2	5·0	11	2	1	·	1	4	3	·	·	·	·	·	1	·	·	·	1	1	·	1	3	·	·	1	1	3	1
Do. 3 do.	9,793	6	16·0	·	3	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	2	22·8	·	4	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	2	25·0	·	3	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·
Do. 6 do.	11,581	·	13·5	4·5	3	1	1	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	14	22·7	·	7	1	·	·	·	4	2	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	·	·	·	3	·
Total.	76,673	42	23·8	1·4	35	4	3	2	3	14	9	·	·	·	·	·	2	·	·	1	5	1	4	4	3	·	·	1	1	9	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920.

† See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 24·4 per 1,000 and from certain epidemic diseases 0·0.

OFFICIAL

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th April, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 1, West ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	4	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	1	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
„ „ „ 2, ...	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	5
„ „ „ 3, ...	.	.	.	.	.	2	1	.	1	.	.	.	.	.	.	.	3	7
„ „ „ 4, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	4	.	.	.	.	6	1	1	6	.	.	.	.	1	.	.	15	34

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th April, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 24th April.			
	April 3.	April 10.	April 17.	No. admitted	Dis-charged.	Died.	No under treatment at close of week.
Enteric Fever, ...	8	7	10	2	5	.	7
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	63	44	71	28	21	1	77
Scarlet Fever, ...	102	94	96	16	25	.	87*
Diphtheria, ...	34	25	22	6	2	.	26
Pneumonia, ...	56	57	42	13	10	1	44

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13843.) Wt. 200. 3. 380. 4. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 17. VOL. LVII.] WEEK ENDING SATURDAY, 1ST MAY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 3rd May, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 21·7 and 24·6; Dublin Registration Area, 27·0 and 28·4; Dublin City, 28·3 and 30·5; Belfast, 19·9 and 25·7; Cork, 16·3 and 20·8; Londonderry, 33·2 and 22·6; Limerick, 12·2 and 15·6; and Waterford, 13·3 and 15·7.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·1 per 1,000. Among the 158 deaths from all causes for Belfast are one from measles, 2 from scarlet fever, 4 from whooping-cough, 2 from diphtheria, 4 from diarrhœal diseases, 10 from influenza, and 24 from pneumonia. The 24 deaths from all causes for Cork include one from diphtheria. Of the 28 deaths from all causes for Londonderry one is from measles and one from diarrhœa. Of the 4 deaths from all causes for Dundalk one is from influenza. Included among the 6 deaths from all causes for Portadown is one from measles, and one death from typhus and one from diarrhœa and enteritis of a child under 2 years are recorded for Tralee.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 270—135 boys and 135 girls—and the deaths to 234—108 males and 126 females.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·0 per 1,000 of the population. During the seventeen weeks ending with Saturday last, the death-rate averaged 21·7 and was 3·2 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the seventeen weeks was 23·4, and for the corresponding period of the preceding ten years 26·5.

Of the 215 deaths appertaining to the Area 7 are from measles, one from scarlet fever, 13 from whooping-cough, 2 from diphtheria, one from dysentery, 3 from diarrhœa and enteritis of children under 2 years, 4 from influenza and one from cerebro-spinal fever.

In the 3 preceding weeks, deaths from measles were 7, 15, and 9; deaths from scarlet fever 0, one 0; deaths from whooping-cough 13, 16, and 9; deaths from diphtheria 0, one and 0; deaths from diarrhœa and enteritis of children under 2 years 3, 2, and 2; deaths from influenza 5, 5, and 5; and deaths from cerebro-spinal fever one, 0 and 0. There were no deaths from dysentery registered in the three preceding weeks.

There were 36 deaths from pneumonia, comprising 22 from broncho-pneumonia, 6 from lobar pneumonia, and 8 from pneumonia (type not distinguished).

Tuberculous disease caused 28 deaths (including 24 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease) as against 25, 25, and 21 in the three weeks preceding.

Nine deaths were caused by cancer, 19 by organic diseases of the heart, and 15 by bronchitis.

Among deaths of infants under one year old, 3 were due to whooping-cough, one to diphtheria, one to venereal disease, one to simple meningitis, 4 to convulsions, 3 to bronchitis, 7 to broncho-pneumonia, one to lobar pneumonia, 2 to pneumonia (type not distinguished), 3 to diarrhœa and enteritis, 2 to congenital malformations, 5 to premature birth, and 5 to congenital debility.

There was one death registered as having been caused by burns, one case of suicide and one of homicide.

Eighty of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 42 being infants under one year, of whom 18 were under one month old, and 48 deaths were those of persons aged 65 and upwards, of whom 36 were 70 years of age or over.

Of the 215 deaths recorded, 76 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND

The mortality among civilians for the week ended 1st May, in 96 large English towns (including London in which the rate was 13·7) was equal to an average annual death rate of 14·2 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·3 per 1,000 persons living, the rate for Glasgow being 20·5 and for Edinburgh 15·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson. M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st May. From this Report it appears that of 60 cases notified, 14 were diphtheria, 13 scarlet fever, 13 pulmonary tuberculosis, 10 other forms of tuberculosis, one acute primary pneumonia, 5 erysipelas. 3 ophthalmia neonatorum, and one malaria. Among the 505 cases of infectious diseases in hospital at the close of the week were 217 of pulmonary tuberculosis, 9 other forms of tuberculosis, 110 of scarlet fever, 90 of diphtheria, 34 of venereal disease, 22 of measles, 9 of erysipelas, 2 of acute influenzal pneumonia, one of cerebro-spinal fever, and one of ophthalmia neonatorum.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st May, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Apr. 10	2	.	.	.	.	—	14	—	1	1	—	.	—	.	.	.	11	.	.	15	44
	Apr. 17	3	.	.	.	.	—	3	—	1	1	—	.	—	.	.	.	7	.	.	7	22
	Apr. 24	4	.	.	.	.	—	6	—	2	6	—	.	—	.	.	.	1	.	.	15	34
	May 1	1	5	.	.	.	—	5	—	4	1	—	.	—	.	.	.	3	.	.	14	33
Rathmines & Rathgar Urban District	Apr. 10	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	1	.	.	—	2
	Apr. 17	.	.	.	.	.	—	2	—	2	1	—	.	—	.	.	.	1	.	.	—	6
	Apr. 24	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	May 1	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	.	—	2
Pembroke Urban District	Apr 10	.	.	.	.	.	9	1	3	2	.	.	.	—	.	.	.	.	.	.	.	15
	Apr. 17	.	.	.	.	.	4	1	8	1	.	.	.	—	.	.	.	.	.	.	.	14
	Apr. 24	.	.	.	.	.	31	.	5	.	.	.	.	—	.	.	.	2	.	.	.	38
	May 1	.	.	.	.	.	32	.	4	.	.	.	.	—	.	.	.	.	2	.	.	38
Blackrock Urban District	Apr. 10	.	.	.	.	.	3	.	—	1	.	—	.	—	.	.	.	.	.	.	.	4
	Apr. 17	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Apr. 24	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	May 1	.	.	.	.	.	7	.	—	.	.	—	.	—	.	.	.	.	.	.	.	7
Kingstown Urban District	Apr. 10	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	—	.	.	1
	Apr. 17	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Apr. 24	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	May 1	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Apr. 10	2	.	.	.	.	—	23	—	6	2	—	1	—	.	.	.	14	.	.	.	48
	Apr. 17	2	.	.	.	.	—	34	—	5	2	—	2	—	.	.	.	7	.	.	.	52
	Apr. 24	3	.	.	.	.	—	42	—	2	1	—	.	—	.	2	.	7	.	.	1	58
	May 1	3	.	.	.	.	—	26	—	6	4	—	1	—	.	.	.	2	.	.	.	42
City of Cork	Apr. 10	.	.	1	.	.	.	.	—	7	.	—	.	.	.	2	.	.	—	.	—	10
	Apr. 17	.	.	.	.	.	1	.	—	4	1	—	1	.	.	.	.	.	—	.	—	7
	Apr. 24	.	.	.	.	.	.	.	—	8	.	—	.	.	.	.	.	.	—	.	—	8
	May 1	.	.	.	.	.	.	1	—	5	1	—	.	.	.	.	.	.	—	.	—	7*a*
City of Londonderry	Apr. 10	.	1	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	—	—	5
	Apr. 17	.	.	.	.	.	—	4	—	1	.	—	.	—	.	.	.	.	.	—	—	5
	Apr. 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	May 1	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	—	—	2
City of Limerick	Apr. 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Apr. 17	1	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	3
	Apr. 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	May 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Apr. 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Apr. 17	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	—	—	8	10
	Apr. 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	3	3
	May 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st May, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 9: typhus 5 and 5; measles 29 and 73; scarlet fever 11 and 81*; and diphtheria 8 and 25. Twelve cases of pneumonia were admitted during the week and 42 remained under treatment at its close. Of the deaths in hospital during the week one was from scarlet fever, 2 were from diphtheria, and 3 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st May, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

TOWNS AND DISTRICTS	POPULATION. Total (a)	POPULATION. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 1ST MAY, 1920. Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 1ST MAY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	33·6	21·7	2·1	752	485	97	104	·	1	·	10	3	17	5	1	15	57	10	29	72	40	7	2	6	8	152	11	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	33·9	27·0	3·4	270	215g	42	48	·	·	·	7	1	13	2	1	4	24	4	9	36	17	3	·	3	3	76	5	(d) 54·9	31·9	53·3	37·4	45·3	0·65
Urban Districts. CITY OF DUBLIN,	318,200	39·0	37·0	28·3	3·9	226	173	37	31	·	·	·	5	1	12	2	1	4	19	4	8	35	13	3	·	2	2	63	3	(e) 54·7	35·9	52·4	41·0	46·7	0·92
																														(f) 54·6	33·6	53·0	39·2	46·1	0·86
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	16·8	24·5	2·6	13	19	3	8	·	·	·	1	·	1	·	·	·	1	·	1	1	2	·	·	·	·	4	1	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	34·5	24·2	1·7	20	14	2	3	·	·	·	1	·	·	·	·	·	3	·	·	·	2	·	·	·	·	6	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	17·0	11·3	·	3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	24·5	21·5	·	8	7	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·	58	35	54·1	40·0	47·1	0·41
Urban Districts. BELFAST, ..	413,000	27·7	36·4	19·9	1·6	288	158	40	33	·	·	·	1	2	4	2	·	10	22	3	10	24	15	3	1	·	1	48	·	52·0	32·0	49·9	33·3	41·6	0·84
Urban Districts. CORK, ...	76,673	28·6	30·6	16·3	0·7	45	24	2	4	·	·	·	·	·	·	1	·	·	1	1	2	4	1	·	·	2	2	15	·	·	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	44,000	17·1	28·4	33·2	2·4	24	28	7	4	·	·	·	1	·	·	·	·	·	1	·	3	3	1	·	1	·	·	2	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	24·4	12·2	·	18	9	1	2	·	·	·	·	·	·	·	·	·	5	·	·	1	1	·	·	·	·	3	1	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	22·8	13·3	·	12	7	·	1	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. GALWAY, ...	13,255	2·5				4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	54	33	52·6	39	45·8	0·46
Urban Districts. DUNDALK, ..	13,128	9·5				14	4	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				11	3	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	·	·	·	·
Urban Districts. DROGHEDA, ..	12,501	8·4				5	9	·	2	·	·	·	·	·	·	·	·	·	1	·	1	3	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				5	5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	54	28	52·1	35	43·6	1·94
Urban Districts. NEWRY, ...	11,963	17·0				9	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. PORTADOWN, ..	11,727	15·3				13	6	1	1	·	·	·	1	·	·	·	·	·	2	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. WEXFORD, ..	11,531	22·8				9	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				5	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				8	3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	2	57	30	51	37	44	1·40
Urban Districts. KILKENNY, ..	10,514	11·4				5	4	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	2	51	30	52·5	40·2	46·4	1·23
Urban Districts. TRALEE, ...	10,300	17·4				1	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				6	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	13·7	—	2,518	1,147	158	366	3	·	·	45	4	23	15	·	—	106	14	106	96	93	12	6	42	83	557	4	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	15·3	—	192	100g	23	30	·	·	·	3	·	1	·	—	2	—	—	—	—	—	1	—	4	—	—	—	52·0	34·0	49·7	37·1	43·4	0·36
GLASGOW	1,115,500	—	—	20·5	—	686	438	74	82	1	·	3	24	2	3	3	—	33	—	—	—	—	—	4	—	11	—	—	—	52·0	34·9	50·3	38·1	44·2	1·26

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 17th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 1st May, 1920. All Ages.	Ages at Death. 0—5 Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	138·4	234	20	27	24	14	5	8	5	17	11	14	13	25	27	24	215
Enteric Fever ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Typhus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles	3·2	7	·	·	4	3	·	·	·	·	·	·	·	·	·	·	7
Scarlet Fever ..	·2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Whooping-cough ..	2·0	13	·	3	3	6	1	·	·	·	·	·	·	·	·	·	13
Diphtheria	1·0	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	2
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	3·4	7	·	·	·	·	·	·	·	·	3	2	·	·	2	·	4
Dysentery	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Epidemic Diseases	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pyæmia and Septicæmia (non-puerperal).	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·4	24	·	·	·	·	·	1	2	9	4	3	3	1	·	1	24
Tuberculous Meningitis	2·0	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1
Abdominal Tuberculosis	1·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Tuberculosis of the Spinal Column.	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis of Joints	·2	2	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·
Tuberculosis of other Organs.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Disseminated Tuberculosis.	·8	2	·	·	1	·	·	·	1	·	·	·	·	·	·	·	2
Venereal Diseases ..	·4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1
Cancer	8·2	12	·	·	·	·	·	·	·	·	·	2	2	3	4	1	9
Tumour, situation undefined.	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Rheumatic Fever ..	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Diabetes	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Anæmia, Leucocythæmia.	·4	4	·	·	·	·	·	·	·	·	·	·	·	3	·	1	4
Other General Diseases	·8	6	·	·	·	·	·	·	·	1	·	1	·	·	3	1	6
Alcoholism ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Cerebro-spinal Fever..	·2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Simple Meningitis ..	1·2	3	1	·	·	·	1	1	·	·	·	·	·	·	·	·	3
Cerebral Hæmorrhage, Apoplexy.	4·6	7	·	·	·	·	·	·	·	·	·	·	1	2	2	2	7
Softening of Brain ..	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Paralysis, without specified cause.	3·2	2	·	·	·	·	·	·	·	·	·		1	·	1	·	2
Epilepsy	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Convulsions (non-puerperal).	2·4	7	5	2	·	·	·	·	·	·	·	·	·	·	·	·	4
Other Diseases of Nervous System.	1·6	3	·	·	·	·	·	1	1	·	·	·	1	·	·	·	3
Pericarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Endocarditis ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Organic Diseases of the Heart.	9·0	19	·	·	·	·	·	2	·	1	1	2	2	3	4	4	19
Embolism and Thrombosis (including Cerebral)	·4	2	·	·	·	·	·	1	·	·	·	·	·	·	·	1	2
Other Diseases of Circulatory System.	1·0	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1
Diseases of the Larynx	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Bronchitis	16·0	15	1	2	1	·	·	·	·	·	·	·	·	4	2	5	15
Broncho-pneumonia ..	4·6	22	·	7	10	3	·	·	·	1	·	·	·	·	1	·	22
Lobar pneumonia ..	1·4	6	·	1	·	·	1	·	·	·	2	·	·	1	·	1	6
Pneumonia (type not distinguished).	4·0	9	·	2	4	·	·	·	1	·	·	1	·	·	·	1	8
Pleurisy	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Other Diseases of Respiratory System.	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1

in the SEVENTEENTH WEEK, ending Saturday, 1st May, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 17th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 1st May, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing).
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	1·8	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa and Enteritis of Children under 2 years.	3·6	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	1·4	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Cirrhosis of Liver ...	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Other Diseases of Digestive System.	·8	2	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	2
Acute Nephritis ...	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·8	6	·	·	·	·	·	·	·	·	·	1	2	2	1	·	·	6
Urinary Calculi ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	2·6	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·		·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·8	·	·	·	·	·	·	·		·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	1·0	3	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Premature Birth ...	4·2	5	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5
Congenital Debility ...	5·4	6	4	2	·	·	·	·	·	·	·	·	·	·	·	·	·	5
Old Age	5·6	5	·	·	·	·	·	·	·	·	·	·	·	·	2	3	·	5
Other Specified Diseases	2·2	2	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Drowning	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	1·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not included in above—																		
Homicide. ..	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Suicide, ..	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes,	1·4	4	·	·	·	·	·	·	·	·	·	·	1	3	·	·	·	4

TABLE IV.—Showing for the WEEK ENDED 1ST MAY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 1ST MAY 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS	DEATHS.								CAUSED BY																		IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	23·8	·	14	1	·	·	2	·	2	6	3	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	1	10	·	5	·	1
,, 1, W., ...	42,100	24·8	2·5	20	4	2	1	·	5	4	3	1	·	·	·	·	·	2	·	·	1	6	·	1	2	1	·	·	·	7	·	5	2	·
,, 2, ...	28,200	42·5	7·4	23	7	5	2	1	1	·	4	3	·	·	·	·	·	3	·	·	1	1	·	2	8	2	1	·	·	5	·	3	5	1
,, 3, ...	35,000	18·9	5·8	13	6	4	·	·	·	1	1	1	·	·	·	1	·	3	·	·	1	1	·	·	3	·	·	·	1	4	1	2	1	·
CLONTARF AND HOWTH, No. 1, part of	5,600	37·2	·	4	1	·	1	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	7·5	3	·	·	2	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
FINGLAS AND GLASNEVIN, part of ...	11,400	18·3	·	4	2	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	2	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ...	44,100	31·9	3·5	27	7	4	·	1	2	4	5	4	·	·	·	1	·	·	1	·	1	3	2	2	4	1	1	·	·	11	·	2	9	1
,, 2, ...	18,600	33·6	·	12	1	·	2	·	2	1	1	5	·	·	·	·	·	·	·	·	·	1	1	·	5	3	·	·	·	2	·	1	4	·
,, 3, ...	44,400	27·0	2·3	23	6	1	1	2	·	4	6	3	·	·	·	·	·	1	1	·	·	1	·	1	5	4	·	·	·	10	1	7	5	·
,, 4, ...	33,600	43·5	10·9	28	2	6	3	2	2	1	3	9	·	·	·	2	1	2	·	1	1	3	1	1	5	1	1	·	·	9	·	9	1	·
NEW KILMAINHAM, ...	10,600	9·8	·	2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ..	40,400	24·5	2·6	19	3	·	2	1	·	2	3	8	·	·	·	1	·	1	·	·	·	1	·	1	1	2	·	·	·	12	·	3	1	1
PEMBROKE	30,200	24·2	1·7	14	2	1	·	4	1	2	1	3	·	·	·	1	·	·	·	·	·	3	·	·	·	2	·	·	·	8	·	5	1	1
BLACKROCK, ...	9,200	11·3	·	2	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·
KINGSTOWN, ...	17,000	21·5	·	7	·	·	·	·	1	1	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	6	·	2	1	·
TOTAL CITY. North, ...	166,900	25·3	3·7	81	21	11	6	3	8	7	15	10	·	·	·	2	·	9	·	·	2	11	·	4	15	4	1	·	2	31	1	16	8	2
TOTAL CITY. South, ...	151,300	31·7	4·1	92	16	12	6	5	6	10	16	21	·	·	·	3	1	3	2	1	2	8	4	4	20	9	2	·	·	33	1	19	20	1
TOTAL CITY. North and South, ..	318,200	28·3	3·9	173	37	23	12	8	14	17	31	31	·	·	·	5	1	12	2	1	4	19	4	8	35	13	3	·	2	64	2	35	28	3
Total Urban Districts, ...	96,800	22·6	1·6	42	5	1	2	5	3	5	4	17	·	·	·	2	·	1	·	·	·	5	·	1	1	4	·	·	1	27	1	10	3	2
Total Registration Area, ..	415,000	27·0	3·4	215	42	24	14	13	17	22	35	48	·	·	·	7	1	13	2	1	4	24	4	9	36	17	3	·	3	91	3	45	31	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				19	5	·	·	·	5	3	3	3	·	·	·	·	·	·	·	·	3	·	3	3	1	·	·	·	·	9	·	18	1	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st May, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST MAY, 1920. Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	234	85	13	22	25	38	27	24	·	·	·	7	1	13	2	1	7	24	7	12	7	37	17	3	·	3	93	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	42·7	12	1	·	1	·	·	3	7	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	·	·	9	·
II.	MIDDLE CLASS	101,798	19·0	37	8	1	3	2	9	4	10	·	·	·	·	·	1	·	·	·	4	·	4	2	4	5	·	·	·	17	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	28·9	60	19	3	9	11	9	5	4	·	·	·	1	1	2	·	1	3	9	3	2	·	9	2	2	·	·	25	3
IV.	GENERAL SERVICE CLASS	167,479	29·0	93	55	8	7	7	10	6	·	·	·	·	6	·	10	2	·	4	7	2	2	5	20	4	1	·	3	27	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	2	1	2	5	10	9	3	·	·	·	·	·	·	·	·	·	2	2	4	·	4	5	·	·	·	15	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	8	1	·	1	·	·	1	5	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	6	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	4	·	·	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	·
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
	5 Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	8	3	·	·	·	1	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	5	1
	6 Clerks and Commercial Assistants,	33,249	—	10	2	·	3	1	1	·	3	·	·	·	·	·	1	·	·	·	3	·	1	·	1	·	·	·	·	4	·
	7 Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	16	3	·	·	·	6	4	3	·	·	·	·	·	·	·	·	·	1	·	3	2	2	3	·	·	·	5	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	3	·	1	·	·	·	1	·	·	·	1	·	·	·	·	·	1	·	1	·	·	·	·	·	·	2	1
	9. Building and Furnishing Trades, ..	28,823	—	14	6	1	1	2	2	1	1	·	·	·	·	1	1	·	·	1	1	·	·	·	2	·	1	·	·	7	1
	10. Clothing Trades, ...	20,026	—	8	1	·	3	·	2	2	·	·	·	·	·	·	1	·	·	·	1	1	·	·	1	·	·	·	·	4	1
	11. Food Supply Trades, ...	8,952	—	3	1	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	1	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	26	6	2	4	7	4	2	1	·	·	·	·	·	·	·	1	2	5	2	·	·	4	1	1	·	·	10	·
	13. Petty Shopkeepers, ...	6,772	—	4	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	1	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	15	9	1	2	2	1	·	·	·	·	·	·	·	1	1	·	2	1	2	·	·	2	2	1	·	·	3	·
	15 Domestic Servants, ...	36,041	—	11	6	·	1	2	1	1	·	·	·	·	·	·	1	·	·	1	1	·	·	2	1	·	·	·	1	4	·
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	13	9	3	·	·	·	1	·	·	·	·	2	·	2	1	·	·	1	·	·	·	5	·	·	·	·	2	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	54	31	4	4	3	8	4	·	·	·	·	4	·	6	·	·	1	4	·	2	3	12	2	·	·	2	18	1
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	32	2	1	2	5	10	9	3	·	·	·	·	·	·	·	·	·	2	2	4	·	4	5	·	·	·	15	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24.	May 1	Feb. 7.	Feb. 14	Feb. 21.	Feb 28.	Mar. 6.	Mar. 13	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10	Apr. 17	Apr. 24.	May 1.
No. of weeks in Annual Series ..	5	6	7	8	9	10	11	12	13	14	15	16	17	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered	279	257	258	282	277	239	215	257	181	256	261	277	270	271	264	282	321	263	225	275	258	297	243	262	283	288
Average Births in corresponding week of previous 10 years, ...	210	211	205	199	205	215	201	220	209	210	211	208	198	209	196	197	195	213	201	202	212	202	202	208	214	219
Number of Deaths, ...	153	139	131	174	165	159	195	190	185	213	251	227	215	146	159	144	173	214	225	293	284	248	211	229	219	158
Annual Death-rate per 1,000 ..	19·2	17·5	16·5	21·9	20·7	20·0	24·5	23·9	23·2	26·8	31·5	28·5	27·0	18·4	20·1	18·2	21·8	27·0	28·4	37·0	35·9	31·3	26·6	28·9	27·6	19·9
Average Deaths in corresponding week of previous 10 years, ...	186	187	191	212	219	221	200	204	191	198	189	188	159	170	184	172	172	170	173	172	169	163	165	164	158	152
Ages, .. Under one year, ..	35	24	27	33	31	28	45	45	52	52	65	48	42	33	37	23	41	48	56	72	63	64	63	52	53	40
1— 5 years, ..	15	15	11	14	20	19	31	32	23	35	46	48	38	22	16	24	21	24	34	43	43	33	31	29	23	15
5—25 ,, ..	16	10	17	16	15	14	12	28	18	21	19	19	30	22	17	22	24	31	29	41	26	28	18	27	23	25
25—45 ,, ..	18	25	15	29	17	23	26	17	20	25	21	31	22	15	28	20	26	38	34	50	46	41	33	37	28	21
45—65 ,, ..	29	29	31	32	28	40	35	22	27	31	46	35	35	31	34	30	27	33	39	47	59	41	44	40	51	24
65 and upwards, ..	40	36	30	50	54	35	46	46	45	49	54	46	48	23	27	25	34	40	33	40	47	41	22	44	41	33
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	·	1	·	·	1	·	·	·	2	·	2	1	2	2	2	1	·	·	·	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	3	1	·	3	3	11	3	7	15	9	7	12	11	9	2	4	7	3	3	2	1	5	1	1
Scarlet Fever, ...	·	·	1	·	·	·	1	2	1	·	1	·	1	6	2	2	4	4	4	5	2	2	2	1	·	2
Whooping-cough, ...	5	3	2	3	7	6	9	10	10	13	16	9	13	2	1	6	3	4	3	8	6	5	2	6	·	4
Diphtheria, ...	2	2	1	3	3	·	1	·	1	·	1	·	2	2	·	·	1	1	2	1	·	·	1	·	·	2
Dysentery, ...	·	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	2	·	3	4	·	2	2	3	5	5	5	4	2	2	2	3	12	23	33	30	33	21	17	13	10
Tuberculosis { Pulmonary, ..	12	19	14	18	14	15	13	17	13	19	21	16	24	12	15	20	15	23	21	17	31	16	10	16	23	22
Other Forms, ..	6	3	8	4	3	6	13	6	9	6	4	5	4	7	6	3	8	4	2	5	7	7	1	11	8	3
Cancer, ...	11	7	6	8	7	11	10	4	3	6	11	9	9	7	8	5	5	4	6	4	5	5	5	8	5	10
Diseases of Respiratory System, { Pneumonia ..	14	15	13	14	18	18	26	28	32	27	55	47	36	14	20	8	27	34	37	67	68	53	57	42	38	24
Others, ..	19	13	22	30	26	27	37	29	34	40	35	38	17	8	15	17	23	38	38	51	43	30	36	29	36	15
Diarrhœa & Enteritis, under 2 years	3	2	3	3	1	3	3	·	2	3	2	2	3	2	2	1	1	2	1	6	4	4	1	2	5	3
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1
Violent Deaths, ...	3	5	1	3	4	2	4	4	4	2	2	6	3	3	2	·	3	3	2	1	3	·	3	6	3	·
Number of Uncertified Deaths, ..	5	9	8	6	5	2	8	3	4	1	4	4	5	3	2	1	2	5	5	3	2	5	1	4	4	·
A Mean Maximum Temperature in degs	50·5	50·4	49·8	49·5	53·3	48·9	51·2	51·9	49·2	49·2	54·0	54·7	53 3	49·7	49·5	48·4	48·5	51·5	46·0	50·9	51·1	49·5	49·4	50·5	52·3	49·9
B Mean Minimum ,, ,,	37·8	40·4	37·1	36·0	40·5	32·1	37·7	36·8	39 6	37·4	40·7	37·8	37 4	38·3	39·5	39·6	36·5	40·3	32·8	35·0	40·3	40·8	38·0	42·3	36 8	33·3
Mean of A and B ,, ,,	44·1	45·4	43·4	42·7	46·9	40·5	44·4	44·4	44·4	43·3	47·3	46·3	45·3	44·0	44·5	44·0	42·5	45·9	39·4	42·9	45·7	45·2	43·7	46·4	44·5	41·6
Rainfall in inches	0·59	0·67	0·37	0·28	0·70	0 43	0·24	0·80	0·55	0 78	0·94	0·39	0·65	0·28	0·84	1·07	0·01	0·63	0·57	0·56	0·61	1·03	0·39	0·97	0·70	0·84

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st May, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	12	16·4	.	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	3	.
Do. 2 do.	49,500	31	20·0	2·1	19	6	.	.	3	7	3	.	.	.	.	.	1	.	.	2	.	1	2	1	1	.	.	.	.	4	.
Do. 3 do.	50,032	34	15·6	3·1	15	3	1	6	3	1	1	.	.	.	.	1	1	.	.	1	3	1	.	2	.	.	1	.	.	4	.
Do. 4 do.	32,637	20	24·0	3·2	15	5	.	1	2	.	7	.	.	.	1	.	.	.	.	1	.	.	1	2	3	1	.	.	.	1	7	.
Do. 5 do.	16,112	22	42·1	3·2	13	3	3	1	3	2	1	.	.	.	.	.	.	1	.	2	2	.	1	3	2	.	.	.	.	7	.
Do. 6 do.	37,293	33	18·2	1·4	13	4	.	2	.	2	5	.	.	.	.	.	1	.	.	1	1	.	1	.	.	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	7	17·5	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	20	23·5	4·3	11	2	3	1	.	2	3	.	.	.	.	1	1	.	.	.	1	.	1	3	.	.	.	.	.	4	.
Do. 10 do.	28,958	29	23·4	3·6	13	1	3	1	1	6	1	.	.	.	.	.	.	1	.	1	3	.	2	1	2	1	.	.	.	6	.
Do. 11 do.	—	14	—	—	16	2	2	3	3	2	4	.	.	.	.	.	.	.	.	3	1	.	.	4	2	.	.	.	.	6	.
Do. 12 do.	—	25	—	—	8	2	.	3	2	.	1	.	.	.	.	.	.	.	.	.	3	1	.	.	1	.	.	.	.	3	.
Do. 13 do.	—	14	—	—	9	2	.	2	2	.	3	.	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	1	.
Do. 14 do.	175	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	34·5	.	12	5	2	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	6	1	.	.	.	.	.	.
Do. 16 do.	—	20	—	—	7	4	1	1	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.	.	.	.
Total,	386,947	288	19·9	1·6	158	40	15	25	21	24	33	.	.	.	1	2	4	2	.	10	22	3	10	24	15	3	1	.	1	48	.
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	7	3·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 2 do.	10,399	3	25·1	5·0	5	.	3	1	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	3	.
Do. 3 do.	9,793	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	3	22·8	.	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 5 do.	6,250	3	8·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	9	13·5	.	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Do. 7 do.	16,056	11	32·5	.	10	.	1	1	2	4	2	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	1	7	.
Total.	76,673	45	16·3	0·7	24	2	5	4	4	5	4	.	.	.	.	.	.	1	.	.	1	1	2	4	1	.	.	2	2	15	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 20·7 per 1,000 and from certain epidemic diseases 0·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st May, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acuto-Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 1, West ..	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	6
„ „ „ 3, ...	.	5	.	.	.	2	1	.	1	.	.	.	.	1	.	.	1	11
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	5	.	.	.	5	4	.	1	.	.	.	.	3	.	.	14	33

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st May, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 1st May.			
	April 10.	April 17.	April 24.	No. admitted	Discharged.	Died.	No under treatment at close of week.
Enteric Fever, ...	7	10	7	3	1	.	9
Typhus, ...	.	.	.	5	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	44	71	77	29	33	.	73
Scarlet Fever, ...	94	96	87	11	16	1	81*
Diphtheria, ...	25	22	26	8	7	2	25
Pneumonia, ...	57	42	44	12	11	3	42

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13872.) Wt. 200. 3. 380. 5. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 18. Vol. LVII.] Week ending Saturday, 8th May, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 10th May, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 20·9 and 23·9; Dublin Registration Area, 22·9 and 27·5; Dublin City, 23·1 and 28·9; Belfast, 21·2 and 24·4; Cork, 17·7 and 19·1; Londonderry, 14·2 and 23·4; Limerick, 21·7 and 15·6; and Waterford, 19·0 and 18·5.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·1 per 1,000. Among the 168 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, 2 from whooping-cough, one from diphtheria, 4 from diarrhœa and enteritis of children under 2 years, 9 from influenza, and 18 from pneumonia. The 26 deaths from all causes for Cork include 2 from diphtheria and one from diarrhœa and enteritis of a child under 2 years. Of the 10 deaths from all causes for Waterford one is from whooping-cough. Of the 7 deaths from all causes for Drogheda one is from whooping-cough. Included among the 5 deaths from all causes for Portadown is one from measles, and one death from whooping-cough is recorded for Wexford, the deaths from all causes numbering 7.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 259—149 boys and 110 girls—and the deaths to 192—106 males and 86 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·9 per 1,000 of the population. During the eighteen weeks ending with Saturday last, the death-rate averaged 21·8 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the eighteen weeks was 23·4, and for the corresponding period of the preceding ten years 26·3.

Of the 182 deaths appertaining to the Area one is from typhus, 4 are from measles, 14 from whooping-cough, one from diphtheria, 9 from diarrhœa and enteritis of children under 2 years, 3 from influenza, and one from german measles.

In the 3 preceding weeks, deaths from measles were 15, 9, and 7; deaths from whooping-cough 16, 9, and 13; deaths from diphtheria one, 0 and 2; deaths from diarrhœa and enteritis of children under 2 years 2, 2, and 3; and deaths from influenza 5, 5, and 4. There were no deaths from typhus registered in the three preceding weeks.

There were 18 deaths from pneumonia, comprising 11 from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia (type not distinguished).

Tuberculous disease caused 17 deaths (including 9 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 6 from other forms of tuberculous disease) as against 25, 21, and 28 in the three weeks preceding.

Eight deaths were caused by cancer, 14 by organic diseases of the heart, and 23 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 8 were due to whooping-cough, one to german measles, 2 to disseminated tuberculosis, one to venereal disease, 7 to convulsions, 7 to bronchitis, 9 to broncho-pneumonia, one to pneumonia (type not distinguished), 7 to diarrhœa and enteritis, 6 to premature birth, and 7 to congenital debility.

There were 2 accidental deaths registered.

Seventy-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 58 being infants under one year, of whom 18 were under one month old, and 41 deaths were those of persons aged 65 and upwards, of whom 28 were 70 years of age or over.

Of the 182 deaths recorded, 67 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 8th May, in 96 large English towns (including London in which the rate was 13·0) was equal to an average annual death rate of 13·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 18·4 per 1,000 persons living, the rate for Glasgow being 20·1 and for Edinburgh 15·9.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th May. From this Report it appears that of 65 cases notified, 22 were diphtheria, 15 pulmonary tuberculosis, 5 other forms of tuberculosis, 8 scarlet fever, 6 acute primary pneumonia, 5 erysipelas, one ophthalmia neonatorum, one puerperal fever, one dysentery, and one acute influenzal pneumonia. Among the 491 cases of infectious diseases in hospital at the close of the week were 219 of pulmonary tuberculosis, 9 other forms of tuberculosis, 101 of scarlet fever, 77 of diphtheria, 37 of venereal disease, 17 of measles, 8 of erysipelas, 2 of acute influenzal pneumonia, one of cerebro-spinal fever, one of ophthalmia neonatorum, one of small-pox, one of chicken-pox, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford during the week ended 8th May, 1920 and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Apr. 17	3	·	·	·	·	—	3	—	1	1	—	·	—	·	·	·	7	·	·	7	22
	Apr. 24	4	·	·	·	·	—	6	—	2	6	—	·	—	·	·	·	1	·	·	15	34
	May 1	1	5	·	·	·	—	5	—	4	1	—	·	—	·	·	·	3	·	·	14	33
	May 8	·	·	·	·	·	—	7	—	9	1	—	·	—	1	·	·	7	·	·	29	54
Rathmines & Rathgar Urban District	Apr. 17	·	·	·	·	·	—	2	—	2	1	—	·	—	·	·	·	1	·	·	—	6
	Apr. 24	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	May 1	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	·	—	2
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Apr. 17	·	·	·	·	·	4	1	8	1	·	·	·	—	·	·	·	·	·	·	·	14
	Apr. 24	·	·	·	·	·	31	·	5	·	·	·	·	—	·	·	·	2	·	·	·	38
	May 1	·	·	·	·	·	32	·	4	·	·	·	·	—	·	·	·	·	2	·	·	38
	May 8	·	·	·	·	·	22	·	3	·	·	·	·	—	·	·	·	·	·	·	·	25
Blackrock Urban District	Apr. 17	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	Apr. 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 1	·	·	·	·	·	7	·	—	·	·	—	·	—	·	·	·	·	·	·	·	7
	May 8	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
Kingstown Urban District	Apr. 17	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	Apr. 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	May 1	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	May 8	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
City of Belfast	Apr. 17	2	·	·	·	·	—	34	—	5	2	—	2	—	·	·	·	7	·	·	·	52
	Apr. 24	3	·	·	·	·	—	42	—	2	1	—	·	—	·	2	·	7	·	·	1	58
	May 1	3	·	·	·	·	—	26	—	6	4	—	1	—	·	·	·	2	·	·	·	42
	May 8	1	2	·	·	·	—	28	—	7	3	—	·	—	·	·	·	8	·	·	·	59
City of Cork	Apr. 17	·	·	·	·	·	1	·	—	4	1	—	1	·	·	·	·	·	—	·	—	7
	Apr. 24	·	·	·	·	·	·	·	—	8	·	—	·	·	·	·	·	·	—	·	—	8
	May 1	·	·	·	·	·	·	1	—	5	1	—	·	·	·	·	·	·	—	·	—	7[a]
	May 8	·	·	·	·	·	·	1	—	7	·	—	·	·	·	·	·	·	—	·	—	8
City of Londonderry	Apr. 17	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	·	·	—	—	5
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	May 1	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
	May 8	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
City of Limerick	Apr. 17	1	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	3
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	Apr. 17	·	·	·	·	·	—	·	—	1	1	—	·	—	·	·	·	·	—	—	8	10
	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	May 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(a) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th May, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 8: typhus one and 5; measles 21 and 69; scarlet fever 20 and 75*; and diphtheria 9 and 25. Nine cases of pneumonia were admitted during the week and 34 remained under treatment at its close. Of the deaths in hospital during the week 3 were from measles, and there was one from each of scarlet fever, typhus and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 8th May, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 8TH MAY, 1920. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 8TH MAY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	33·1	20·9	2·1	740	468	106	116	1	1	·	5	2	19	4	·	12	53	16	18	40	55	14	1	5	3	152	11	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	32·5	22·9	3·8	259	182	58	41	·	1	·	4	·	14	1	·	3	9	8	8	18	24	9	1	2	·	67	4	(d) 61·6	34·1	55·2	39·4	47·3	0·54
Urban Districts. CITY OF DUBLIN,	318,200	39·0	35·9	23·1	4·6	219	141	50	26	·	1	·	4	·	13	1	·	2	7	8	8	10	22	9	·	2	·	56	4	(e) 61·0	37·0	56·1	44·5	50·3	0·44
																														(f) 62·0	35·4	54·5	43·4	49·0	0·53
RATHMINES and RATHGAR,	40,400	23·6	20·7	18·1	·	16	14	4	5	·	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	·	·	4	·	·	·	·	·	·	·
PEMBROKE, ..	30,200	19·2	19·0	1·1	3·5	11	18	2	6	·	·	·	·	·	1	·	·	1	1	·	·	2	1	·	1	·	·	5	·	·	·	·	·	·	·
BLACKROCK, ..	9,200	8·5	11·3	5·7	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
KINGSTOWN, ..	17,000	11·6	33·7	24·5	·	11	8	2	3	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	1	·	64	38	55·8	45·4	50·6	0·13
Urban Districts. BELFAST, ..	413,000	27·7	32·3	21·2	1·3	256	168	34	36	1	·	·	·	2	2	1	·	9	19	3	6	18	19	4	·	2	2	49	1	60·5	33·0	55·9	42·2	49·0	1·58
CORK, ...	76,673	28·6	23·8	17·7	2·0	35	26	4	6	·	·	·	·	·	·	2	·	·	5	1	1	·	1	1	·	·	·	11	1	·	·	·	·	·	·
LONDONDERRY, ..	44,000	17·1	40·3	14·2	·	34	12	2	6	·	·	·	·	·	·	·	·	·	2	·	·	1	2	·	·	·	·	3	·	·	·	·	·	·	·
LIMERICK, ..	38,518	16·1	60·9	21·7	·	45	16	1	4	·	·	·	·	·	·	·	·	·	4	·	·	·	5	·	·	·	·	1	2	·	·	·	·	·	·
WATERFORD, ..	27,464	19·1	36·1	19·0	1·9	19	10	1	3	·	·	·	·	·	1	·	·	·	2	·	1	·	·	·	·	1	1	5	·	·	·	·	·	·	·
GALWAY, ...	13,255	2·5				13	6	·	3	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	·
DUNDALK, ..	13,128	9·5				9	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LURGAN, ..	12,553	14·7				6	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
DROGHEDA, ..	12,501	8·4				2	7	·	3	·	·	·	·	·	1	·	·	·	1	1	·	·	2	·	·	·	·	2	·	·	·	·	·	·	·
LISBURN, ..	12,388	10·9				10	3	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	62	32	56·4	39·7	48	0·80
NEWRY, ...	11,963	17·0				12	3	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	·	61·0	36·1	55·9	40·9	48·4	0·89
PORTADOWN, ..	11,727	15·3				10	5	1	1	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	61·0	36·1	55·9	40·9	48·4	0·89
WEXFORD, ..	11,531	22·8				6	7	1	1	·	·	·	·	·	1	·	·	·	2	1	·	·	1	·	·	·	·	2	2	·	·	·	·	·	·
BALLYMENA, ..	11,381	9·3				3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
SLIGO, ...	11,163	3·8				5	3	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	1	61	35	55	42	48·5	1·20
KILKENNY, ..	10,514	11·4				2	5	1	2	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	4	·	60	35	55·0	42·5	48·7	0·89
TRALEE, ...	10,300	17·4				8	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
CLONMEL, ..	10,209	7·8				6	2	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	13·0	—	2,552	1,084	155	354	·	·	·	41	4	19	24	·	—	87	19	113	95	97	15	6	39	77	542	3	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	15·9	—	168	104	19	23	·	·	·	3	·	·	·	—	·	—	—	—	—	—	3	—	5	—	—	—	58·0	36·0	53·7	39·7	46·7	0·42
GLASGOW	1,115,500	—	—	20·1	—	699	429	74	87	·	·	1	18	·	4	5	—	22	—	—	—	—	—	2	—	16	—	—	—	57·5	38·0	53·3	41·2	47·3	1·12

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 18th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 8th May, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—7[illegible]	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES.	187·8	192	19	41	7	10	6	1	6	4	7	12	17	20	23	19	182
Enteric Fever ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·2	5	.	1	.	3	1	.	.	.	.	.	.	.	.	.	4
Scarlet Fever ..	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough ..	3·2	14	.	8	2	3	1	.	.	.	.	.	.	.	.	.	14
Diphtheria	1·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Influenza	2·6	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Pyæmia and Septicæmia (non-puerperal).	·6	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tetanus	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	25·8	11	.	.	.	.	.	.	1	3	4	.	1	2	.	.	9
Tuberculous Meningitis	3·6	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	2·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·6	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	12·4	8	.	.	.	.	.	.	.	.	.	.	4	1	3	.	8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·6	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1	3
Other General Diseases	2·6	6	.	.	.	.	.	.	.	.	.	1	1	1	1	2	6
Alcoholism ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	6·2	8	.	.	.	.	.	.	.	.	.	.	1	2	3	2	7
Softening of Brain ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Epilepsy	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Convulsions (non-puerperal).	3·4	7	4	3	.	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	3·4	2	.	.	.	.	.	.		.	.	.	.	1	1	.	1
Pericarditis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart.	14·8	14	.	.	.	.	.	.	.	.	.	1	3	4	2	4	14
Embolism and Thrombosis (including Cerebral)	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	19·4	23	.	7	.	.	1	.	.	.	.	1	2	4	5	3	23
Broncho-pneumonia ..	4·2	11	.	9	1	1	.	.	.	.	.	.	.	.	.	.	11
Lobar pneumonia ..	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pneumonia (type not distinguished).	8·6	6	.	1	.	.	.	.	2	.	.	.	.	1	2	.	6
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Respiratory System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the EIGHTEENTH WEEK, ending Saturday, 8th May, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 18th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 8th May, 1920.																
		All Ages.	Ages at Death															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year.	1—2.	2—5												
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	3·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	3·2	9	2	5	2	·	·	·	·	·	·	·	·	·	·	·	·	9
Diarrhœa 2 years and upwards.	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Enteritis 2 years and upwards.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	1·2	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·8	3	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	3
Cirrhosis of Liver ...	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·6	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Peritonitis (cause unknown).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ...	2·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Chronic Bright's Disease	4·0	3	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	3
Urinary Calculi ...	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	1·6	2	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	2
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·6	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ...	3·0	7	7	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6
Congenital Debility ...	2·6	7	5	2	·	·	·	·	·	·	·	·	·	·	·	·	·	7
Old Age	9·4	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	3
Other Specified Diseases	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ...	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c.	8·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths		2	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	2
Not included in above—																		
Homicide. ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes	3·8	3	·	·	2	·	·	·	·	·	·	1	·	·	·	·	·	3

TABLE IV.—Showing for the WEEK ENDED 8TH MAY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths	WEEK ENDED SATURDAY, 8TH MAY 1920. DEATHS.								CAUSED BY																					In Institutions.		
		From all Causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums,	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	23·8	8·5	14	6	·	1	1	1	1	3	1	·	·	·	·	·	1	·	·	·	1	1	2	·	·	4	·	·	5	·	3	1	·
,, 1, W., ...	42,100	22·3	6·2	18	6	1	2	1	1	·	2	5	·	·	·	·	·	3	·	·	1	·	1	1	1	5	2	·	·	4	·	1	3	·
,, 2, ...	28,200	37·0	5·5	20	8	1	1	·	1	2	5	2	·	·	·	·	·	3	·	·	1	·	2	1	2	2	·	·	·	9	·	3	3	·
,, 3, ...	35,000	27·7	8·7	19	6	2	·	1.	1	1	5	3	·	·	·	·	·	4	1	·	·	1	·	2	1	3	1	·	·	6	·	3	3	1
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ...	13,900	22·5	3·7	6	2	·	1	·	·	·	2	1	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	4	·	1	1	·
FINGLAS AND GLASNEVIN, part of ...	11,400	13·7	·	3	1	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	1	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ...	44,100	23·6	2·4	20	10	1	·	·	1	3	3	2	·	1	·	·	·	·	·	·	·	2	·	·	2	4	1	·	1	9	·	1	12	·
,, 2, ...	18,600	25·2	2·8	9	2	·	·	·	1	·	3	3	·	·	·	·	·	1	·	·	·	1	·	·	·	4	·	·	·	3	·	·	6	·
,, 3, ...	44,400	23·5	2·3	20	5	1	1	1	2	1	3	6	·	·	·	1	·	1	·	·	·	2	1	·	2	2	·	·	1	10	·	5	4	3
,, 4, ...	33,600	14·0	3·1	9	3	·	1	·	1	2	1	1	·	·	·	1	·	·	·	·	·	·	2	·	1	1	1	·	·	3	·	2	2	·
NEW KILMAINHAM, ...	10,600	9·8	4·9	2	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ...	40,400	18·1	·	11	4	·	·	·	·	2	3	5	·	·	·	·	·	·	·	·	·	1	·	·	3	1	·	·	·	9	·	3	1	·
PEMBROKE, ...	30,200	31·1	3·5	18	2	1	·	2	1	3	3	6	·	·	·	·	·	1	·	·	1	1	·	·	2	1	·	1	·	11	·	2	3	·
BLACKROCK, ...	9,200	5·7	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·
KINGSTOWN, ...	17,000	24·5	·	8	2	·	1	·	·	·	2	3	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	5	·	·	1	·
TOTAL CITY. North, ...	166,900	25·3	6·2	81	29	4	5	3	4	4	18	14	·	·	·	1	·	11	1	·	2	2	4	8	5	11	7	·	·	29	·	12	11	1
TOTAL CITY. South, ...	151,300	20·7	2·8	60	21	2	3	1	5	6	10	12	·	1	·	3	·	2	·	·	·	5	4	·	5	11	2	·	2	25	·	8	25	3
TOTAL CITY. North and South, ...	318,200	23·1	4·6	141	50	6	8	4	9	10	28	26	·	1	·	4	·	13	1	·	2	7	8	8	10	22	9	·	2	54	·	20	36	4
Total Urban Districts, ...	96,800	22·1	1·1	41	8	1	1	2	1	5	8	15	·	·	·	·	·	1	·	·	1	2	·	·	8	2	·	1	·	26	·	5	6	·
Total Registration Area, ...	415,000	22·9	3·8	182	58	7	9	6	10	15	36	41	·	1	·	4	·	14	1	·	3	9	8	8	18	24	9	1	2	80	·	25	42	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	2	·	1	1	·	4	1	1	·	·	·	1	1	·	·	·	·	2	·	·	·	·	·	·	·	6	·	8	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th May, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH MAY, 1920.

Class.	Occupation or Social Position (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages: Under 5 years.	Ages: 5 and under 15.	Ages: 15 and under 25.	Ages: 25 and under 45.	Ages: 45 and under 65.	Ages: 65 and under 75.	Ages: 75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	192	77	7	10	19	37	23	19	·	1	·	5	1	14	1	·	3	11	8	8	7	18	24	9	1	2	79	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	24·9	7	·	·	·	1	1	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	6	·
II.	MIDDLE CLASS	101,798	20·0	39	10	4	2	6	8	5	4	·	·	·	2	·	1	1	·	2	1	1	1	3	4	6	·	·	1	16	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	18	·	3	3	5	3	·	·	·	·	·	·	5	·	·	1	3	2	2	1	5	1	4	·	·	8	·
IV.	GENERAL SERVICE CLASS	167,479	21·8	70	42	3	2	7	11	2	3	·	1	·	3	1	8	·	·	·	3	3	3	3	7	7	5	1	·	25	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	44	7	·	3	2	12	10	10	·	·	·	·	·	·	·	·	·	4	2	2	·	1	10	·	·	1	24	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	7	·	·	·	1	1	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	6	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	3	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	1	·
	5 Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	5	·	·	·	2	·	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	3	·
	6 Clerks and Commercial Assistants,	33,249	—	16	7	1	·	2	5	·	1	·	·	·	·	·	·	1	·	1	1	·	·	2	2	3	·	·	1	5	·
	7 Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	15	2	2	1	2	3	3	2	·	·	·	2	·	1	·	·	1	·	1	·	·	1	2	·	·	·	7	·
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	5	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	2	·	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	9	3	·	·	1	2	3	·	·	·	·	·	·	1	·	·	1	·	·	2	·	1	·	1	·	·	3	·
	10. Clothing Trades, ...	20,026	—	3	2	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	11. Food Supply Trades, ...	8,952	—	2	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	10	7	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	2	1	3	·	·	1	·
	13. Petty Shopkeepers, ...	6,772	—	3	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	8	3	1	·	1	3	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	1	·	2	·	·	2	·
	15. Domestic Servants, ...	36,041	—	6	2	·	1	1	1	1	·	·	·	·	·	1	·	·	·	·	1	·	·	1	·	·	·	·	·	3	·
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	3	2	·	·	·	1	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	1
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	53	35	2	1	5	6	1	3	·	1	·	3	·	6	·	·	·	1	3	1	2	6	7	3	1	·	19	3
V.	INMATES OF WORKHOUSES																														
	18. Workhouse Inmates, ...	5,602	—	44	7	·	3	2	12	10	10	·	·	·	·	·	·	·	·	·	4	2	2	·	1	10	·	·	1	24	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24.	May 1	May 8.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10	Apr. 17	Apr. 24.	May 1.	May 8.
No. of weeks in Annual Series ..	6	7	8	9	10	11	12	13	14	15	16	17	18	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered	257	258	282	277	239	215	257	181	256	261	277	270	259	264	282	321	263	225	275	258	297	243	262	283	288	256
Average Births in corresponding week of previous 10 years, ...	211	205	199	205	215	201	220	209	210	211	208	198	209	196	197	195	213	201	202	212	202	202	208	214	219	203
Number of Deaths, ...	139	131	174	165	159	195	190	185	213	251	227	215	182	159	144	173	214	225	293	284	248	211	229	219	158	168
Annual Death-rate per 1,000 ..	17·5	16·5	21·9	20·7	20·0	24·5	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·1	18·2	21·8	27·0	28·4	37·0	35·9	31·3	26·6	28·9	27·6	19·9	21·2
Average Deaths in corresponding week of previous 10 years, ...	187	191	212	219	221	200	204	191	198	189	188	159	168	184	172	172	170	173	172	169	163	165	164	158	152	136
Ages, .. Under one year, ..	24	27	33	31	28	45	45	52	52	65	48	42	58	37	23	41	48	56	72	63	64	63	52	53	40	34
1— 5 years, ..	15	11	14	20	19	31	32	23	35	46	48	38	16	16	24	21	24	34	43	43	33	31	29	23	15	12
5—25 ,, ..	10	17	16	15	14	12	28	18	21	19	19	30	16	17	22	24	31	29	41	26	28	18	27	23	25	26
25—45 ,, ..	25	15	29	17	23	26	17	20	25	21	31	22	15	28	20	26	38	34	50	46	41	33	37	28	21	23
45—65 ,, ..	29	31	32	28	40	35	22	27	31	46	35	35	36	34	30	27	33	39	47	59	41	44	40	51	24	37
65 and upwards, ..	36	30	50	54	35	46	46	45	49	54	46	48	41	27	25	34	40	33	40	47	41	22	44	41	33	36
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	1	2	2	2	1	·	·	·	·	·	1
Typhus, ...	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	3	1	·	3	3	11	3	7	15	9	7	4	11	9	2	4	7	3	3	2	1	5	1	1	·
Scarlet Fever, ...	·	1	·	·	·	1	2	1	·	1	·	1	·	2	2	4	4	4	5	2	2	2	1	·	2	2
Whooping-cough, ...	3	2	3	7	6	9	10	10	13	16	9	13	14	1	6	3	4	3	8	6	5	2	6	·	4	2
Diphtheria, ...	2	1	3	3	·	1	·	1	·	1	·	2	1	·	·	1	1	2	1	·	·	1	·	·	2	1
Dysentery, ...	·	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	2	·	3	4	·	2	2	3	5	5	5	4	3	2	2	3	12	23	33	30	33	21	17	13	10	9
Tuberculosis { Pulmonary, ..	19	14	18	14	15	13	17	13	19	21	16	24	9	15	20	15	23	21	17	31	16	10	16	23	22	19
Other Forms, ..	3	8	4	3	6	13	6	9	6	4	5	4	8	6	3	8	4	2	5	7	7	1	11	8	3	3
Cancer, ...	7	6	8	7	11	10	4	3	6	11	9	9	8	8	5	5	4	6	4	5	5	5	8	5	10	6
Diseases of Respiratory System, { Pneumonia ..	15	13	14	18	18	26	28	32	27	55	47	36	18	20	8	27	34	37	67	68	53	57	42	38	24	18
Others, ..	13	22	30	26	27	37	29	34	40	35	38	17	24	15	17	23	38	38	51	43	30	36	29	36	15	19
Diarrhœa & Enteritis, under 2 years	2	3	3	1	3	3	·	2	3	2	2	3	9	2	1	1	2	1	6	4	4	1	2	5	3	4
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	1	·	·	1	·	·	1	·
Violent Deaths, ...	5	1	3	4	2	4	4	4	2	2	6	3	2	2	·	3	3	2	1	3	·	3	6	3	·	2
Number of Uncertified Deaths, ..	9	8	6	5	2	8	3	4	1	4	4	5	4	2	1	2	5	5	3	2	5	1	4	4	·	1
A Mean Maximum Temperature in degs	50·4	49·8	49·5	53·3	48·9	51·2	51·9	49·2	49·2	54·0	54·7	53·3	55·2	49·5	48·4	48·5	51·5	46·0	50·9	51·1	40·5	49·4	50·5	52·3	49·9	55·9
B Mean Minimum ,, ,,	40·4	37·1	36·0	40·5	32·1	37·7	36·8	39·6	37·4	40·7	37·8	37·4	39·4	39·5	39·6	36·5	40·3	32·8	35·0	40·3	40·8	38·0	42·3	36·8	33·3	42·2
Mean of A and B ,, ,,	45·4	43·4	42·7	46·9	40·5	44·4	44·4	44·4	43·3	47·3	46·3	45·3	47·3	44·5	44·0	42·5	45·9	39·4	42·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0
Rainfall in inches	0·67	0·37	0·28	0·70	0·43	0·24	0·80	0·55	0·78	0·94	0·39	0·65	0 54	0·84	1·07	0·01	0·63	0·57	0·56	0·61	1·03	0·39	0·97	0·70	0·84	1·58

TABLE VII.—Showing, by Registrars' Districts, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th May, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms	Cancer	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions	Number of Uncertified Deaths.				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)				
CITY OF BELFAST.																																			
Belfast Urban No. 1 District,	15,879	6	23·0	3·3	7	3	·	1	3	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	·	·	3	·				
Do. 2 do.	49,500	23	14·7	·	14	1	·	2	1	5	5	·	·	·	·	·	·	·	·	·	3	·	·	1	2	·	·	·	·	5	·				
Do. 3 do.	50,032	41	29·2	3·1	28	4	1	6	4	9	4	·	·	·	·	1	2	·	·	1	3	·	3	·	4	·	·	·	·	5	·				
Do. 4 do.	32,637	26	22·4	1·6	14	7	·	2	2	2	1	·	·	·	·	·	·	·	·	·	2	·	·	1	3	1	·	·	·	6	·				
Do. 5 do.	16,112	13	22·7	3·2	7	1	·	1	2	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	·	4	·				
Do. 6 do.	37,293	14	23·8	1·4	17	·	2	1	2	3	9	·	·	·	·	·	·	1	·	1	1	1	·	1	2	·	·	·	·	4	1				
Do. 7 do.	2,681	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·				
Do. 8 do.	5,964	6	35·0	·	4	·	·	·	·	4	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	·	·				
Do. 9 do.	24,427	11	29·9	2·1	14	5	1	2	1	1	4	·	·	·	·	·	·	·	·	1	1	·	·	5	2	1	·	·	·	·	·				
Do. 10 do.	28,958	11	32·4	1·8	18	3	5	2	1	3	4	·	·	·	·	·	·	·	·	2	1	1	·	1	2	1	·	·	·	8	·				
Do. 11 do.	—	26	—	—	13	4	·	4	2	1	2	·	·	·	·	·	·	·	·	1	1	1	·	1	1	·	·	1	1	5	·				
Do. 12 do.	—	31	—	—	4	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·				
Do. 13 do.	—	12	—	—	11	1	·	1	4	2	3	·	·	·	·	·	·	·	·	1	3	·	·	·	1	·	·	·	·	4	·				
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·				
Do. 15 do.	22,669	17	29·9	2·3	13	4	3	1	·	2	3	1	·	·	·	·	·	·	·	1	1	·	·	7	·	·	·	·	·	3	·				
Do. 16 do.	—	17	—	—	4	1	·	2	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	1	1	·	·				
Total,	386,947	256	21·2	1·3	168	34	12	26	23	37	36	1	·	·	·	2	2	1	·	9	19	3	6	18	19	4	·	2	2	49	1				
CITY OF CORK																																			
Cork Urban No. 1 District,	13,455	4	23·3	·	6	1	1	1	1	1	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	2	·				
Do. 2 do.	10,399	7	20·1	·	4	1	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·				
Do. 3 do.	9,793	1	16·0	·	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1				
Do. 4 do.	9,139	5	11·4	·	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·				
Do. 5 do.	6,250	4	25·0	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	3	·				
Do. 6 do.	11,581	6	27·0	9·0	6	·	·	2	2	·	2	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	·	·	3	·				
Do. 7 do.	16,056	8	6·5	3·2	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	·	1	·				
Total,	76,673	35	17·7	2·0	26	4	3	4	5	4	6	·	·	·	·	·	·	2	·	·	5	1	1	·	1	1	·	·	·	11	1				

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 16·6 per 1,000 and from certain epidemic diseases 0·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th May, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	5
„ „ 1, West ..	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	7	11
„ „ 2, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	5	7
„ „ 3, ...	.	.	.	.	.	.	3	.	.	.	1	.	.	2	.	.	1	7
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	5	6
„ „ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ „ 3, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	3	.	.	3	9
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	.	.		.	7	9	.	1	.	1	.	.	7	.	.	29	54

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th May, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 8th May.			
	April 17.	April 24.	May 1.	No. admitted	Discharged	Died.	No under treatment at close of week.
Enteric Fever, ...	10	7	9	2	3	.	8
Typhus, ...	.	.	5	1	.	1	5
Small-pox	.	.	.	.	.	.	.
Measles, ...	71	77	73	21	22	3	69
Scarlet Fever, ...	96	87	81	20	25	1	75*
Diphtheria, ...	22	26	25	9	8	1	25
Pneumonia, ...	42	44	42	9	17	.	34

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
by ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13945.) Wt. 200. 3. 380. 5. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd. 116, Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1;
37, Peter Street, Manchester; 1, St Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 19. Vol. LVII.] Week ending Saturday, 15th May, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 17th May, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 18·3 and 21·6; Dublin Registration Area, 20·6 and 24·7; Dublin City, 19·8 and 25·2; Belfast, 16·9 and 21·4; Cork, 20·4 and 19·6; Londonderry, 11·9 and 19·6; Limerick, 27·1 and 19·0; and Waterford, 15·2 and 17·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 134 deaths from all causes for Belfast are 2 from typhus, one from whooping-cough, 6 from diarrhœa and enteritis of children under 2 years, 8 from influenza, and 15 from pneumonia. The 30 deaths from all causes for Cork include 2 from whooping-cough. Two of the 20 deaths from all causes for Limerick were due to diphtheria. Of the 8 deaths from all causes for Lisburn one is from measles, and one from influenza. Included among the 3 deaths from all causes for Portadown is one from diphtheria, and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 268—158 boys and 110 girls—and the deaths to 184—87 males and 97 females.

The deaths registered, omitting the deaths (numbering 20) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·6 per 1,000 of the population. During the nineteen weeks ending with Saturday last, the death-rate averaged 21·7 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the nineteen weeks was 23·4, and for the corresponding period of the preceding ten years 26·3.

Of the 164 deaths appertaining to the Area 11 are from measles, 10 from whooping-cough, one from diarrhœa and enteritis of a child under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from measles were 9, 7, and 4; deaths from whooping-cough 9, 13, and 14; deaths from diarrhœa and enteritis of children under 2 years 2, 3, and 9; and deaths from influenza 5, 4, and 3.

There were 22 deaths from pneumonia, comprising 17 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 20 deaths (including 19 from pulmonary tuberculosis, and one from disseminated tuberculosis) as against 21, 28, and 17 in the three weeks preceding.

Seven deaths were caused by cancer, 11 by organic diseases of the heart, and 24 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 4 were due to whooping-cough, one to disseminated tuberculosis, one to venereal disease, one to simple meningitis, 7 to convulsions, 3 to bronchitis, 7 to broncho-pneumonia, 3 to congenital malformations, 3 to premature birth, and 4 to congenital debility.

Of 3 deaths attributed to violence, one was accidentally caused by being thrown from a horse, and one was ascribed to gunshot wounds.

Sixty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 37 being infants under one year, of whom 19 were under one month old, and 46 deaths were those of persons aged 65 and upwards, of whom 38 were 70 years of age or over.

Of the 164 deaths recorded, 54 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 15th May, in 96 large English towns (including London in which the rate was 12·5) was equal to an average annual death rate of 13·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 16·9 per 1,000 persons living, the rate for Glasgow being 18·6 and for Edinburgh 12·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson. M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th May. From this Report it appears that of 66 cases notified, 21 were scarlet fever, 16 diphtheria, 9 pulmonary tuberculosis, 11 other forms of tuberculosis, 2 ophthalmia neonatorum, 2 malaria, 2 acute influenzal pneumonia, one erysipelas, one puerperal fever, and one acute primary pneumonia. Among the 492 cases of infectious diseases in hospital at the close of the week were 223 of pulmonary tuberculosis, 7 other forms of tuberculosis, 99 of scarlet fever, 81 of diphtheria, 34 of venereal disease, 15 of measles, 7 of erysipelas, 3 of acute influenzal pneumonia, one of cerebro-spinal fever, one of small-pox, one of chicken-pox, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th May, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Apr. 24	4	·	·	·	·	—	6	—	2	6	—	·	—	·	·	·	1	·	·	15	34
	May 1	1	5	·	·	·	—	5	—	4	1	—	·	—	·	·	·	3	·	·	14	33
	May 8	·	·	·	·	·	—	7	—	9	1	—	·	—	1	·	·	7	·	·	29	54
	May 15	4	1	·	·	·	—	4	—	6	3	—	·	—	·	1	·	4	·	·	24	47
Rathmines & Rathgar Urban District	Apr. 24	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	·	·	—	2
	May 1	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	·	—	2
	May 8	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	·	—	4
	May 15	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	Apr. 24	·	·	·	·	·	31	·	5	·	·	·	·	—	·	·	·	2	·	·	·	38
	May 1	·	·	·	·	·	32	·	4	·	·	·	·	—	·	·	·	·	2	·	·	38
	May 8	·	·	·	·	·	22	·	3	·	·	·	·	—	·	·	·	·	·	·	·	25
	May 15	·	·	·	·	·	29	·	1	·	·	·	·	—	·	·	·	·	·	·	·	30
Blackrock Urban District	Apr. 24	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 1	·	·	·	·	·	7	·	—	·	·	—	·	—	·	·	·	·	·	·	·	7
	May 8	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	May 15	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
Kingstown Urban District	Apr. 24	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	May 1	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	May 8	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
	May 15	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	Apr. 24	3	·	·	·	·	—	42	—	2	1	—	·	—	·	2	·	7	·	·	1	58
	May 1	3	·	·	·	·	—	26	—	6	4	—	1	—	·	·	·	2	·	·	·	42
	May 8	1	2	·	·	·	—	38	—	7	3	—		—	·	·	·	8	·	·	·	59
	May 15	1	·	·	·	·	—	30	—	6	4	—	1	—	·	1	·	3	1	·	1	48
City of Cork	Apr. 24	·	·	·	·	·	·	·	—	8	·	—	·	·	·	·	·	·	—	·	—	8
	May 1	·	·	·	·	·	·	1	—	5	1	—	·	·	·	·	·	·	—	·	—	7[a]
	May 8	·	·	·	·	·	·	1	—	7	·	—	·	·	·	·	·	·	—	·	—	8
	May 15	·	·	·	·	·	1	2	—	9	·	—	1	·	1	3	·	·	—	·	—	17
City of Londonderry	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	—	—	·
	May 1	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
	May 8	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
	May 15	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	1
City of Limerick	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 15	·	·	·	·	·	—	·	—	4	·	—	·	—	·	·	·	·	·	·	—	4
City of Waterford	Apr. 24	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	3	3
	May 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 15	1	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	1	3

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th May, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 9; typhus 3 and 8; measles 22 and 54; scarlet fever 9 and 73*; and diphtheria 11 and 32. Ten cases of pneumonia were admitted during the week and 33 remained under treatment at its close. Of the deaths in hospital during the week 4 were from measles, and 2 from pneumonia.

* See note (*) at foot of Table IX.

REGISTRATION—WEEK ENDING SATURDAY, 15TH MAY, 1920.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	NUMBERS REGISTERED. DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 15TH MAY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	32·4	18·3	1·7	725	409	89	104	·	2	·	12	·	13	3	·	10	46	9	15	42	51	8	·	8	10	135	13	° ·	° ·	° ·	° ·	° ·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	33·7	20·6	2·8	268	164	37	46	·	·	·	11	·	10	·	·	1	19	1	7	22	24	1	·	3	3	54	5	(d) 62·4	32·5	58·1	40·3	49·2	0·34
Urban Districts. CITY OF DUBLIN,	318,200	39·0	37·5	19·8	3·1	229	121	28	31	·	·	·	10	·	8	·	·	1	16	1	4	18	19	1	·	1	2	45	3	(e) 61·9	39·2	57·8	44·3	51·1	0·25
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	20·7	25·8	2·6	16	20	4	9	·	·	·	·	·	2	·	·	·	1	·	2	2	3	·	·	1	1	5	2	(f) 61·6	35·0	57·7	42·0	49·9	0·42
Urban Districts. PEMBROKE, ..	30,200	19·2	24·2	29·4	1·7	14	17	4	5	·	·	·	1	·	·	·	·	·	2	·	1	2	2	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	11·3	22·7	·	2	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	21·5	6·1	·	7	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BELFAST, ..	413,000	27·7	31·9	16·9	1·1	253	134	32	22	·	2	·	·	·	1	·	·	8	16	4	2	15	14	6	·	4	4	51	1	62	39	57·0	45·1	51·1	0·13
Urban Districts. CORK, ...	76,673	28·6	36·0	20·4	1·4	53	30	4	9	·	·	·	·	·	2	·	·	·	4	1	3	2	1	·	·	·	1	17	·	58·5	34·5	56·2	40·5	48·4	0·79
Urban Districts. LONDONDERRY, ..	44,000	17·1	29·6	11·9	·	25	10	1	5	·	·	·	·	·	·	·	·	·	1	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	20·3	27·1	2·7	15	20	4	6	·	·	·	·	·	·	2	·	·	1	·	2	·	7	·	·	·	·	6	3	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	30·4	15·2	·	16	8	·	3	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	1	2	·	·	·	·	·	·	·
Urban Districts. GALWAY,.. ..	13,255	2·5				11	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	58	39	56	44	50	0·38
Urban Districts. DUNDALK, ..	13,128	9·5				2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				14	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	66·3	35·6	57·8	41·8	49·8	0·37
Urban Districts. DROGHEDA, ..	12,501	8·4				6	5	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				7	8	3	1	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	65	31	57·3	40·4	48·9	0·72
Urban Districts. NEWRY, ...	11,963	17·0				9	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	66·3	35·6	57·8	41·8	49·8	0·37
Urban Districts. PORTADOWN, ..	11,727	15·3				9	3	1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	1	·	66·3	35·6	57·8	41·8	49·8	0·37
Urban Districts. WEXFORD, ..	11,531	22·8				8	5	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				6	5	2	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				5	4	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	1	68	24	58	41	49·5	0·75
Urban Districts. KILKENNY, ..	10,514	11·4				4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	66	32	60·1	41·7	50·9	0·35
Urban Districts. TRALEE, ...	10,300	17·4				9	6	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
LONDON	4,358,309	—	—	12·5	—	2,684	1,046	158	338	2	·	·	25	1	35	11	·	—	98	20	106	82	77	14	4	32	94	504	2	·	·	·	·	·	·
EDINBURGH ...	342,300	—	—	12·1	—	262	79	10	29	·	·	·	·	·	·	1	—	5	—	—	—	—	—	1	—	3	—	—	—	64·0	36·0	55·3	41·3	48·3	0·26
GLASGOW	1,115,500	—	—	18·6	—	641	397	77	81	·	·	9	27	·	2	4	—	22	—	—	—	—	—	4	—	13	—	—	—	65·0	38·3	55·0	42·3	48·7	0·52

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 19th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 15th May, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20.	20—25	25—36.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES.	211·4	184	19	19	16	10	7	4	11	8	11	5	10	18	18	28	164
Enteric Fever	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·6	13	.	1	6	3	1	.	1	1	.	.	.	.	.	.	11
Scarlet Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	4·4	11	.	5	2	3	1	.	.	.	.	.	.	.	.	.	10
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·4	23	.	.	.	.	1	3	5	2	5	5	.	1	1	.	19
Tuberculous Meningitis	1·6	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases	·4	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2
Cancer	8·6	8	.	.	.	.	.	.	.	.	1	.	2	2	3	.	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other General Diseases	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	2·8	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	6·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Softening of Brain	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	5·0	7	7	.	.	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	1·2	3	.	.	.	.	1	.	.	.	1	.	.	.	.	1	3
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·0	13	.	.	.	.	.	.	2	1	2	.	3	1	.	4	11
Embolism and Thrombosis (including Cerebral)	1·2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	·3
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	19·2	24	1	2	.	1	.	.	.	1	.	.	.	3	5	11	24
Broncho-pneumonia	6·2	20	2	5	3	2	2	.	.	.	.	.	2	1	1	2	17
Lobar pneumonia	1·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	6·8	4	.	.	3	.	.	.	.	.	.	.	.	1	.	.	4
Pleurisy	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

in the NINETEENTH WEEK, ending Saturday, 15th May, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 19th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 15th May, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
Diseases of the Pharynx, Tonsillitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ...	2·4	4	·	1	·	·	·	·	·	·	·	·	1	·	1	1		4
Diarrhœa and Enteritis of Children under 2 years.	3·6	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·		1
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Enteritis 2 years and upwards.	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Appendicitis and Typhlitis.	·4	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·		1
Hernia and Intestinal Obstructions.	1·2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·		·
Cirrhosis of Liver ...	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Liver	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Digestive System.	·8	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·		1
Acute Nephritis ...	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Bright's Disease	4·8	7	·	·	·	·	·	·	1	·	1	·	1	2	·	2		5
Urinary Calculi ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Uterine Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ovarian Tumour (non-cancerous).	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Puerperal Septicæmia, &c.	·4	·	·	·	·	·	·	·	·	·	·		·	·	·	·		·
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diseases of Skin and Cellular Tissues.	1·0	·	·	·	·	·	·	·		·	·	·	·	·	·	·		·
Diseases of Locomotor System.	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·		·
Congenital Malformations.	1·0	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·		3
Premature Birth ...	5·8	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·		3
Congenital Debility ...	3·6	4	3	1	·	·	·	·	·	·	·	·	·	·	·	·		4
Old Age	8·0	7	·	·	·	·	·	·	·	·	·	·	·	·	2	5		7
Other Specified Diseases	1·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Conflagration ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Burns and Scalds ...	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Drowning	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suffocation in Bed ...	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Railways, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Vehicles and Horses ...	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·		1
Ships, Boats, Docks, ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Building Operations ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Gunshot Wounds, &c.	34·2	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·		1
Other Violent Deaths		1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Not included in above—																		
Homicide. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Suicide, ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Execution, ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Ill-defined, &c., Causes,	2·4	3	·	·	·	·	·	·	·	·	·	·	·	2	1	·		3

TABLE IV.—Showing for the WEEK ENDED 15TH MAY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	WEEK ENDED SATURDAY, 15TH MAY 1920. DEATHS.								CAUSED BY																In Institutions.		
		From all Causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	15·3	1·7	9	2	·	·	1	3	1	·	2	·	·	·	1	·	·	·	·	·	4	·	·	·	1	·	·	·	3	·	3	2	·
,, 1, W., ...	42,100	17·3	3·7	14	3	1	2	·	1	·	3	4	·	·	·	2	·	1	·	·	·	1	·	·	2	3	·	·	·	5	·	1	2	·
,, 2, ...	28,200	27·7	5·5	15	6	·	2	1	1	2	1	2	·	·	·	1	·	2	·	·	1	1	·	·	4	3	·	·	·	3	·	3	1	·
,, 3, ...	35,000	29·1	2·9	20	5	4	1	·	·	2	3	5	·	·	·	1	·	1	·	·	·	2	·	2	5	1	·	·	·	8	·	4	4	·
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	3·8	4	1	·	1	·	·	1	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	3	1	1	·	·
FINGLAS AND GLASNEVIN, part of ...	11,400	22·9	·	5	1	·	·	·	1	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	3	1	1	·	1
South City.																																		
SOUTH CITY, No. 1, ...	44,100	20·1	2·4	16	1	4	·	3	·	2	2	5	·	·	·	1	·	·	·	·	·	5	·	·	3	2	1	·	·	5	·	6	2	·
,, 2, ...	18,600	8·4	·	3	1	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1	·	1	1	·
,, 3, ...	44,400	17·6	2·3	15	4	1	1	1	1	1	1	5	·	·	·	·	·	2	·	·	·	·	·	·	2	6	·	·	·	5	·	2	5	1
,, 4, ...	33,600	18·6	6·2	12	2	3	1	·	1	1	·	4	·	·	·	2	·	2	·	·	·	2	·	·	1	1	·	·	·	4	·	4	·	·
NEW KILMAINHAM, ...	10,600	29·5	4·9	6	2	·	·	·	·	1	2	1	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·	·	·	2	·	2	·	1
Urban Districts.																																		
RATHMINES AND RATHGAR, ...	40,400	25·8	2·6	20	4	1	·	1	1	·	4	9	·	·	·	·	·	2	·	·	·	1	·	2	2	3	·	·	1	9	1	2	3	2
PEMBROKE, ...	30,200	29·4	1·7	17	4	2	·	·	4	1	1	5	·	·	·	1	·	·	·	·	·	2	·	1	2	2	·	·	·	9	·	1	2	·
BLACKROCK, ...	9,200	22·7	·	4	1	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	3	·	1	·	·
KINGSTOWN, ...	17,000	6·1	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·
TOTAL CITY. North, ...	166,900	21·2	3·1	68	18	5	6	2	6	7	9	15	·	·	·	6	·	4	·	·	1	8	·	3	12	8	·	·	1	25	2	13	9	1
TOTAL CITY. South, ...	151,300	18·3	3·1	53	10	8	2	4	3	5	5	16	·	·	·	4	·	4	·	·	·	8	1	1	6	11	1	·	·	17	·	15	8	2
TOTAL CITY. North and South, ...	318,200	19·8	3·1	121	28	13	8	6	9	12	14	31	·	·	·	10	·	8	·	·	1	16	1	4	18	19	1	·	1	42	2	28	17	3
Total Urban Districts, ...	96,800	23·2	1·6	43	9	3	·	2	6	1	7	15	·	·	·	1	·	2	·	·	·	3	·	3	4	5	·	·	2	23	1	4	5	2
Total Registration Area, ...	415,000	20·6	2·8	164	37	16	8	8	15	13	21	46	·	·	·	11	·	10	·	·	1	19	1	7	22	24	1	·	3	65	3	32	22	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				20	1	·	2	3	4	3	7	·	·	·	·	2	·	1	·	·	·	4	2	1	3	4	·	·	·	6	1	17	3	·

* See note (†) at foot of first page.

TABLE V.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 15th May, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH MAY, 1920.

Class.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	184	64	11	19	16	28	18	28	·	·	·	13	·	11	·	·	1	23	3	8	7	25	25	1	·	3	64	5
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	Professional and Independent Class,	14,658	17·8	5	·	·	2	·	2	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	·
II.	Middle Class	101,798	19·5	38	5	3	4	5	5	6	10	·	·	·	·	·	1	·	·	·	5	1	3	1	4	·	·	·	·	23	2
III.	Artisan Class and Petty Shopkeepers,	108,420	17·3	36	9	1	6	5	6	3	6	·	·	·	1	·	1	·	·	·	10	·	1	1	7	6	·	·	·	9	2
IV.	General Service Class	167,479	24·9	80	45	7	5	3	10	4	6	·	·	·	11	·	9	·	·	1	5	1	3	5	12	8	1	·	2	22	1
V.	Inmates of Workhouses, ...	5,602	—	25	5	·	2	3	5	5	5	·	·	·	·	·	·	·	·	·	3	1	1	·	2	11	·	·	1	6	·
I.	Professional and Independent Class,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	4	·	·	2	·	1	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
II.	Middle Class.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	16	1	2	1	1	1	5	5	·	·	·	·	·	·	·	·	·	1	1	2	·	1	·	·	·	·	11	1
	6. Clerks and Commercial Assistants,	33,249	—	11	3	·	2	3	2	·	1	·	·	·	·	·	1	·	·	·	3	·	·	1	1	·	·	·	·	5	·
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	11	1	1	1	1	2	1	4	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	·	·	·	7	1
III.	Artisan Class and Petty Shopkeepers.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	4	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	8	4	·	·	1	2	1	·	·	·	·	1	·	·	·	·	·	1	·	·	·	2	2	·	·	·	2	1
	10. Clothing Trades, ...	20,026	—	5	2	·	2	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·	·	·	1	1	·	·	·	·	·
	11. Food Supply Trades, ...	8,952	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	1	1	4	4	3	2	2	·	·	·	·	·	·	·	·	·	7	·	·	·	3	1	·	·	·	6	1
	13. Petty Shopkeepers, ...	6,772	—	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
IV.	General Service Class.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	14	7	·	3	2	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	2	2	·	·	·	2	6	·
	15. Domestic Servants, ...	36,041	—	7	1	·	·	·	2	1	3	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	·	4	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	11	6	2	·	·	1	1	1	·	·	·	1	·	2	·	·	·	·	·	1	1	2	2	·	·	·	2	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	48	31	5	2	1	5	2	2	·	·	·	8	·	7	·	·	1	4	1	1	2	8	5	1	·	·	10	1
V.	Inmates of Workhouses.																														
	18. Workhouse Inmates, ...	5,602	—	25	5	·	2	3	5	5	5	·	·	·	·	·	·	·	·	·	3	1	1	·	2	11	·	·	1	6	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24.	May 1	May 8.	May 15.	Feb. 21.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10	Apr. 17	Apr. 24.	May 1.	May 8.	May 15
No. of weeks in Annual Series ..	7	8	9	10	11	12	13	14	15	16	17	18	19	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered	258	282	277	239	215	257	181	256	261	277	270	259	268	282	321	263	225	275	258	297	243	262	283	288	256	253
Average Births in corresponding week of previous 10 years, ...	205	199	205	215	201	220	209	210	211	208	198	209	229	197	195	213	201	202	212	202	202	208	214	219	203	206
Number of Deaths, ...	131	174	165	159	195	190	185	213	251	227	215	182	164	144	173	214	225	293	284	248	211	229	219	158	168	134
Annual Death-rate per 1,000 ..	16·5	21·9	20·7	20·0	24·5	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·6	18·2	21·8	27·0	28·4	37·0	35·9	31·3	26·6	28·9	27·6	19·9	21·2	16·9
Average Deaths in corresponding week of previous 10 years, ...	191	212	219	221	200	204	191	198	189	188	159	168	183	172	172	170	173	172	169	163	165	164	158	152	136	130
Ages, .. Under one year, ..	27	33	31	28	45	45	52	52	65	48	42	58	37	23	41	48	56	72	63	64	63	52	53	40	34	32
1— 5 years, ..	11	14	20	19	31	32	23	35	46	48	38	16	24	24	21	24	34	43	43	33	31	29	23	15	12	4
5—25 ,, ..	17	16	15	14	12	28	18	21	19	19	30	16	23	22	24	31	29	41	26	28	18	27	23	25	26	22
25—45 ,, ..	15	29	17	23	26	17	20	25	21	31	22	15	13	20	26	38	34	50	46	41	33	37	28	21	23	25
45—65 ,, ..	31	32	28	40	35	22	27	31	46	35	35	36	21	30	27	33	39	47	59	41	44	40	51	24	37	29
65 and upwards, ..	30	50	54	35	46	46	45	49	54	46	48	41	46	25	34	40	33	40	47	41	22	44	41	33	36	22
Deaths from :—																										
Enteric Fever, ...	·	·	·	·	1	·	·	1	·	·	·	·	·	2	1	2	2	2	1	·	·	·	·	·	1	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	3	1	·	3	3	11	3	7	15	9	7	4	11	9	2	4	7	3	3	2	1	5	1	1	·	·
Scarlet Fever, ...	1	·	·	·	1	2	1	·	1	·	1	·	·	2	4	4	4	5	2	2	2	1	·	2	2	·
Whooping-cough, ...	2	3	7	6	9	10	10	13	16	9	13	14	10	6	3	4	3	8	6	5	2	6	·	4	2	1
Diphtheria, ...	1	3	3	·	1	·	1	·	1	·	2	1	·	·	1	1	2	1	·	·	1	·	·	2	1	·
Dysentery, ...	·	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	·	3	4	·	2	2	3	5	5	5	4	3	1	2	3	12	23	33	30	33	21	17	13	10	9	8
Tuberculosis { Pulmonary, ..	14	18	14	15	13	17	13	19	21	16	24	9	19	20	15	23	21	17	31	16	10	16	23	22	19	16
Other Forms, ..	8	4	3	6	13	6	9	6	4	5	4	8	1	3	8	4	2	5	7	7	1	11	8	3	3	4
Cancer, ...	6	8	7	11	10	4	3	6	11	9	9	8	7	5	5	4	6	4	5	5	5	8	5	10	6	2
Diseases of Respiratory System, { Pneumonia ..	13	14	18	18	26	28	32	27	55	47	36	18	22	8	27	34	37	67	68	53	57	42	38	24	18	15
Others, ..	22	30	26	27	37	29	34	40	35	38	17	24	24	17	23	38	38	51	43	30	36	29	36	15	19	14
Diarrhœa & Enteritis, under 2 years	3	3	1	3	3	·	2	3	2	2	3	9	1	1	1	2	1	6	4	4	1	2	5	3	4	6
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	1	·	·	1	·	·	1	·	·
Violent Deaths, ...	1	3	4	2	4	4	4	2	2	6	3	2	3	·	3	3	2	1	3	·	3	6	3	·	2	4
Number of Uncertified Deaths, ..	8	6	5	2	8	3	4	1	4	4	5	4	5	1	2	5	5	3	2	5	1	4	4	·	1	1
A Mean Maximum Temperature in degs	49·8	49·5	53·3	48·9	51·2	51·9	49·2	49·2	54·0	54·7	53·3	55·2	58·1	48·4	48·5	51·5	46·0	50·9	51·1	49·5	49·4	50·5	52·3	49·9	55·9	56·2
B Mean Minimum ,, ,,	37·1	36·0	40·5	32·1	37·7	36·8	39·6	37·4	40·7	37·8	37·4	39·4	40·3	39·6	36·5	40·3	32·8	35·0	40·3	40·8	38·0	42·3	36·8	33·3	42·2	40·5
Mean of A and B ,, ,,	43·4	42·7	46·9	40·5	44·4	44·4	44·4	43·3	47·3	46·3	45·3	47·3	49·2	44·0	42·5	45·9	39·4	42·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0	48·4
Rainfall in inches	0·37	0·28	0·70	0·43	0·24	0·80	0·55	0·78	0·94	0·39	0·65	0 54	0·34	1·07	0·01	0·63	0·57	0·56	0·61	1·03	0·39	0·97	0·70	0·84	1·58	0·79

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th May, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No 1 DISTRICT,	15,879	11	23·0	·	7	·	·	4	1	2	·	·	·	·	·	·	·	·	·	2	·	·	1	1	·	·	1	1	3	·
Do. 2 do.	49,500	27	16·9	2·1	16	5	·	1	3	4	3	·	·	·	·	·	·	·	1	2	1	·	1	·	2	·	·	·	9	·
Do. 3 do.	50,032	26	18·8	2·1	18	3	1	3	3	4	4	·	·	·	·	·	·	·	1	3	·	·	2	4	2	·	·	·	5	·
Do. 4 do.	32,637	22	16·0	1·6	10	4	·	·	3	·	3	·	·	·	·	·	·	·	1	1	·	·	2	·	1	·	1	1	5	·
Do. 5 do.	16,112	9	19·4	·	6	2	1	2	·	1	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	·	·	·	3	1
Do. 6 do.	37,293	20	16·8	2·8	12	1	·	2	3	4	2	·	2	·	·	·	·	·	1	·	1	·	1	1	·	·	·	·	3	·
Do. 7 do.	2,681	1	19·4	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	26·2	·	3	1	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
Do. 9 do.	24,427	11	23·5	2·1	11	3	2	1	2	2	1	·	·	·	·	·	1	·	·	·	1	2	1	3	1	·	·	·	2	·
Do. 10 do.	28,958	13	19·8	·	11	5	·	3	2	·	1	·	·	·	·	·	·	·	·	1	2	·	·	1	1	·	·	·	4	·
Do. 11 do.	—	35	—	—	16	3	·	4	·	5	4	·	·	·	·	·	·	·	·	1	1	·	1	1	4	1	·	1	8	·
Do. 12 do.	—	15	—	—	4	·	·	1	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	4	·
Do. 13 do.	—	5	—	—	6	·	·	·	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	23	20·7	·	9	3	·	1	2	2	1	·	·	·	·	·	·	·	·	·	2	·	·	2	·	·	·	·	2	·
Do. 16 do.	—	32	—	—	4	1	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Total,	386,947	253	16·9	1·1	134	32	4	22	25	29	22	·	2	·	·	·	1	·	·	8	16	4	2	15	14	6	·	4	4	51	1
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	12	15·5	3·9	4	1	1	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	2	·
Do. 2 do.	10,399	8	25·1	·	5	·	·	·	1	1	3	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	4	·
Do. 3 do.	9,793	12	16·0	·	3	1	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	6	22·8	·	4	1	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	2	·
Do. 5 do.	6,250	1	41.7	·	5	·	1	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	2	·
Do. 6 do.	11,581	6	18·0	4·5	4	·	1	·	1	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do 7 do.	16,056	8	16·2	·	5	1	·	1	2	·	1	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	3	·
Total.	76,673	53	20·4	1·4	30	4	4	3	5	5	9	·	·	·	·	·	2	·	·	·	4	1	3	2	1	·	·	·	1	17	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 18·1 per 1,000 and from certain epidemic diseases 0·5.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th May, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	4	7
„ „ 1, West ..	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	3	5
„ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	1	.	.	.	.	.	.	.	2	.	.	.		.	.	.	3	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.		2	.	.	.	.	.	.	2	.	.	1	5
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 3, ...	.	1	.	.	.	.	.	.	.	.		1	.	2	.	.	7	11
„ „ „ 4, ...	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	4	1	.		.	4	6	.	3	.	.	1	.	4	.	.	24	47

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th May, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 15th May.			
	April 24.	May 1.	May 8.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	9	8	3	2	.	9
Typhus, ...	.	5	5	3	.	.	8
Small-pox	.	.	.	.	.	.	.
Measles, ...	77	73	69	22	33	4	54
Scarlet Fever, ...	87	81	75	9	11	.	73*
Diphtheria, ...	26	25	25	11	4	.	32
Pneumonia, ...	44	42	34	10	9	2	33

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(13992.) Wt. 200. 3. 380. 5. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 20. VOL. LVII.] WEEK ENDING SATURDAY, 22ND MAY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 25th May, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 19·0 and 20·0; Dublin Registration Area, 21·5 and 23·0; Dublin City, 23·9 and 23·8; Belfast, 15·7 and 18·4; Cork, 19·7 and 18·5; Londonderry, 26·1 and 21·3; Limerick, 24·4 and 21·3; and Waterford, 22·8 and 17·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 2·3 per 1,000. Among the 124 deaths from all causes for Belfast are one from measles, 3 from scarlet fever, one from whooping-cough, 2 from diphtheria, 7 from diarrhœal diseases, 3 from influenza, 5 from pneumonia, and 2 from cerebro-spinal meningitis. The 29 deaths from all causes for Cork include 4 from whooping-cough, 3 from diphtheria, and 3 from diarrhœa and enteritis of children under 2 years. One of the 22 deaths from all causes for Londonderry was due to measles, and one to diarrhœa and enteritis of a child under 2 years. Of the 12 deaths from all causes for Waterford one is from influenza. Included among the 3 deaths recorded for Drogheda is one from whooping-cough, and one of the 4 deaths from all causes for Tralee was also due to this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 267—148 boys and 119 girls—and the deaths to 182—91 males and 91 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·5 per 1,000 of the population. During the twenty weeks ending with Saturday last, the death-rate averaged 21·7 and was 2·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty weeks was 23·4, and for the corresponding period of the preceding ten years 26·0.

Of the 171 deaths appertaining to the Area one was from typhus, 6 were from measles, 15 from whooping-cough, 2 from influenza, and 2 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from typhus were 0, one and 0; deaths from measles were 7, 4, and 11; deaths from whooping-cough 13, 14, and 10; deaths from diarrhœa and enteritis of children under 2 years 3, 9, and one; and deaths from influenza 4, 3, and one.

There were 18 deaths from pneumonia, comprising 8 from broncho-pneumonia, 3 from lobar pneumonia, and 7 from pneumonia (type not distinguished).

Tuberculous disease caused 22 deaths (including 18 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease) as against 28, 17, and 20 in the three weeks preceding.

Fourteen deaths were caused by cancer, 11 by organic diseases of the heart, and 21 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 7 were due to whooping-cough, 2 to pulmonary tuberculosis, one to venereal disease, 2 to convulsions, 4 to bronchitis, 2 to broncho-pneumonia, 3 to pneumonia, 6 to premature birth, and 9 to congenital debility.

Of 3 deaths attributed to accidental violence, one was caused by drinking hydrochloric acid.

Seventy-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 44 being infants under one year, of whom 10 were under one month old, and 38 deaths were those of persons aged 65 and upwards, of whom 30 were 70 years of age or over.

Of the 171 deaths recorded, 70 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 22nd May, in 96 large English towns (including London in which the rate was 12·0) was equal to an average annual death rate of 14·2 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 15·6 per 1,000 persons living, the rate for Glasgow being 17·6 and for Edinburgh 11·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson. M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd May. From this Report it appears that of 65 cases notified, 22 were scarlet fever, 19 diphtheria, 10 pulmonary tuberculosis, 7 other forms of tuberculosis, 3 dysentery, one ophthalmia neonatorum, one erysipelas, one puerperal fever, and one acute primary pneumonia. Among the 498 cases of infectious diseases in hospital at the close of the week were 215 of pulmonary tuberculosis, 8 other forms of tuberculosis, 99 of scarlet fever, 82 of diphtheria, 41 of venereal disease, 21 of measles, 5 of erysipelas, 2 of acute influenzal pneumonia, 2 of chicken-pox, 2 of puerperal fever, one of small-pox, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd May, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 1	1	5	·	·	·	—	5	—	4	1	—	·	—	·	·	·	3	·	·	14	33
	May 8	·	·	·	·	·	—	7	—	9	1	—	·	—	1	·	·	7	·	·	29	54
	May 15	4	1	·	·	·	—	4	—	6	3	—	·	—	·	1	·	4	·	·	24	47
	May 22	3	3	·	·	·	—	3	—	3	1	—	·	—	1	·	·	2	·	·	11	27
Rathmines & Rathgar Urban District	May 1	·	·	·	·	·	—	2	—	·	·	—	·	—	·	·	·	·	·	·	—	2
	May 8	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	·	—	4
	May 15	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	2	·	·	—	7
	May 22	·	·	·	·	·	—	1	—	6	1	—	·	—	·	·	·	·	·	·	—	8
Pembroke Urban District	May 1	·	·	·	·	·	32	·	4	·	·	·	·	—	·	·	·	·	2	·	·	38
	May 8	·	·	·	·	·	22	·	3	·	·	·	·	—	·	·	·	·	·	·	·	25
	May 15	·	·	·	·	·	29	·	1	·	·	·	·	—	·	·	·	·	·	·	·	30
	May 22	·	·	·	·	·	26	·	3	·	·	·	·	—	·	·	·	·	·	·	·	29
Blackrock Urban District	May 1	·	·	·	·	·	7	·	—	·	·	—	·	—	·	·	·	·	·	·	·	7
	May 8	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	May 15	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 22	·	·	·	·	·	5	·	—	·	·	—	·	—	·	·	·	·	·	·	·	5
Kingstown Urban District	May 1	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	—	·	·	1
	May 8	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
	May 15	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	May 22	·	·	·	·	·	—	·	—	4	·	—	·	—	·	·	·	·	—	·	·	4
City of Belfast	May 1	3	·	·	·	·	—	26	—	6	4	—	1	—	·	·	·	2	·	·	·	42
	May 8	1	2	·	·	·	—	38	—	7	3	—	·	—	·	·	·	8	·	·	·	59
	May 15	1	·	·	·	·	—	30	—	6	4	—	1	—	·	1	·	3	1	·	1	48
	May 22	2	1	1	·	·	—	31	—	8	·	—	1	—	·	1	·	2	1	·	·	48
City of Cork	May 1	·	·	·	·	·	·	1	—	5	1	—	·	·	·	·	·	·	—	·	—	7*a*
	May 8	·	·	·	·	·	·	1	—	7	·	—	·	·	·	·	·	·	—	·	—	8
	May 15	·	·	·	·	·	1	2	—	9	·	—	1	·	1	3	·	·	—	·	—	17
	May 22	2	·	·	·	·	·	2	—	5	·	—	·	·	·	·	·	·	—	·	—	9
City of Londonderry	May 1	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
	May 8	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
	May 15	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	May 22	·	·	·	·	·	—	·	—	3	·	—	·	—	·	·	·	·	·	—	—	3
City of Limerick	May 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 15	·	·	·	·	·	—	·	—	4	·	—	·	—	·	·	·	·	·	·	—	4
	May 22	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
City of Waterford	May 1	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	1	1
	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 15	1	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	1	3
	May 22	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd May, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever one and 10 ; typhus one and 8; measles 25 and 54; scarlet fever 10 and 62*; and diphtheria 13 and 35. Twelve cases of pneumonia were admitted during the week and 32 remained under treatment at its close. Of the deaths in hospital during the week one was from typhus, 2 were from measles, one from diphtheria, and one from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 22nd May, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 22ND MAY, 1920.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 22ND MAY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	33·9	19·0	2·3	758	425	102	90	·	1	·	8	3	22	5	·	7	52	16	26	38	47	12	1	16	17	148	11	·	·	·	·	·	·
DUBLIN REGISTRATION AREA, ...	415,000	29·7	33·5	21·5	3·0	267	171	44	38	·	1	·	6	·	15	·	·	2	18	4	14	18	23	2	·	3	4	70	3	(d) 69·6	38·8	59·0	45·3	52·1	0·77
Urban Districts. CITY OF DUBLIN,	318,200	39·0	34·7	23·9	3·4	212	146	37	32	·	1	·	5	·	13	·	·	2	14	3	13	16	19	2	·	2	3	62	2	(e) 69·3	43·8	59·8	48·0	53·9	0·55
																														(f) 70·6	41·4	59·9	47·2	53·6	0·65
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	24·5	16·8	2·6	19	13	2	3	·	·	·	1	·	1	·	·	·	3	1	·	2	1	·	·	·	·	4	·	·	·	·	·	·	·
Urban Districts. PEMBROKE, ..	30,200	19·2	31·1	12·1	1·7	18	7	3	1	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	1	1	3	1	·	·	·	·	·	·
Urban Districts. BLACKROCK, ..	9,200	8·5	51·0	11·3	·	9	2	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	27·6	9·2	·	9	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	1	·	62	45	59	47	53	0·43
Urban Districts. BELFAST, ..	413,000	27·7	37·6	15·7	1·8	298	124g	26	21	·	·	·	1	3	1	2	·	3	21	9	7	5	10	6	1	3	3	46	3	64·0	40·5	58·2	45·0	51·6	1·00
Urban Districts. CORK, ...	76,673	28·6	25·8	19·7	6·8	38	29	6	6	·	·	·	·	·	4	3	·	·	4	·	2	5	·	3	·	1	2	9	·	·	·	·	·	·	·
Urban Districts. LONDONDERRY, ..	44,000	17·1	33·2	26·1	2·4	28	22	4	5	·	·	·	1	·	·	·	·	·	1	1	1	3	3	1	·	2	2	·	·	·	·	·	·	·	·
Urban Districts. LIMERICK, ..	38,518	16·1	24·4	24·4	·	18	18	5	3	·	·	·	·	·	·	·	·	·	2	·	·	3	6	·	·	1	1	7	3	·	·	·	·	·	·
Urban Districts. WATERFORD, ..	27,464	19·1	28·5	22·8	·	15	12	4	2	·	·	·	·	·	·	·	·	1	4	·	·	2	1	·	·	1	1	·	1	·	·	·	·	·	·
Urban Districts. GALWAY, ..	13,255	2·5				5	8	·	2	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	2	2	5	·	64	47	59	48	53·5	1·12
Urban Districts. DUNDALK, ..	13,128	9·5				5	8	1	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	2	2	1	·	·	·	·	·	·	·
Urban Districts. LURGAN, ..	12,553	14·7				13	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	58·6	41·0	55·4	45·3	50·3	0·73
Urban Districts. DROGHEDA, ..	12,501	8·4				10	3	2	1	·	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				9	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	60	37	57·6	43·1	50·3	0·79
Urban Districts. NEWRY, ...	11,963	17·0				9	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	58·6	41·0	55·4	45·3	50·3	0·73
Urban Districts. PORTADOWN, ..	11,727	15·3				9	4	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	58·6	41·0	55·4	45·3	50·3	0·73
Urban Districts. WEXFORD, ..	11,531	22·8				7	6	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. BALLYMENA, ..	11,381	9·3				5	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. SLIGO, ...	11,163	3·8				4	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	61	42	57	46	51·5	1·12
Urban Districts. KILKENNY, ..	10,514	11·4				3	6	2	1	·	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	3	1	69	37	58·2	44·4	51·3	0·51
Urban Districts. TRALEE, ...	10,300	17·4				7	4	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
LONDON	4,358,309	—	—	12·0	—	2,369	1,005	161	299	2	·	·	25	3	17	15	·	—	—	21	113	88	75	19	7	52	95	469	3	73	41	66	46·1	56·4	0·12
EDINBURGH ...	342,300	—	—	11·6	—	164	76	15	27	·	·	·	·	·	·	1	—	·	—	—	—	—	—	1	—	4	—	—	—	60·0	41·0	55·3	44·4	49·9	0·44
GLASGOW	1,115,500	—	—	17·6	—	642	375g	79	71	·	·	6	12	3	4	5	—	17	—	—	—	—	—	6	—	19	—	—	—	60·0	42·8	54·4	45·7	50·1	1·29

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 2

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 20th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 22nd May, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing).
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	184·2	182	11	34	14	14	2	2	2	5	10	18	13	18	26	13		171
Enteric Fever ..	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Typhus	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Small-pox . ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Measles	2·8	6	·	1	3	2	·	·	·	·	·	·	·	·	·	·		6
Scarlet Fever ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Whooping-cough ..	2·8	15	·	7	6	2	·	·	·	·	·	·	·	·	·	·		15
Diphtheria	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Croup	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Influenza	1·8	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·		2
Dysentery	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Erysipelas	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Epidemic Diseases	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Pyæmia and Septicæmia (non-puerperal).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Tetanus	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
TUBERCULOSIS.																		
Pulmonary Tuberculosis	25·8	19	·	2	·	1	·	·	2	1	4	6	2	1	·	·		18
Tuberculous Meningitis	3·4	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·		1
Abdominal Tuberculosis	1·2	2	·	·	·	1	·	·	·	·	1	·	·	·	·	·		2
Tuberculosis of the Spinal Column.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Tuberculosis of Joints	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Tuberculosis of other Organs.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Scrofula	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Disseminated Tuberculosis.	2·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Venereal Diseases ..	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·		1
Cancer	9·6	16	·	·	·	·	·	·	·	·	·	3	3	6	3	1		14
Tumour, situation undefined.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Rheumatic Fever ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Diabetes	1·0	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Anæmia, Leucocythæmia.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other General Diseases	2·2	2	·	·	·	·	·	·	·	1	·	1	·	·	·	·		1
Alcoholism ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Chronic Poisonings ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Cerebro-spinal Fever..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Simple Meningitis ..	2·8	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·		1
Cerebral Hæmorrhage, Apoplexy.	4·8	7	·	·	·	·	·	·	·	·	·	1	·	2	4	·		7
Softening of Brain ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Paralysis, without specified cause.	2·2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·		2
Epilepsy	·4	2	·	·	·	·	·	·	·	·	1	·	·	·	1	·		2
Convulsions (non-puerperal).	5·2	4	1	2	1	·	·	·	·	·	·	·	·	·	·	·		3
Other Diseases of Nervous System.	2·6	2	·	·	·	·		·	·	·	·	1	1	·	·	·		2
Pericarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Acute Endocarditis ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Organic Diseases of the Heart.	14·0	11	·	·	·	·	·	·	·	·	1	2	·	2	2	4		11
Embolism and Thrombosis (including Cerebral)	·8	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·		1
Other Diseases of Circulatory System.	2·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·		1
Diseases of the Larynx	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Bronchitis	17·6	22	·	4	1	1	·	·	·	·	·	·	3	2	9	2		21
Broncho-pneumonia ..	7·4	9	·	2	2	4	·	·	·	1	·	·	·	·	·	·		8
Lobar pneumonia ..	2·4	3	·	·	·	1	·	·	·	·	1	·	·	·	1	·		3
Pneumonia (type not distinguished).	5·6	8	1	2	1	·	·	1	·	1	1	·	·	·	1	·		7
Pleurisy	·6	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·		1
Pulmonary Congestion, Pulmonary Apoplexy.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		·
Other Diseases of Respiratory System.	2·2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1		1

in the TWENTIETH WEEK, ending Saturday, 22nd May, 1920, with the average deaths from each the Five Years, 1915–19.

CAUSES OF DEATH.	Average number of deaths in 20th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 22nd May, 1920. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—66.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Diseases of Stomach ...	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	3·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	2·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Cirrhosis of Liver ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	1·0	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Peritonitis (cause unknown).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	4·2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	2
Urinary Calculi ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·6	4	.	2	.	.	.	1		.	.	.	.	.	1	.	4
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·2	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ...	5·8	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	6
Congenital Debility ...	2·8	9	2	7	.	.	.	.	.	.	.	.	.	.	.	.	9
Old Age	6·4	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4	5
Other Specified Diseases	1·0	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Conflagration ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ...	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ...	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	12·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Not included in above—																	
Homicide. ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

TABLE IV.—Showing for the WEEK ENDED 22ND MAY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 22ND MAY 1920.

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS	DEATHS.																												
					CAUSED BY																												
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever	Typhus.	Small-pox.	Measles	Scarlet Fever.	Whooping-cough.	Diphtheria	Dysentery.	Influenza.	Tuberculosis. Pulmonary	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E., ...	30,700	22·1	3·4	13	4	1	2	·	1	1	2	2	·	·	·	1	·	1	·	·	·	·	·	1	3	·	·	1	6	1	2	2	·
,, 1, W., ...	42,100	26·0	2·5	21	9	·	2	·	1	4	1	4	·	·	·	·	·	2	·	·	·	2	·	·	6	2	·	·	1	8	1	3	4	1
,, 2, ...	28,200	20·3	1·8	11	·	2	2	·	·	3	3	1	·	·	·	·	·	1	·	·	·	2	·	1	2	·	·	·	·	5	1	2	3	1
,, 3, ...	35,000	35·0	8·7	24	7	3	2	·	1	2	3	6	·	·	·	2	·	3	·	·	1	5	·	1	1	4	1	·	·	6	·	5	3	·
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	11·3	3	2	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	4·6	2	1	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
South City.																																		
SOUTH CITY, No. 1, ...	44,100	23·6	1·2	20	7	·	1	1	·	3	4	4	·	·	·	·	·	1	·	·	·	1	1	4	3	4	·	·	·	6	·	6	5	·
,, 2, ...	18,600	16·8	2·8	6	·	·	·	·	·	1	2	3	·	1	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	2	·	1	2	·
,, 3, ...	44,400	31·7	2·3	27	5	2	2	2	·	5	5	6	·	·	·	·	·	2	·	·	1	2	1	4	1	3	·	·	·	13	·	10	7	·
,, 4, ...	33,600	21·7	3·1	14	2	2	1	·	·	2	2	5	·	·	·	1	·	1	·	·	·	1	·	1	1	·	·	·	·	9	·	2	3	·
NEW KILMAINHAM, ...	10,600	19·7	·	4	·	·	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	·	1	·	·
Urban Districts.																																		
RATHMINES AND RATHGAR, ...	40,400	16·8	2·6	13	2	3	2	·	1	2	·	3	·	·	·	1	·	1	·	·	·	3	1	·	2	1	·	·	·	4	·	1	3	·
PEMBROKE, ...	30,200	12·1	1·7	7	3	·	·	·	·	1	2	1	·	·	·	·	·	1	·	·	·	1	·	·	·	1	·	·	1	3	1	3	·	1
BLACKROCK, ...	9,200	11·3	·	2	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·
KINGSTOWN, ...	17,000	9·2	·	3	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	1	·
TOTAL CITY. North, ...	166,900	23·4	4·7	75	23	7	8	·	3	11	9	14	·	·	·	4	·	9	·	·	1	10	·	2	10	9	2	·	2	26	3	13	12	2
TOTAL CITY. South, ...	151,300	24·5	2·1	71	14	4	4	4	·	11	16	18	·	1	·	1	·	4	·	·	1	4	3	11	6	10	·	·	·	30	·	20	17	·
TOTAL CITY. North and South, ...	318,200	23·9	3·4	146	37	11	12	4	3	22	25	32	·	1	·	5	·	13	·	·	2	14	3	13	16	19	2	·	2	56	3	33	29	2
Total Urban Districts, ...	96,800	13·5	1·6	25	7	3	2	·	1	4	2	6	·	·	·	1	·	2	·	·	·	4	1	1	2	4	·	·	1	9	1	4	4	1
Total Registration Area, ...	415,000	21·5	3·0	171	44	14	14	4	4	26	27	38	·	1	·	6	·	15	·	·	2	18	4	14	18	23	2	·	3	65	4	37	33	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	1	·	·	·	3	2	4	1	·	·	·	·	·	·	·	·	·	1	·	2	2	1	·	·	·	5	1	9	2	·

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd May, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS. WEEK ENDING SATURDAY, 22ND MAY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSTION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	182	73	4	7	28	31	26	13	·	1	·	6	·	15	·	·	2	19	4	16	4	20	24	2	·	3	66	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	17·8	5	1	·	·	·	·	1	3	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	3	·
II.	MIDDLE CLASS	101,798	12·3	24	6	·	3	5	3	6	1	·	·	·	·	·	1	·	·	1	4	1	2	·	4	2	1	·	·	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	21·2	44	18	1	·	4	8	9	4	·	·	·	4	·	3	·	·	·	2	1	4	·	3	10	·	·	·	17	2
IV.	GENERAL SERVICE CLASS	167,479	23·0	74	42	3	4	12	8	3	2	·	1	·	2	·	10	·	·	1	9	1	2	4	13	7	1	·	3	20	·
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	6	·	·	7	12	7	3	·	·	·	·	·	·	·	·	·	4	1	7	·	·	5	·	·	·	18	·
I.	PROFESSIONAL AND INDEPENDENT CLASS,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	1	·	·	·	·	·	2	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	2	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
II.	MIDDLE CLASS.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	5	2	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	6	·	·	·	2	2	2	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	·	·	3	·
	6. Clerks and Commercial Assistants,	33,249	—	5	1	·	3	1	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	1	·	·	·	·	1	·
	7. Miscelleneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	8	3	·	·	1	1	2	1	·	·	·	·	·	·	·	·	1	1	1	·	·	2	2	·	·	·	1	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	5	3	·	·	1	1	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	1	·	·	·	2	·
	9. Building and Furnishing Trades, ..	28,823	—	13	6	·	·	1	1	3	2	·	·	·	2	·	1	·	·	·	·	·	1	·	1	3	·	·	·	5	·
	10. Clothing Trades, ...	20,026	—	5	1	·	·	·	2	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	3	1
	11. Food Supply Trades, ...	8,952	—	3	1	·	·	·	·	2	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	17	6	1	·	2	4	2	2	·	·	·	1	·	·	·	·	·	1	1	3	·	2	2	·	·	·	7	1
	13. Petty Shopkeepers, ...	6,772	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
IV.	GENERAL SERVICE CLASS.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	11	5	2	·	3	·	1	·	·	·	·	·	·	1	·	·	·	2	1	·	1	·	1	·	·	1	4	·
	15. Domestic Servants, ...	36,041	—	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
	16. Coach and Car Drivers, Vanmen, &c.,	15,380	—	6	4	·	·	·	·	1	1	·	·	·	2	·	·	·	·	·	·	·	·	·	2	·	1	·	·	1	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	56	32	1	4	9	8	1	1	·	1	·	·	·	9	·	·	1	7	·	2	3	11	6	·	·	2	14	·
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	5,602	—	35	6	·	·	7	12	7	3	·	·	·	·	·	·	·	·	·	4	1	7	·	·	5	·	·	·	18	·

TABLE VI.—**Dublin Registration Area and Belfast City.**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in correspon ling week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24.	May 1	May 8.	May 15.	May 22.	Feb. 28.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10	Apr. 17	Apr. 24.	May 1.	May 8.	May 15	May 22.
No. of weeks in Annual Series ..	8	9	10	11	12	13	14	15	16	17	18	19	20	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered	282	277	239	215	257	181	256	261	277	270	259	268	267	321	263	225	275	258	297	243	262	283	288	256	253	298
Average Births in corresponding week of previous 10 *years*, ...	199	205	215	201	220	209	210	211	208	198	209	229	216	195	213	201	202	212	202	202	208	214	219	203	206	216
Number of Deaths, ...	174	165	159	195	190	185	213	251	227	215	182	164	171	173	214	225	293	284	248	211	229	219	158	168	134	124
Annual Death-rate per 1,000 ..	21·9	20·7	20·0	24·5	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·6	21·5	21·8	27·0	28·4	37·0	35·9	31·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7
Average Deaths in corresponding week of previous 10 *years*, ...	212	219	221	200	204	191	198	189	188	159	168	183	151	172	170	173	172	169	163	165	164	158	152	136	130	136
Ages, .. Under one year, ..	33	31	28	45	45	52	52	65	48	42	58	37	44	41	48	56	72	63	64	63	52	53	40	34	32	26
1— 5 years, ..	14	20	19	31	32	23	35	46	48	38	16	24	28	21	24	34	43	43	33	31	29	23	15	12	4	10
5—25 ,, ..	16	15	14	12	28	18	21	19	19	30	16	23	8	24	31	29	41	26	28	18	27	23	25	26	22	24
25—45 ,, ..	29	17	23	26	17	20	25	21	31	22	15	13	26	26	38	34	50	46	41	33	37	28	21	23	25	20
45—65 ,, ..	32	28	40	35	22	27	31	46	35	35	36	21	27	27	33	39	47	59	41	44	40	51	24	37	29	23
65 and upwards, ..	50	54	35	46	46	45	49	54	46	48	41	46	38	34	40	33	40	47	41	22	44	41	33	36	22	21
Deaths from :—																										
Enteric Fever, ...	·	·	·	1	·	·	1	·	·	·	·	·	·	1	2	2	2	1	·	·	·	·	·	1	·	·
Typhus, ...	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	2	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	1	·	3	3	11	3	7	15	9	7	4	11	6	2	4	7	3	3	2	1	5	1	1	·	·	1
Scarlet Fever, ...	·	·	·	1	2	1	·	1	·	1	·	·	·	4	4	4	5	2	2	2	1	·	2	2	·	3
Whooping-cough, ...	3	7	6	9	10	10	13	16	9	13	14	10	15	3	4	3	8	6	5	2	6	·	4	2	1	1
Diphtheria, ...	3	3	·	1	·	1	·	1	·	2	1	·	·	1	1	2	1	·	·	1	·	·	2	1	·	2
Dysentery, ...	1	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	3	4	·	2	2	3	5	5	5	4	3	1	2	3	12	23	33	30	33	21	17	13	10	9	8	3
Tuberculosis { Pulmonary, ..	18	14	15	13	17	13	19	21	16	24	9	19	18	15	23	21	17	31	16	10	16	23	22	19	16	21
Other Forms, ..	4	3	6	13	6	9	6	4	5	4	8	1	4	8	4	2	5	7	7	1	11	8	3	3	4	9
Cancer, ...	8	7	11	10	4	3	6	11	9	9	8	7	14	5	4	6	4	5	5	5	8	5	10	6	2	7
Diseases of Respiratory System, { Pneumonia ..	14	18	18	26	28	32	27	55	47	36	18	22	18	27	34	37	67	68	53	57	42	38	24	18	15	5
Others, ..	30	26	27	37	29	34	40	35	38	17	24	24	23	23	38	38	51	43	30	36	29	36	15	19	14	10
Diarrhœa & Enteritis, under 2 years	3	1	3	3	·	2	3	2	2	3	9	1	2	1	2	1	6	4	4	1	2	5	3	4	6	6
Diarrhœa, 2 years and upwards..	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	1	·	·	1	·	·	1	·	·	1
Violent Deaths, ...	3	4	2	4	4	4	2	2	6	3	2	3	3	3	3	2	1	3	·	3	6	3	·	2	4	3
Number of Uncertified Deaths, ..	6	5	2	8	3	4	1	4	4	5	4	5	3	2	5	5	3	2	5	1	4	4	·	1	1	3
A Mean Maximum Temperature in degs.	49·5	53·3	48·9	51·2	51·9	49·2	49·2	54·0	54·7	53·3	55·2	58·1	59·0	48·5	51·5	46·0	50·9	51·1	49·5	49·4	50·5	52·3	49·9	55·9	56·2	58·2
B Mean Minimum ,, ,,	36·0	40·5	32·1	37·7	36·8	39·6	37·4	40·7	37·8	37·4	39·4	40·3	45·3	36·5	40·3	32·8	35·0	40·3	40·8	38·0	42·3	36 8	33·3	42·2	40·5	45·0
Mean of A and B ,, ,,	42·7	46·9	40·5	44·4	44·4	44·4	43·3	47·3	46·3	45·3	47·3	49·2	52·1	42·5	45·9	39·4	42·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0	48·4	51·6
Rainfall in inches	0·28	0·70	0·43	0 24	0·80	0·55	0·78	0·94	0·39	0·65	0 54	0·34	0·77	0·01	0·63	0·57	0·56	0·61	1·03	0·39	0·97	0 70	0·84	1·58	0·79	1·00

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd May, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																	
BELFAST URBAN No 1 DISTRICT,		15,879	7	16·4	·	5	1	·	1	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·
Do.	2	do. ·	49,500	38	14·7	2·1	14	5	·	3	1	2	3	·	·	·	·	1	·	·	1	2	·	2	1	1	1	·	·	·	2	·
Do.	3	do. ·	50,032	42	17·7	3·1	17	5	1	7	2	·	2	·	·	·	·	·	1	1	·	3	·	·	·	1	1	·	2	2	9	·
Do.	4	do. ·	32,637	19	12·8	3·2	8	1	1	2	1	1	2	·	·	·	·	1	·	·	·	1	1	·	1	·	·	1	1	1	4	·
Do	5	do. ·	16,112	13	19·4	·	6	1	·	·	2	2	1	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	4	1
Do.	6	do. ·	37,293	23	18·2	1·4	13	3	1	2	2	3	2	·	·	·	1	·	·	·	·	2	2	1	1	1	·	·	·	·	3	1
Do.	7	do. ·	2,681	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do.	8	do. ·	5,964	3	26·2	8·7	3	1	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	1	·
Do.	9	do. ·	24,427	16	10·7	·	5	·	3	1	·	·	1	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	·	1	·
Do.	10	do. ·	28,958	31	10·8	1·8	6	1	2	·	·	1	2	·	·	·	·	·	1	·	·	·	1	1	·	1	·	·	·	·	1	1
Do.	11	do. ·	—	29	—	—	9	·	·	4	4	·	1	·	·	·	·	·	·	·	·	4	2	1	·	·	·	·	·	·	4	·
Do.	12	do ·	—	18	—	—	9	3	·	1	1	3	1	·	·	·	·	·	·	·	·	2	1	·	·	2	2	·	·	·	4	·
Do	13	do. ·	—	22	—	—	8	·	1	·	1	3	3	·	·	·	·	1	·	·	·	1	·	1	·	·	·	·	·	·	3	·
Do.	14	do ·	175	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·
Do.	15	do. ·	22,669	22	27·6	·	12	4	·	2	3	3	·	·	·	·	·	·	·	·	·	3	·	·	1	1	·	·	·	·	5	·
Do.	16	do. ·	—	12	—	—	8	1	·	1	2	2	2	·	·	·	·	·	·	·	·	1	·	1	·	1	1	·	·	·	5	·
Total, · ·		386,947	298	15·7	1·8	124	26	10	24	20	23	21	·	·	·	1	3	1	2	·	3	21	9	7	5	10	6	1	3	3	46	3
CITY OF CORK.																																	
CORK URBAN No. 1 DISTRICT, ·		13,455	7	19·4	3·9	5	1	1	·	·	1	2	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	1	2	3	·
Do.	2	do. ·	10,399	4	15·0	5·0	3	1	1	·	1	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	·	·	·	·	1	·
Do.	3	do. ·	9,793	3	10·6	10·6	2	·	1	1	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do.	4	do. ·	9,139	5	17·1	11·4	3	1	1	·	·	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·
Do.	5	do. ·	6,250	2	25 0	8·3	3	·	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do.	6	do. ·	11,581	7	18·0	·	4	2	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·
Do	7	do. ·	16,056	10	29·2	9·7	9	1	2	·	2	·	4	·	·	·	·	·	1	·	·	3	·	·	2	·	2	·	·	·	4	·
Total. · ·		76,673	38	19·7	6·8	29	6	8	2	3	4	6	·	·	·	·	·	4	3	·	·	4	·	2	5	·	3	·	1	2	9	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 17·6 per 1,000 and from certain epidemic diseases 2·1.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd May, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 1, West ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	5
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	5
„ „ „ 3, ...	.	1	.	.	.	.	1	.	1	.	.	.	.	1	.	.	1	5
„ „ „ 4, ...	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	3	3	.	.	.	3	3	.	1	.	1	.	.	2	.	.	11	27

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd May, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 22nd May.			
	May 1.	May 8.	May 15.	No. admitted	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	9	8	9	1	.	.	10
Typhus, ...	5	5	8	1	.	1	8
Small-pox	.	.	.	.	.	.	.
Measles, ...	73	69	54	25	23	2	54
Scarlet Fever, ...	81	75	73	10	21	.	62*
Diphtheria, ...	25	25	32	13	9	1	35
Pneumonia, ...	42	34	33	12	12	1	32

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(14014.) Wt. 200. 3. 380. 5. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD. 116, GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

NO. 21. VOL. LVII.] WEEK ENDING SATURDAY, 29TH MAY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 31st May, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths* registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 16·4 and 18·7; Dublin Registration Area, 19·1 and 21·0; Dublin City, 19·7 and 21·6; Belfast, 15·4 and 17·3; Cork, 16·3 and 18·5; Londonderry, 14·2 and 16·6; Limerick, 13·5 and 21·7; and Waterford, 13·3 and 17·6.

The deaths* from certain epidemic diseases† registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 122 deaths from all causes for Belfast are one from enteric fever, 2 from measles, 2 from scarlet fever, 2 from diarrhœa and enteritis of children under 2 years, 3 from influenza, and 6 from pneumonia. The 24 deaths from all causes for Cork include one from diphtheria, and one from diarrhœa and enteritis of a child under 2 years. Two of the 12 deaths from all causes for Londonderry were due to measles. Of the 10 deaths from all causes for Limerick one is from whooping-cough Included among the 7 deaths recorded for Waterford are 2 from influenza, and one of the 5 deaths from all causes for Ballymena was also due to this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 231—123 boys and 108 girls—and the deaths to 162—86 males and 76 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·1 per 1,000 of the population. During the twenty-one weeks ending with Saturday last, the death-rate averaged 21·6 and was 2·6 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-one weeks was 23·2, and for the corresponding period of the preceding ten years 25·8.

Of the 152 deaths appertaining to the Area 7 were from measles, 12 from whooping-cough, 2 from diphtheria, 4 from influenza, and 6 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 4, 11, and 6; deaths from whooping-cough 14, 10, and 15; deaths from diphtheria one, 0 and 0; deaths from diarrhœa and enteritis of children under 2 years 9, one, and 2; and deaths from influenza 3, one, and 2.

There were 17 deaths from pneumonia, comprising 7 from broncho-pneumonia, 2 from lobar pneumonia, and 8 from pneumonia (type not distinguished).

Tuberculous disease caused 22 deaths (including 14 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 6 from other forms of tuberculous disease) as against 17, 20, and 22 in the three weeks preceding.

Eight deaths were caused by cancer, 10 by organic diseases of the heart, and 20 by bronchitis.

Among deaths of infants under one year old, 2 were due to measles, 4 to whooping-cough, one to venereal disease, 3 to convulsions, 4 to bronchitis, 2 to pneumonia, 6 to diarrhœa and enteritis, one to congenital malformation, one to premature birth, and 5 to congenital debility.

Of 4 deaths attributed to violence, one was caused by drowning and one was by suicide.

Fifty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 32 being infants under one year, of whom 6 were under one month old, and 29 deaths were those of persons aged 65 and upwards, of whom 24 were 70 years of age or over.

Of the 152 deaths recorded, 57 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 29th May, in 96 large English towns (including London in which the rate was 12·1) was equal to an average annual death rate of 12·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 14·2 per 1,000 persons living, the rate for Glasgow being 14·8 and for Edinburgh 14·1.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th May. From this Report it appears that of 56 cases notified, 12 were pulmonary tuberculosis, 12 other forms of tuberculosis, 11 diphtheria, 11 scarlet fever, 4 acute primary pneumonia, 2 erysipelas, 2 ophthalmia neonatorum, one malaria, and one acute influenzal pneumonia. Among the 490 cases of infectious diseases in hospital at the close of the week were 217 of pulmonary tuberculosis, 8 other forms of tuberculosis, 95 of scarlet fever, 78 of diphtheria, 38 of venereal disease, 24 of measles, 4 of erysipelas, 2 of ophthalmia neonatorum, 2 of acute influenzal pneumonia, 2 of chicken-pox, 2 of puerperal fever, one of small-pox, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th May, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 8	·	·	·	·	·	—	7	—	9	1	—	·	—	1	·	·	7	·	·	29	54
	May 15	4	1	·	·	·	—	4	—	6	3	—	·	—	·	1	·	4	·	·	24	47
	May 22	3	3	·	·	·	—	3	—	3	1	—	·	—	1	·	·	2	·	·	11	27
	May 29	1	1	·	·	·	—	8	—	5	1	—	·	—	·	·	·	5	·	·	8	29
Rathmines & Rathgar Urban District	May 8	·	·	·	·	·	—	4	—	·	·	—	·	—	·	·	·	·	·	·	—	4
	May 15	·	·	·	·	·	—	4	—	1	·	—	·	—	·	·	·	2	·	·	—	7
	May 22	·	·	·	·	·	—	1	—	6	1	—	·	—	·	·	·	·	·	·	—	8
	May 29	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
Pembroke Urban District	May 8	·	·	·	·	·	22	·	3	·	·	·	·	—	·	·	·	·	·	·	·	25
	May 15	·	·	·	·	·	29	·	1	·	·	·	·	—	·	·	·	·	·	·	·	30
	May 22	·	·	·	·	·	26	·	3	·	·	·	·	—	·	·	·	·	·	·	·	29
	May 29	·	·	·	·	·	25	·	·	·	1	·	·	—	·	·	·	·	·	·	·	26
Blackrock Urban District	May 8	·	·	·	·	·	·	1	—	·	·	—	·	—	·	·	·	·	·	·	·	1
	May 15	·	·	·	·	·	·	·	—	·	·	—	·	—	·	·	·	·	·	·	·	·
	May 22	·	·	·	·	·	5	·	—	·	·	—	·	—	·	·	·	·	·	·	·	5
	May 29	·	·	·	·	·	3	·	—	·	·	—	·	—	·	·	·	·	·	·	·	3
Kingstown Urban District	May 8	·	·	·	·	·	—	1	—	1	·	—	·	—	·	·	·	·	—	·	·	2
	May 15	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
	May 22	·	·	·	·	·	—	·	—	4	·	—	·	—	·	·	·	·	—	·	·	4
	May 29	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	·	·	·
City of Belfast	May 8	1	2	·	·	·	—	38	—	7	3	—	·	—	·	·	·	8	·	·	·	59
	May 15	1	·	·	·	·	—	30	—	6	4	—	1	—	·	1	·	3	1	·	1	48
	May 22	2	1	1	·	·	—	31	—	8	·	—	1	—	·	1	·	2	1	·	·	48
	May 29	11	·	·	·	·	—	20	—	1	1	—	·	—	1	6	·	3	1	·	·	44
City of Cork	May 8	·	·	·	·	·	·	1	—	7	·	—	·	·	·	·	·	·	—	·	—	8
	May 15	·	·	·	·	·	1	2	—	9	·	—	1	·	1	3	·	·	—	·	—	17
	May 22	2	·	·	·	·	·	2	—	5	·	—	·	·	·	·	·	·	—	·	—	9
	May 29	1	·	·	·	·	·	·	—	7	1	—	·	·	·	1	·	·	—	·	—	10*a*
City of Londonderry	May 8	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	—	—	2
	May 15	·	·	·	·	·	—	1	—	·	·	—	·	—	·	·	·	·	·	—	—	1
	May 22	·	·	·	·	·	—	·	—	3	·	—	·	—	·	·	·	·	·	—	—	3
	May 29	·	·	·	·	·	—	·	—	1	·	—	·	—	·	·	·	·	·	—	—	1
City of Limerick	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
	May 15	·	·	·	·	·	—	·	—	4	·	—	·	—	·	·	·	·	·	·	—	4
	May 22	·	·	·	·	·	—	·	—	2	·	—	·	—	·	·	·	·	·	·	—	2
	May 29	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	·	·	—	·
City of Waterford	May 8	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 15	1	·	·	·	·	—	·	—	·	1	—	·	—	·	·	·	·	—	—	1	3
	May 22	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·
	May 29	·	·	·	·	·	—	·	—	·	·	—	·	—	·	·	·	·	—	—	·	·

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th May, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever one and 7; typhus one and 9; measles 20 and 52; scarlet fever 6 and 50*; and diphtheria 8 and 38. Twelve cases of pneumonia were admitted during the week and 27 remained under treatment at its close. Of the deaths in hospital during the week one was from each of measles and diphtheria, and 3 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 29th May, 1920, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths and Meteorology in London, Edinburgh and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 29TH MAY, 1920.

TOWNS AND DISTRICTS	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	BIRTHS Total Number.	NUMBERS REGISTERED. DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
TOTAL OF 19 TOWN DISTRICTS, ...	1,167,268	20·4	27·7	16·4	1·7	619	368	75	75	1	·	·	11	2	13	3	·	10	42	18	13	27	40	9	·	11	13	118	11
DUBLIN REGISTRATION AREA, ...	415,000	29·7	29·0	19·1	3·4	231	152	32	29	·	·	·	7	·	12	2	·	4	14	8	8	17	20	6	·	4	3	57	1
Urban Districts. CITY OF DUBLIN,	318,200	39·0	31·0	19·7	3·4	189	120	27	21	·	·	·	6	·	9	2	·	3	11	7	5	11	16	4	·	4	3	52	1
Urban Districts. RATHMINES and RATHGAR,	40,400	23·6	15·5	14·2	3·9	12	11	1	5	·	·	·	1	·	2	·	·	·	·	·	2	2	·	·	·	·	·	2	·
Urban Districts. PEMBROKE, ..	30,200	19·2	22·4	20·7	5·2	13	12	2	1	·	·	·	·	·	1	·	·	·	2	1	·	4	·	2	·	·	·	2	·
Urban Districts. BLACKROCK, ..	9,200	8·5	11·3	11·3	·	2	2	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·
Urban Districts. KINGSTOWN, ..	17,000	11·6	46·0	21·5	·	15	7	2	1	·	·	·	·	·	·	·	·	·	1	·	1	·	4	·	·	·	·	·	·
Urban Districts. BELFAST, ..	413,000	27·7	28·2	15·4	0·9	223	122	30	20	1	·	·	2	2	·	·	·	3	15	5	2	6	10	2	·	4	6	40	3
Urban Districts. CORK, ...	76,673	28·6	15·6	16·3	1·4	23	24	1	7	·	·	·	·	·	·	1	·	·	5	1	1	1	1	1	·	1	1	12	·
Urban Districts. LONDONDERRY, ..	44,000	17·1	39·1	14·2	2·4	33	12	3	2	·	·	·	2	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Urban Districts. LIMERICK, ..	38,518	16·1	17·6	13·5	1·4	13	10	3	3	·	·	·	·	·	1	·	·	·	1	·	·	1	2	·	·	·	·	1	·
Urban Districts. WATERFORD, ..	27,464	19·1	20·9	13·3	·	11	7	·	3	·	·	·	·	·	·	·	·	2	1	·	·	1	2	·	·	1	1	4	1
Urban Districts. GALWAY, ...	13,255	2·5				8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Urban Districts. DUNDALK, ..	13,128	9·5				10	3	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·
Urban Districts. LURGAN, ..	12,553	14·7				3	5	1	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	·
Urban Districts. DROGHEDA, ..	12,501	8·4				3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. LISBURN, ..	12,388	10·9				8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. NEWRY, ...	11,963	17·0				9	10	·	2	·	·	·	·	·	·	·	·	·	·	3	2	·	2	·	·	·	·	·	·
Urban Districts. PORTADOWN, ..	11,727	15·3				5	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·
Urban Districts. WEXFORD, ..	11,534	22·8				8	7	2	2	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	·	1
Urban Districts. BALLYMENA, ..	11,381	9·3				3	5	2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	1	·	1
Urban Districts. SLIGO, ...	11,183	3·8				4	3	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Urban Districts. KILKENNY, ..	10,514	11·4				9	2	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Urban Districts. TRALEE, ...	10,300	17·4				3	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Urban Districts. CLONMEL, ..	10,209	7·8				12	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
LONDON	4,358,309	—	—	12·1	—	2,096	1,010	166	301	3	·	·	24	3	14	17	·	—	95	18	104	59	72	17	6	41	68	537	2
EDINBURGH	342,300	—	—	14·1	—	179	92	16	36	·	·	·	1	1	·	·	—	·	—	—	—	—	—	3	—	2	—	—	—
GLASGOW	1,115,500	—	—	14·8	—	632	316g	67	74	·	·	2	10	1	1	4	—	8	—	—	—	—	—	2	—	16	—	—	—

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

METEOROLOGY. (c) WEEK ENDING 29TH MAY, 1920.

Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
°	°	°	°	°	
·	·	·	·	·	·
(d) 71·8	37·1	64·8	46·9	55·8	0·37
(e) 68·5	45·1	63·6	51·4	57·5	0·73
(f) 72·0	42·6	65·0	49·1	57·1	0·85
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
71	44	63·1	50·1	56·6	1·50
72·5	46·0	64·8	51·0	57·9	0·31
67	46	60·4	51·0	55·7	0·51
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
·	·	·	·	·	·
72·7	43·2	66·4	49·8	58·1	0·17
·	·	·	·	·	·
74	47	67·7	50·1	58·9	0·22
72·7	43·2	66·4	49·8	58·1	0·17
72·7	43·2	66·4	49·8	58·1	0·17
·	·	·	·	·	·
·	·	·	·	·	·
75	47	63	50	56·5	0·24
74	43	67·4	50·2	58·8	1·43
·	·	·	·	·	·
·	·	·	·	·	·
87	45	76 8	52·7	64·8	0·03
72·0	47·0	60·4	49·0	54·7	0·84
72·4	47·8	64·0	50·8	57·4	0·65

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including 4

TABLE III.—DUBLIN REGISTRATION AREA — Deaths at Fourteen periods of Life from each Cause registered cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 21st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 29th May, 1920. All Ages.	Ages at Death. 0—5. Under 1 month	1 month and under 1 year	1—2.	2—5.	5—10.	10—15	15—20	20—25	25—35.	35—45.	45—55.	55—65	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
ALL CAUSES.	155·6	162	6	26	12	11	6	4	3	5	13	8	18	18	16	16	152
Enteric Fever ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox . ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·0	7	.	2	3	2	.	.	.	.	.	.	.	.	.	.	7
Scarlet Fever ..	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Whooping-cough ..	2·4	12	.	4	4	4	.	.	.	.	.	.	.	.	.	.	12
Diphtheria	1·2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	5	.	.	.	1	1	.	1	1	.	.	.	.	1	.	4
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	23·4	15	.	.	.	.	.	2	.	1	5	.	5	1	1	.	14
Tuberculous Meningitis	3·0	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	2·2	4	.	.	1	1	1	.	.	.	.	.	1	.	.	.	4
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Venereal Diseases ..	..	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	9·0	10	.	.	.	.	.	.	.	.	.	.	2	4	3	1	8
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	2	.	.	.	.	.	.		.	.	1	.	.	1	.	2
Other General Diseases	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Alcoholism ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	3·6	5	.	.	.	.	.	.	.	.	.	1	1	.	2	1	5
Softening of Brain ..	·2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Paralysis, without specified cause.	2·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pericarditis ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis ..	·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Organic Diseases of the Heart.	15·2	11	.	.	.	.	.	.	1	.	.	1	2	.	1	6	10
Embolism and Thrombosis (including Cerebral)	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	16·4	21	1	3	.	.	1	.	.	.	1	1	2	6	3	3	20
Broncho-pneumonia ..	6·2	8	.	.	2	.	1	.	.		1	.	1	.	3	.	7
Lobar pneumonia ..	1·8	2	.	.	.	.	.	1	.	.	1	.		.	.	.	2
Pneumonia (type not distinguished).	3·2	8	.	2	.	.	1	.	.	.	1	1	.	2	1	.	8
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.

in the TWENTY FIRST WEEK, ending Saturday, 29th May, 1920, with the average deaths from each the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 21st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 29th May, 1920. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5	5—10.	10—15.	15—20	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing).
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ...	2·6	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	2·4	6	1	5	.	.	.	.	.	.	.	.	.	.	.	.	6
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver ...	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Liver	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Acute Nephritis ...	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	4·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Urinary Calculi ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of Locomotor System.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Congenital Malformations.	·2	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ...	3·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Congenital Debility ...	3·4	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	5
Old Age	4·4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3
Other Specified Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Suffocation in Bed ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways, ...	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Vehicles and Horses ...	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c.	4·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths		2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
Not included in above—																	
Homicide. ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ..	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Execution, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes,	2·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 29TH MAY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

| REGISTRARS' DISTRICTS, &c. | ESTIMATED POPULATION MIDDLE OF 1920. | WEEK ENDED SATURDAY, 29TH MAY 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. | | TOTAL DEATHS. | DEATHS. | | |

Saturday, 29th May, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS. WEEK ENDING SATURDAY, 29TH MAY, 1920.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	162	55	10	8	21	36	16	16	·	·	·	7	1	12	2	·	5	15	8	10	3	18	21	6	·	5	49	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	Professional and Independent Class,	14,658	17·8	5	·	·	·	·	2	·	3	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	3	·
II.	Middle Class	101,798	16·4	32	5	4	4	4	6	4	5	·	·	·	1	1	2	·	·	2	5	1	3	1	4	4	·	·	·	8	1
III.	Artisan Class and Petty Shopkeepers,	108,420	16·4	34	11	1	1	5	9	6	1	·	·	·	1	·	3	1	·	2	3	2	3	·	3	6	1	·	2	7	·
IV.	General Service Class	167,479	21·5	69	34	5	2	10	12	2	4	·	·	·	5	·	7	1	·	·	4	4	2	2	9	5	5	·	3	22	·
V.	Inmates of Workhouses, ...	5,602	—	22	5	·	1	2	7	4	3	·	·	·	·	·	·	·	·	1	2	1	1	·	2	6	·	·	·	9	·
I.	Professional and Independent Class,																														
	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	—	3	·	·	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
	2 Merchants and Manufacturers, Higher Class, ...	1,347	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	3 Persons of Rank and Property, not otherwise described, ...	5,443	—	2	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
II.	Middle Class.																														
	4 General Body of Officials—Civil Service, Banking, &c., ...	9,523	—	4	1	1	·	·	·	2	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	·	1	·
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ..	25,199	—	9	2	1	·	·	2	2	2	·	·	·	·	·	2	·	·	1	·	·	2	·	·	3	·	·	·	1	·
	6 Clerks and Commercial Assistants,	33,249	—	15	2	2	3	4	3	·	1	·	·	·	1	·	·	·	·	1	4	1	·	1	2	1	·	·	·	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	—	4	·	·	1	·	1	·	2	·	·	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
III.	Artisan Class and Petty Shopkeepers.																														
	8 Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	11,777	—	6	4	·	·	·	2	·	·	·	·	·	·	·	·	1	·	1	1	1	·	·	·	1	·	·	·	1	·
	9. Building and Furnishing Trades, ..	28,823	—	9	5	·	1	1	2	·	·	·	·	·	1	·	3	·	·	·	1	·	·	·	·	3	·	·	·	1	·
	10. Clothing Trades, ...	20,026	—	4	·	·	·	2	·	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	1	·	·	·	1	·
	11. Food Supply Trades, ...	8,952	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·
	12. Other Trades and Callings ranking with Trades, ...	32,070	—	14	2	1	·	2	4	5	·	·	·	·	·	·	·	·	·	1	·	1	2	·	3	·	1	·	2	4	·
	13. Petty Shopkeepers, ...	6,772	—	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
IV.	General Service Class.																														
	14 Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	—	10	6	·	·	1	2	·	1	·	·	·	·	·	1	·	·	·	1	1	1	·	1	·	1	·	·	4	·
	15 Domestic Servants, ...	36,041	—	6	2	·	·	2	1	·	1	·	·	·	1	·	·	·	·	·	1	·	1	·	1	·	·	·	·	2	·
	16 Coach and Car Drivers, Vanmen, &c.,	15,380	—	5	3	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	3	·
	17. Hawkers, Porters, Labourers, &c., ..	103,081	—	48	23	4	2	6	9	2	2	·	·	·	4	·	6	1	·	·	2	3	·	2	6	5	3	·	3	13	·
V.	Inmates of Workhouses.																														
	18. Workhouse Inmates, ...	5,602	—	22	5	·	1	2	7	4	3	·	·	·	·	·	·	·	·	1	2	1	1	·	2	6	·	·	·	9	·

Table VI.—Dublin Registration Area and Belfast City.—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas.*)

	Dublin Registration Area.													Belfast City.											
Week ending	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.
No. of weeks in Annual Series ..	9	10	11	12	13	14	15	16	17	18	19	20	21	9	10	11	12	13	14	15	16	17	18	19	20	21
Births registered	277	239	215	257	181	256	261	277	270	259	268	267	231	263	225	275	258	297	243	262	283	288	256	253	298	223
Average Births in corresponding week of previous 10 *years,*	205	215	201	220	209	210	211	208	198	209	229	216	210	213	201	202	212	202	202	208	214	219	203	206	216	218
Number of Deaths, ...	165	159	195	190	185	213	251	227	215	182	164	171	152	214	225	293	284	248	211	229	219	158	168	134	124	122
Annual Death-rate per 1,000 ..	29·7	20·0	24·5	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·6	21·5	19·1	27·0	28·4	37·0	35·9	31·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7	15·4
Average Deaths in corresponding week of previous 10 *years,*	219	221	200	204	191	198	189	188	159	168	183	151	147	170	173	172	169	163	165	164	158	152	136	130	136	131
Ages, .. Under one year, ..	31	28	45	45	52	52	65	48	42	58	37	44	32	48	56	72	63	64	63	52	53	40	34	32	26	30
1— 5 years, ..	20	19	31	32	23	35	46	48	38	16	24	28	22	24	34	43	43	33	31	29	23	15	12	4	10	8
5—25 ,, ..	15	14	12	28	18	21	19	19	30	16	23	8	15	31	29	41	26	28	18	27	23	25	26	22	24	14
25—45 ,, ..	17	23	26	17	20	25	21	31	22	15	13	26	19	38	34	50	46	41	33	37	28	21	23	25	20	24
45—65 ,, ..	28	40	35	22	27	31	46	35	35	36	21	27	35	33	39	47	59	41	44	40	51	24	37	29	23	26
65 and upwards, ..	54	35	46	46	45	49	54	46	48	41	46	38	29	40	33	40	47	41	22	44	41	33	36	22	21	20
Deaths from :—																										
Enteric Fever, ...	·	·	1	·	·	1	·	·	·	·	·	·	·	2	2	2	1	·	·	·	·	·	1	·	·	1
Typhus, ...	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	2	·	·
Small-pox	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Measles, ...	·	3	3	11	3	7	15	9	7	4	11	6	7	4	7	3	3	2	1	5	1	1	·	·	1	2
Scarlet Fever, ...	·	·	1	2	1	·	1	·	1	·	·	·	·	4	4	5	2	2	2	1	·	2	2	·	3	2
Whooping-cough, ...	7	6	9	10	10	13	16	9	13	14	10	15	12	4	3	8	6	5	2	6	·	4	2	1	1	·
Diphtheria, ...	3	·	1	·	1	·	1	·	2	1	·	·	2	1	2	1	·	·	1	·	·	2	1	·	2	·
Dysentery, ...	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Influenza	4	·	2	2	3	5	5	5	4	3	1	2	4	12	23	33	30	33	21	17	13	10	9	8	3	3
Tuberculosis { Pulmonary, ..	14	15	13	17	13	19	21	16	24	9	19	18	14	23	21	17	31	16	10	16	23	22	19	16	21	15
Other Forms, ..	3	6	13	6	9	6	4	5	4	8	1	4	8	4	2	5	7	7	1	11	8	3	3	4	9	5
Cancer, ...	7	11	10	4	3	6	11	9	9	8	7	14	8	4	6	4	5	5	5	8	5	10	6	2	7	2
Diseases of Respiratory System, { Pneumonia ..	18	18	26	28	32	27	55	47	36	18	22	18	17	34	37	67	68	53	57	42	38	24	18	15	5	6
Others, ..	26	27	37	29	34	40	35	38	17	24	24	23	20	38	38	51	43	30	36	29	36	15	19	14	10	10
Diarrhœa & Enteritis, under 2 years	1	3	3	·	2	3	2	2	3	9	1	2	6	2	1	6	4	4	1	2	5	3	4	6	6	2
Diarrhœa, 2 years and upwards..	·	·	·	·	·	1	1	·	·	1	·	·	·	·	·	1	·	·	1	·	·	1	·	·	1	·
Violent Deaths, ...	4	2	4	4	4	2	2	6	3	2	3	3	4	3	2	1	3	·	3	6	3	·	2	4	3	4
Number of Uncertified Deaths, ..	5	2	8	3	4	1	4	4	5	4	5	3	1	5	5	3	2	5	1	4	4	·	1	1	3	3
A Mean Maximum Temperature in degs	53·3	48·9	51·2	51·9	49·2	49·2	54·0	54·7	53·3	55·2	58·1	59·0	64·8	51·5	46 0	50·9	51·1	49·5	49·4	50·5	52·3	49·9	55·9	56·2	58·2	64·8
B Mean Minimum ,, ,,	40·5	32·1	37·7	36·8	39 6	37·4	40·7	37·8	37·4	39·4	40·3	45·3	46·9	40·3	32·8	35·0	40·3	40·8	38·0	42·3	36 8	33·3	42·2	40·5	45 0	51·0
Mean of A and B ,, ,,	46·9	40·5	44·4	44·4	44·4	43·3	47·3	46·3	45·3	47·3	49·2	52·1	55·8	45·9	39·4	42·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9
Rainfall in inches	0·70	0·43	0·24	0·80	0·55	0·78	0·94	0·39	0·65	0 54	0·34	0·77	0·37	0·63	0·57	0·56	0·61	1·03	0·39	0·97	0 70	0·84	1·58	0·79	1·00	0·31

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th May, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	Other Forms	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	6	13·1	·	4	·	·	·	2	1	1	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	·	2	·
Do. 2 do.	49,500	24	21·1	·	20	4	4	2	3	6	1	·	·	·	·	·	·	·	·	·	3	1	·	2	5	·	·	1	1	9	·
Do. 3 do.	50,032	36	21·9	1·0	21	4	2	2	5	4	4	·	·	·	·	·	·	·	·	·	1	2	·	1	2	1	·	·	1	5	·
Do. 4 do.	32,637	16	12·8	·	8	3	·	1	·	2	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	6	·
Do. 5 do.	16,112	10	29·1	3·2	9	6	·	·	2	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	·	·	3	1
Do. 6 do.	37,293	14	14·0	1·4	10	1	1	·	2	2	4	·	·	·	·	1	·	·	·	1	1	·	·	1	·	·	·	·	·	2	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	3	8·7	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	24	12·8	2·1	6	1	·	1	·	3	1	·	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	1	1	3	1
Do. 10 do.	28,958	8	12·6	·	7	·	·	1	3	2	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	1	1	3	·
Do. 11 do.	—	21	—	—	6	2	·	1	·	2	1	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	1	·
Do. 12 do	—	15	—	—	8	1	·	3	2	1	1	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	·	·	3	·
Do 13 do.	—	13	—	—	9	1	1	1	4	1	1	1	·	·	·	·	·	·	·	·	3	·	·	·	·	·	·	·	·	1	1
Do. 14 do	175	—	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	13	13·8	·	6	3	·	2	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	1	2	·
Do. 16 o.	—	19	—	—	6	3	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total,	386,947	223	15·4	0·9	122	30	8	14	24	26	20	1	·	·	2	2	·	·	·	3	15	5	2	6	10	2	·	4	6	40	3
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT,	13,455	5	27·1	·	7	·	·	2	·	1	4	·	·	·	·	·	·	·	·	·	2	·	1	1	·	·	·	·	·	5	·
Do. 2 do.	10,399	3	20·1	5·0	4	·	·	2	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	2	·
Do. 3 do.	9,793	2	10·6	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	2	·
Do. 4 do.	9,139	3	17·1	5·7	3	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	1	1	·
Do. 5 do.	6,250	—	25 0	·	3	·	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	4	13·5	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do 7 do.	16,056	6	6·5	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Total.	76,673	23	16·3	1·4	24	1	·	5	6	5	7	·	·	·	·	·	·	1	·	·	5	1	1	1	1	1	·	1	1	12	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 15·0 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th May, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas	Puerperal Fever	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
„ „ 1, West ..	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	4	6
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	1	6
„ „ „ 2, ...	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5
„ „ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	4
„ „ „ 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	1			.	8	5	.	1	.	.	.	.	5	.	.	8	29

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th May, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 29th May.			
	May 8.	May 15.	May 22.	No. admitted	Dis charged	Died.	No under treatment at close of week.
Enteric Fever, ...	8	9	10	1	4	.	7
Typhus, ...	5	8	8	1	.	.	9
Small-pox	.	.	.	.	.	.	.
Measles, ...	69	54	54	20	21	1	52
Scarlet Fever, ...	75	73	62	6	18	.	50*
Diphtheria, ...	25	32	35	8	4	1	38
Pneumonia, ...	34	33	32	12	14	3	27

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), Crow-street, Dublin.

(14043.) Wt 200. 3, 380. 5. 1920. G, III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 22. Vol. LVII.] Week ending Saturday, 5th June, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 7th June, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 16·8 and 17·6; Dublin Registration Area, 18·7 and 20·0; Dublin City, 21·0 and 21·1; Belfast, 14·6 and 15·7; Cork, 16·3 and 18·2; Londonderry, 14·2 and 16·6; Limerick, 21·7 and 21·7; and Waterford, 17·1 and 17·1.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·9 per 1,000. Among the 116 deaths from all causes for Belfast are 2 from enteric fever, 2 from whooping-cough, 2 from diphtheria, 5 from diarrhœal diseases, one from influenza, and one from cerebro-spinal meningitis. The 24 deaths from all causes for Cork include 2 from whooping-cough and one from diphtheria. Four of the 12 deaths from all causes for Londonderry were due to measles. Of the 16 deaths from all causes for Limerick one is from measles. Of the 6 deaths from all causes for Lisburn one is from whooping-cough, and one of the 7 deaths from all causes for Wexford was also due to this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 286—129 boys and 157 girls—and the deaths to 162—81 males and 81 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·7 per 1,000 of the population. During the twenty-two weeks ending with Saturday last, the death-rate averaged 21·4 and was 2·5 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-two weeks was 23·1, and for the corresponding period of the preceding ten years 25·5.

Of the 149 deaths appertaining to the Area, 3 were from measles, one from scarlet fever, 11 from whooping-cough, 3 from influenza, one from dysentery, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 11, 6, and 7; deaths from whooping-cough 10, 15, and 12; deaths from influenza one, 2, and 4; deaths from diarrhœa and enteritis of children under 2 years one, 2, and 6. There were no deaths registered from scarlet fever or dysentery in the three preceding weeks.

There were 15 deaths from pneumonia, comprising 8 from broncho-pneumonia, 4 from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 19 deaths (including 17 from pulmonary tuberculosis, and 2 from abdominal tuberculosis) as against 20, 22, and 22 in the three weeks preceding.

Nine deaths were caused by cancer, 15 by organic diseases of the heart, and 19 by bronchitis.

Among deaths of infants under one year old, one was due to measles, 6 were due to whooping-cough, 3 to venereal disease, one to simple meningitis, one to convulsions, 3 to bronchitis, 3 to broncho-pneumonia, one to pneumonia, 3 to diarrhœa and enteritis, one to congenital malformation, 4 to premature birth, and 6 to congenital debility.

Fifty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 35 being infants under one year, of whom 9 were under one month old, and 38 deaths were those of persons aged 65 and upwards, of whom 26 were 70 years of age or over.

Of the 149 deaths recorded, 52 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 5th June, in 96 large English towns (including London in which the rate was 11·0) was equal to an average annual death rate of 11·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 13·6 per 1,000 persons living, the rate for Glasgow being 13·5 and for Edinburgh 14·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th June. From this Report it appears that of 103 cases notified, 35 were chicken-pox, 18 scarlet fever, 16 diphtheria, 14 pulmonary tuberculosis, 11 other forms of tuberculosis, 3 erysipelas, 2 ophthalmia neonatorum, 2 malaria, one acute primary pneumonia, and one acute influenzal pneumonia. Among the 499 cases of infectious diseases in hospital at the close of the week were 215 of pulmonary tuberculosis, 9 other forms of tuberculosis, 97 of scarlet fever, 78 of diphtheria, 44 of venereal disease, 24 of measles, 3 of erysipelas, 3 of chicken-pox, 2 of whooping-cough, one of acute influenzal pneumonia, one of puerperal fever, and one of ophthalmia neonatorum.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th June, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic or Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 15	4	1	.	.	.	—	4	—	6	3	—	.	—	.	1	.	4	.	.	24	47
	May 22	3	3	.	.	.	—	3	—	3	1	—	.	—	1	.	.	2	.	.	11	27
	May 29	1	1	.	.	.	—	8	—	5	1	—	.	—	.	.	.	5	.	.	8	29
	June 5	1	1	.	.	.	—	3	—	5	6	—	.	—	.	.	.	14	.	.	26	56
Rathmines & Rathgar Urban District	May 15	.	.	.	.	.	—	4	—	1	.	—	.	—	.	.	.	2	.	.	—	7
	May 22	.	.	.	.	.	—	1	—	6	1	—	.	—	.	.	.	.	.	.	—	8
	May 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	May 15	.	.	.	.	.	29	.	1	.	.	.	.	—	.	.	.	.	.	.	.	30
	May 22	.	.	.	.	.	26	.	3	.	.	.	.	—	.	.	.	.	.	.	.	29
	May 29	.	.	.	.	.	25	.	.	.	1	.	.	—	.	.	.	.	.	.	.	26
	June 5	.	.	.	.	.	11	.	5	.	.	.	.	—	.	.	.	.	.	.	1	17
Blackrock Urban District	May 15	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	May 22	.	.	.	.	.	5	.	—	.	.	—	.	—	.	.	.	.	.	.	.	5
	May 29	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
	June 5	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	May 15	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	May 22	.	.	.	.	.	—	.	—	4	.	—	.	—	.	.	.	.	—	.	.	4
	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	June 5	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
City of Belfast	May 15	1	.	.	.	.	—	30	—	6	4	—	1	—	.	1	.	3	1	.	1	48
	May 22	2	1	1	.	.	—	31	—	8	.	—	1	—	.	1	.	2	1	.	.	48
	May 29	11	.	.	.	.	—	20	—	1	1	—	.	—	1	6	.	3	1	.	.	44
	June 5	6	.	.	.	.	—	16	—	5	2	—	.	—	.	2	.	2	3	.	1	37
City of Cork	May 15	.	.	.	.	.	1	2	—	9	.	—	1	.	1	3	.	.	—	.	—	17
	May 22	2	.	.	.	.	.	2	—	5	.	—	.	.	.	.	.	.	—	.	—	9
	May 29	1	.	.	.	.	.	.	—	7	1	—	.	.	.	1	.	.	—	.	—	10*a*
	June 5	.	.	.	.	.	.	.	—	6	.	—	.	.	.	.	.	.	—	.	—	6
City of Londonderry	May 15	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	May 22	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	—	—	3
	May 29	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	May 15	.	.	.	.	.	—	.	—	4	.	—	.	—	.	.	.	.	.	.	—	4
	May 22	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	May 15	1	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	—	—	1	3
	May 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th June, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 2 and 8; typhus one and 10; measles 28 and 64; scarlet fever 8 and 51 *; and diphtheria 19 and 49. Thirteen cases of pneumonia were admitted during the week and 28 remained under treatment at its close. Of the deaths in hospital during the week one was from measles and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 5th June, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 5TH JUNE, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 5TH JUNE, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	32·3	16·8	1·9	724	376	65	99	2	.	.	8	1	17	3	1	4	44	12	25	27	41	8	2	4	5	125	11	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	35·9	18·7	2·4	286	149	35	38	.	.	.	3	1	11	.	1	3	17	2	9	15	23	3	.	.	1	52	4	(d) 66·7	31·7	61·9	46·8	54·3	0·10
Urban Districts. CITY OF DUBLIN	318,200	39·0	38·0	21·0	2·8	232	128	31	32	.	.	.	2	1	10	..	1	3	13	1	9	9	21	3	.	.	1	48	4	(e) 65·6	42·6	62·3	50·7	56·5	0·16
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	19·4	14·2	1·3	15	11	2	3	.	.	.	.	.	1	.	.	.	2	1	.	5	.	.	.	.	.	1	.	(f) 67·2	36·0	62·7	48·6	55·7	0·8
Urban Districts. PEMBROKE ...	30,200	19·2	41·4	12·1	1·7	24	7	2	1	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. BLACKROCK ...	9,200	8·5	28·3	11·3	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	30·7	3·1	.	10	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	65	40	61·4	49·6	55·5	0·04
Urban Districts. BELFAST	413,000	27·7	33·1	14·6	1·4	262	116g	14	20	2	.	.	.	.	2	2	.	1	15	6	5	3	7	3	2	3	4	35	.	62·0	46·8	60·9	49·9	55·4	0·31
Urban Districts. CORK	76,673	28·6	23·8	16·3	2·0	35	24	2	8	.	.	.	.	.	2	1	.	.	3	1	5	2	.	.	.	.	.	17	.	69	43	63·4	48·9	56·2	0·04
Urban Districts. LONDONDERRY ...	44,000	17·1	33·2	14·2	4·7	28	12	1	3	.	.	.	4	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	1	.	.	.	.	.	.
Urban Districts. LIMERICK	38,518	16·1	23·0	21·7	1·4	17	16	1	4	.	.	.	1	.	.	.	.	.	1	.	.	5	1	.	.	.	.	5	.	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	30·4	17·1	1·9	16	9	1	4	.	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.	.	4	.	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				12	6	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	.	.	.	.
Urban Districts. DUNDALK ...	13,128	9·5				3	4h	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				10	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.	69·0	39·5	62·4	47·7	55·0	0·17
Urban Districts. DROGHEDA ...	12,501	8·4				8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. LISBURN	12,388	10·9				11	6	2	2	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	.	.	2	.	65	37	62·7	45·9	54·3	0·44
Urban Districts. NEWRY	11,963	17·0				5	6	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	3	.	69·0	39·5	62·4	47·7	55·0	0·17
Urban Districts. PORTADOWN ...	11,727	15·3				12	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	69·0	39·5	62·4	47·7	55·0	0·17
Urban Districts. WEXFORD ...	11,531	22·8				5	7	1	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				4	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				.	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	65	38	61	44	52·5	0·19
Urban Districts. KILKENNY ...	10,514	11·4				4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	68	36	64·4	46·8	55·6	0·00
Urban Districts. TRALEE	10,300	17 4				1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. CLONMEL ...	10,209	7·8				5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	11·0	—	2,558	920	123	300	2	.	.	19	3	13	11	.	—	86	11	100	66	49	11	7	44	88	434	3	79	46	68·6	50·3	59·5	0·17
EDINBURGH ...	342,300	—	—	14·2	—	140	93	19	28	.	.	.	.	.	.	2	—	1	—	—	—	—	—	1	—	8	—	—	—	62·0	40·0	57·3	45·7	51·5	0·12
GLASGOW	1,115,500	—	—	13·5	—	664	289g	61	59	.	1	7	10	1	4	1	—	3	—	—	—	—	—	4	—	11	—	—	—	65·4	42·8	58·8	48·5	53·7	0·36

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Belfast and 2 for Glasgow. (h) Including 2 deaths from one or other of the principal epidemic diseases.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 22nd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 5th June, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	152·6	162	9	26	13	6	3	.	7	5	7	9	15	22	27	13	149
Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·8	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough	2·8	11	.	6	3	1	1	.	.	.	.	.	.	.	.	.	11
Diphtheria	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·8	4	.	.	.	.	.	.	.	1	.	1	1	1	.	.	3
Dysentery	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	27·0	19	.	.	1	.	.	.	3	2	6	4	2	1	.	.	17
Tuberculous Meningitis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	·6	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Venereal Diseases	·6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Cancer	7·6	10	.	.	.	.	.	.	.	.	.	.	4	4	2	.	9
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Alcoholism	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	3·8	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	4
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart.	14·4	15	.	.	.	.	.	.	2	.	.	1	3	4	4	1	15
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	13·0	20	.	3	1	.	1	.	.	.	.	.	.	2	10	3	19
Broncho-pneumonia	3·4	8	.	3	4	.	.	.	.	.	.	.	.	1	.	.	8
Lobar pneumonia	1·0	4	.	.	1	.	.	.	.	.	.	.	.	1	1	1	4
Pneumonia (type not distinguished).	4·0	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	3
Pleurisy	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·0	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3

registered in the TWENTY-SECOND WEEK, ending Saturday, 5th June, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 22nd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 5th June, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	4·2	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2
Appendicitis and Typhlitis.	·2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Hernia and Intestinal Obstructions.	1·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Cirrhosis of Liver ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Liver	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Peritonitis (cause unknown).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	4·4	4	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	3
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	3·4	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Congenital Debility ..	4·2	6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	6
Old Age	7·4	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	5
Other Specified Diseases	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	5·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined &c., Causes ..	2·8	3	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	3

TABLE IV.—Showing for the WEEK ENDED 5TH JUNE, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 5TH JUNE, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	28·9	1·7	17	5	4	.	.	.	1	5	2	.	.	.	1	.	.	.	.	1	.	.	2	3	4	.	.	.	6	.	.	2	1
,, 1, W.	42,100	31·0	3·7	25	6	1	2	1	1	1	4	9	.	.	.	.	.	2	.	.	.	3	1	1	.	4	1	.	.	13	.	5	6	1
,, 2	28,200	14·8	.	8	2	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	1	1	.	1	1	2	.	.	.	2	.	1	.	.
,, 3	35,000	23·3	2·9	16	3	.	2	1	.	2	4	4	.	.	.	.	1	1	.	.	.	.	.	.	1	6	.	.	.	7	.	2	4	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	3·8	4	.	.	.	1	.	.	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.
FINGLAS AND GLASNEVIN, part of ...	11,400	22·9	4·6	5	1	.	.	.	1	1	.	2	.	.	.	.	.	1	.	.	.	2	.	1	.	.	.	.	.	1	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	27·2	4·7	23	8	4	.	.	2	2	2	5	.	.	.	1	.	3	.	.	.	5	.	1	2	2	.	.	.	9	.	4	10	.
,, 2	18,600	25·2	2·8	9	1	.	.	.	2	1	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	5	.	2	1	1
,, 3	44,400	14·1	2·3	12	4	1	.	.	1	.	4	2	.	.	.	.	.	1	.	.	1	.	.	.	2	2	1	.	.	5	.	1	3	1
,, 4	33,600	10·9	3·1	7	1	.	.	.	1	1	3	1	.	.	.	.	.	1	.	1	.	1	.	2	.	.	.	.	.	2	1	2	1	.
NEW KILMAINHAM	10,600	4·9	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	14·2	1·3	11	2	1	1	.	1	2	1	3	.	.	.	.	.	1	.	.	.	2	1	.	5	.	.	.	.	2	.	1	.	.
PEMBROKE	30,200	12·1	1·7	7	2	.	1	.	.	1	2	1	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.	3	.	.
BLACKROCK	9,200	11·3	.	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
KINGSTOWN	17,000	3·1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
TOTAL CITY. North	166,900	23·7	2·5	76	17	5	4	3	2	6	17	22	.	.	.	1	1	5	.	.	2	6	1	5	5	16	1	.	.	33	.	9	15	2
TOTAL CITY. South	151,300	17·9	3·1	52	14	5	.	.	7	4	12	10	.	.	.	1	.	5	.	1	1	7	.	4	4	5	2	.	.	22	1	9	15	2
TOTAL CITY. North and South ...	318,200	21·0	2·8	128	31	10	4	3	9	10	29	32	.	.	.	2	1	10	.	1	3	13	1	9	9	21	3	.	.	55	1	18	30	4
Total Urban Districts	96,800	11·3	1·1	21	4	2	2	.	1	3	3	6	.	.	.	1	.	1	.	.	.	4	1	.	6	2	.	.	.	6	.	4	.	.
Total Registration Area ...	415,000	18·7	2·4	149	35	12	6	3	10	13	32	38	.	.	.	3	1	11	.	1	3	17	2	9	15	23	3	.	.	61	1	22	30	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	.	1	.	.	2	3	5	2	.	.	.	1	.	.	.	.	1	2	1	1	.	1	.	.	1	5	1	13	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th June, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JUNE, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	162	54	3	12	16	37	27	13	.	.	.	4	1	11	.	1	4	19	3	10	1	15	24	3	.	1	65	4
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	7·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	15·4	30	6	.	4	3	5	7	5	.	.	.	.	.	1	.	.	1	2	3	2	.	3	3	1	.	.	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·8	35	12	2	1	3	10	4	3	.	.	.	2	.	5	.	1	.	4	.	3	1	4	2	1	.	.	13	1
IV.	GENERAL SERVICE CLASS	167,479	20·2	65	29	1	5	7	16	6	1	.	.	.	2	1	5	.	.	3	7	.	4	.	8	11	1	.	1	22	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	7	.	2	3	5	9	4	.	.	.	.	.	.	.	.	.	6	.	1	.	.	7	1	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	8	1	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	4	.
	6. Clerks and Commercial Assistants ..	33,249	—	7	3	.	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	14	1	.	2	2	2	2	5	.	.	.	.	.	.	.	.	1	2	.	1	.	1	1	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	9	6	.	.	.	1	1	1	.	.	.	1	.	4	.	1	.	.	.	.	.	1	.	.	.	.	2	.
	10. Clothing Trades	20,026	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	11. Food Supply Trades	8,952	—	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	16	6	.	.	1	5	2	2	.	.	.	1	.	.	.	.	.	1	.	3	1	2	2	.	.	.	6	.
	13. Petty Shopkeepers	6,772	—	4	.	1	1	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	11	4	.	1	3	1	1	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	3	1	.	1	2	.
	15. Domestic Servants	36,041	—	7	.	.	1	1	5	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	42	23	1	3	3	8	4	.	.	.	.	2	1	4	.	.	1	3	.	3	.	7	7	.	.	.	14	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	30	7	.	2	3	5	9	4	.	.	.	.	.	.	.	.	.	6	.	1	.	.	7	1	.	.	15	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
No. of weeks in Annual Series	10	11	12	13	14	15	16	17	18	19	20	21	22	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered	239	215	257	181	256	261	277	270	259	268	267	231	286	225	275	258	297	243	262	283	288	256	253	298	223	262
Average Births in corresponding week of previous 10 years	*215*	*201*	*220*	*209*	*210*	*211*	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*201*	*202*	*212*	*202*	*202*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*
Number of Deaths	159	195	190	185	213	251	227	215	182	164	171	152	149	225	293	284	248	211	229	219	158	168	134	124	122	116
Annual Death-rate per 1,000	20·0	24·5	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·6	21·5	19·1	18·7	28·4	37·0	35·9	31·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7	15·4	14·6
Average Deaths in corresponding week of previous 10 years	*221*	*200*	*204*	*191*	*198*	*189*	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*173*	*172*	*169*	*163*	*165*	*164*	*158*	*152*	*136*	*130*	*136*	*131*	*123*
Ages — Under one year	28	45	45	52	52	65	48	42	58	37	44	32	35	56	72	63	64	63	52	53	40	34	32	26	30	14
Ages — 1— 5 years	19	31	32	23	35	46	48	38	16	24	28	22	18	34	43	43	33	31	29	23	15	12	4	10	8	8
Ages — 5—25 ,,	14	12	28	18	21	19	19	30	16	23	8	15	13	29	41	26	28	18	27	23	25	26	22	24	14	20
Ages — 25—45 ,,	23	26	17	20	25	21	31	22	15	13	26	19	13	34	50	46	41	33	37	28	21	23	25	20	24	24
Ages — 45—65 ,,	40	35	22	27	31	46	35	35	36	21	27	35	32	39	47	59	41	44	40	51	24	37	29	23	26	30
Ages — 65 and upwards	35	46	46	45	49	54	46	48	41	46	38	29	38	33	40	47	41	22	44	41	33	36	22	21	20	20
Deaths from :—																										
Enteric Fever	.	1	.	.	1	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1	.	.	1	2
Typhus	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3	3	11	3	7	15	9	7	4	11	6	7	3	7	3	3	2	1	5	1	1	.	.	1	2	.
Scarlet Fever	.	1	2	1	.	1	.	1	.	.	.	.	1	4	5	2	2	2	1	.	2	2	.	3	2	.
Whooping-cough	6	9	10	10	13	16	9	13	14	10	15	12	11	3	8	6	5	2	6	.	4	2	1	1	.	2
Diphtheria	.	1	.	1	.	1	.	2	1	.	.	2	.	2	1	.	.	1	.	.	2	1	.	2	.	2
Dysentery	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	.	2	2	3	5	5	5	4	3	1	2	4	3	23	33	30	33	21	17	13	10	9	8	3	3	1
Tuberculosis — Pulmonary	15	13	17	13	19	21	16	24	9	19	18	14	17	21	17	31	16	10	16	23	22	19	16	21	15	15
Tuberculosis — Other Forms	6	13	6	9	6	4	5	4	8	1	4	8	2	2	5	7	7	1	11	8	3	3	4	9	5	6
Cancer	11	10	4	3	6	11	9	9	8	7	14	8	9	6	4	5	5	5	8	5	10	6	2	7	2	5
Diseases of Respiratory System — Pneumonia	18	26	28	32	27	55	47	36	18	22	18	17	15	37	67	68	53	57	42	38	24	18	15	5	6	3
Diseases of Respiratory System — Others	27	37	29	34	40	35	38	17	24	24	23	20	23	38	51	43	30	36	29	36	15	19	14	10	10	7
Diarrhœa & Enteritis, under 2 years	3	3	.	2	3	2	2	3	9	1	2	6	3	1	6	4	4	1	2	5	3	4	6	6	2	3
Diarrhœa, 2 years and upwards	.	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	2
Violent Deaths,	2	4	4	4	2	2	6	3	2	3	3	4	.	2	1	3	.	3	6	3	.	2	4	3	4	3
Number of Uncertified Deaths	2	8	3	4	1	4	4	5	4	5	3	1	4	5	3	2	5	1	4	4	.	1	1	3	3	.
A Mean Maximum Temperature in degs.	48·9	51·2	51·9	49·2	49·2	54·0	54·7	53·3	55·2	58·1	59·0	64·8	61·9	46·0	50·9	51·1	49·5	49·4	50·5	52·3	49·9	55·9	56·2	58·2	64·8	60·9
B Mean Minimum ,, ,,	32·1	37·7	36·8	39·6	37·4	40·7	37·8	37·4	39·4	40·3	45·3	46·9	46·8	32·8	35·0	40·3	40·8	38·0	42·3	36·8	33·3	42·2	40·5	45·0	51·0	49·9
Mean of A and B ,, ,,	40·5	44·4	44·4	44·4	43·3	47·3	46·3	45·3	47·3	49·2	52·1	55·8	54·3	39·4	42·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9	55·4
Rainfall in inches	0·43	0·24	0·80	0·55	0·78	0·94	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·57	0·56	0·61	1·03	0·39	0·97	0·70	0·84	1·58	0·79	1·00	0·31	0·31

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th June, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	13	13·1	.	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	49,500	32	13·7	1·1	13	3	.	2	2	3	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	1	.
Do. 3 do.	50,032	36	27·1	.	26	.	2	4	7	7	6	.	.	.	.	.	.	.	.	.	3	1	2	1	2	.	.	2	2	8	.
Do. 4 do.	32,637	21	9·6	1·6	6	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Do. 5 do.	16,112	9	9·7	3.2	3	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	23	16·8	1·4	12	1	.	2	2	5	2	.	.	.	.	.	1	.	.	.	2	2	.	.	.	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	17	19·2	.	9	2	.	1	2	2	2	.	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	1	.
Do. 10 do.	28,958	13	7·2	1·8	4	.	1	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 11 do.	—	24	—	—	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 12 do.	—	20	—	—	13	4	3	1	3	2	.	1	.	.	.	.	.	.	.	.	1	1	.	1	2	2	.	.	.	6	.
Do. 13 do.	—	15	—	—	7	1	.	4	1	.	1	.	.	.	.	.	.	2	.	.	1	.	.	1	.	.	.	1	1	3	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	16	29·9	.	13	2	1	2	2	5	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	5	.
Do. 16 do.	—	20	—	—	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Total, . .	386,947	262	14·6	1·4	116	14	8	20	24	30	20	2	.	.	.	.	2	2	.	1	15	6	5	3	7	3	2	3	4	35	.
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	2	7·8	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 2 do.	10,399	5	15·0	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 3 do.	9,793	3	5·3	5·3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	6	34·2	5·7	6	.	2	.	1	2	1	.	.	.	.	.	1	.	.	.	1	1	1	1	.	.	.	.	.	3	.
Do. 5 do.	6,250	4	25·0	.	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Do. 6 do.	11,581	8	18·0	4·5	4	.	.	2	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	4	.
Do. 7 do.	16,056	7	16·2	.	5	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	4	.
Total, . . .	76,673	35	16·3	2·0	24	2	2	4	4	4	8	.	.	.	.	.	2	1	.	.	3	1	5	2	.	.	.	.	17	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 13·0 per 1,000 and from certain epidemic diseases 3·1.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th June, 1920.

DISTRICTS	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	4	7
,, ,, 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	7
,, ,, 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	1	4
,, ,, 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	3	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1, ...	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	6	10
,, ,, ,, 2, ...	1	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	.	5
,, ,, ,, 3, ...	.	1	.	.	.	.	2	.	.	.	.	.	.	3	.	.	3	9
,, ,, ,, 4, ...	.	.	.	.	.	2	1	.	2	.	.	.	.	2	.	.	1	8
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	1	.	.	.	3	4	1	6	.	.	.	.	14	.	.	26	56

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th June, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 5th June.			
	May 15.	May 22.	May 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	9	10	7	2	1	.	8
Typhus, ...	8	8	9	1	.	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	54	54	52	28	15	1	64
Scarlet Fever, ...	73	62	50	8	7	.	51*
Diphtheria, ...	32	35	38	19	8	.	49
Pneumonia, ...	33	32	27	13	10	2	28

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.2731) Wt. 200. 3. 380. 6. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 23. Vol. LVII.] Week ending Saturday, 12th June, 1920 [Price 1½*d.* net.

General Register Office, Charlemont House, Dublin, 14th June, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 14·7 and 16·7; Dublin Registration Area, 16·2 and 18·9; Dublin City 18·4 and 20·7; Belfast, 13·8 and 14·9; Cork, 11·6 and 16·0; Londonderry, 13·0 and 16·9; Limerick, 19·0 and 19·6; and Waterford, 17·1 and 17·6.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·6 per 1,000. Among the 109 deaths from all causes for Belfast are one from scarlet fever, 4 from whooping-cough, one from diarrhœa and enteritis of a child under 2 years, one from influenza, and one from epidemic encephalitis. The 17 deaths from all causes for Cork include one from diphtheria. One of the 11 deaths from all causes for Londonderry was due to measles. Of the 9 deaths from all causes for Waterford there was one from each of whooping-cough and diphtheria. Of the 6 deaths from all causes for Wexford one is from whooping-cough. One of the 4 deaths from all causes for Ballymena was from measles, and of the 6 deaths from all causes for Sligo one was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 260—134 boys and 126 girls—and the deaths to 139—63 males and 76 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·2 per 1,000 of the population. During the twenty-three weeks ending with Saturday last, the death-rate averaged 21·2 and was 2·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-three weeks was 22·9, and for the corresponding period of the preceding ten years 25·2.

Of the 129 deaths appertaining to the Area, one was from enteric fever, one from typhus, 5 were from measles, one from scarlet fever, 10 from whooping-cough, one from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from typhus were one, 0 and 0; deaths from measles were 6, 7, and 3; deaths from scarlet fever were 0, 0, and one; deaths from whooping-cough 15, 12, and 11; deaths from diphtheria 0, 2, and 0; deaths from diarrhœa and enteritis of children under 2 years 2, 6, and 3. There were no deaths registered from enteric fever in the three preceding weeks.

There were 7 deaths from pneumonia, comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 16 deaths (including 9 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 4 from other forms of tuberculous disease) as against 22, 22, and 19 in the three weeks preceding.

Seven deaths were caused by cancer, 12 by organic diseases of the heart, and 9 by bronchitis.

Among deaths of infants under one year old, 2 were due to measles, 3 to whooping-cough, one to croup, one to erysipelas, one to venereal disease, 3 to convulsions, one to bronchitis, one to broncho-pneumonia, one to pneumonia, 4 to diarrhœa and enteritis, 2 to congenital malformations, 6 to premature birth, and one to congenital debility.

Forty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 9 were under one month old, and 32 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 129 deaths recorded, 51 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 12th June, in 96 large English towns (including London in which the rate was 10·6) was equal to an average annual death rate of 11·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·7 per 1,000 persons living, the rate for Glasgow being 13·6 and for Edinburgh 11·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th June. From this Report it appears that of 81 cases notified, 30 were diphtheria, 16 chicken-pox, 13 scarlet fever, 7 pulmonary tuberculosis, 6 other forms of tuberculosis, 3 erysipelas, 3 ophthalmia neonatorum, one malaria, one acute primary pneumonia, and one puerperal fever. Among the 510 cases of infectious diseases in hospital at the close of the week were 221 of pulmonary tuberculosis, 9 other forms of tuberculosis, 101 of scarlet fever, 88 of diphtheria, 35 of venereal disease, 23 of measles, 4 of erysipelas, 3 of chicken-pox, 2 of whooping-cough, 2 of puerperal fever, and one of acute influenzal pneumonia.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th June, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 22	3	3	.	.	.	—	3	—	3	1	—	.	—	1	.	.	2	.	.	11	27
	May 29	1	1	.	.	.	—	8	—	5	1	—	.	—	.	.	.	5	.	.	8	29
	June 5	1	1	.	.	.	—	3	—	5	6	—	.	—	.	.	.	14	.	.	26	56
	June 12	1	.	.	.	.	—	7	.	6	2	—	.	—	.	.	.	3	.	.	11	30
Rathmines & Rathgar Urban District	May 22	.	.	.	.	.	—	1	—	6	1	—	.	—	.	.	.	.	.	.	—	8
	May 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	May 22	.	.	.	.	.	26	.	3	.	.	.	.	—	.	.	.	.	.	.	.	29
	May 29	.	.	.	.	.	25	.	.	.	1	.	.	—	.	.	.	.	.	.	.	26
	June 5	.	.	.	.	.	11	.	5	.	.	.	.	—	.	.	.	.	.	.	1	17
	June 12	.	.	.	.	.	19	.	3	.	.	.	.	—	.	.	.	.	.	.	.	22
Blackrock Urban District	May 22	.	.	.	.	.	5	.	—	.	.	—	.	—	.	.	.	.	.	.	.	5
	May 29	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
	June 5	.	.	.	.	.	2	.	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	June 12	.	.	.	.	.	14	.	—	2	.	—	.	—	.	.	.	.	.	.	.	16
Kingstown Urban District	May 22	.	.	.	.	.	—	.	—	4	.	—	.	—	.	.	.	.	—	.	.	4
	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	June 5	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
	June 12	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	May 22	2	1	1	.	.	—	31	—	8	.	—	1	—	.	1	.	2	1	.	.	48
	May 29	11	.	.	.	.	—	20	—	1	1	—	.	—	1	6	.	3	1	.	.	44
	June 5	6	.	.	.	.	—	16	—	5	2	—	.	—	.	2	.	2	3	.	1	37
	June 12	5	.	.	.	.	—	15	—	6	.	—	1	—	.	1	.	1	.	.	1	30
City of Cork	May 22	2	.	.	.	.	.	2	—	5	.	—	.	.	.	.	.	.	—	.	—	9
	May 29	1	.	.	.	.	.	.	—	7	1	—	.	.	.	1	.	.	—	.	—	10*a*
	June 5	.	.	.	.	.	.	.	—	6	.	—	.	.	.	.	.	.	—	.	—	6
	June 12	.	.	.	.	.	.	.	—	10	1	—	.	.	.	.	.	.	—	.	—	11*a*
City of Londonderry	May 22	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	—	—	3
	May 29	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	June 12	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	—	—	3
City of Limerick	May 22	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	May 22	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th June, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever one and 7; typhus nil and 9; measles 8 and 57; scarlet fever 5 and 40* and diphtheria 4 and 50. Four cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospital during the week one was from measles, one from typhus, 2 from scarlet fever, one from diphtheria and one from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 12th June, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 12TH JUNE, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	NUMBERS REGISTERED. DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 12TH JUNE, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	26·4	34·8	14·8	1·6	779	332	72	82	1	1	.	7	2	17	3	.	1	28	13	20	18	26	5	1	8	10	122	11	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	32·7	16·2	2·9	260	129	27	32	1	1	.	5	1	10	1	.	.	9	7	7	7	11	4	.	2	3	51	9	(d) 64·1	36·1	62·0	41·5	51·7	0·82
Urban Districts. CITY OF DUBLIN	318,200	39·0	36·9	18·4	3·3	225	112	26	25	1	1	.	3	1	10	.	.	.	9	4	5	7	10	4	.	2	3	43	9	(e) 66·3	46·2	62·4	49·0	55·7	0·78
RATHMINES and RATHGAR ...	40,400	23·6	15·5	11·6	.	12	9	.	5	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	.	5	.	(f) 63·6	40·0	61·2	45·1	53·1	0·80
PEMBROKE ...	30,200	19·2	13·8	6·9	3·5	8	4	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	5·7	5·7	5·7	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	42·9	9·2	.	14	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	65	43	61·3	48·0	54·6	0·79
Urban Districts. BELFAST	413,000	27·7	38·1	13·8	0·8	302	109	32	22	.	.	.	.	1	4	.	.	1	12	2	4	5	8	1	.	1	1	37	1	65·0	40·0	61·3	45·8	53·6	0·49
CORK	76,673	28·6	38·8	11·6	0·7	57	17	2	6	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.	.	2	2	10	.	67	46	60·7	51·1	55·9	0·91
LONDONDERRY ...	44,000	17·1	21·3	13·0	1·2	18	11	.	4	.	.	.	1	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	56·9	19·0	.	42	14	5	2	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	2	3	5	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	32·3	17·1	3·8	17	9	1	1	.	.	.	.	.	1	1	.	.	2	.	2	.	.	.	.	.	.	6	.	.	.	.	.	.	.
GALWAY	13,255	2·5				8	5	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LURGAN	12,553	14·7				8	5	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	.	1	.	65·8	39·1	63·0	44·0	53·5	1·31
DROGHEDA ...	12,501	8·4				5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				8	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	67	39	63·1	44·4	53·7	0·64
NEWRY	11,963	17·0				4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	65·8	39·1	63·0	44·0	53·5	1·31
PORTADOWN ...	11,727	15·3				7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	65·8	39·1	63·0	44·0	53·5	1·31
WEXFORD ...	11,531	22·8				4	6	1	4	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.	2	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				12	4	.	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.
SLIGO	11,163	3·8				3	6	1	4	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	70	35	64	45	54·5	0·89
KILKENNY ...	10,514	11·4				4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	69	43	61·8	48·0	54·9	0·27
TRALEE	10,300	17·4				10	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL (h) ...	10,209	7·8				5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·6	—	2,452	888	122	275	1	.	.	18	3	10	13	.	—	67	17	103	62	72	20	7	46	89	431	1	76	36	65·9	43·7	54·8	0·73
EDINBURGH ...	342,300	—	—	11·5	—	137	75	12	26	.	.	.	.	.	1	.	—	.	—	—	—	—	—	1	—	2	—	—	—	61·0	39·0	57·1	42·4	49·8	0·01
GLASGOW	1,115,500	—	—	13·6	—	682	291(g)	69	62	1	.	7	8	2	2	3	—	2	—	—	—	—	—	7	—	14	—	—	—	68·8	43·8	63·0	45·7	54·3	0·03

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including 2 deaths from cerebro-spinal meningitis for Glasgow. (h) Return not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 23rd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 12th June, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	146·4	139	11	19	9	10	4	2	4	3	8	10	10	15	18	16		129
Enteric Fever	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Typhus	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	1·8	5	.	2	1	1	1	.	.	.	.	.	.	.	.	.		5
Scarlet Fever	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Whooping-cough	1·6	10	.	3	4	2	1	.	.	.	.	.	.	.	.	.		10
Diphtheria	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Croup	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Influenza	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	22·2	9	.	.	.	.	.	.	2	.	1	4	.	.	1	1		9
Tuberculous Meningitis	2·4	3	.	.	.	1	.	.	.	1	1	.	.	.	.	.		3
Abdominal Tuberculosis	3.0	3	.	.	.	1	.	.	.	1	.	.	.	1	.	.		2
Tuberculosis of the Spinal Column.	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	1.2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	2·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Venereal Diseases	·4	.1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Cancer	10·6	8	.	1	.	.	.	.	.	.	.	.	1	4	2	.		7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Anæmia, Leucocythæmia.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	3·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	1·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		.
Cerebral Hæmorrhage, Apoplexy.	5.0	7	.	.	.	.	.	.	.	.	.	1	.	1	3	2		1 7
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	1·0	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1		4
Epilepsy	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	2·2	4	.	3	.	1	.	.	.	.	.	.	.	.	.	.		4
Other Diseases of Nervous System.	3·2	3	.	.	.	.	.	.	.	.	2	.	1	.	.	.		2
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	10·4	13	.	.	.	.	.	.	1	.	1	1	2	.	4	4		12
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of the Larynx	·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Bronchitis	10·0	9	.	1	1	.	.	.	.	.	.	.	.	1	6	.		9
Broncho-pneumonia	3·2	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.		2
Lobar pneumonia	1·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Pneumonia (type not distinguished).	3·6	4	.	1	.	.	1	.	.	.	.	1	.	1	.	.		4
Pleurisy	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

registered in the TWENTY-THIRD WEEK, ending Saturday, 12th June, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 23rd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 12th June, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·2	3	.	.	.	1	.	.	.	.	1	.	1	.	.	.		3
Diarrhœa and Enteritis of Children under 2 years.	2·2	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.		4
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cirrhosis of Liver ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other Diseases of Liver	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	1·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Other Diseases of Digestive System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	1.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	4·2	5	.	.	.	.	.	.	.	.	1	.	.	2	1	1		4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other Diseases of Genito-urinary System.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diseases of Locomotor System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth ..	4·4	8	8	.	.	.	.	.	.	.	.	.	.	.	.	.		6
Congenital Debility ..	3.8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Old Age	6·4	5	.	.	.	.	.	.	.	.	.	.	.	.	.	5		5
Other Specified Diseases	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.
Other Violent Deaths ..		2	.	.	1	.	.	.	.	.	.	.	.	1	.	.		2
Not included in above—																		
Homicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined &c., Causes ..	3·6	3	.	.	.	.	.	.	.	.	1	1	.	1	.	.		3

TABLE IV.—Showing for the WEEK ENDED 12TH JUNE, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 12TH JUNE, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.								CAUSED BY																				In Institutions.		
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	23·8	1·7	14	4	1	.	2	.	1	4	2	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.	1	9	1	4	1	1
,, 1, W.	42,100	19·8	6·2	16	3	2	2	.	1	1	4	3	1	.	.	.	.	4	.	.	.	1	2	2	.	1	.	.	.	5	.	4	3	.
,, 2	28,200	18·5	1·8	10	1	.	1	1	.	3	3	1	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	6	.	1	1	3
,, 3	35,000	21·8	2·9	15	4	.	2	.	1	2	.	6	.	.	.	.	.	1	.	.	.	3	.	.	.	2	1	.	.	8	.	4	2	1
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	7·5	.	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	17·7	5·9	15	3	2	1	1	.	3	2	3	.	.	.	2	1	1	.	.	.	.	.	.	1	2	1	.	.	7	.	3	4	1
,, 2	18,600	8·4	2·8	3	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
,, 3	44,400	24·7	5·9	21	6	2	.	.	1	5	3	4	.	1	.	.	.	2	.	.	.	2	.	.	2	1	2	.	.	11	1	5	1	3
,, 4	33,600	17·1	.	11	2	.	.	2	.	.	4	3	.	.	.	.	.	.	.	.	.	1	1	.	2	1	.	.	1	5	1	5	2	.
NEW KILMAINHAM	10,600	14·8	.	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	11·6	.	9	.	.	.	.	1	1	2	5	.	.	.	.	.	.	.	.	.	.	2	2	.	1	.	.	.	4	.	4	1	.
PEMBROKE	30,200	6·9	3·5	4	1	1	1	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.
BLACKROCK	9,200	5·7	5.7	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,000	9·2	.	3	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	1	1	.
TOTAL CITY. North	166,900	18·4	2·8	59	12	3	5	3	3	7	13	13	1	.	.	.	.	7	.	.	.	6	3	5	2	4	1	.	1	29	1	14	7	5
TOTAL CITY. South	151,300	18·3	3·8	53	14	5	1	3	1	8	9	12	.	1	.	3	1	3	.	.	.	3	1	.	5	6	3	.	1	26	2	13	9	4
TOTAL CITY. North and South ...	318,200	18·4	3·3	112	26	8	6	6	4	15	22	25	1	1	.	3	1	10	.	.	.	9	4	5	7	10	4	.	2	55	3	27	16	9
Total Urban Districts	96,800	9·2	1·6	17	1	1	3	.	1	2	2	7	.	.	.	2	.	.	1	.	.	.	3	2	.	1	.	.	.	8	.	6	2	.
Total Registration Area ...	415,000	16·2	2·9	129	27	9	9	6	5	17	24	32	1	1	.	5	1	10	1	.	.	9	7	7	7	11	4	.	2	63	3	33	18	9
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	3	.	1	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	6	2	9	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th June, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH JUNE, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	139	49	6	7	18	25	18	16	1	1	.	5	1	10	1	.	.	9	8	8	4	7	11	4	.	4	65	9
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	13·8	27	5	1	2	4	6	5	4	.	.	.	.	1	1	.	.	.	3	.	2	1	2	1	.	.	1	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	11	2	2	4	8	1	4	1	.	.	2	.	4	.	.	.	2	.	5	1	1	1	.	.	.	15	3
IV.	GENERAL SERVICE CLASS	167,479	18·1	58	32	1	3	8	6	4	4	.	1	.	3	.	5	1	.	.	3	5	1	2	3	4	4	.	3	23	5
V.	INMATES OF WORKHOUSES,	5,602	—	19	1	2	.	2	5	7	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	5	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	—	6	2	1	.	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants	33,249	—	9	3	.	1	3	1	1	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	1	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	9	.	.	1	.	4	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades	28,823	—	6	3	1	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	10. Clothing Trades	20,026	—	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	18	6	1	2	2	5	.	2	1	.	.	1	.	3	.	.	.	.	.	2	.	1	1	.	.	.	9	3
	13. Petty Shopkeepers	6,772	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	7	4	.	.	1	1	1	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	4	1
	15. Domestic Servants	36,041	—	5	2	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	2	1
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	8	5	.	.	1	2	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	2	.	1	2	.
	17. Hawkers, Porters, Labourers, &c.	103,081	—	38	21	1	2	5	3	3	3	.	1	.	.	.	4	1	.	.	2	2	1	1	3	4	2	.	2	15	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	19	1	2	.	2	5	7	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	5	.	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
No. of weeks in Annual Series	11	12	13	14	15	16	17	18	19	20	21	22	23	11	12	13	14	15	16	17	18	19	20	21	22	23
Births registered	215	257	181	256	261	277	270	259	268	267	231	286	260	275	258	297	243	262	283	288	256	253	298	223	262	302
Average Births in corresponding week of previous 10 years	*201*	*220*	*209*	*210*	*211*	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*243*	*202*	*212*	*202*	*202*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*	*208*
Number of Deaths	195	190	185	213	251	227	215	182	164	171	152	149	129	293	284	248	211	229	219	158	168	134	124	122	116	109
Annual Death-rate per 1,000	24·5	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·6	21·7	19·1	18·7	16·2	37·0	35·9	31·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7	15·4	14·6	13·8
Average Deaths in corresponding week of previous 10 years	*200*	*201*	*191*	*198*	*189*	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*172*	*169*	*163*	*165*	*164*	*158*	*152*	*136*	*130*	*136*	*131*	*123*	*117*
Ages — Under one year	45	45	52	52	65	48	42	58	37	44	32	35	27	72	63	64	63	52	53	40	34	32	26	30	14	32
1— 5 years	31	32	23	35	46	48	38	16	24	28	22	18	18	43	43	33	31	29	23	15	12	4	10	8	8	8
5—25 ,,	12	28	18	21	19	19	30	16	23	8	15	13	11	41	26	28	18	27	23	25	26	22	24	14	20	9
25—45 ,,	26	17	20	25	21	31	22	15	13	26	19	13	17	50	46	41	33	37	28	21	23	25	20	24	24	17
45—65 ,,	35	22	27	31	46	35	35	36	21	27	35	32	24	47	59	41	44	40	51	24	37	29	23	26	30	21
65 and upwards	46	46	45	49	54	46	48	41	46	38	29	38	32	40	47	41	22	44	41	33	36	22	21	20	20	22
Deaths from :—																										
Enteric Fever	1	.	.	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	1	.	.	1	2	.
Typhus	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3	11	3	7	15	9	7	4	11	6	7	3	5	3	3	2	1	5	1	1	.	.	1	2	.	.
Scarlet Fever	1	2	1	.	1	.	1	.	.	.	.	1	1	5	2	2	2	1	.	2	2	.	3	2	.	1
Whooping-cough	9	10	10	13	16	9	13	14	10	15	12	11	10	8	6	5	2	6	.	4	2	1	1	.	2	4
Diphtheria	1	.	1	.	1	.	2	1	.	.	2	.	1	1	.	.	1	.	.	2	1	.	2	.	2	.
Dysentery	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2	2	3	5	5	5	4	3	1	2	4	3	.	33	30	33	21	17	13	10	9	8	3	3	1	1
Tuberculosis (Pulmonary	13	17	13	19	21	16	24	9	19	18	14	17	9	17	31	16	10	16	23	22	19	16	21	15	15	12
Tuberculosis (Other Forms	13	6	9	6	4	5	4	8	1	4	8	2	7	5	7	7	1	11	8	3	3	4	9	5	6	2
Cancer	10	4	3	6	11	9	9	8	7	14	8	9	7	4	5	5	5	8	5	10	6	2	7	2	5	4
Diseases of Respiratory System (Pneumonia	26	28	32	27	55	47	36	18	22	18	17	15	7	67	68	53	57	42	38	24	18	15	5	6	3	5
Diseases of Respiratory System (Others	37	29	34	40	35	38	17	24	24	23	20	23	11	51	43	30	36	29	36	15	19	14	10	10	7	8
Diarrhœa & Enteritis, under 2 years	3	.	2	3	2	2	3	9	1	2	6	3	4	6	4	4	1	2	5	3	4	6	6	2	3	1
Diarrhœa, 2 years and upwards	.	.	.	1	1	.	.	1	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	2	.
Violent Deaths,	4	4	4	2	2	6	3	2	3	3	4	.	2	1	3	.	3	6	3	.	2	4	3	4	3	1
Number of Uncertified Deaths	8	3	4	1	4	4	5	4	5	3	1	4	9	3	2	5	1	4	4	.	1	1	3	3	.	1
A Mean Maximum Temperature in degs.	51·2	51·9	49·2	49·2	54·0	54·7	53·3	55·2	58·1	59·0	64·8	61·9	62·0	50·9	51·1	49·5	49·4	50·5	52·3	49·9	55·9	56·2	58·2	64·8	60·9	61·3
B Mean Minimum ,, ,,	37·7	36·8	39·6	37·4	40·7	37·8	37·4	39·4	40·3	45·3	46·9	46·8	41·5	35·0	40·3	40·8	38·0	42·3	36·8	33·3	42·2	40·5	45·0	51·0	49·9	45·8
Mean of A and B ,, ,,	44·4	44·4	44·4	43·3	47·3	46·3	45·3	47·3	49·2	52·1	55·8	54·3	51·7	42·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9	55·4	53·6
Rainfall in inches	0·24	0·80	0·55	0·78	0·94	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·56	0·61	1·03	0·39	0·97	0·70	0·84	1·58	0·79	1·00	0·31	0·31	0·49

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th June, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	14	6·6	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.	49,500	30	15·8	1·1	15	3	1	1	2	5	3	.	.	.	.	.	1	.	.	.	2	1	1	.	1	.	.	.	.	2	.
Do. 3 do.	50,032	40	15·6	1·0	15	4	2	.	2	2	5	.	.	.	.	.	1	.	.	.	.	.	.	3	2	.	.	.	.	.	5	.
Do. 4 do.	32,637	20	20·8	1.6	13	3	2	2	3	2	1	.	.	.	.	.	.	.	.	.	3	.	.	1	1	1	.	.	.	.	4	.
Do. 5 do.	16,112	21	19·4	3·2	6	3	1	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 6 do.	37,293	30	23·8	.	17	6	.	1	3	4	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	8	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.
Do. 9 do.	24,427	13	12·8	.	6	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 10 do.	28,958	26	16·2	1·8	9	5	.	2	.	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	.	.	.	4	.
Do. 11 do.	—	25	—	—	9	.	.	1	1	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Do. 12 do.	—	26	—	—	6	2	1	1	.	1	1	.	.	.	.	1	.	.	.	.	2	.	1	.	.	.	.	.	.	.	2	.
Do. 13 do.	—	9	—	—	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 15 do.	22,669	28	13·8	.	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.
Do. 16 do.	—	17	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	386,947	302	13·8	0·8	109	32	8	9	17	21	22	.	.	.	.	1	4	.	.	1	12	2	4	5	8	1	.	1	1	37	1
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	11	27·1	.	7	1	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2	4	.
Do. 2 do.	10,399	8	15·0	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 4 do.	9,139	3	17·1	5·7	3	.	1	1	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	7	16·7	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	7	4·5	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	13	3·2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	76,673	57	11·6	0·7	17	2	1	1	1	6	6	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.	.	2	2	10	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 10·4 per 1,000 and from certain epidemic diseases 0·5.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th June, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—
,, ,, 1, West, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
,, ,, 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3
,, ,, 3, ...	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
Finglas and Glasnevin (part of)	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	1	2	.	.	.	.	.	.	1	.	.	1	5
,, ,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
,, ,, ,, 3, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	2	5
,, ,, ,, 4, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	1	.	.	.	.	7	6	.	2	.	.	.	.	3	.	.	11	30

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th June, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 12th June.			
	May 22.	May 29.	June 5.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	10	7	8	1	2	.	7
Typhus, ...	8	9	10	.	.	1	9
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	54	52	64	[8	14	1	57
Scarlet Fever, ...	62	50	51	5	14	2	40*
Diphtheria, ...	35	38	49	4	2	1	50
Pneumonia, ...	32	27	28	4	10	1	21

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.2795) Wt. 200. 3. 380. 6. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 24. VOL. LVII.] WEEK ENDING SATURDAY, 19TH JUNE, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House, Dublin, 21st June, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 15·6 and 15·9; Dublin Registration Area, 17·1 and 17·8; Dublin City 17·9 and 19·2; Belfast, 14·1 and 14·5; Cork, 21·1 and 16·3; Londonderry, 15·4 and 14·2; Limerick, 20·3 and 18·6; and Waterford, 5·7 and 13·3.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 112 deaths from all causes for Belfast are one from measles, one from whooping-cough, one from diphtheria and 5 from diarrhœal diseases. The 31 deaths from all causes for Cork include one from whooping-cough and one from diarrhœa and enteritis of a child under 2 years. One of the 13 deaths from all causes for Londonderry was due to measles. Of the 15 deaths from all causes for Limerick there was one from diphtheria. Two of the 4 deaths from all causes for Newry were from influenza and of the 4 deaths from all causes for Wexford one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 254—140 boys and 114 girls—and the deaths to 147—71 males and 76 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·1 per 1,000 of the population. During the twenty-four weeks ending with Saturday last, the death-rate averaged 21·0 and was 2·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-four weeks was 22·7, and for the corresponding period of the preceding ten years 25·0.

Included in the 136 deaths appertaining to the Area, are 7 from whooping-cough, one from diphtheria, 4 from diarrhœa and enteritis of children under 2 years and 2 from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 12, 11, and 10; deaths from diphtheria 2, 0, and 1; deaths from diarrhœa and enteritis of children under 2 years 6, 3, and 4, and deaths from influenza 4, 3, and 0.

There were 20 deaths from pneumonia, comprising 12 from broncho-pneumonia, and 8 from pneumonia (type not distinguished).

Tuberculous disease caused 16 deaths (including 13 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from disseminated tuberculosis, as against 22, 19, and 16 in the three weeks preceding.

Seven deaths were caused by cancer, 10 by organic diseases of the heart, and 11 by bronchitis.

One death (that of a child aged 2 years) was caused by burns, and one was caused by drowning.

Among deaths of infants under one year old, 4 were due to whooping-cough, one to disseminated tuberculosis, one to simple meningitis, 3 to convulsions, one to bronchitis, 4 to broncho-pneumonia, one to pneumonia, 4 to diarrhœa and enteritis, 2 to congenital malformations, 5 to premature birth, and 2 to congenital debility.

Forty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 32 being infants under one year, of whom 13 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 136 deaths recorded, 55 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 12th June, in 96 large English towns (including London in which the rate was 10·0) was equal to an average annual death rate of 10·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 13·3 per 1,000 persons living, the rate for Glasgow being 14·5 and for Edinburgh 11·2.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th June. From this Report it appears that of 91 cases notified, 25 were scarlet fever, 21 diphtheria, 18 chicken pox, 12 pulmonary tuberculosis, 7 other forms of tuberculosis, 3 erysipelas, 2 acute, primary pneumonia, one malaria, and one dysentery, and one enteric fever. Among the 519 cases of infectious diseases in hospital at the close of the week were 222 of pulmonary tuberculosis, 10 other forms of tuberculosis, 112 of scarlet fever, 94 of diphtheria, 39 of venereal disease, 13 of measles, 4 of erysipelas, 2 of chicken-pox, 2 of whooping-cough, one of puerperal fever and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 19th June, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	May 29	1	1	.	.	.	—	8	—	5	1	—	.	—	.	.	.	5	.	.	8	29
	June 5	1	1	.	.	.	—	3	—	5	6	—	.	—	.	.	.	14	.	.	26	56
	June 12	1	.	.	.	.	—	7	—	6	2	—	.	—	.	.	.	3	.	.	11	30
	June 19	4	1	.	.	.	—	4	.	7	2	—	.	—	.	2	.	5	.	.	18	43
Rathmines & Rathgar Urban District	May 29	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
Pembroke Urban District	May 29	.	.	.	.	.	25	.	.	.	1	.	.	—	.	.	.	.	.	.	.	26
	June 5	.	.	.	.	.	11	.	5	.	.	.	.	—	.	.	.	.	.	.	1	17
	June 12	.	.	.	.	.	19	.	3	.	.	.	.	—	.	.	.	.	.	.	.	22
	June 19	.	.	.	.	.	16	.	6	1	.	.	.	—	.	.	.	.	.	.	.	23
Blackrock Urban District	May 29	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
	June 5	.	.	.	.	.	2	.	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	June 12	.	.	.	.	.	14	.	—	2	.	—	.	—	.	.	.	.	.	.	.	16
	June 19	.	.	.	.	.	7	.	—	.	.	—	.	—	.	.	.	.	.	.	.	7
Kingstown Urban District	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	June 5	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
	June 12	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	1	2
City of Belfast	May 29	11	.	.	.	.	—	20	—	1	1	—	.	—	1	6	.	3	1	.	.	44
	June 5	6	.	.	.	.	—	16	—	5	2	—	.	—	.	2	.	2	3	.	1	37
	June 12	5	.	.	.	.	—	15	—	6	.	—	1	—	.	1	.	1	.	.	1	30
	June 19	6	.	.	.	.	—	28	—	5	1	—	1	—	.	.	.	1	.	.	1	43
City of Cork	May 29	1	.	.	.	.	.	.	—	7	1	—	.	.	.	1	.	.	—	.	—	10*a*
	June 5	.	.	.	.	.	.	.	—	6	.	—	.	.	.	.	.	.	—	.	—	6
	June 12	.	.	.	.	.	.	.	—	10	1	—	.	.	.	.	.	.	—	.	—	11*a*
	June 19	.	.	.	.	.	.	.	—	3	.	—	.	.	1	1	.	.	—	.	—	5
City of Londonderry	May 29	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	June 12	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	—	—	3
	June 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 19	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	May 29	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th June, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows : Enteric fever 4 and 11 ; typhus one and 7 ; measles 13 and 43 ; scarlet fever 5 and 37* and diphtheria 10 and 49. Five cases of pneumonia were admitted during the week and 15 remained under treatment at its close. Of the deaths in hospital during the week 4 were from diphtheria and 3 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 19th June, 1920, in the DUBLIN REGISTRATION AREA, and in each of the other districts mentioned as URBAN Districts (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 19TH JUNE, 1920.

TOWNS AND DISTRICTS.		POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS. Total Number	DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 19TH JUNE, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS		1,167,268	20·4	34·0	15·6	1·2	761	349	76	84	.	.	.	2	.	10	3	.	4	46	15	19	38	25	9	2	6	9	126	17	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA		415,000	29·7	31·9	17·1	1·5	254	136	32	36	.	.	.	.	.	7	1	.	2	13	3	7	20	14	4	.	2	1	55	7	(d) 67·7	43·6	65·2	48·6	56·9	0·25
Urban Districts.	CITY OF DUBLIN	318,200	39·0	33·8	17·9	1·8	206	109	26	29	.	.	.	.	.	7	1	.	1	13	2	5	18	12	3	.	2	1	46	6	(e) 67·2	51·1	65·8	54·0	59·9	0·36
	RATHMINES and RATHGAR ...	40,400	23·6	29·7	12·9	1·3	23	10	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.	(f) 67·2	46·4	65·3	51·6	58·4	0·37
	PEMBROKE ...	30,200	19·2	22·4	17·3	.	13	10	2	5	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	.	1	1	.	.	.	.	.	.
	BLACKROCK ...	9,200	8·5	.	11·3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
	KINGSTOWN ...	17,000	11·6	36·8	15·3	.	12	5	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.	65	49	63·4	52·6	58·0	0·43
Urban Districts.	BELFAST	413,000	27·7	34·8	14·1	1·0	276	112	23	24	.	.	.	1	.	1	1	.	.	13	5	10	11	3	3	2	3	6	42	.	70·0	49·4	64·4	52·5	58·4	0·73
	CORK	76,673	28·6	36·7	21·1	1·4	54	31	7	5	.	.	.	.	.	1	.	.	.	11	2	1	1	.	1	.	.	1	8	1	66	51	62·0	54·3	58·2	0·39
	LONDONDERRY ...	44,000	17·1	46·2	15·4	1·2	39	13	4	2	.	.	.	1	.	.	.	.	.	1	.	1	3	.	.	.	.	.	2	1	.	.	.	.	.	.
	LIMERICK	38,518	16·1	23·0	20·3	1·4	17	15	2	5	.	.	.	.	.	.	1	.	.	4	1	.	1	4	.	.	.	.	5	2	.	.	.	.	.	.
	WATERFORD ...	27,464	19·1	30·4	5·7	.	16	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
	GALWAY	13,255	2·5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.			16	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	71	47	70	49	59·5	0·13
	DUNDALK ...	13,128	9·5				10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	LURGAN	12,553	14·7				6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	69·0	48·1	65·0	52·3	58·6	0·25
	DROGHEDA ...	12,501	8·4				3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	LISBURN	12,388	10·9				8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	49	61·4	51·1	56·3	0·78
	NEWRY	11,963	17·0				8	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	69·0	48·1	65·0	52·3	58·6	0·25
	PORTADOWN ...	11,727	15·3				7	7	2	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1	.	69·0	48·1	65·0	52·3	58·6	0·25
	WEXFORD ...	11,531	22·8				5	4	1	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	BALLYMENA ...	11,381	9·3				17	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	SLIGO	11,163	3·8				7	7	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	4	2	70	48	67	50	58·5	0·54
	KILKENNY ...	10,514	11·4				3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	70	43	65·8	50·1	58·0	0·30
	TRALEE	10,300	17·4				9	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.
	CLONMEL ...	10,209	7·8				6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
LONDON		4,358,309	—	—	10·0	—	2,293	839	115	268	1	.	.	15	2	7	15	.	—	77	22	102	54	54	23	2	40	81	431	1	78	46	75·3	50·7	63·0	0·29
EDINBURGH ...		342,300	—	—	11·2	—	157	73	8	29	.	.	.	.	.	.	3	—	.	—	—	—	—	—	.	—	2	—	—	—	76·6	47·0	67·9	49·1	58·5	0·24
GLASGOW		1,115,500	—	—	14·5	—	658	309g	72	94	.	.	1	11	.	1	2	—	—	—	—	—	—	—	8	—	10	—	—	—	74·9	50·8	70·6	52·7	61·7	0·51

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 24th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 19th June, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	140·2	147	13	19	7	11	3	1	3	6	9	10	8	19	20	18	136
Enteric Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·2	7	.	4	1	2	.	.	.	.	.	.	.	.	.	.	7
Diphtheria	·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·6	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Dysentery	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	21·2	13	.	.	.	.	.	.	1	2	4	3	2	.	1	.	13
Tuberculous Meningitis	2·2	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Venereal Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·0	7	.	.	.	.	.	.	.	.	.	.	1	1	4	1	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·8	3	.	.	1	.	.	.	.	.	.	1	.	.	1	.	3
Alcoholism	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	2·0	3	.	1	.	.	.	.	1	.	.	.	1	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·8	4	.	.	.	.	.	.	.	.	.	.	1	.	.	3	4
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·8	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·0	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·4	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	13·2	10	.	.	.	.	.	.	.	.	.	1	1	3	1	4	10
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·6	11	.	1	.	.	.	.	.	.	.	.	.	4	3	3	11
Broncho-pneumonia	4·0	12	.	4	4	3	.	1	.	.	.	.	.	.	.	.	12
Lobar pneumonia	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	3·2	9	.	1	1	2	.	.	.	1	1	1	1	1	.	.	8
Pleurisy	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1
Other Diseases of Respiratory System.	·4	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	2

registered in the TWENTY-FOURTH WEEK, ending Saturday, 19th June, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 24th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 19th June, 1920.																
		Ages at Death.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·2	3	.	1	.	1	.	.	.	.	.	.	.	1	.	.	3
Diarrhœa and Enteritis of Children under 2 years.	3·2	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·4	4	.	.	.	.	.	.	.	.	.	1	1	1	1	.	3
Cirrhosis of Liver ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Peritonitis (cause unknown).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Chronic Bright's Disease	4·0	5	.	.	.	.	.	.	.	.	.	1	.	2	2	.	4
Urinary Calculi ..	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Genito-urinary System.	·8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Puerperal Septicæmia, &c.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·8	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Diseases of Locomotor System.	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Congenital Malformations.	1·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Premature Birth ..	5·0	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility ..	2·8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	6·0	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
Other Specified Diseases	2·4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Drowning	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

TABLE IV.—Showing for the WEEK ENDED 19TH JUNE, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 19TH JUNE, 1920.																																		
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																																
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																							In Institutions.		
													Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
																						Pulmonary.	Other Forms.		Pneumonia.	Other.									
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)		
North City.																																				
NORTH CITY, No. 1, E.	30,700	25·5	5·1	15	4	.	3	1	.	2	2	3	.	.	.	.	.	2	.	.	.	1	.	.	5	1	1	.	1	4	.	4	1	.		
,, 1, W.	42,100	23·5	1·2	19	5	2	2	.	2	2	2	4	.	.	.	.	.	1	.	.	.	4	1	1	3	.	.	.	.	9	.	4	2	.		
,, 2	28,200	14·8	.	8	3	.	2	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	4	.	2	1	1		
,, 3	35,000	23·3	4·4	16	3	.	.	2	.	2	5	4	.	.	.	.	.	2	1	.	.	2	.	.	2	2	.	.	.	7	.	5	5	.		
CLONTARF AND HOWTH, No. 1, part of	5,600	27·9	.	3	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	1	2	.	.		
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	.	3	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	.		
FINGLAS AND GLASNEVIN, part of ...	11,400	22·9	9·1	5	2	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.	.	1	.	1	.	3		
South City.																																				
SOUTH CITY, No. 1	44,100	13·0	1·2	11	2	.	1	.	.	2	.	6	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	.	7	.	1	3	.		
,, 2	18,600	8·4	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	1	1		
,, 3	44,400	20·0	1·2	17	4	2	1	.	2	2	2	4	.	.	.	.	.	1	.	.	.	3	1	2	2	2	.	.	.	6	.	5	4	1		
,, 4	33,600	9·3	.	6	1	.	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	.	3	1	.		
NEW KILMAINHAM	10,600	14·8	.	3	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.		
Urban Districts.																																				
RATHMINES AND RATHGAR	40,400	12·9	1·3	10	1	.	.	.	1	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	8	.	4	.	.		
PEMBROKE	30,200	17·3	.	10	2	1	.	.	.	.	2	5	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	.	5	.	1	.	1		
BLACKROCK	9,200	11·3	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.		
KINGSTOWN	17,000	15·3	.	5	3	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.	2	2	.		
TOTAL CITY. North	166,900	21·6	2·8	69	17	4	7	4	2	9	11	15	.	.	.	.	.	5	1	.	1	8	1	1	14	6	3	.	2	27	1	19	9	4		
TOTAL CITY. South	151,300	13·8	0·7	40	9	2	3	.	2	6	4	14	.	.	.	.	.	2	.	.	.	5	1	4	4	6	.	.	.	18	.	9	9	2		
TOTAL CITY. North and South ...	318,200	17·9	1·8	109	26	6	10	4	4	15	15	29	.	.	.	.	.	7	1	.	1	13	2	5	18	12	3	.	2	45	1	28	18	6		
Total Urban Districts	96,800	14·5	0·5	27	6	1	.	.	2	4	7	7	.	.	.	.	.	.	.	.	1	.	1	2	2	2	1	.	.	18	.	7	2	1		
Total Registration Area ...	415,000	17·1	1·5	136	32	7	10	4	6	19	22	36	.	.	.	.	.	7	1	.	2	13	3	7	20	14	4	.	2	63	1	35	20	7		
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	.	.	1	.	3	.	5	2	.	.	.	.	.	.	1	.	.	.	.	.	1	3	.	.	.	6	.	10	.	.		

* See note*(†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th June, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH JUNE, 1920.																													
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	147	50	4	9	19	27	20	18	.	.	.	.	.	7	2	.	2	13	3	7	3	21	17	4	.	2	66	7
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	18·4	36	6	.	3	5	12	7	3	.	.	.	.	.	.	1	.	1	4	.	3	.	2	4	1	.	1	19	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·8	35	13	2	2	4	5	4	5	.	.	.	.	.	.	.	.	.	4	.	3	.	2	4	1	.	1	19	2
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	25	1	3	10	6	2	6	.	.	.	.	.	2	1	.	.	3	.	2	1	4	3	3	.	1	15	4
																	5			1	5	1	1	2	15	4	.	.	.	19	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	6	1	1	.	3	5	4	.	.	.	.	.	.	.	.	.	1	2	.	.	.	6	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	7	2	.	.	1	2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	.	3	.
	6. Clerks and Commercial Assistants ..	33,249	—	14	2	.	3	2	4	2	1	.	.	.	.	.	.	.	.	1	3	.	1	.	.	1	.	.	.	8	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	14	2	.	.	2	5	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	2	1	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades ..	28,823	—	6	1	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
	10. Clothing Trades	20,026	—	3	1	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	22	9	2	2	1	2	4	2	.	.	.	.	.	1	1	.	.	1	.	1	1	2	3	2	.	1	9	4
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	8	6	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	2	.	.	.	2	.
	15. Domestic Servants	36,041	—	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	33	16	1	2	5	3	.	6	.	.	.	.	.	4	.	.	.	3	1	1	2	7	1	.	.	.	14	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	20	6	1	1	.	3	5	4	.	.	.	.	.	.	.	.	.	1	2	.	.	.	6	.	.	.	11	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.
No. of weeks in Annual Series ..	12	13	14	15	16	17	18	19	20	21	22	23	24	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered	257	181	256	261	277	270	259	268	267	231	286	260	254	258	297	243	262	283	288	256	253	298	223	262	302	276
Average Births in corresponding week of previous 10 years	*220*	*209*	*210*	*211*	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*212*	*202*	*202*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*	*208*	*208*
Number of Deaths	190	185	213	251	227	215	182	164	171	152	149	129	136	284	248	211	229	219	158	168	134	124	122	116	109	112
Annual Death-rate per 1,000 ..	23·9	23·2	26·8	31·5	28·5	27·0	22·9	20·6	21·5	19·1	18·7	16·2	17·1	35·9	31·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7	15·4	14·6	13·8	14·1
Average Deaths in corresponding week of previous 10 years	*204*	*191*	*198*	*189*	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*169*	*163*	*165*	*164*	*158*	*152*	*136*	*130*	*136*	*131*	*123*	*117*	*123*
Ages .. Under one year ..	45	52	52	65	48	42	58	37	44	32	35	27	32	63	64	63	52	53	40	34	32	26	30	14	32	23
1— 5 years ..	32	23	35	46	48	38	16	24	28	22	18	18	17	43	33	31	29	23	15	12	4	10	8	8	8	7
5—25 ,, ..	28	18	21	19	19	30	16	23	8	15	13	11	10	26	28	18	27	23	25	26	22	24	14	20	9	17
25—45 ,, ..	17	20	25	21	31	22	15	13	26	19	13	17	19	46	41	33	37	28	21	23	25	20	24	24	17	14
45—65 ,, ..	22	27	31	46	35	35	36	21	27	35	32	24	22	59	41	44	40	51	24	37	29	23	26	30	21	27
65 and upwards ..	46	45	49	54	46	48	41	46	38	29	38	32	36	47	41	22	44	41	33	36	22	21	20	20	22	24
Deaths from :—																										
Enteric Fever	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.
Typhus	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	11	3	7	15	9	7	4	11	6	7	3	5	.	3	2	1	5	1	1	.	.	1	2	.	.	1
Scarlet Fever	2	1	.	1	.	1	.	.	.	.	1	1	.	2	2	2	1	.	2	2	.	3	2	.	1	.
Whooping-cough	10	10	13	16	9	13	14	10	15	12	11	10	7	6	5	2	6	.	4	2	1	1	.	2	4	1
Diphtheria	.	1	.	1	.	2	1	.	.	2	.	1	1	.	.	1	.	.	2	1	.	2	.	2	.	1
Dysentery	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2	3	5	5	5	4	3	1	2	4	3	.	2	30	33	21	17	13	10	9	8	3	3	1	1	.
Tuberculosis (Pulmonary ..	17	13	19	21	16	24	9	19	18	14	17	9	13	31	16	10	16	23	22	19	16	21	15	15	12	13
Tuberculosis (Other Forms ..	6	9	6	4	5	4	8	1	4	8	2	7	3	7	7	1	11	8	3	3	4	9	5	6	2	5
Cancer	4	3	6	11	9	9	8	7	14	8	9	7	7	5	5	5	8	5	10	6	2	7	2	5	4	10
Diseases of Respiratory System (Pneumonia ..	28	32	27	55	47	36	18	22	18	17	15	7	20	68	53	57	42	38	24	18	15	5	6	3	5	11
Diseases of Respiratory System (Others ..	29	34	40	35	38	17	24	24	23	20	23	11	14	43	30	36	29	36	15	19	14	10	10	7	8	3
Diarrhœa & Enteritis, under 2 years	.	2	3	2	2	3	9	1	2	6	3	4	4	4	4	1	2	5	3	4	6	6	2	3	1	3
Diarrhœa, 2 years and upwards ..	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	2	.	2
Violent Deaths, ...	4	4	2	2	6	3	2	3	3	4	.	2	2	3	.	3	6	3	.	2	4	3	4	3	1	3
Number of Uncertified Deaths ..	3	4	1	4	4	5	4	5	3	1	4	9	7	2	5	1	4	4	.	1	1	3	3	.	1	.
A Mean Maximum Temperature in degs.	51·9	49·2	49·2	54·0	54·7	53·3	55·2	58·1	59·0	64·8	61·9	62·0	65·2	51·1	49·5	49·4	50·5	52·3	49·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4
B Mean Minimum ,, ,,	36·8	39·6	37·4	40·7	37·8	37·4	39·4	40·3	45·3	46·9	46·8	41·5	48·6	40·3	40·8	38·0	42·3	36·8	33·3	42·2	40·5	45·0	51·0	49·9	45·8	52·5
Mean of A and B ,, ,,	44·4	44·4	43·3	47·3	46·3	45·3	47·3	49·2	52·1	55·8	54·3	51·7	56·9	45·7	45·2	43·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9	55·4	53·6	58·4
Rainfall in inches	0·80	0·55	0·78	0·94	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·61	1·03	0·39	0·97	0·70	0·84	1·58	0·79	1·00	0·31	0·31	0·49	0·73

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th June, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	19	9·9	3·3	3	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	29	11·6	2·1	11	5	.	1	.	2	3	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Do. 3 do.	50,032	31	14·6	.	14	2	.	1	1	5	5	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.	2	6	.
Do. 4 do.	32,637	22	19·2	.	12	4	.	.	2	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	9	.
Do. 5 do.	16,112	13	19·4	3·2	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	1	2	.
Do. 6 do.	37,293	28	25·2	1·4	18	1	1	4	5	4	3	.	.	.	.	.	.	1	.	.	2	1	1	4	.	.	.	2	2	9	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	5	8.7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 9 do.	24,427	25	21·3	.	10	.	.	1	1	5	3	.	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	6	.
Do. 10 do.	28,958	15	10·8	1·8	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Do. 11 do.	—	24	—	—	6	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	2	.
Do. 12 do.	—	27	—	—	6	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	1	.
Do. 13 do.	—	12	—	—	9	3	.	1	2	3	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	1	.	.	1	.
Do. 14 do.	175	..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	17	16·1	.	7	3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	2	.
Do. 16 do.	—	9	—	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	386,947	276	14·1	1·0	112	23	7	17	14	27	24	.	.	.	1	.	1	1	.	.	13	5	10	11	3	3	2	3	6	42	.
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	7	23·3	3·9	6	1	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.
Do. 2 do.	10,399	10	5·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 3 do.	9,793	6	37·3	5·3	7	1	2	2	1	.	1	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	1	1
Do. 4 do.	9,139	12	22·8	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.
Do. 5 do.	6,250	4	58·4	.	7	4	.	1	.	.	2	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	3	.
Do. 6 do.	11,581	7	13·5	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	8	9·7	.	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Total,	76,673	54	21·1	1·4	31	7	4	7	7	1	5	.	.	.	.	.	1	.	.	.	11	2	1	1	.	1	.	.	1	8	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 11·9 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th June, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	3
„ „ 1, West, ..	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	8
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	5
„ „ 3, ...	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—
South City No. 1, ...	.	.	.	.	.	3	2	.	.	.	.	.	.	1	.	.	3	9
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 3, ...	.	.	.	.	.	1	1	.	1	.	.	2	.	1	.	.	2	8
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	4	1	.	.	.	4	7	.	2	.	.	2	.	5	.	.	18	43

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th June, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 19th June.			
	May 29.	June 5.	June 12	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	8	7	4	.	.	11
Typhus, ...	9	10	9	1	3	.	7
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	52	64	57	13	27	.	43
Scarlet Fever, ...	50	51	40	5	8	.	37*
Diphtheria, ...	38	49	50	10	7	4	49
Pneumonia, ...	27	28	21	5	8	3	15

* Exclusive of 16 patients in "Bencavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.2852) Wt. 200. 3. 380. 6. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 25. VOL. LVII.] WEEK ENDING SATURDAY, 26TH JUNE, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 28th June, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 14·3 and 4; Dublin Registration Area, 14·6 and 16·6; Dublin City 15·2 and 18·1; Belfast, 13·8 and 14·1; Cork, 12·9 and 15·5; Londonderry, 3·6 and 11·6; Limerick, 12·2 and 18·3; and Waterford, 19·0 and 14·7.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·0 per 1,000. Among the 109 deaths from all causes for Belfast are one from scarlet fever, 2 from whooping-cough, one from diphtheria and one from diarrhœa and enteritis of a child under 2 years. The 10 deaths from all causes for Waterford include 2 from diarrhœa and enteritis of children under 2 years. One of the 5 deaths recorded for Drogheda was due to whooping-cough. Of the 7 deaths from all causes for Newry one was from measles and one from whooping-cough. One of the 3 deaths from all causes for Wexford was from whooping-cough, and of the 7 deaths from all causes for Ballymena 2 are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 265—134 boys and 131 girls—and the deaths to 132—63 males and 69 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·6 per 1,000 of the population. During the twenty-five weeks ending with Saturday last, the death-rate averaged 20·8 and was 2·3 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-five weeks was 22·4, and for the corresponding period of the preceding ten years 24·7.

Included in the 116 deaths appertaining to the Area are one from enteric fever, one from measles, 4 from whooping-cough, one from diphtheria, 2 from diarrhœa and enteritis of children under 2 years and one from influenza.

In the 3 preceding weeks, deaths from enteric fever were 0, one and 0; deaths from measles were 3, 5 and 0; deaths from whooping-cough were 11, 10, and 7; deaths from diphtheria 0, one, and one; deaths from diarrhœa and enteritis of children under 2 years 3, 4, and 4, and deaths from influenza 3, 0, and 2.

There were 12 deaths from pneumonia, comprising 6 from broncho-pneumonia, one from lobar pneumonia and 5 from pneumonia (type not distinguished).

Tuberculous disease caused 16 deaths (including 12 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from other forms of tuberculous disease, as against 19, 16, and 16 in the three weeks preceding.

Two deaths were caused by cancer, 11 by organic diseases of the heart and 7 by bronchitis.

There were five accidental deaths, 2 being of children under 5 years of age, from burns.

Among deaths of infants under one year old, 2 were due to whooping-cough, one to pulmonary tuberculosis, one to venereal disease, 3 to convulsions, 2 to broncho-pneumonia, one to pulmonary congestion, 2 to diarrhœa and enteritis, one to congenital malformations, 8 to premature birth, and 4 to congenital debility.

Forty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 26 being infants under one year, of whom 14 were under one month old, and 23 deaths were those of persons aged 65 and upwards, of whom 19 were 70 years of age or over.

Of the 116 deaths recorded, 52 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 26th June, in 96 large English towns (including London in which the rate was 10·3) was equal to an average annual death rate of 10·1 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·5 per 1,000 persons living, the rate for Glasgow being 12·5 and for Edinburgh 11·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th June. From this Report it appears that of 98 cases notified, 30 were scarlet fever, 19 diphtheria, 15 chicken-pox, 13 pulmonary tuberculosis, 8 other forms of tuberculosis, 4 erysipelas, 4 acute primary pneumonia, 3 malaria, one cerebro-spinal fever, and one enteric fever. Among the 505 cases of infectious diseases in hospital at the close of the week were 213 of pulmonary tuberculosis, 8 other forms of tuberculosis, 116 of scarlet fever, 92 of diphtheria, 38 of venereal disease, 17 of measles, 3 of erysipelas, 3 of whooping-cough, 2 of enteric fever, one of puerperal fever, one of cerebro-spinal fever, and one of chicken-pox.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th June, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 5	1	1	.	.	.	—	3	—	5	6	—	.	—	.	.	.	14	.	.	26	56
	June 12	1	.	.	.	.	—	7	—	6	2	—	.	—	.	.	.	3	.	.	11	30
	June 19	4	1	.	.	.	—	4	—	7	2	—	.	—	.	2	.	5	.	.	18	43
	June 26	3	.	.	.	.	—	3	—	3	.	—	.	—	.	.	.	6	.	.	.	15
Rathmines & Rathgar Urban District	June 5	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	June 5	.	.	.	.	.	11	.	5	.	.	.	.	—	.	.	.	.	.	.	1	17
	June 12	.	.	.	.	.	19	.	3	.	.	.	.	—	.	.	.	.	.	.	.	22
	June 19	.	.	.	.	.	16	.	6	1	.	.	.	—	.	.	.	.	.	.	.	23
	June 26	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
Blackrock Urban District	June 5	.	.	.	.	.	2	.	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	June 12	.	.	.	.	.	14	.	—	2	.	—	.	—	.	.	.	.	.	.	.	16
	June 19	.	.	.	.	.	7	.	—	.	.	—	.	—	.	.	.	.	.	.	.	7
	June 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	June 5	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
	June 12	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	1	2
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	June 5	6	.	.	.	.	—	16	—	5	2	—	.	—	.	2	.	2	3	.	1	37
	June 12	5	.	.	.	.	—	15	—	6	.	—	1	—	.	1	.	1	.	.	1	30
	June 19	6	.	.	.	.	—	28	—	5	1	—	1	—	.	.	.	1	.	.	1	43
	June 26	6	.	.	.	.	—	30	—	3	3	—	1	—	.	2	.	.	1	.	.	46
City of Cork	June 5	.	.	.	.	.	.	.	—	6	.	—	.	.	.	.	.	.	—	.	—	6
	June 12	.	.	.	.	.	.	.	—	10	1	—	.	.	.	.	.	.	—	.	—	11*a*
	June 19	.	.	.	.	.	.	.	—	3	.	—	.	.	1	1	.	.	—	.	—	5
	June 26	.	.	.	.	.	.	1	—	5	.	—	.	.	.	.	.	.	—	.	—	6
City of Londonderry	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	June 12	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	—	—	3
	June 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	June 26	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
City of Limerick	June 5	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 19	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 26	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	June 5	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	—	—	2	5
	June 12	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	—	—	.	3
	June 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th June, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 2 and 11; typhus nil and 6; measles 5 and 25; scarlet fever 9 and 36* and diphtheria 8 and 50. Eight cases of pneumonia were admitted during the week and 19 remained under treatment at its close. Of the deaths in hospital during the week one was from each of enteric fever, measles and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th June, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 26TH JUNE, 1920.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births	Deaths: From all Causes.	Deaths: From certain Epidemic Diseases. (b)	Numbers Registered: Births. Total Number.	Deaths. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 65 years and upwards.	Deaths caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	Meteorology. (c) Week ending 26th June, 1920. Air Temperature: Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	27·8	14·3	1·0	622	320	62	71	1	.	.	2	1	9	2	.	1	34	11	14	21	26	8	1	13	10	110	11	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,600	29·7	33·3	14·6	1·1	265	116	26	23	1	.	.	1	.	4	1	.	1	12	4	2	12	8	2	.	5	3	52	3	(d) 68·0	49·0	63·7	51·3	57·5	0·34
Urban Districts: CITY OF DUBLIN	318,200	39·0	37·0	15·2	1·3	226	93	22	16	1	.	.	1	.	4	1	.	1	10	4	2	12	5	1	.	4	3	46	3	(e) 69	52	—	—	—	0·28
Urban Districts: RATHMINES and RATHGAR ...	40,400	23·6	16·8	10·3	1·3	13	8	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	3	.	(f) 69·0	51·0	64·7	53·1	58·9	0·26
Urban Districts: PEMBROKE ...	30,200	19·2	32·8	13·8	.	19	8	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.
Urban Districts: BLACKROCK ...	9,200	8·5	5·7	17·0	.	1	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: KINGSTOWN ...	17,000	11·6	18·4	12·3	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	51	66·6	53·6	60·1	0·06
Urban Districts: BELFAST	413,000	27·7	27·0	13·8	0·6	214	109	20	24	.	.	.	.	1	2	1	.	.	11	3	9	5	8	1	.	3	4	31	1	71·5	49·6	65·8	51·4	58·6	0·12
Urban Districts: CORK	76,673	28·6	27·9	12·9	0·7	41	19	.	7	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1	.	1	1	9	.	65	51	61·6	54·0	57·8	0·47
Urban Districts: LONDONDERRY ...	44,000	17·1	2·4	3·6	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: LIMERICK	38,518	16·1	19·0	12·2	.	14	9	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	4	2	.	.	.	.	.	.
Urban Districts: WATERFORD ...	27,464	19·1	34·2	19·0	3·8	18	10	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	1	1	1	.	.	.	.	.	.
Urban Districts: GALWAY	13,255	2·5				3	8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3	1	3	1	68	49	65·5	52	58·8	0·16
Urban Districts: DUNDALK ...	13,128	9·5				8	5	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.
Urban Districts: LURGAN	12,553	14·7				5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	67·1	49·0	64·4	50·7	57·5	0·27
Urban Districts: DROGHEDA ...	12,501	8·4				5	5	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Urban Districts: LISBURN	12,388	10·9				6	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	68	46	64·7	49·1	56·9	0·23
Urban Districts: NEWRY	11,963	17·0				5	7	1	3	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	3	.	67·1	49·0	64·4	50·7	57·5	0·27
Urban Districts: PORTADOWN ...	11,727	15·3				12	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1	67·1	49·0	64·4	50·7	57·5	0·27
Urban Districts: WEXFORD ...	11,531	22·8				5	3	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: BALLYMENA ...	11,381	9·3				1	7	4	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: SLIGO	11,163	3·8				7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	65·0	48·0	63·0	51·0	57·0	0·35
Urban Districts: KILKENNY ...	10,514	11·4				2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	66	41	64·8	50·7	57·7	0·24
Urban Districts: TRALEE	10,300	17·4				2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: CLONMEL ...	10,209	7·8				7	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·3	—	2,406	884	131	260	.	.	.	7	.	11	13	—	—	105	16	92	40	53	15	5	50	88	438	1	.	.	.	.	.	.
EDINBURGH ...	312,300	—	—	11·3	—	153	74	10	24	.	.	.	.	.	1	3	—	2	—	—	—	—	—	.	—	1	—	—	—	66·0	48·0	62·6	50·4	56·5	0·03
GLASGOW	1,115,500	—	—	12·5	—	646	266	54	55	1	.	5	5	1	3	2	—	5	—	—	—	—	—	15	—	13	—	—	—	69·6	49·1	61·5	51·8	56·7	0·12

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 25th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 26th June, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	137·2	132	15	12	5	11	2	6	6	2	11	10	12	15	16	9	116	
Enteric Fever	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles	1·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Scarlet Fever	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
Whooping-cough	1·0	4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	4	
Diphtheria	·6	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																		
Pulmonary Tuberculosis	25·8	14	.	1	.	.	.	.	4	1	3	1	2	2	.	.	12	
Tuberculous Meningitis	4·2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	
Abdominal Tuberculosis	2·4	2	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Diseases	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Cancer	7·8	4	.	.	.	.	.	.	.	.	.	.	1	.	2	1	2	
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Anæmia, Leucocythæmia.	1·2	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	3	
Other General Diseases	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Alcoholism	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Chronic Poisonings	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis	1·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	
Cerebral Hæmorrhage, Apoplexy.	4·6	5	.	.	.	.	.	.	.	.	1	.	1	1	2	.	5	
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paralysis, without specified cause.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal).	2·0	5	3	1	.	.	.	1	.	.	.	.	.	.	.	.	4	
Other Diseases of Nervous System.	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Organic Diseases of the Heart.	12·2	11	.	.	.	.	.	.	.	.	1	3	.	2	4	1	11	
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Circulatory System.	1·4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis	9·2	7	.	.	.	2	.	.	.	.	.	1	.	1	2	1	7	
Broncho-pneumonia	2·8	7	.	2	1	2	.	.	.	.	.	1	.	.	1	.	6	
Lobar pneumonia	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Pneumonia (type not distinguished).	5·4	5	.	.	1	.	.	.	.	.	.	1	1	2	.	.	5	
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other Diseases of Respiratory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	

registered in the TWENTY-FIFTH WEEK, ending Saturday, 26th June, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 25th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 26th June, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	2·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·4	5	.	.	1	.	.	.	.	.	1	.	.	2	1	.	.	4
Cirrhosis of Liver ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Acute Nephritis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	5·6	6	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·2	8	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
Congenital Debility ..	2·6	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Old Age	3·2	6	.	.	.	.	.	.	.	.	.	.	.	.	2	4	.	6
Other Specified Diseases	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Drowning	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other Violent Deaths ..		3	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	2
Not included in above—																		
Homicide	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Suicide	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	1·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 26TH JUNE, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 26TH JUNE, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
North City, No. 1, E.	30,700	18·7	3·4	11	2	2	2	1	1	1	2	.	.	.	.	.	.	2	.	.	.	2	1	1	2	.	.	.	.	3	.	3	1	.
,, 1, W.	42,100	21·1	3·7	17	4	.	.	1	2	3	3	4	1	.	.	.	.	1	.	.	.	2	1	.	1	1	1	.	1	8	1	7	.	1
,, 2	28,200	18·5	·	10	1	.	2	.	.	2	4	1	.	.	.	.	.	.	.	.	1	.	.	.	2	3	.	.	.	4	.	2	2	1
,, 3	35,000	14·6	.	10	1	.	.	1	.	3	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	9	.	5	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	7·5	·	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	·	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	16·6	1·2	14	4	1	1	1	1	3	2	1	.	.	.	1	.	.	.	.	.	2	.	.	3	.	.	.	1	7	1	5	2	.
,, 2	18,600	11·2	·	4	1	.	.	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	3	.	3	1	1
,, 3	44,400	15·3	1·2	13	5	1	.	.	1	.	1	5	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	9	.	6	2	.
,, 4	33,600	9·3	1·6	6	3	.	.	.	1	.	1	1	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.	.	.	1	.	.	1	.
NEW KILMAINHAM	10,600	19·7	.	4	1	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	2	1	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	10·3	1.3	8	1	.	1	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	5	.	3	.	.
PEMBROKE	30,200	13·8	·	8	2	.	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	5	.	3	.	.
BLACKROCK	9,200	17·0	.	3	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.
KINGSTOWN	17,000	12·3	.	4	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
TOTAL CITY, North	166,900	16·2	1·6	52	8	2	5	3	3	11	11	9	1	.	.	.	.	3	.	.	1	4	2	1	7	4	1	.	2	26	1	19	4	2
TOTAL CITY, South	151,300	14·1	1·0	41	14	3	2	3	3	3	6	7	.	.	.	1	.	1	1	.	.	6	2	1	5	1	.	.	2	21	2	16	7	1
TOTAL CITY, North and South ...	318,200	15·2	1·3	93	22	5	7	6	6	14	17	16	1	.	.	1	.	4	1	.	1	10	4	2	12	5	1	.	4	47	3	35	11	3
Total Urban Districts	96,800	12·4	0·5	23	4	.	3	.	.	2	7	7	.	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	1	16	.	6	.	.
Total Registration Area ...	415,000	14·6	1·1	116	26	5	10	6	6	16	24	23	1	.	.	1	.	4	1	.	1	12	4	2	12	8	2	.	5	63	3	41	11	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	1	.	1	2	2	5	3	2	.	.	.	.	1	.	2	.	.	2	1	2	1	1	.	.	3	3	3	16	.	.

* See note (†) at foot of first page.

TABLE V.—showing in TWENTY-ONE CLASSES AND EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the week ending Saturday, 26th June, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Registration of Deaths, week ending Saturday, 26th June, 1920. Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	132	43	8	8	21	27	16	9	1	.	.	1	1	4	3	.	1	14	5	4	5	13	9	2	.	8	61	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	Professional and Independent Class.	14,658	32·0	9	.	.	.	1	3	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	7	.
II.	Middle Class	101,798	15·9	31	6	3	3	5	8	3	3	1	.	.	1	1	.	2	.	.	4	.	.	1	5	1	.	.	2	13	1
III.	Artisan Class and Petty Shopkeepers,	108,420	13·9	29	12	4	1	5	5	2	.	.	.	.	.	.	2	1	.	1	3	2	.	1	.	2	1	.	4	12	1
IV.	General Service Class	167,479	16·2	52	22	1	4	8	8	7	2	.	.	.	.	.	2	.	.	.	5	3	4	3	6	3	1	.	2	23	1
V.	Inmates of Workhouses, ...	5,602	—	11	3	.	.	2	3	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.	6	.
I.	Professional and Independent Class.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	7	.	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	Middle Class.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	14	2	3	.	3	4	2	.	1	.	.	.	.	.	2	.	.	1	.	.	1	4	1	.	.	.	4	.
	6. Clerks and Commercial Assistants ..	33,249	—	6	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	10	2	.	2	1	2	1	2	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	6	1
III.	Artisan Class and Petty Shopkeepers.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	6	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	3	.
	9. Building and Furnishing Trades ..	28,823	—	8	6	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	1	4	.
	10. Clothing Trades	20,026	—	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	10	3	1	1	.	3	2	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	1	.	2	3	1
	13. Petty Shopkeepers	6,772	—	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
IV.	General Service Class.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	2	.
	15. Domestic Servants	36,041	—	4	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	39	17	1	3	4	6	6	2	.	.	.	.	.	1	.	.	.	4	3	3	3	3	2	1	.	1	18	1
V.	Inmates of Workhouses.																														
	18. Workhouse Inmates	5,602	—	11	3	.	.	2	3	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.	6	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.
No. of weeks in Annual Series ..	13	14	15	16	17	18	19	20	21	22	23	24	25	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered	181	256	261	277	270	259	268	267	231	286	260	254	265	297	243	262	283	288	256	253	298	223	262	392	276	214
Average Births in corresponding week of previous 10 years	*209*	*210*	*211*	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*202*	*202*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*	*208*	*208*	*200*
Number of Deaths	185	213	251	227	215	182	164	171	152	149	129	136	116	248	211	229	219	158	168	134	124	122	116	109	112	109
Annual Death-rate per 1,000 ..	23·2	26·8	31·5	28·5	27·0	22·9	20·6	21·5	19·1	18·7	16·2	17·1	14·6	31·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7	15·4	14·6	13·8	14·1	13·8
Average Deaths in corresponding week of previous 10 years	*191*	*198*	*189*	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*163*	*165*	*164*	*158*	*152*	*136*	*130*	*136*	*131*	*123*	*117*	*123*	*118*
Ages .. Under one year ..	52	52	65	48	42	58	37	44	32	35	27	32	26	64	63	52	53	40	34	32	26	30	14	32	23	20
1— 5 years ..	23	35	46	48	38	16	24	28	22	18	18	17	15	33	31	29	23	15	12	4	10	8	8	8	7	5
5—25 ,, ..	18	21	19	19	30	16	23	8	15	13	11	10	12	28	18	27	23	25	26	22	24	14	20	9	17	9
25—45 ,, ..	20	25	21	31	22	15	13	26	19	13	17	19	16	41	33	37	28	21	23	25	20	24	24	17	14	19
45—65 ,, ..	27	31	46	35	35	36	21	27	35	32	24	22	24	41	44	40	51	24	37	29	23	26	30	21	27	32
65 and upwards ..	45	49	54	46	48	41	46	38	29	38	32	36	23	41	22	44	41	33	36	22	21	20	20	22	24	24
Deaths from :—																										
Enteric Fever	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.
Typhus	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3	7	15	9	7	4	11	6	7	3	5	.	1	2	1	5	1	1	.	.	1	2	.	.	1	.
Scarlet Fever	1	.	1	.	1	.	.	.	.	1	1	.	.	2	2	1	.	2	2	.	3	2	.	1	.	1
Whooping-cough	10	13	16	9	13	14	10	15	12	11	10	7	4	5	2	6	.	4	2	1	1	.	2	4	1	2
Diphtheria	1	.	1	.	2	1	.	.	2	.	1	1	1	.	1	.	.	2	1	.	2	.	2	.	1	1
Dysentery	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3	5	5	5	4	3	1	2	4	3	.	2	1	33	21	17	13	10	9	8	3	3	1	1	.	.
Tuberculosis {Pulmonary ..	13	19	21	16	24	9	19	18	14	17	9	13	12	16	10	16	23	22	19	16	21	15	15	12	13	11
Tuberculosis {Other Forms ..	9	6	4	5	4	8	1	4	8	2	7	3	4	7	1	11	8	3	3	4	9	5	6	2	5	3
Cancer	3	6	11	9	9	8	7	14	8	9	7	7	2	5	5	8	5	10	6	2	7	2	5	4	10	9
Diseases of Respi- {Pneumonia ..	32	27	55	47	36	18	22	18	17	15	7	20	12	53	57	42	38	24	18	15	5	6	3	5	11	5
ratory System {Others ..	34	40	35	38	17	24	24	23	20	23	11	14	8	30	36	29	36	15	19	14	10	10	7	8	3	8
Diarrhœa & Enteritis, under 2 years	2	3	2	2	3	9	1	2	6	3	4	4	2	4	1	2	5	3	4	6	6	2	3	1	3	1
Diarrhœa, 2 years and upwards ..	.	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	2	.	2	.
Violent Deaths, ...	4	2	2	6	3	2	3	3	4	.	2	2	5	.	3	6	3	.	2	4	3	4	3	1	3	3
Number of Uncertified Deaths ..	4	1	4	4	5	4	5	3	1	4	9	7	3	5	1	4	4	.	1	1	3	3	.	1	.	1
A Mean Maximum Temperature in degs.	49·2	49·2	54·0	54·7	53·3	55·2	58·1	59·0	64·8	61·9	62·0	65·2	63·7	49·5	49·4	50·5	52·3	49·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4	65·8
B Mean Minimum ,, ,,	39·6	37·4	40·7	37·8	37·4	39·4	40·3	45·3	46·9	46·8	41·5	48·6	51·3	40·8	38·0	42·3	36·8	33·3	42·2	40·5	45·0	51·0	49·9	45·8	52·5	51·4
Mean of A and B ,, ,,	44·4	43·3	47·3	46·3	45·3	47·3	49·2	52·1	55·8	54·3	51·7	56·9	57·5	45·2	43·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9	55·4	53·6	58·4	58·6
Rainfall in inches	0·55	0·78	0·94	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·03	0·39	0·97	0·70	0·84	1·58	0·79	1·00	0·31	0·31	0·49	0·73	0·12

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th June, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	5	19·7	.	6	1	1	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	2	2	.
Do. 2 do.	49,500	23	10·5	1·1	10	3	1	1	.	2	3	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	1	.
Do. 3 do.	50,032	33	14·6	2·1	14	1	.	3	1	6	3	.	.	.	.	.	.	1	.	.	2	.	2	.	.	1	.	.	.	.	3	.
Do. 4 do.	32,637	12	12·8	.	8	2	.	.	2	3	1	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.	4	1
Do. 5 do.	16,112	10	22·7	.	7	.	2	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 6 do.	37,293	21	11·2	.	8	2	.	.	1	4	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17.5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.
Do. 9 do.	24,427	16	21·3	2·1	10	1	1	2	2	1	3	.	.	.	.	1	.	.	.	.	2	.	1	.	1	.	.	.	.	.	2	.
Do. 10 do.	28,958	14	18·0	1·8	10	2	.	.	3	3	2	.	.	.	.	.	1	.	.	.	1	.	1	.	1	.	.	.	.	.	4	.
Do. 11 do.	—	28	—	—	11	5	.	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Do. 12 do.	—	21	—	—	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 13 do.	—	8	—	—	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	4	.
Do. 15 do.	22,669	10	18·4	.	8	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	1	.	.
Do. 16 do.	—	12	—	—	7	2	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . .	386,947	214	13·8	0·6	109	20	5	9	19	32	24	.	.	.	.	1	2	1	.	.	11	3	9	5	8	1	.	3	4	31	1
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	4	19·4	.	5	.	.	1	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 2 do. .	10,399	8	35·1	5·0	7	.	1	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	1	3	.
Do. 3 do. .	9,793	6	16·0	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 4 do. .	9,139	1	5·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 5 do. .	6,250	1	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do. .	11,581	8	4·5	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do. .	16,056	13	3·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . . .	76,673	41	12·9	0·7	19	.	1	2	4	5	7	.	.	.	.	.	.	.	.	.	3	.	2	.	1	1	.	1	1	9	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 13·5 per 1,000 and from certain epidemic diseases 0·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th June, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 2, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
„ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1, ...	2	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	5
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Total, ...	3	.	.	.	.	3	3	.	.	.	.	.	.	6	.	.	.	15

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th June, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 26th June.			
	June 5.	June 12	June 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	8	7	11	2	1	1	11
Typhus, ...	10	9	7	.	1	.	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	64	57	43	5	22	1	25
Scarlet Fever, ...	51	40	37	9	10	.	36*
Diphtheria, ...	49	50	49	8	7	.	50
Pneumonia, ...	28	21	15	8	3	1	19

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.2907) Wt. 200. 3. 380. 6. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 26. VOL. LVII.] WEEK ENDING SATURDAY, 3RD JULY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House, Dublin, 5th July, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·6 and 14·6; Dublin Registration Area, 13·3 and 15·3; Dublin City 13·3 and 16·2; Belfast, 12·4 and 13·5; Cork, 16·3 and 15·5; Londonderry, 28·4 and 15·1; Limerick, 19·0 and 17·6; and Waterford, 19·0 and 15·2.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 98 deaths from all causes for Belfast are 2 from whooping-cough, 3 from diarrhœa and enteritis of children under 2 years, and one from influenza. The 24 deaths from all causes for Cork include one from whooping-cough and one from diarrhœa and enteritis of a child under 2 years. One of the 24 deaths recorded for Londonderry was due to measles. Of the 3 deaths from all causes for Galway one was from diphtheria and of the 2 deaths from all causes for Newry one is from influenza.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—110 boys and 92 girls—and the deaths to 114—65 males and 49 females.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·3 per 1,000 of the population. During the twenty-six weeks ending with Saturday last, the death-rate averaged 20·5 and was 2·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-six weeks was 22·1 and for the corresponding period of the preceding ten years 24·4.

Included in the 106 deaths appertaining to the Area are 2 from measles, 2 from whooping-cough, one from diphtheria, 4 from diarrhœal diseases and one from influenza.

In the 3 preceding weeks, deaths from measles were 5, 0 and one; deaths from whooping-cough were 10, 7, and 4; deaths from diphtheria one, one and one; deaths from diarrhœal diseases 4, 4, and 2, and deaths from influenza 0, 2, and one.

There were 16 deaths from pneumonia, comprising 9 from broncho-pneumonia, and 7 from pneumonia (type not distinguished).

Tuberculous disease caused 10 deaths (including 9 from pulmonary tuberculosis, and one from disseminated tuberculosis) as against 16, 16, and 16 in the three weeks preceding.

Eleven deaths were caused by cancer, 8 by organic diseases of the heart and 8 by bronchitis.

There were no deaths from violence registered.

Among deaths of infants under one year old, one was due to measles, one to whooping-cough, 2 to venereal disease, 4 to convulsions, one to bronchitis, 2 to broncho-pneumonia, one to diarrhœa and enteritis, 2 to premature birth, and 2 to congenital debility.

Thirty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 6 were under one month old, and 24 deaths were those of persons aged 65 and upwards, of whom 17 were 70 years of age or over.

Of the 106 deaths recorded, 43 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 3rd July, in 96 large English towns (including London in which the rate was 9·0) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·1 per 1,000 persons living, the rate for Glasgow being 11·9 and for Edinburgh 9·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd July. From this Report it appears that of 75 cases notified, 23 were diphtheria, 19 scarlet fever, 10 chicken-pox, 5 pulmonary tuberculosis, 11 other forms of tuberculosis, 3 erysipelas, 2 acute primary pneumonia, one malaria, and one ophthalmia neonatorum. Among the 524 cases of infectious diseases in hospital at the close of the week were 216 of pulmonary tuberculosis, 6 other forms of tuberculosis, 122 of scarlet fever, 101 of diphtheria, 31 of venereal disease, 17 of measles, 4 of erysipelas, 3 of whooping-cough, 3 of chicken pox, 2 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd July, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 12	1	.	.	.	.	—	7	—	6	2	—	.	—	.	.	.	3	.	.	11	30
	June 19	4	1	.	.	.	—	4	—	7	2	—	.	—	.	2	.	5	.	.	18	43
	June 26	3	.	.	.	.	—	3	—	3	.	—	.	—	.	.	.	6	.	.	.	15
	July 3	6	.	.	.	.	—	1	—	5	.	—	.	—	.	.	.	2	.	.	40	54
Rathmines & Rathgar Urban District	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 26	.	.	.	.	.	—	2	—	.	1	—	.	—	.	.	.	.	.	.	—	3
	July 3	.	.	.	.	.	—	.	—	2	1	—	.	—	.	.	.	.	.	.	—	3
Pembroke Urban District	June 12	.	.	.	.	.	19	.	3	.	.	.	.	—	.	.	.	.	.	.	.	22
	June 19	.	.	.	.	.	16	.	6	1	.	.	.	—	.	.	.	.	.	.	.	23
	June 26	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	July 3	.	.	.	.	.	3	.	.	.	.	.	1	—	.	.	.	.	.	.	.	4
Blackrock Urban District	June 12	.	.	.	.	.	14	.	—	2	.	—	.	—	.	.	.	.	.	.	.	16
	June 19	.	.	.	.	.	7	.	—	.	.	—	.	—	.	.	.	.	.	.	.	7
	June 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 3	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	June 12	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	1	2
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	June 12	5	.	.	.	.	—	15	—	6	.	—	1	—	.	1	.	1	.	.	1	30
	June 19	6	.	.	.	.	—	28	—	5	1	—	1	—	.	.	.	1	.	.	1	43
	June 26	6	.	.	.	.	—	30	—	3	3	—	1	—	.	2	.	.	1	.	.	46
	July 3	.	.	.	.	.	—	19	—	4	.	—	1	—	.	.	.	.	.	.	3	27
City of Cork	June 12	.	.	.	.	.	.	.	—	10	1	—	.	.	.	.	.	.	—	.	—	11*a*
	June 19	.	.	.	.	.	.	.	—	3	.	—	.	.	1	1	.	.	—	.	—	5
	June 26	.	.	.	.	.	.	1	—	5	.	—	.	.	.	.	.	.	—	.	—	6
	July 3	1	.	.	.	.	.	3	—	2	.	—	.	.	.	.	.	.	—	.	—	6
City of Londonderry	June 12	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	—	—	3
	June 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	June 26	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	July 3	.	.	.	.	.	—	12	—	.	.	—	.	—	.	.	.	.	.	—	—	12
City of Limerick	June 12	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	June 19	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 26	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	June 12	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	—	—	.	3
	June 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	1	2

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd July, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 6 and 14; typhus nil and 6; measles 9 and 19; scarlet fever 10 and 40* and diphtheria 10 and 50. Five cases of pneumonia were admitted during the week and 19 remained under treatment at its close. Of the deaths in hospital during the week one was from each of measles and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 3rd July, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 3RD JULY, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 3RD JULY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	28·9	13·6	0·9	647	304	57	62	.	.	.	3	.	5	2	.	3	48	8	21	21	14	9	2	11	13	100	15	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	25·4	13·3	1·1	202	106	19	24	.	.	.	2	.	2	1	.	1	9	1	11	16	8	3	1	.	1	43	4	(d) 65·6	45·7	62·8	49·1	55·9	1·15
Urban Districts. CITY OF DUBLIN	318,200	39·0	29·5	13·3	1·5	180	81	17	13	.	.	.	2	.	2	1	.	1	8	1	7	14	7	3	1	.	1	35	3	(e) 64·3	50·6	62·1	52·4	57·3	1·04
																													(f) 65·2	48·2	62·7	51·4	57·0	1·05
RATHMINES and RATHGAR ...	40,400	23·6	11·6	11·6	.	9	9	2	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	1	1	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	13·8	15·5	.	8	9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	5·7	5·7	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	12·3	18·4	.	4	6	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	2	.	65	48	61·4	51·2	56·3	0·84
BELFAST	413,000	27·7	28·4	12·4	0·6	225	98	22	17	.	.	.	.	.	2	.	.	1	21	4	5	2	4	3	.	1	2	26	4	66·6	48·0	60·3	50·2	55·3	1·62
CORK	76,673	28·6	40·8	16·3	1·4	60	24	4	5	.	.	.	.	.	1	.	.	.	6	.	.	1	.	1	.	.	.	7	2	64	50	60·6	52·1	56·4	1·18
LONDONDERRY ...	44,000	17·1	41·5	28·4	1·2	35	24	2	3	.	.	.	1	.	.	.	.	.	1	1	2	1	1	.	.	9	9	5	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	44·7	19·0	.	33	14	2	5	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	7	2	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	26·6	19·0	1·9	14	10	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1	4	.	.	.	.	.	.	.
GALWAY	13,255	2·5				5	3	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	64	49	62	51	56·5	0·89
DUNDALK ...	13,128	9·5				7	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	64·2	47·5	62·0	49·6	55·8	1·02
DROGHEDA ...	12,501	8·4				6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				9	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	66	46	61·4	47·9	54·6	1·58
NEWRY	11,963	17·0				7	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	64·2	47·5	62·0	49·6	55·8	1·02
PORTADOWN ...	11,727	15·3				6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·2	47·5	62·0	49·6	55·8	1·02
WEXFORD ...	11,531	22·8				6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
SLIGO	11,163	3·8				7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	48	64	50	57	0·65
KILKENNY ...	10,514	11·4				3	5	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	.	.	1	.	65	43	62·5	49·5	56·0	0·79
TRALEE	10,300	17·4				14	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.
CLONMEL ...	10,209	7·8				.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·0	—	2,337	749	107	220	.	.	.	7	2	7	13	—	—	59	19	90	38	52	11	5	42	83	386	1	76	54	71·6	56·7	64·2	0·48
EDINBURGH ...	342,300	—	—	9·6	—	142	63	12	21	.	.	.	.	.	.	.	—	.	—	—	—	—	—	1	—	3	—	—	—	62·0	45·0	59·0	49·7	54·4	2·62
GLASGOW	1,115,500	—	—	11·9	—	607	254g	51	63	.	.	3	5	.	2	2	—	2	—	—	—	—	—	9	—	10	—	—	—	61·7	46·5	59·5	51·3	55·4	1·98

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including one death from

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 26th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 3rd July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	133·0	114	6	14	5	8	1	.	.	2	10	13	13	17	13	12	106	
Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles	1·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	
Scarlet Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough	1·0	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	
Diphtheria	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza	2·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																		
Pulmonary Tuberculosis	20·8	10	.	.	.	.	.	.	.	1	4	5	.	.	.	.	9	
Tuberculous Meningitis	4·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Abdominal Tuberculosis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis.	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Venereal Diseases	·8	3	.	2	.	.	.	.	.	.	.	.	1	.	.	.	3	
Cancer	11·2	12	.	.	.	.	.	.	.	.	1	1	.	6	2	2	11	
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other General Diseases	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis	2·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Cerebral Hæmorrhage, Apoplexy.	4·0	8	.	.	.	.	.	.	.	.	.	1	1	2	2	2	8	
Softening of Brain	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paralysis, without specified cause.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal).	1·2	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	4	
Other Diseases of Nervous System.	1·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Organic Diseases of the Heart.	13·8	10	.	.	.	.	.	.	.	.	2	.	4	1	3	.	8	
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Circulatory System.	·8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis	11·2	9	.	1	.	1	.	.	.	.	.	.	.	2	3	2	8	
Broncho-pneumonia	3·0	9	.	2	3	1	.	.	.	1	1	.	1	.	.	.	9	
Lobar pneumonia	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pneumonia (type not distinguished).	4·4	7	.	.	1	1	1	.	.	.	.	2	1	.	.	1	7	
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Respiratory System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

registered in the TWENTY-SIXTH WEEK, ending Saturday, 3rd July, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 26th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 3rd July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Stomach ..	1·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	2·2	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Enteritis 2 years and upwards.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	3·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Acute Nephritis ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Chronic Bright's Disease	3·2	8	.	.	.	.	.	.	.	.	.	1	2	2	2	1	8
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	3·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Congenital Debility ..	3·6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	5·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Specified Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	1·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Violent Deaths ..																	
Not included in above—																	
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE IV.—Showing for the WEEK ENDED 3RD JULY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 3RD JULY, 1920.																																
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.								CAUSED BY																			In Institutions.		
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	11·9	3·4	7	3	.	3	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	1	2	.	.	.	2	.	1	1	.
,, 1, W.	42,100	12·4	2·5	10	2	2	1	.	.	3	.	2	.	.	.	.	.	.	.	.	.	1	1	1	4	.	2	.	.	1	.	3	.
,, 2	28,200	14·8	.	8	2	.	.	.	.	3	1	2	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	.	.	.
,, 3	35,000	11·7	.	8	3	1	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	4	.	1	4	1
CLONTARF AND HOWTH, No. 1, part of	5,600	37.2	9.3	4	.	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.	1	2	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	18.8	.	5	1	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	3	.	1
South City.																																		
SOUTH CITY, No. 1	44,100	15·4	3·5	13	1	.	2	.	.	1	6	3	.	.	.	1	.	.	1	.	.	1	.	2	2	.	1	.	.	5	1	3	4	.
,, 2	18,600	16·8	.	6	1	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.	1	2	1
,, 3	44,400	8·2	.	7	2	.	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	4	.	2	1	.
,, 4	33,600	10.9	.	7	1	.	.	.	.	2	3	1	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	4	.	2	2	.
NEW KILMAINHAM	10,600	24·6	4.9	5	1	.	.	1	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	2	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	11·6	.	9	2	.	.	.	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	5	.	1	.	1
PEMBROKE	30,200	15·5	.	9	.	.	.	.	1	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	8	.	4	.	.
BLACKROCK	9,200	5·7	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
KINGSTOWN	17,000	18·4	.	6	.	.	.	.	.	4	1	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	3	.	.	2	.
TOTAL CITY. North	166,900	13·4	1·6	43	11	5	4	.	1	10	6	6	.	.	.	.	.	2	.	.	1	5	1	4	10	4	2	1	.	13	.	6	10	2
TOTAL CITY. South	151,300	13·1	1·4	38	6	.	3	1	.	4	17	7	.	.	.	2	.	.	1	.	.	3	.	3	4	3	1	.	.	21	1	8	11	1
TOTAL CITY. North and South ...	318,200	13·3	1·5	81	17	5	7	1	1	14	23	13	.	.	.	2	.	2	1	.	1	8	1	7	14	7	3	1	.	34	1	14	21	3
Total Urban Districts	96,800	13·5	.	25	2	.	.	.	1	7	4	11	.	.	.	.	.	.	.	.	.	1	.	4	2	1	.	.	.	17	.	6	2	1
Total Registration Area ...	415,000	13·3	1·1	106	19	5	7	1	2	21	27	24	.	.	.	2	.	2	1	.	1	9	1	11	16	8	3	1	.	51	1	20	23	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				8	1	.	1	.	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	3	1	7	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd July, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD JULY, 1920.																													
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	114	33	1	2	23	30	13	12	.	.	.	2	.	2	1	.	1	10	2	12	4	16	9	3	1	1	50	4
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	24·9	7	.	.	.	1	1	2	3	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	12·3	24	3	.	1	6	6	3	5	.	.	.	.	.	1	.	.	1	1	.	3	.	2	1	1	.	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	9	.	.	3	7	2	1	.	.	.	1	.	.	.	.	.	2	.	2	1	2	2	1	.	1	10	.
IV.	GENERAL SERVICE CLASS	167,479	11·5	37	17	1	1	6	9	2	1	.	.	.	1	.	1	1	.	.	3	1	3	3	10	.	.	.	.	14	4
V.	INMATES OF WORKHOUSES, ...	5,602	—	24	4	.	.	7	7	4	2	.	.	.	.	.	.	.	.	.	4	1	3	.	1	6	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	6	.	.	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	6	2	.	.	1	2	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	3	.
	6. Clerks and Commercial Assistants ..	33,249	—	4	.	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	11	1	.	.	4	2	1	3	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	1	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	10. Clothing Trades	29,026	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	8,952	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades	32,070	—	10	6	.	.	1	2	.	1	.	.	.	1	.	.	.	.	.	1	.	1	.	2	1	.	.	.	4	.
	13. Petty Shopkeepers	6,772	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	9	4	.	1	2	1	1	.	.	.	.	.	.	.	1	.	.	2	.	1	1	3	.	.	.	.	1	.
	15. Domestic Servants	36,041	—	4	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	20	12	1	.	1	6	.	.	.	.	.	1	.	1	.	.	.	.	.	2	2	6	.	.	.	.	8	4
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	24	4	.	.	7	7	4	2	.	.	.	.	.	.	.	.	.	4	1	3	.	1	6	1	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.
No. of weeks in Annual Series ..	14	15	16	17	18	19	20	21	22	23	24	25	26	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered	256	261	277	270	259	268	267	231	286	260	254	265	202	243	262	283	288	256	253	298	223	262	302	276	214	225
Average Births in corresponding week of previous 10 years	*210*	*211*	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*202*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*	*208*	*208*	*200*	*213*
Number of Deaths	213	251	227	215	182	164	171	152	149	129	136	116	106	211	229	219	158	168	134	124	122	116	109	112	109	98
Annual Death-rate per 1,000 ..	26·8	31·5	28·5	27·0	22·9	20·6	21·5	19·1	18·7	16·2	17·1	14·6	13·3	26·6	28·9	27·6	19·9	21·2	16·9	15·7	15·4	14·6	13·8	14·1	13·8	12·4
Average Deaths in corresponding week of previous 10 years	*193*	*189*	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*165*	*164*	*158*	*152*	*136*	*130*	*136*	*131*	*123*	*117*	*123*	*118*	*135*
Ages .. Under one year ..	52	65	48	42	58	37	44	32	35	27	32	26	19	63	52	53	40	34	32	26	30	14	32	23	20	22
1— 5 years ..	35	46	48	38	16	24	28	22	18	18	17	15	12	31	29	23	15	12	4	10	8	8	8	7	5	2
5—25 „ ..	21	19	19	30	16	23	8	15	13	11	10	12	3	18	27	23	25	26	22	24	14	20	9	17	9	13
25—45 „ ..	25	21	31	22	15	13	26	19	13	17	19	16	21	33	37	28	21	23	25	20	24	24	17	14	19	24
45—65 „ ..	31	46	35	35	36	21	27	35	32	24	22	24	27	44	40	51	24	37	29	23	26	30	21	27	32	20
65 and upwards ..	49	54	46	48	41	46	38	29	38	32	36	23	24	22	44	41	33	36	22	21	20	20	22	24	24	17
Deaths from :—																										
Enteric Fever	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.
Typhus	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	7	15	9	7	4	11	6	7	3	5	.	1	2	1	5	1	1	.	.	1	2	.	.	1	.	.
Scarlet Fever	.	1	.	1	.	.	.	.	1	1	.	.	.	2	1	.	2	2	.	3	2	.	1	.	1	.
Whooping-cough	13	16	9	13	14	10	15	12	11	10	7	4	2	2	6	.	4	2	1	1	.	2	4	1	2	2
Diphtheria	.	1	.	2	1	.	.	2	.	1	1	1	1	1	.	.	2	1	.	2	.	2	.	1	1	.
Dysentery	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5	5	5	4	3	1	2	4	3	.	2	1	1	21	17	13	10	9	8	3	3	1	1	.	.	1
Tuberculosis {Pulmonary ..	19	21	16	24	9	19	18	14	17	9	13	12	9	10	16	23	22	19	16	21	15	15	12	13	11	21
{Other Forms ..	6	4	5	4	8	1	4	8	2	7	3	4	1	1	11	8	3	3	4	9	5	6	2	5	3	4
Cancer	6	11	9	9	8	7	14	8	9	7	7	2	11	5	8	5	10	6	2	7	2	5	4	10	9	5
Diseases of Respiratory System {Pneumonia ..	27	55	47	36	18	22	18	17	15	7	20	12	16	57	42	38	24	18	15	5	6	3	5	11	5	2
{Others ..	40	35	38	17	24	24	23	20	23	11	14	8	8	36	29	36	15	19	14	10	10	7	8	3	8	4
Diarrhœa & Enteritis, under 2 years	3	2	2	3	9	1	2	6	3	4	4	2	3	1	2	5	3	4	6	6	2	3	1	3	1	3
Diarrhœa, 2 years and upwards ..	1	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.	2	.	2	.	.
Violent Deaths, ...	2	2	6	3	2	3	3	4	.	2	2	5	.	3	6	3	.	2	4	3	4	3	1	3	3	1
Number of Uncertified Deaths ..	1	4	4	5	4	5	3	1	4	9	7	3	4	1	4	4	.	1	1	3	3	.	1	.	1	4
A Mean Maximum Temperature in degs.	49·2	54·0	54·7	53·3	55·2	58·1	59·0	64·8	61·9	62·0	65·2	63·7	62·8	49·4	50·5	52·3	49·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4	65·8	60·3
B Mean Minimum „ „	37·4	40·7	37·8	37·4	39·4	40·3	45·3	46·9	46·8	41·5	48·6	51·3	49·1	38·0	42·3	36·8	33·3	42·2	40·5	45·0	51·0	49·9	45·8	52·5	51·4	50·2
Mean of A and B „ „	43·3	47·3	46·3	45·3	47·3	49·2	52·1	55·8	54·3	51·7	56·9	57·5	55·9	43·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9	55·4	53·6	58·4	58·6	55·3
Rainfall in inches	0·78	0·94	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·15	0·39	0·97	0·70	0·84	1·58	0·79	1·00	0·31	0·31	0·49	0·73	0·12	1·62

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd July, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted* ; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases ; Number of the Deaths at certain AGE PERIODS ; the Number of Deaths from the Principal CAUSES ; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	.	5	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	34	16·9	.	16	3	1	1	3	5	3	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	5	.
Do. 3 do.	50,032	20	13·5	.	13	2	.	3	5	2	1	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	2	.
Do. 4 do.	32,637	23	24·0	.	15	4	.	1	5	2	3	.	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	1	1	11	.
Do. 5 do.	16,112	10	16·2	3·2	5	1	.	1	3	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	.	.	.	.	.	1	.
Do. 6 do.	37,293	19	15·4	.	11	2	.	.	2	3	4	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	1	2
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	8.7	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 9 do.	24,427	10	4·3	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 10 do.	28,958	10	12·6	1·8	7	2	1	.	.	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Do. 11 do.	—	30	—	—	8	3	.	2	.	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 12 do.	—	22	—	—	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do. 13 do.	—	15	—	—	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	2·3	2.3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 16 do.	—	12	—	—	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.
Total, . . .	386,947	225	12.4	0·6	98	22	2	13	24	20	17	.	.	.	.	.	2	.	.	1	21	4	5	2	4	3	.	1	2	26	4
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	5	7.8	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do. .	10,399	9	30·1	.	6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
Do. 3 do. .	9,793	7	31·9	5·3	6	1	1	.	1	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Do. 4 do. .	9,139	11	11·4	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 5 do. .	6,250	5	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .	11,581	10	13·5	4·5	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Do. 7 do. .	16,056	13	13·0	.	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Total, . . .	76,673	60	16·3	1·4	24	4	1	3	6	5	5	.	.	.	.	.	1	.	.	.	6	.	.	1	.	1	.	.	.	7	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620 ; death-rate from all causes 11·4 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd July, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	4	6
„ „ 1, West, ..	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	6	8
„ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	8
„ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	4
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	4
„ „ „ 3, ...	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	10	14
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	6	.	.	.	.	1	5	.	.	.	.	.	.	2	.	.	40	54

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd July, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 3rd July.			
	June 12.	June 19	June 26.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	7	11	11	6	3	.	14
Typhus, ...	9	7	6	.	.	.	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	57	43	25	9	14	1	19
Scarlet Fever, ...	40	37	36	10	6	.	40*
Diphtheria, ...	50	49	50	10	9	1	50
Pneumonia, ...	21	15	19	5	5	.	19

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.2960) Wt. 200. 3. 380. 7. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1920.

VOL. LVII.] QUARTER ENDING SATURDAY, 3rd JULY, 1920. [No. 26A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 3rd July, 1920, 3,356 births—1,756 boys and 1,600 girls—being equal to an annual rate of 32·3 in every 1,000 of the population.

The number of births recorded for the city was 2,825, equivalent to an annual rate of 35·5 in every 1,000 of the population; and for the urban districts named above, 531, equal to an annual rate of 21·9 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 28·3 per 1,000 of the population; in Glasgow the birth-rate was 31·5 per 1,000, and in Edinburgh 25·7 per 1,000.

DEATHS.—Omitting the deaths (183) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,211, were equivalent to an annual rate of 21·3 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 20·4. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,394—1,218 males and 1,176 females—affording an annual ratio of 23·1 in every 1,000 of the estimated population, as compared with 21·9 per 1,000 for the second quarter of the ten years, 1910–1919.

The number of deaths of inhabitants * of the North City districts registered last quarter was 969, representing an annual mortality of 23·2 in every 1,000 of the population; and the number in the South City districts was 828, equivalent to a rate of 21·9 per 1,000. For the urban districts the number of deaths registered was 414, being equal to an annual death-rate of 17·1 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 12·5 in every 1,000 of the civil population; in Glasgow the death-rate was 16·4 per 1,000 of the total population, and in Edinburgh the annual rate was 13·3 per 1,000.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases * registered in the Dublin Registration Area during last quarter was 300, being equal to an annual rate of 2·89 per 1,000 of the population.

ENTERIC FEVER.—Three deaths were registered, as compared with 2 in the preceding quarterly period.

TYPHUS.—There were 3 deaths from typhus registered.

SMALL-POX.—There was no record of mortality from small-pox, neither was there any report of the incidence of the disease.

MEASLES.—Deaths from measles, which were 26 in the preceding period, rose to 86 in the June quarter; this number represents an annual death rate of 0·8 per 1,000 of the population of the area. Nine of the deaths were of non-residents.

SCARLET FEVER.—Seven deaths from scarlet fever were registered, as compared with 4, 12, and 8 in each of the 3 preceding periods. Of the 7 deaths, 3 were deaths of non-residents.

WHOOPING-COUGH.—The mortality from whooping-cough was represented by 137 deaths, which were equivalent to an annual rate of 1·3 per 1,000 of the estimated population of the area. In the 3 preceding periods such deaths numbered 0, 10, and 60 respectively.

DIPHTHERIA.—There was a decline in the number of deaths from diphtheria from 16 in the March period to 13 in the period under notice; in the September and December periods of 1919, the deaths from diphtheria were 6 and 15 respectively. Three of the deaths for the June quarter were those of non-residents.

DYSENTERY.—Two deaths were recorded.

DIARRHŒAL DISEASES.—Of deaths classified under this heading, 45 were of infants under 2 years of age, one of which was of a child from without the area. In the 3 preceding quarters, deaths from diarrhœal diseases numbered 185, 68, and 30 respectively.

INFLUENZA.—In addition to the 36 deaths of residents, there were 14 deaths of persons not belonging to the area. In each of the 3 periods preceding, deaths from influenza were 13, 13, and 28; and in the June quarter of 1919, the number registered was 155.

CEREBRO-SPINAL FEVER.—Two deaths were registered.

TUBERCULOSIS.—Altogether, 287 deaths, including 30 deaths of non-residents, were attributed to tuberculosis; of the total, 219 deaths were caused by pulmonary tuberculosis, and 68 by other forms of the disease. The rate corresponding to the total (287) is 2·8 per 1,000, and the rate for the deaths of residents in the area, in number 257, is 2·5 per 1,000 of the population estimated to the middle of the year. In the districts of North Dublin City the death rate from tuberculosis was 2·5 per 1,000; in the south Dublin districts, it was 2·9 per 1,000; and in the urban districts it was 1·8 per 1,000.

CANCER.—The total deaths from cancer (126) include 18 of non-residents, and represent an annual rate of 1·21 per 1,000, compared with 1·33, 1·26 and 1·14 in each of the 3 preceding periods.

PNEUMONIA.—There were 321 deaths from pneumonia, including 11 deaths of persons not belonging to the area. The total is equal to an annual rate of 3·1 per 1,000; in each of the 3 periods preceding the death-rates from pneumonia were 0·8, 1·1, and 2·3, and in the June period of 1919 the rate was 1·9 per 1,000.

DISEASES OF BRAIN AND NERVOUS SYSTEM.—The deaths, 223 in number, represent a rate of 2·2 per 1,000. Of the total deaths 68 were attributed to convulsions, 67 of which were of children under the age of 5 years.

DISEASES OF THE CIRCULATORY SYSTEM.—Deaths from diseases of the heart and blood-vessels numbered 195 and equal an annual rate of 1·9 per 1,000.

* See note (*) on page 260*d*.

Bronchitis.—There were 258 deaths from bronchitis; in the corresponding quarter of 1919 such deaths numbered 228, and the average for the 5 years preceding is 226.

Congenital Conditions.—The deaths of 22 infants were caused by congenital malformations, 69 by prematurity, and 68 by congenital debility.

Violence.—Of 47 deaths attributed to violence, 5 were due to homicide, 4 to suicide, 7 to gun-shot wounds, 5 to burns and scalds (of this figure, 3 were deaths of children under 5 years of age), 5 to vehicles and horses, 3 to drowning, and two to poisons, namely, alcohol, and hydrochloric acid.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 3rd July, 1920.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever ...	8	33	25	2	14
Typhus, ...	.	13	4	3	6
Small-pox	.	.	.	.	.
Measles, ...	63	273	291	26	19
Scarlet Fever, ...	102	131	188	5	40*
Diphtheria	34	114	87	11	50
Pneumonia, ...	56	137	143	31	19

* Exclusive of 9 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 54 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 54 cases, 29 (or 53·7 per cent.) were deaths of children under 5 years of age. Of the deaths of 177 infants under one month old registered, there were 19 (or 10·7 per cent.) regarding which the cause was uncertified.

From Table III., page 260*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 2·7 per 1,000, that in the City it was 3·2, and in the urban districts 1·2, the rates for the several districts varying from 0·0 in Kingstown to 4·1 in North City No. 3, the 208 deaths from all causes for that district including one from enteric fever, 6 from measles, 2 from scarlet fever, 19 from whooping-cough, 2 from diphtheria, and 6 from diarrhœa and enteritis of children under 2 years of age.

Occupations.—In Table IV., page 260*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 21·3 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 17·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 19·0; and in the "General Service Class" it was 24·1.

Ages.—Of the 2,394 persons whose deaths were registered in the Dublin Registration Area during the quarter, 884 were under 5 years of age, including 537 infants under one year of age, the latter representing a rate of 160 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 86·4 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 5·4 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 7·4 per 1,000, the total number under 25 years being equal to an annual mortality of 23·5 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 9·7; for those between 45 and 65 it was 29·8; among persons between 65 and 75 the rate was 68·0, and among those aged 75 and upwards the average annual death-rate was 171·0 per 1,000. The deaths of 9 persons (5 males and 4 females) aged 90 years and upwards were registered.

Public Institutions.—Of the 2,394 deaths recorded during the quarter, 985, or 41·1 per cent. occurred in public institutions, viz., 627 in the various hospitals, prisons, and lunatic asylums; 347 in the Dublin Union Workhouse; and 11 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 51·2°. At Greenwich it was 56·3°; at Glasgow, 51·0°; and at Edinburgh, 49·6°.

The rainfall at Dublin during the thirteen weeks measured 7·48 inches; at Greenwich it was 5·04 inches; at Glasgow, 9·38 inches; and at Edinburgh, 5·95 inches.

† See note (*) on page 260*d*.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 19·0 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest:—Clonmel, 9·0; Dundalk, 11·3; Tralee, 12·8; Lurgan, 14·7; Kilkenny, 15·2; Lisburn, 15·8; Sligo, 15·8; Waterford, 16·2; Galway, 16·6; Drogheda, 17·3; Portadown, 17·4; Londonderry, 17·7; Cork, 18·1; Limerick, 18·5; Belfast, 18·5; Ballymena, 18·6; Wexford, 19·4; Newry, 20·1; and Dublin Registration Area, 21·3

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in Clonmel to 2·1 in Wexford, the 56 deaths from all causes in that district, including 5 from whooping-cough and one from diarrhœa and enteritis of a child under 2 years. The 1,909 deaths from all causes for Belfast include 4 from enteric fever, 2 from typhus, 12 from measles, 14 from scarlet fever, 27 from whooping-cough, 10 from diphtheria, 87 from influenza, 47 from diarrhœal diseases, 3 from cerebro-spinal fever, and 231 from pneumonia.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts* already named, and Tables II. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—Four deaths were recorded for Belfast and one for each of Galway and Dundalk.

Typhus.—Two deaths were registered for Belfast and one for Tralee.

Small-Pox.—No case of this disease was reported.

Measles.—For Belfast 12 deaths were recorded, for Londonderry 11, for Portadown 4, for Newry 3, and for Limerick 2. For Lisburn and Ballymena one death each was registered.

Scarlet Fever.—Fourteen deaths from this cause were recorded for Belfast. There were no deaths from scarlet fever in any of the other provincial urban districts.

Whooping-cough.—For Belfast 27 deaths were registered, for Cork 14 deaths, for Waterford 7 deaths, for each of Drogheda and Wexford 5 deaths, and for Limerick, Lisburn, Newry, Sligo, and Tralee, one death each.

Diphtheria.—The deaths from this cause comprise 10 for Belfast, 10 for Cork, 3 for Limerick, 2 for Kilkenny, and one for each of Londonderry, Waterford, Galway, and Portadown.

Influenza.—For Belfast 87 deaths were recorded, for each of Waterford and Newry 4 deaths, for each of Dundalk and Portadown 2 deaths, and for Cork, Londonderry, Lurgan, Drogheda, Lisburn, and Ballymena, one death each.

Diarrhœal Diseases.—The deaths under this heading include 40 of children under 2 years of age for Belfast, 8 for Cork, 5 for Waterford, and 3 for each of Ballymena and Tralee.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 2·07 per 1,000 of the estimated population; for the Dublin Registration Area it was 1·93 per 1,000; for Belfast county borough 2·07 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 2·23.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 3rd July, 1920,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	POPULATION.		Annual Rate per 1,000 persons Represented by			REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 3RD JULY, 1920.																						
						NUMBERS REGISTERED.																						
						BIRTHS.	DEATHS.																					
							Caused by																					
	Total.*	Persons to an Acre.	BIRTHS	From all Causes.	From certain Epidemic Diseases.†	TOTAL NUMBER.	TOTAL NUMBER	Under 1 year of Age	At 65 Years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
TOTAL OF 19 TOWN DISTRICTS	1,167,268	20·4	31·6	19·0	1·7	9,230	5,551	1,205	1,241	9	6	.	111	18	199	39	2	141	603	178	267	640	622	106	15	114	127	1,771	170
DUBLIN REGISTRATION AREA :—																												
TOTAL	415,000	29·7	32·3	21·3	2·7	3,356	2,211*a*	517	504	3	3	.	77	4	136	10	2	36	200	57	108	310	285	44	4	34	34	802	54
CITY OF DUBLIN:	318,200	39·0	35·5	22·6	3·2	2,825	1,797	444	359	3	3	.	68	4	121	9	2	30	167	46	83	262	236	40	3	29	30	699	45
Urban Districts. RATHMINES AND RATHGAR ..	40,400	23·6	18·8	17·2	1·2	190	174	25	67	.	.	.	3	.	7	.	.	2	14	6	12	27	23	2	.	2	2	45	4
Urban Districts. PEMBROKE	30,200	19·2	26·0	19·6	2·3	196	148	32	41	.	.	.	5	.	8	1	.	3	13	3	4	17	13	2	1	1	1	37	4
Urban Districts. BLACKROCK	9,200	8·5	13·9	11·3	0·4	32	26	3	10	.	.	.	1	.	.	.	.	1	3	.	2	1	3	.	.	2	1	6	.
Urban Districts. KINGSTOWN	17,000	11·6	26·6	15·5	–	113	66	13	27	.	.	.	.	.	.	.	.	.	3	2	7	3	10	.	.	.	.	15	1
Urban Districts. BELFAST	413,000	27·7	32·8	18·5	1·1	3,385	1,909*a*	441	346	4	2	.	12	14	27	10	.	87	214	64	78	231	199	40	7	36	46	563	23
Urban Districts. CORK	76,673	28·6	28·7	18·1	1·7	551	346	47	92	.	.	.	.	.	14	10	.	1	55	8	28	23	15	8	.	8	11	146	10
Urban Districts. LONDONDERRY	44,000	17·1	30·5	17·7	1·3	336	195	38	43	.	.	.	11	.	.	1	.	1	14	5	12	23	24	1	1	12	12	18	3
Urban Districts. LIMERICK	38,518	16·1	27·9	18·5	0·6	269	178	34	44	.	.	.	2	.	1	3	.	.	30	2	5	18	38	.	.	4	5	53	19
Urban Districts. WATERFORD	27,464	19·1	28·1	16·2	1·9	193	111	16	30	.	.	.	.	.	7	1	.	4	16	3	10	4	7	5	.	6	6	38	4
Urban Districts. GALWAY	13,255	2·5	30·5	16·6	0·6	101	55	12	16	1	.	.	.	.	.	1	.	.	7	4	4	.	6	.	.	5	3	20	13
Urban Districts. DUNDALK	13,128	9·5	24·7	11·3	0·3	81	37	4	11	1	.	.	.	.	.	.	.	2	4	2	3	3	.	.	.	2	3	5	.
Urban Districts. LURGAN	12,553	14·7	33·5	14·7	0·6	105	46	7	13	.	.	.	.	.	.	.	.	1	4	5	2	5	8	.	2	3	3	11	.
Urban Districts. DROGHEDA	12,501	8·4	20·8	17·3	1·6	65	54	7	21	.	.	.	.	.	5	.	.	1	4	3	2	3	4	.	.	.	.	14	2
Urban Districts. LISBURN	12,388	10·9	34·2	15·8	0·6	106	49	19	10	.	.	.	1	.	1	.	.	1	4	2	.	6	1	.	.	1	1	5	.
Urban Districts. NEWRY	11,963	17·0	31·8	20·1	1·3	95	60	7	20	.	.	.	3	.	1	.	.	4	3	6	5	4	8	.	.	1	.	17	1
Urban Districts. PORTADOWN	11,727	15·3	38·9	17·4	2·0	114	51	9	11	.	.	.	4	.	.	1	.	2	7	6	2	2	1	1	.	.	.	12	1
Urban Districts. WEXFORD	11,531	22·8	31·2	19·4	2·1	90	56	11	19	.	.	.	.	.	5	.	.	.	6	3	.	.	11	1	.	1	.	7	8
Urban Districts. BALLYMENA	11,381	9·3	35·9	18·6	1·4	102	53	12	14	.	.	.	1	.	.	.	.	1	14	.	1	4	2	3	.	1	1	4	5
Urban Districts. SLIGO	11,163	3·8	24·7	15·8	0·4	69	44	7	17	.	.	.	.	.	1	.	.	.	8	1	2	1	5	.	.	.	1	13	12
Urban Districts. KILKENNY	10,514	11·4	22·8	15·2	1·1	60	40	7	17	.	.	.	.	.	.	2	.	.	5	2	2	1	6	.	1	.	.	16	10
Urban Districts. TRALEE	10,300	17·4	28·7	12·8	1·9	74	33	7	10	.	1	.	.	.	1	.	.	.	5	4	.	2	2	3	.	.	1	15	2
Urban Districts. CLONMEL	10,209	7·8	30·6	9·0	–	78	23	3	3	.	.	.	.	.	.	.	.	.	3	1	3	.	.	.	.	.	.	12	3

* According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1920.

† See note (*) on page 260*d*.

(*a*) Including 2 deaths from cerebro-spinal fever for Dublin and 3 for Belfast.

TABLE III.—Showing for the **Quarter** (13 weeks) **ended 3rd July, 1920,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION TO MIDDLE OF 1920.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 3RD JULY 1920. DEATHS. Annual Rate of Mortality per 1000 Living represented by Deaths. From All Causes.	From certain Epidemic Diseases.*	TOTAL DEATHS.	AGES AT DEATH. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other causes.	Inquest cases.	In Institutions. Hospitals, Prisons, and Lunatic Asylums.	Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1 E. ...	30,700	23·7	3·3	182	52	16	16	10	10	18	36	24	.	.	.	7	.	11	1	.	3	12	4	8	28	25	6	.	6	71	4	39	18	5
,, 1 W. ...	42,100	26·2	4·1	276	71	22	24	7	21	30	39	62	2	.	.	8	.	24	.	.	4	27	9	8	41	33	9	.	6	105	6	57	35	4
,, 2 ...	28,200	26·1	3·1	184	49	20	18	5	4	24	34	30	.	.	.	3	.	16	1	.	8	15	4	6	38	26	1	1	.	65	2	29	30	8
,, 3 ...	35,000	23·8	4·1	208	53	19	13	8	8	28	36	43	1	.	.	6	2	19	2	.	3	21	1	8	29	32	6	.	2	76	1	48	34	3
CLONTARF AND HOWTH No. 1, part of.	5,600	16·4	0·7	23	3	2	2	1	2	5	2	6	.	.	.	.	.	.	.	.	1	3	.	4	4	1	.	1	2	7	1	9	.	.
COOLOCK AND DRUMCONDRA, part of.	13,900	17·3	2·6	60	9	3	4	3	3	8	12	18	.	.	.	5	.	3	.	.	2	5	.	4	6	6	1	.	1	27	2	10	2	1
FINGLAS AND GLASNEVIN, part of.	11,400	12·6	1·4	36	8	1	.	.	4	3	10	10	.	.	.	.	.	2	.	.	1	4	.	2	5	6	2	.	1	13	1	6	3	4
South City.																																		
SOUTH CITY, No. 1	44,100	24·7	3·4	272	76	33	13	13	8	30	45	54	.	1	.	13	1	11	3	.	2	27	6	16	40	27	8	.	2	115	2	50	78	3
,, 2	18,600	20·0	2·8	93	20	4	5	2	7	6	26	23	.	1	.	7	.	4	.	.	.	6	5	6	9	17	1	.	1	36	.	19	28	5
,, 3	44,400	21·8	2·2	242	57	25	12	15	14	31	39	49	.	1	.	5	.	12	2	.	2	22	9	10	34	37	3	1	5	99	7	66	43	10
,, 4	33,600	21·1	3·8	177	34	23	13	6	10	22	33	36	.	.	.	10	1	17	.	2	4	21	6	10	21	17	2	.	2	64	3	55	24	.
NEW KILMAINHAM	10,600	16·6	2·6	44	12	5	5	3	1	3	11	4	.	.	.	4	.	2	.	.	.	4	2	1	7	9	1	.	1	13	1	8	8	2
Urban Districts.																																		
RATHMINES AND RATHGAR ...	40,400	17·2	1·2	174	25	8	9	5	9	20	31	67	.	.	.	3	.	7	.	.	2	14	6	12	27	23	2	.	2	76	2	31	14	4
PEMBROKE	30,200	19·6	2·3	148	32	10	7	7	8	16	27	41	.	.	.	5	.	8	1	.	3	13	3	4	17	13	2	1	1	77	1	28	9	4
BLACKROCK	9,200	11·3	0·4	26	3	1	2	1	2	4	3	10	.	.	.	1	.	.	.	.	1	3	.	2	1	3	.	.	2	13	1	3	3	.
KINGSTOWN	17,000	15·5	.	66	13	.	2	.	3	10	11	27	.	.	.	.	.	.	.	.	.	3	2	7	3	10	.	.	.	41	.	5	10	1
Total City. North	166,900	23·2	3·4	969	245	83	77	34	52	116	169	193	3	.	.	29	2	75	4	.	22	87	18	40	151	129	25	2	18	364	17	198	122	25
Total City. South	151,300	21·9	3·0	828	199	90	48	39	40	92	154	166	.	3	.	39	2	46	5	2	8	80	28	43	111	107	15	1	11	327	13	198	181	20
Total City. North and South	318,200	22·6	3·2	1,797	444	173	125	73	92	208	323	359	3	3	.	68	4	121	9	2	30	167	46	83	262	236	40	3	29	691	30	396	303	45
Total Urban Districts	96,800	17·1	1·2	414	73	19	20	13	22	50	72	145	.	.	.	9	.	15	1	.	6	33	11	25	48	49	4	1	5	207	4	67	36	9
Total Registration Area ...	415,000	21·3	2·7	2,211	517	192	145	86	114	258	395	504	3	3	.	77	4	136	10	2	36	200	57	108	310	285	44	4	34	898	34	463	339	54
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				183	20	2	8	9	34	44	44	22	.	.	.	9	3	1	3	.	14	19	11	18	11	13	1	.	13	67	14	164	19	.

* See note (†) on page 260*d*.

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATION or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 3rd July, 1920;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 3RD JULY, 1920.																														
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																					
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS	397,957	.	2,394	884	95	148	302	439	287	239	3	3	.	86	7	137	13	2	50	219	68	126	68	321	298	45	4	47	897	54
	CLASSES. **Deaths in Families of the—**																														
I.	PROFESSIONAL AND INDEPENDENT CLASS	14,658	21·3	78	4	1	3	7	15	19	29	.	.	.	1	.	1	.	.	1	7	.	7	.	3	4	1	.	.	53	.
II.	MIDDLE CLASS	101,798	17·1	434	81	21	31	68	90	68	75	1	.	.	4	3	12	4	.	11	41	11	34	10	52	43	6	2	5	195	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	19·0	514	195	21	35	67	101	53	42	2	.	.	23	1	33	3	2	8	55	15	32	10	72	59	13	.	11	175	19
IV.	GENERAL SERVICE CLASS	167,479	24·1	1,010	540	47	64	115	138	63	43	.	3	.	58	3	91	6	.	28	77	26	30	47	175	108	23	2	28	305	24
V.	INMATES OF WORKHOUSES, ...	5,602	.	358	64	5	15	45	95	84	50	.	.	.	.	.	.	.	.	2	39	16	23	1	19	84	2	.	3	169	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal and other Professions; Naval and Military Officers and Heads of Public Departments, ..	7,868	.	58	4	1	3	6	10	13	21	.	.	.	1	.	1	.	.	1	6	.	6	.	3	1	1	.	.	38	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described	5,443	.	19	.	.	.	1	4	6	8	.	.	.	.	.	.	.	.	.	1	.	1	.	.	3	.	.	.	14	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, etc.	9,523	.	29	5	4	1	3	4	8	4	.	.	.	.	.	.	.	.	.	2	1	1	1	6	1	1	.	.	16	1
	5. Traders (except Petty Shopkeepers), Business Managers, etc.	25,199	.	105	20	8	1	17	17	25	17	1	.	.	.	.	4	3	.	1	4	2	11	1	14	9	2	.	.	53	3
	6. Clerks and Commercial Assistants ..	33,249	.	134	36	3	21	23	30	9	12	.	.	.	1	1	7	1	.	4	25	4	4	6	16	14	2	.	2	47	4
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	.	166	20	6	8	25	39	26	42	.	.	.	3	2	1	.	.	6	10	4	18	2	16	19	1	2	3	79	3
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	.	45	25	1	1	4	12	.	2	.	.	.	1	.	4	1	.	1	7	1	5	2	5	4	1	.	.	13	1
	9. Building and Furnishing Trades ..	28,823	.	128	66	4	3	13	21	13	8	.	.	.	8	1	12	.	1	2	11	2	6	3	21	15	3	.	1	42	2
	10. Clothing Trades	20,026	.	55	11	1	9	7	13	8	6	.	.	.	2	.	5	.	.	1	7	3	3	.	6	6	.	.	1	21	3
	11. Food Supply Trades	8,952	.	29	13	2	.	3	5	3	3	.	.	.	4	.	4	.	.	.	1	.	1	1	2	6	1	.	.	9	.
	12. Other Trades and Callings, ranking with Trades	32,070	.	225	72	10	19	33	43	26	22	1	.	.	7	.	7	2	1	4	24	9	16	4	34	26	8	.	8	74	12
	13. Petty Shopkeepers	6,772	.	32	8	3	3	7	7	3	1	1	.	.	1	.	1	.	.	.	5	.	1	.	4	2	.	.	1	16	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, etc.	12,977	.	158	74	6	21	31	14	7	5	.	.	.	9	.	10	2	.	13	18	5	5	5	22	15	5	.	10	39	1
	15. Domestic Servants	36,041	.	86	23	1	8	20	18	6	10	.	.	.	2	1	4	.	.	5	10	3	3	4	6	6	.	.	4	38	1
	16. Coach and Car Drivers, Vanmen, &c. ..	15,380	.	100	58	9	3	8	13	7	2	.	.	.	8	.	7	1	.	3	4	2	3	3	30	5	5	.	3	26	2
	17. Hawkers, Porters, Labourers, etc. ..	103,081	.	666	385	31	32	56	93	43	26	.	3	.	39	2	70	3	.	7	45	16	19	35	117	82	13	2	11	202	20
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	.	358	64	5	15	45	95	84	50	.	.	.	.	.	.	.	.	2	39	16	23	1	19	84	2	.	3	169	.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd July, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																
BELFAST URBAN No. 1 DISTRICT	15,879	135	19·9	0·8	79	17	4	16	17	17	8	.	.	.	2	1	.	.	.	4	8	5	3	9	4	.	.	5	6	28	.
Do. 2 do. .	49,500	386	17·5	1·1	217	54	16	19	31	56	41	.	.	.	.	1	5	.	.	9	25	5	9	17	23	7	.	2	2	55	1
Do. 3 do. .	50,032	444	20·5	1·8	257	50	22	44	40	54	47	.	.	.	2	3	9	2	.	6	27	7	12	31	22	5	1	4	8	66	.
Do. 4 do. .	32,637	253	22·7	1·5	185	67	11	21	28	28	30	.	.	.	1	2	.	.	.	6	20	4	7	22	23	7	2	4	4	86	1
Do. 5 do. .	16,112	175	24·3	2·5	98	24	15	8	18	21	12	1	.	.	1	.	3	2	.	8	13	1	4	9	11	3	.	.	2	39	4
Do 6 do. .	37,293	295	20·9	1·0	195	31	13	21	35	43	52	.	2	.	1	2	2	2	.	11	16	9	8	20	15	.	.	3	4	51	4
Do. 7 do. .	2,681	10	6·0	.	4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do. 8 do. .	5,964	46	18·1	0·7	27	5	2	4	1	12	3	.	.	.	.	.	.	.	.	1	4	.	1	1	8	1	.	2	3	5	.
Do. 9 do. .	24,427	190	21·9	1·3	134	29	14	13	24	26	28	.	.	.	.	3	2	.	.	10	13	8	6	25	15	2	1	3	3	33	1
Do. 10 do. .	28,958	250	20·2	1·7	146	35	18	13	19	37	24	.	.	.	.	.	5	2	.	10	14	3	9	14	25	4	1	2	2	38	3
Do. 11 do. .	—	332	—	—	149	28	8	29	26	25	33	.	.	.	.	.	.	.	.	7	15	8	5	17	19	2	.	4	3	46	2
Do. 12 do. .	—	273	—	—	107	24	7	18	25	21	12	1	.	.	1	1	.	.	.	3	16	5	3	12	9	4	.	2	3	38	5
Do. 13 do. .	—	163	—	—	95	14	2	13	21	20	25	1	.	.	2	1	.	2	.	1	19	2	5	3	8	1	1	1	1	22	2
Do. 14 do. .	175	3	.	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do. .	22,669	215	24·9	0·7	141	34	28	16	18	31	14	1	.	.	1	.	1	.	.	6	17	5	4	42	6	1	.	1	2	40	.
Do. 16 do. .	—	215	—	—	73	27	2	11	6	12	15	.	.	.	1	.	.	.	.	4	7	1	2	9	10	3	1	3	3	16	.
Total, . . .	386,947	3,385	18·5	1·1	1,909	441	162	247	309	404	346	4	2	.	12	14	27	10	.	87	214	64	78	231	199	40	7	36	46	563	23
CITY OF CORK.																																
CORK URBAN No. 1 DISTRICT, .	13,455	81	16·9	0·9	57	7	4	7	8	10	21	.	.	.	.	.	2	.	.	.	8	1	5	4	1	1	.	4	5	22	.
Do. 2 do. .	10,399	89	23·9	2·3	62	6	9	7	10	13	17	.	.	.	.	.	2	3	.	.	9	3	5	2	6	1	.	2	2	26	.
Do. 3 do. .	9,793	73	15·9	2·5	39	6	5	9	7	7	5	.	.	.	.	.	4	2	.	.	8	1	3	1	2	.	.	.	.	12	5
Do. 4 do. .	9,139	67	18·8	2·2	43	5	9	3	11	8	7	.	.	.	.	.	2	1	.	.	8	2	5	2	2	2	.	1	3	16	.
Do. 5 do. .	6,250	39	22·4	0·6	35	5	3	5	2	7	13	.	.	.	.	.	.	1	.	.	6	.	3	2	1	.	.	.	.	19	.
Do. 6 do. .	11,581	84	16·6	2·4	48	9	4	6	7	13	9	.	.	.	.	.	3	3	.	.	5	1	.	5	3	1	.	.	.	18	1
Do. 7 do. .	16,056	118	15·4	1·0	62	9	5	4	13	11	20	.	.	.	.	.	1	.	.	1	11	.	7	7	.	3	.	1	1	33	4
Total	76,673	551	18·1	1·7	346	47	39	41	58	69	92	.	.	.	.	.	14	10	.	1	55	8	28	23	15	8	.	8	11	146	10

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) on page 260*d*.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 16·9 per 1,000 and from certain epidemic diseases 0·9.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
29th July, 1920.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By THE ATHLONE PRINTING WORKS CO., LTD.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 27. Vol. LVII.] Week ending Saturday, 10th July, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 12th July, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·7 and 14·3; Dublin Registration Area, 14·2 and 14·8; Dublin City, 14·4 and 15·2; Belfast, 13·1 and 13·4; Cork, 10·9 and 15·3; Londonderry, 22·5 and 17·5; Limerick, 10·8 and 15·6; and Waterford, 19·0 and 15·7.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·1 per 1,000. Among the 104 deaths from all causes for Belfast are one from enteric fever, 2 from whooping-cough, and 6 from diarrhœal diseases. The 19 deaths from all causes for Londonderry include one from scarlet fever. Two of the 8 deaths recorded for Limerick were due to measles, and of the 7 deaths from all causes for Tralee one was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—109 boys and 123 girls—and the deaths to 124—65 males and 59 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·2 per 1,000 of the population. During the twenty-seven weeks ending with Saturday last, the death-rate averaged 20·3 and was 2·3 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-seven weeks was 21·9 and for the corresponding period of the preceding ten years 24·2.

Included in the 113 deaths appertaining to the Area are 3 from measles, 5 from whooping-cough, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were 0, one, and 2; deaths from whooping-cough were 7, 4, and 2; and deaths from diarrhœa and enteritis of children under 2 years 4, 2, and 3.

There were 7 deaths from pneumonia, comprising 5 from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia (type not distinguished).

Tuberculous disease caused 21 deaths (including 11 from pulmonary tuberculosis, one from tuberculous meningitis, and 9 from other forms of tuberculosis) as against 16, 16, and 10 in the three weeks preceding.

Nine deaths were caused by cancer, 8 by organic diseases of the heart, and 9 by bronchitis.

There were 2 deaths from accidental violence registered.

Among deaths of infants under one year old, 4 were due to whooping-cough, 2 to disseminated tuberculosis, one to venereal disease, 2 to convulsions, one to bronchitis, 2 to broncho-pneumonia, one to diarrhœa and enteritis, and 4 to premature birth.

Thirty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 6 were under one month old, and 26 deaths were those of persons aged 65 and upwards, of whom 17 were 70 years of age or over.

Of the 113 deaths recorded, 51 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 10th July, in 96 large English towns (including London in which the rate was 9·6) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·1 per 1,000 persons living, the rate for Glasgow being 10·6, and for Edinburgh 12·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th July. From this Report it appears that of 69 cases notified, 25 were scarlet fever, 23 diphtheria, 5 pulmonary tuberculosis, 7 other forms of tuberculosis, 3 erysipelas, 2 chicken-pox, 2 acute primary pneumonia, one malaria, and one dysentery. Among the 534 cases of infectious diseases in hospital at the close of the week were 220 of pulmonary tuberculosis, 6 other forms of tuberculosis, 129 of scarlet fever, 106 of diphtheria, 32 of venereal disease, 16 of measles, 4 of erysipelas, 2 of chicken pox, one of enteric fever, one of whooping-cough, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th July, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Tronch Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 19	4	1	.	.	.	—	4	—	7	2	—	.	—	.	2	.	5	.	.	18	43
	June 26	3	.	.	.	.	—	3	—	3	.	—	.	—	.	.	.	6	.	.	.	15
	July 3	6	.	.	.	.	—	1	—	5	.	—	.	—	.	.	.	2	.	.	40	54
	July 10	5	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	3	.	.	12	32
Rathmines & Rathgar Urban District	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 26	.	.	.	.	.	—	2	—	.	1	—	.	—	.	.	.	.	.	.	—	3
	July 3	.	.	.	.	.	—	.	—	2	1	—	.	—	.	.	.	.	.	.	—	3
	July 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	June 19	.	.	.	.	.	16	.	6	1	.	.	.	—	.	.	.	.	.	.	.	23
	June 26	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	July 3	.	.	.	.	.	3	.	.	.	.	.	1	—	.	.	.	.	.	.	.	4
	July 10	.	.	.	.	.	16	1	.	.	.	.	.	—	.	.	.	.	.	.	.	17
Blackrock Urban District	June 19	.	.	.	.	.	7	.	—	.	.	—	.	—	.	.	.	.	.	.	.	7
	June 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 3	.	.	.	.	.	2	.	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	July 10	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
Kingstown Urban District	June 19	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	1	2
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	1
	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	2	4
City of Belfast	June 19	6	.	.	.	.	—	28	—	5	1	—	1	—	.	.	.	1	.	.	1	43
	June 26	6	.	.	.	.	—	30	—	3	3	—	1	—	.	2	.	.	1	.	.	46
	July 3	.	.	.	.	.	—	19	—	4	.	—	1	—	.	.	.	.	.	.	3	27
	July 10	3	.	.	.	.	—	29	—	3	.	—	.	—	.	.	.	1	.	.	.	36
City of Cork	June 19	.	.	.	.	.	.	.	—	3	.	—	.	.	1	1	.	.	—	.	—	5
	June 26	.	.	.	.	.	.	1	—	5	.	—	.	.	.	.	.	.	—	.	—	6
	July 3	1	.	.	.	.	.	3	—	2	.	—	.	.	.	.	.	.	—	.	—	6
	July 10	.	.	.	.	.	.	1	—	4	.	—	.	2	.	.	.	.	—	.	—	7a
City of Londonderry	June 19	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	June 26	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	July 3	.	.	.	.	.	—	12	—	.	.	—	.	—	.	.	.	.	.	—	—	12
	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	—	—	2
City of Limerick	June 19	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	June 26	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 10	1	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	3
City of Waterford	June 19	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	1	2
	July 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including three cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th July, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 6 and 18; typhus nil and 3; measles 12 and 25; scarlet fever 9 and 46* and diphtheria 5 and 43. Five cases of pneumonia were admitted during the week and 14 remained under treatment at its close. Of the deaths in hospital during the week one was from each of measles, diphtheria, and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 10th July, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 10TH JULY, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS Total Number	DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 10TH JULY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	29·3	13·7	1·1	657	307	54	67	1	.	.	5	1	8	.	.	.	34	14	23	17	26	9	1	17	19	105	14	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	29·2	14·2	1·4	232	113	17	26	.	.	.	3	.	5	.	.	.	11	10	9	7	14	3	.	2	2	51	1	(d) 67·3	40·7	63·2	48·2	55·7	1·39
Urban Districts. CITY OF DUBLIN	318,200	39·0	30·6	14·4	1·5	187	88	16	18	.	.	.	3	.	4	.	.	.	8	9	7	7	10	2	.	2	2	45	1	(e) 67·2	48·2	62·5	50·4	56·5	1·64
																														(f) 69·8	45·0	63·6	50·4	57·0	1·64
RATHMINES and RATHGAR ...	40,400	23·6	18·1	12·9	2.6	14	10	.	3	.	.	.	.	.	1	.	.	.	1	1	.	.	2	1	.	.	.	3	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	19·0	24·2	.	11	14	1	4	.	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	.	3	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	22·7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	49·1	3·1	.	16	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	49	60·4	51·3	55·9	2·14
Urban Districts. BELFAST	413,000	27·7	28·8	13·1	1·1	228	104	25	20	1	.	.	.	.	2	.	.	.	14	2	9	5	7	5	1	4	5	30	5	66·0	45·0	62·0	50·2	56·1	1·00
CORK	76,673	28·6	38·1	10·9	.	56	16	3	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	5	2	67	49	60·9	51·4	56·3	1·89
LONDONDERRY ...	44,000	17·1	40·3	22·5	1·2	34	19	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	10	11	4	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	25·7	10·8	2·7	19	8	.	1	.	.	.	2	.	.	.	.	.	1	.	.	1	1	.	.	1	1	3	1	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	34·2	19·0	.	18	10	.	2	.	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	4	.	.	.	.	.	.	.
GALWAY	13,255	2·5				6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				7	7	1	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	1	.	.	.	.	.	.
LURGAN	12,553	14·7				4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	66·8	40·3	62·7	46·7	54·7	0·85
DROGHEDA ...	12,501	8·4				12	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN ...	12,388	10·9				7	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.	68	40	64·4	46·1	55·3	0·83
NEWRY ...	11,963	17·0				9	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	66·8	40·3	62·7	46·7	54·7	0·85
PORTADOWN ...	11,727	15·3				7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·8	40·3	62·7	46·7	54·7	0·85
WEXFORD ...	11,531	22·8				6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
SLIGO	11,163	3·8				2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	66	44	62	48	55	1·31
KILKENNY ...	10,514	11·4				2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	68	45	63·8	48·7	56·3	1·49
TRALEE	10,300	17·4				3	7	2	1	.	.	.	.	.	1	.	.	.	2	.	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.
CLONMEL ...	10,209	7·8				4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·6	—	2,187	799	126	231	1	.	.	20	3	3	8	—	—	82	26	89	44	39	19	7	38	72	417	4	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	12·8	—	176	84	14	27	.	.	.	.	.	.	3	—	2	—	—	—	—	—	.	—	6	—	—	—	63·6	45·0	59·3	48·6	53·9	0·76
GLASGOW	1,115,500	—	—	10·6	—	609	227g	31	51	1	.	1	6	1	2	1	—	.	—	—	—	—	—	8	—	14	—	—	—	68·0	44·8	61·8	49·2	55·5	1·17

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 27th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 10th July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	141·2	124	7	12	7	8	2	1	3	7	8	9	14	18	18	10	113
Enteric Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Scarlet Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·6	5	.	4	.	1	.	.	.	.	.	.	.	.	.	.	5
Diphtheria	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	8·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	24·2	11	.	.	.	.	.	.	2	1	4	2	1	1	.	.	11
Tuberculous Meningitis	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·8	4	.	.	.	2	.	1	.	1	.	.	.	.	.	.	4
Tuberculosis of the Spinal Column.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	4	.	2	.	.	.	.	.	.	.	.	.	.	2	.	4
Venereal Diseases	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1
Cancer	9·0	11	.	.	.	.	.	.	.	.	.	.	.	5	3	3	9
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
Other General Diseases	1·2	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·2	6	.	.	.	.	.	.	.	.	.	.	5	.	1	.	6
Softening of Brain	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	·8	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Convulsions (non-puerperal).	2·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	2·0	4	.	.	.	.	.	.	.	.	1	1	.	2	.	.	4
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	11·4	9	.	.	.	.	.	.	.	.	.	2	2	3	1	1	8
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	12·0	9	.	1	.	1	.	.	.	1	.	.	1	2	3	.	9
Broncho-pneumonia	4·8	6	1	2	2	.	.	.	.	.	.	.	1	.	.	.	5
Lobar pneumonia	1·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pneumonia (type not distinguished).	4·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Pleurisy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Respiratory System.	·6	4	.	.	.	.	1	.	.	.	.	.	1	.	2	.	4

registered in the TWENTY-SEVENTH WEEK, ending Saturday, 10th July, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 27th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 10th July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	4·2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver ..	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Liver	·8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Acute Nephritis ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	3·2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·8	3	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	3
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	4·4	5	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Congenital Debility ..	4·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Old Age	4·6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Other Specified Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	1·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2

TABLE IV.—Showing for the WEEK ENDED 10TH JULY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 10TH JULY, 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.	DEATHS.								CAUSED BY																				IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	15·3	1·7	9	1	3	1	.	.	.	1	3	.	.	.	1	.	.	.	.	.	1	.	.	3	.	.	.	.	4	.	1	1	1
,, 1, W.	42,100	18·6	1·2	15	2	.	2	.	1	3	5	2	.	.	.	.	.	1	.	.	.	2	3	3	.	2	.	.	.	4	.	5	4	.
,, 2	28,200	9·2	.	5	1	.	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1	.	2	1	.
,, 3	35,000	11·7	.	8	2	.	1	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6	1	4	2	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18.6	9.3	2	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	3.8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	15·4	3·5	13	4	2	.	.	.	1	4	2	.	.	.	1	.	.	.	.	.	1	1	.	.	2	2	.	.	6	.	1	2	.
,, 2	18,600	11·2	.	4	.	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	2	1	.
,, 3	44,400	12·9	1·2	11	2	.	2	.	2	1	2	2	.	.	.	.	.	1	.	.	.	1	3	1	1	1	.	.	.	3	.	1	5	.
,, 4	33,600	23.3	3.1	15	2	1	.	1	.	3	6	2	.	.	.	1	.	1	.	.	.	1	1	2	1	3	.	.	.	5	.	6	4	.
NEW KILMAINHAM	10,600	14·8	.	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	12·9	2·6	10	.	1	1	.	2	1	2	3	.	.	.	.	.	1	.	.	.	1	1	.	.	2	1	.	.	4	.	3	.	.
PEMBROKE	30,200	24·2	.	14	1	.	.	1	1	2	5	4	.	.	.	.	.	.	.	.	.	2	.	2	.	2	.	.	.	8	.	3	.	.
BLACKROCK	9,200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,000	3·1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
TOTAL CITY. North	166,900	13·1	0·9	42	7	3	5	.	2	5	10	10	.	.	.	1	.	2	.	.	.	4	4	4	4	4	.	.	2	17	2	13	9	1
TOTAL CITY. South	151,300	15·9	2·1	46	9	3	2	2	3	6	13	8	.	.	.	2	.	2	.	.	.	4	5	3	3	6	2	.	.	19	.	10	13	.
TOTAL CITY. North and South ...	318,200	14·4	1·5	88	16	6	7	2	5	11	23	18	.	.	.	3	.	4	.	.	.	8	9	7	7	10	2	.	2	36	2	23	22	1
Total Urban Districts	96,800	13·5	1.1	25	1	1	1	1	3	3	7	8	.	.	.	.	.	1	.	.	.	3	1	2	.	4	1	.	.	13	.	6	.	.
Total Registration Area ...	415,000	14·2	1·4	113	17	7	8	3	8	14	30	26	.	.	.	3	.	5	.	.	.	11	10	9	7	14	3	.	2	49	2	29	22	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	2	.	.	.	2	3	2	2	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	2	5	2	11	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th July, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH JULY, 1920																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	124	34	3	10	17	32	18	10	.	.	.	3	.	5	.	.	.	11	11	11	2	8	14	3	.	4	52	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14·2	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	14·9	29	3	1	3	6	8	3	5	.	.	.	.	.	.	.	.	.	1	3	7	1	1	2	1	.	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·6	22	7	.	1	3	6	3	2	.	.	.	1	.	1	.	.	.	2	.	2	1	2	3	.	.	.	10	.
IV.	GENERAL SERVICE CLASS	167,479	14·6	47	22	2	3	5	8	5	2	.	.	.	2	.	4	.	.	.	4	3	1	.	4	5	2	.	3	19	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	2	.	3	3	8	6	.	.	.	.	.	.	.	.	.	.	4	5	.	.	1	4	.	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	3	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	10	2	1	1	1	4	.	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1	.	1	3	.
	6. Clerks and Commercial Assistants ..	33,249	—	6	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	10	1	.	.	2	2	2	3	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	9	3	.	.	2	2	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	2	.	.	.	4	.
	10. Clothing Trades	20,026	—	3	1	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	7	3	.	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	5	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	8	3	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	2	3	.
	15. Domestic Servants	36,041	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Valmen, &c.	15,380	—	4	1	.	1	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	32	17	2	1	3	6	1	2	.	.	.	2	.	3	.	.	.	4	2	.	.	3	3	2	.	1	12	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	22	2	.	3	3	8	6	.	.	.	.	.	.	.	.	.	.	4	5	.	.	1	4	.	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.
No. of weeks in Annual Series ..	15	16	17	18	19	20	21	22	23	24	25	26	27	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered	261	277	270	259	268	267	231	286	260	254	265	202	232	262	283	288	256	253	298	223	262	392	276	214	225	228
Average Births in corresponding week of previous 10 years	*211*	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*	*208*	*208*	*200*	*213*	*195*
Number of Deaths	251	227	215	182	164	171	152	149	129	136	116	106	113	229	219	158	168	134	124	122	116	109	112	109	98	104
Annual Death-rate per 1,000 ..	31·5	28·5	27·0	22·9	20·6	21·5	19·1	18·7	16·2	17·1	14·6	13·3	14·2	28·9	27·6	19·9	21·2	16·9	15·7	15·4	14·6	13·8	14·1	13·8	12·4	13·1
Average Deaths in corresponding week of previous 10 years	*189*	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*164*	*158*	*152*	*136*	*130*	*136*	*131*	*123*	*117*	*123*	*118*	*135*	*126*
Ages .. Under one year ..	65	48	42	58	37	44	32	35	27	32	26	19	17	52	53	40	34	32	26	30	14	32	23	20	22	25
1— 5 years ..	46	48	38	16	24	28	22	18	18	17	15	12	15	29	23	15	12	4	10	8	8	8	7	5	2	9
5—25 ,, ..	19	19	30	16	23	8	15	13	11	10	12	3	3	27	23	25	26	22	24	14	20	9	17	9	13	9
25—45 ,, ..	21	31	22	15	13	26	19	13	17	19	16	21	22	37	28	21	23	25	20	24	24	17	14	19	24	12
45—65 ,, ..	46	35	35	36	21	27	35	32	24	22	24	27	30	40	51	24	37	29	23	26	30	21	27	32	20	29
65 and upwards ..	54	46	48	41	46	38	29	38	32	36	23	24	26	44	41	33	36	22	21	20	20	22	24	24	17	20
Deaths from :—																										
Enteric Fever	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1
Typhus	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	15	9	7	4	11	6	7	3	5	.	1	2	3	5	1	1	.	.	1	2	.	.	1	.	.	.
Scarlet Fever	1	.	1	.	.	.	.	1	1	.	.	.	.	1	.	2	2	.	3	2	.	1	.	1	.	.
Whooping-cough	16	9	13	14	10	15	12	11	10	7	4	2	5	6	.	4	2	1	1	.	2	4	1	2	2	2
Diphtheria	1	.	2	1	.	.	2	.	1	1	1	1	.	.	.	2	1	.	2	.	2	.	1	1	.	.
Dysentery	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5	5	4	3	1	2	4	3	.	2	1	1	.	17	13	10	9	8	3	3	1	1	.	.	1	.
Tuberculosis {Pulmonary ..	21	16	24	9	19	18	14	17	9	13	12	9	11	16	23	22	19	16	21	15	15	12	13	11	21	14
Tuberculosis {Other Forms ..	4	5	4	8	1	4	8	2	7	3	4	1	10	11	8	3	3	4	9	5	6	2	5	3	4	2
Cancer	11	9	9	8	7	14	8	9	7	7	2	11	9	8	5	10	6	2	7	2	5	4	10	9	5	9
Diseases of Respiratory System {Pneumonia ..	55	47	36	18	22	18	17	15	7	20	12	16	7	42	38	24	18	15	5	6	3	5	11	5	2	5
Diseases of Respiratory System {Others ..	35	38	17	24	24	23	20	23	11	14	8	8	14	29	36	15	19	14	10	10	7	8	3	8	4	7
Diarrhœa & Enteritis, under 2 years	2	2	3	9	1	2	6	3	4	4	2	3	3	2	5	3	4	6	6	2	3	1	3	1	3	5
Diarrhœa, 2 years and upwards ..	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.	2	.	.	1
Violent Deaths, ...	2	6	3	2	3	3	4	.	2	2	5	.	2	6	3	.	2	4	3	4	3	1	3	3	1	4
Number of Uncertified Deaths ..	4	4	5	4	5	3	1	4	9	7	3	4	1	4	4	.	1	1	3	3	.	1	.	1	4	5
A Mean Maximum Temperature in degs.	54·0	54·7	53·3	55·2	58·1	59·0	64·8	61·9	62·0	65·2	63·7	62·8	63·2	50·5	52·3	49·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4	65·8	60·3	62·0
B Mean Minimum ,, ,,	40·7	37·8	37·4	39·4	40·3	45·3	46·9	46·8	41·5	48·6	51·3	49·1	48·2	42·3	36·8	33·3	42·2	40·5	45·0	51·0	49·9	45·8	52·5	51·4	50·2	50·2
Mean of A and B ,, ,,	47·3	46·3	45·3	47·3	49·2	52·1	55·8	54·3	51·7	56·9	57·5	55·9	55·7	46·4	44·5	41·6	49·0	48·4	51·6	57·9	55·4	53·6	58·4	58·6	55·3	56·1
Rainfall in inches	0·94	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·97	0·70	0·84	1·58	0·79	1·00	0·31	0·31	0·49	0·73	0·12	1·62	1·00

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th July, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	9	16·4	·	5	2	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	·	·	2	1
Do. 2 do.	49,500	26	11·6	·	11	3	1	·	2	3	2	·	·	·	·	·	·	·	·	·	1	2	·	·	·	·	·	·	·	3	·
Do. 3 do.	50,032	28	9·4	2·1	9	1	·	·	2	4	2	1	·	·	·	·	·	·	·	·	1	·	1	·	2	1	·	·	·	1	·
Do. 4 do.	32,637	13	22·4	1·6	14	4	2	1	2	4	1	·	·	·	·	·	·	·	·	·	2	1	·	·	1	1	·	1	1	7	·
Do. 5 do.	16,112	9	22·7	3·2	7	3	2	·	1	1	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	2	·
Do. 6 do.	37,293	21	8.4	1·4	6	1	·	·	·	2	3	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	2	·
Do. 7 do.	2,681	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	1	17·5	·	2	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·
Do. 9 do.	24,427	27	14·9	·	7	1	·	·	3	2	1	·	·	·	·	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	2
Do. 10 do.	28,958	17	14·4	1·8	8	2	·	1	1	3	1	·	·	·	·	·	1	·	·	·	3	·	1	·	·	·	·	·	·	3	·
Do. 11 do.	—	22	—	—	10	2	1	2	·	2	3	·	·	·	·	·	·	·	·	·	2	·	·	2	1	1	1	·	·	4	2
Do. 12 do.	—	18	—	—	6	4	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	1	1	·
Do. 13 do.	—	11	—	—	6	·	·	1	·	2	3	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	·	1	1	1	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	11	23·0	2·3	10	2	2	2	·	3	1	·	·	·	·	·	·	·	·	·	3	·	·	2	2	1	·	·	·	4	·
Do. 16 do.	—	13	—	—	3	·	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
Total,	386,947	228	13·1	1·1	104	25	9	9	12	29	20	1	·	·	·	·	2	·	·	·	14	2	9	5	7	5	1	4	5	30	5
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 2 do.	10,399	7	5·0	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 3 do.	9,793	11	16·0	·	3	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	7	11·4	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
Do. 5 do.	6,250	5	25·0	·	3	1	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1
Do. 6 do.	11,581	9	9·0	·	2	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Do. 7 do.	16,056	13	16·2	·	5	1	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	2	·
Total,	76,673	56	10·9	·	16	3	·	2	4	3	4	·	·	·	·	·	·	·	·	·	·	·	2	1	1	·	·	·	·	5	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 13·0 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th July, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
„ „ 1, West, ..	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	5	8
„ „ 2, ...	2	.	.	.	.	2	1	.	.	.	.	.	.	1	.	.	1	7
„ „ 3, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	3
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of)	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	3
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	5	.	.	.	.	7	4	.	1	.	.	.	.	3	.	.	12	32

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th July, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 10th July.			
	June 19	June 26.	July 3.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	11	11	14	6	2	.	18
Typhus, ...	7	6	6	.	3	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	43	25	19	12	5	1	25
Scarlet Fever, ...	37	36	40	9	3	.	46*
Diphtheria, ...	49	50	50	5	11	1	43
Pneumonia, ...	15	19	19	5	9	1	14

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3026) Wt. 200. 3. 380. 7. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 28. VOL. LVII.] WEEK ENDING SATURDAY, 17TH JULY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 19th July, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 14·4 and 14·0; Dublin Registration Area, 15·7 and 14·4; Dublin City, 18·0 and 15·2; Belfast, 11·9 and 12·8; Cork, 17·0 and 14·3; Londonderry, 10·7 and 16·3; Limerick, 23·0 and 16·2; and Waterford, 7·6 and 16·1.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·9 per 1,000. Among the 94 deaths from all causes for Belfast are 2 from enteric fever, one from scarlet fever, and 2 from diarrhœal diseases. Included in the 17 deaths from all causes for Limerick are 2 from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 247—127 boys and 120 girls—and the deaths to 135—66 males and 69 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·7 per 1,000 of the population. During the twenty-eight weeks ending with Saturday last, the death-rate averaged 20·1 and was 2·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-eight weeks was 21·7 and for the corresponding period of the preceding ten years 24·0.

Included in the 125 deaths appertaining to the Area are 2 from measles, 4 from whooping-cough, 2 from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from measles were one, 2, and 3; deaths from whooping-cough were 4, 2, and 5; deaths from diphtheria one, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years 2, 3, and 3.

There were 8 deaths from pneumonia, comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia (type not distinguished).

Tuberculous disease caused 26 deaths (including 20 from pulmonary tuberculosis, and 6 from other forms of tuberculosis) as against 16, 10, and 21 in the three weeks preceding.

Five deaths were caused by cancer, 11 by organic diseases of the heart, and 11 by bronchitis.

There were 3 deaths from accidental violence registered.

Among deaths of infants under one year old, one was due to measles, one to pulmonary tuberculosis, 3 to disseminated tuberculosis, 7 to convulsions, 2 to bronchitis, 2 to broncho-pneumonia, 2 to pneumonia, 3 to diarrhœa and enteritis, 2 to premature birth and 3 to congenital debility.

Thirty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 27 being infants under one year, of whom 7 were under one month old, and 32 deaths were those of persons aged 65 and upwards, of whom 24 were 70 years of age or over.

Of the 125 deaths recorded, 60 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 17th July, in 96 large English towns (including London in which the rate was 10·1) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th July. From this Report it appears that of 80 cases notified, 19 were diphtheria, 18 pulmonary tuberculosis, 8 other forms of tuberculosis, 16 scarlet fever, 9 chicken-pox, 4 erysipelas, 4 malaria, one puerperal fever and one cerebro-spinal fever. Among the 525 cases of infectious diseases in hospital at the close of the week were 222 of pulmonary tuberculosis, 6 other forms of tuberculosis, 127 of scarlet fever, 105 of diphtheria, 29 of venereal disease, 11 of measles, 5 of erysipelas, 3 of whooping-cough, one of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th July, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	June 26	3	.	.	.	.	—	3	—	3	.	—	.	—	.	.	.	6	.	.	.	15
	July 3	6	.	.	.	.	—	1	—	5	.	—	.	—	.	.	.	2	.	.	40	54
	July 10	5	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	3	.	.	12	32
	July 17	2	.	.	.	.	—	5	—	6	.	—	.	—	.	.	.	2	.	.	3	18
Rathmines & Rathgar Urban District	June 26	.	.	.	.	.	—	2	—	.	1	—	.	—	.	.	.	.	.	.	—	3
	July 3	.	.	.	.	.	—	.	—	2	1	—	.	—	.	.	.	.	.	.	—	3
	July 10	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	June 26	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	July 3	.	.	.	.	.	3	.	.	.	.	.	1	—	.	.	.	.	.	.	.	4
	July 10	.	.	.	.	.	16	1	.	.	.	.	.	—	.	.	.	.	.	.	.	17
	July 17	.	.	.	.	.	1	4	3	1	.	.	.	—	.	.	.	.	.	.	.	9
Blackrock Urban District	June 26	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	July 3	.	.	.	.	.	2	.	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	July 10	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
	July 17	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
Kingstown Urban District	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	1
	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	2	4
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	June 26	6	.	.	.	.	—	30	—	3	3	—	1	—	.	2	.	.	1	.	.	46
	July 3	.	.	.	.	.	—	19	—	4	.	—	1	—	.	.	.	.	.	.	3	27
	July 10	3	.	.	.	.	—	29	—	3	.	—	.	—	.	.	.	1	.	.	.	36
	July 17	.	.	.	.	.	—	17	—	3	3	—	2	—	.	.	.	.	.	.	.	25
City of Cork	June 26	.	.	.	.	.	.	1	—	5	.	—	.	.	.	.	.	.	—	.	—	6
	July 3	1	.	.	.	.	.	3	—	2	.	—	.	.	.	.	.	.	—	.	—	6
	July 10	.	.	.	.	.	.	1	—	4	.	—	.	2	.	.	.	.	—	.	—	7*a*
	July 17	.	.	.	.	.	.	1	—	1	1	—	.	3	.	.	.	.	—	.	—	6*b*
City of Londonderry	June 26	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	July 3	.	.	.	.	.	—	12	—	.	.	—	.	—	.	.	.	.	.	—	—	12
	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	—	—	2
	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
City of Limerick	June 26	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 10	1	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	3
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	June 26	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	1	1
	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	1	2
	July 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including three cases of varicella. (*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th July, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 4 and 21; typhus nil and 2; measles 11 and 29; scarlet fever 10 and 47,* and diphtheria 18 and 44. One case of pneumonia was admitted during the week and 13 remained under treatment at its close. Of the deaths in hospital during the week 4 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th July, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 17TH JULY, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 17TH JULY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(39)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	26·9	14·4	0·9	603	322	60	72	2	.	.	4	1	4	2	.	.	49	13	12	24	27	8	.	11	13	123	8	° .	° .	° .	° .	° .	. .
DUBLIN REGISTRATION AREA	415,000	29·7	31·0	15·7	1·5	247	125	27	32	.	.	.	2	.	4	2	.	.	20	6	5	8	12	4	.	3	5	60	2	(d) 67·0	46·7	64·1	51·7	57·9	0·41
Urban Districts. CITY OF DUBLIN	318,200	39·0	34·2	18·0	1·8	209	110	23	27	.	.	.	1	.	4	2	.	.	17	5	5	6	11	4	.	3	5	54	2	(e) 67·2	52·0	64·9	53·8	59·4	0·40
																														(f) 69·0	50·8	66·2	53·4	59·8	0·47
RATHMINES and RATHGAR ...	40,400	23·6	18·1	3·9	.	14	3	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	19·0	12·1	.	11	7	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	2	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	17·0	11·3	5·7	3	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	30·7	9·2	.	10	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	70	52	66·6	53·6	60·1	0·45
Urban Districts. BELFAST	413,000	27·7	24·4	11·9	0·6	193	94	21	11	2	.	.	.	1	.	.	.	.	14	4	5	9	4	2	.	.	2	36	1	66	48	64·3	51·5	57·9	0·46
CORK	76,673	28·6	19·7	17·0	.	29	25	5	5	.	.	.	.	.	.	.	.	.	3	1	.	3	.	.	.	2	2	6	3	62	50	60·1	52·7	56·4	1·61
LONDONDERRY ...	44,000	17·1	34·4	16·7	.	29	9	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	35·2	23·0	.	26	17	2	2	.	.	.	2	.	.	.	.	.	4	.	1	.	4	.	.	.	.	8	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	20·9	7·6	.	11	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.
GALWAY	13,255	2·5				8	8	.	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	5	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	66·8	48·2	65·7	51·1	58·4	0·41
DROGHEDA ...	12,501	8·4				10	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	2	.	.	.	.	.	.	.
LISBURN	12,388	10·9				1	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	66	45	65	50	57·5	0·44
NEWRY	11,963	17·0				5	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	.	66·8	48·2	65·7	51·1	58·4	0·41
PORTADOWN ...	11,727	15·3				4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66·8	48·2	65·7	51·1	58·4	0·41
WEXFORD ...	11,531	22·8				11	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				1	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
SLIGO	11,163	3·8				2	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2	.	65	47	64	50	57	1·64
KILKENNY ...	10,514	11·4				13	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	67	46	64·0	50·4	57·2	0·95
TRALEE	10,300	17·4				4	6	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	.	4	.	.	.	.	.	.	.
CLONMEL (g) ...	10,209	7·8				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·1	—	2,389	846	125	268	2	.	.	5	2	4	10	—	—	78	23	110	36	46	16	8	39	90	434	1	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Return not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 28th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 17th July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	154·0	135	7	21	5	7	5	6	4	3	9	10	13	13	19	13	125
Enteric Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Scarlet Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·8	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	4
Diphtheria	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	2
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	20·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·2	23	.	1	.	.	1	3	4	2	4	3	4	1	.	.	20
Tuberculous Meningitis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	·4	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	·8	5	1	2	1	.	.	.	.	.	.	.	1	.	.	.	5
Venereal Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	9·6	6	.	.	.	.	.	.	.	.	.	.	1	3	2	.	5
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	2·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	4·2	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3
Softening of Brain	.2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	1·8	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	3
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	1·6	7	3	·4	.	.	.	.	.	.	.	.	.	.	.	.	7
Other Diseases of Nervous System.	2·2	4	.	.	.	.	.	1	.	.	1	2	.	.	.	.	3
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·8	11	.	.	.	.	.	.	.	.	2	.	1	1	5	2	11
Embolism and Thrombosis (including Cerebral).	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Other Diseases of Circulatory System.	·8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	9·2	12	.	3	1	.	.	.	.	.	.	.	1	3	3	1	11
Broncho-pneumonia	3·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Lobar pneumonia	3·0	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished).	9·6	5	.	2	.	1	.	.	.	.	1	.	1	.	.	.	5
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

registered in the TWENTY-EIGHTH WEEK, ending Saturday, 17th July, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 28th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 17th July, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	2·4	4	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·4	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Acute Nephritis ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Chronic Bright's Disease	4·2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	3
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Puerperal Septicæmia, &c.	.6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	2·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Congenital Debility ..	3·0	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	4·8	6	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.	6
Other Specified Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Suffocation in Bed ..	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	7·0	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Violent Deaths ..		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·2	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3

TABLE IV.—Showing for the WEEK ENDED 17TH JULY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 17TH JULY, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																							
		From all causes	From certain Epidemic Diseases*									Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	17·0	3·4	10	2	2	.	1	1	.	3	1	.	.	.	1	.	1	.	.	.	1	.	.	1	2	.	.	2	2	2	4	.	.
,, 1, W.	42,100	22·3	1·2	18	4	.	1	5	.	3	1	4	.	.	.	.	.	1	.	.	.	4	2	1	1	1	.	.	1	7	2	5	2	1
,, 2	28,200	24·0	1·8	13	3	.	1	.	.	3	3	3	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	8	1	5	1	.
,, 3	35,000	20·4	1·5	14	1	.	1	.	1	2	5	4	.	.	.	.	.	1	.	.	.	1	.	2	.	1	.	.	.	9	.	6	4	1
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	9·3	2	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	3·8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	18·3	4·6	4	1	.	.	1	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	23·6	3·5	20	4	1	1	1	2	3	6	2	.	.	.	.	.	.	.	.	.	5	1	1	1	3	3	.	.	6	.	4	2	.
,, 2	18,600	11·2	.	4	1	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	2	.	.
,, 3	44,400	10·6	1·2	9	3	.	.	1	.	2	1	2	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	.	5	.	2	3	.
,, 4	33,600	18·6	.	12	2	1	1	.	.	2	1	5	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	7	.	2	3	.
NEW KILMAINHAM	10,600	14·8	.	3	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	3·9	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	3	.	.
PEMBROKE	30,200	12·1	.	7	3	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	4	.	1	1	.
BLACKROCK	9,200	11·3	5·7	2	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
KINGSTOWN	17,000	9·2	.	3	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.
TOTAL CITY. North	166,900	19·4	2·2	62	12	2	4	7	2	8	12	15	.	.	.	1	.	4	1	.	.	8	2	3	3	5	1	.	3	31	5	22	7	2
TOTAL CITY. South	151,300	16·5	1·4	48	11	2	2	2	2	7	10	12	.	.	.	.	.	.	1	.	.	9	3	2	3	6	3	.	.	21	.	8	17	.
TOTAL CITY. North and South ...	318,200	18·0	1·8	110	23	4	6	9	4	15	22	27	.	.	.	1	.	4	2	.	.	17	5	5	6	11	4	.	3	52	5	30	24	2
Total Urban Districts	96,800	8·1	0·5	15	4	1	1	1	1	2	.	5	.	.	.	1	.	.	.	.	.	3	1	.	2	1	.	.	.	7	.	5	1	.
Total Registration Area ...	415,000	15·7	1·5	125	27	5	7	10	5	17	22	32	.	.	.	2	.	4	2	.	.	20	6	5	8	12	4	.	3	59	5	35	25	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	.	.	1	2	2	4	.	.	.	.	.	.	.	1	.	.	3	1	1	1	1	.	.	.	2	.	9	1	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th July, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH JULY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	135	40	11	7	19	26	19	13	.	.	.	2	.	4	3	.	.	3	7	6	7	9	13	4	.	3	54	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	24·9	7	.	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	13·8	27	6	4	2	5	3	5	2	.	.	.	.	.	2	2	.	.	6	1	2	3	1	2	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·4	30	10	2	1	6	3	2	6	.	.	.	1	.	.	.	.	.	5	2	.	.	4	.	2	.	1	15	1
IV.	GENERAL SERVICE CLASS	167,479	14·0	45	19	5	3	4	10	3	1	.	.	.	1	.	2	1	.	.	9	1	2	4	3	4	1	.	2	15	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	5	.	1	2	8	6	4	.	.	.	.	.	.	.	.	.	3	3	1	.	.	7	1	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	12	4	2	.	2	2	1	1	.	.	.	.	.	1	1	.	.	2	.	1	2	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants ..	33,249	—	9	1	2	1	3	1	1	.	.	.	.	.	.	.	1	.	.	3	1	.	1	1	1	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	4	1	.	1	.	.	1	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	3	1	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
	10. Clothing Trades	25,026	—	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	5	3	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	1
	12. Other Trades and Callings ranking with Trades	32,070	—	16	5	1	1	3	1	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	1	.	.	10	.
	13. Petty Shopkeepers	6,772	—	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	4	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	.
	15. Domestic Servants	36,041	—	7	2	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	30	13	4	3	1	7	2	.	.	.	.	1	.	2	1	.	.	7	.	1	3	2	4	1	.	2	6	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	26	5	.	1	2	8	6	4	.	.	.	.	.	.	.	.	.	3	3	1	.	.	7	1	.	.	11	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.
No. of weeks in Annual Series	16	17	18	19	20	21	22	23	24	25	26	27	28	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered	277	270	259	268	267	231	286	260	254	265	202	232	247	283	288	256	253	298	223	262	302	276	214	225	228	193
Average Births in corresponding week of previous 10 years	*208*	*198*	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*214*	*219*	*203*	*206*	*216*	*218*	*215*	*208*	*208*	*200*	*213*	*195*	*184*
Number of Deaths	227	215	182	164	171	152	149	129	136	116	106	113	125	219	158	168	134	124	122	116	109	112	109	98	104	94
Annual Death-rate per 1,000	28·5	27·0	22·9	20·6	21·5	19·1	18·7	16·2	17·1	14·6	13·3	14·2	15·7	27·6	19·9	21·2	16·9	15·7	15·4	14·6	13·8	14·1	13·8	12·4	13·1	11·9
Average Deaths in corresponding week of previous 10 years	*188*	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*158*	*152*	*136*	*130*	*136*	*131*	*123*	*117*	*123*	*118*	*135*	*126*	*123*
Ages — Under one year	48	42	58	37	44	32	35	27	32	26	19	17	27	53	40	34	32	26	30	14	32	23	20	22	25	21
1— 5 years	48	38	16	24	28	22	18	18	17	15	12	15	12	23	15	12	4	10	8	8	8	7	5	2	9	4
5—25 ,,	19	30	16	23	8	15	13	11	10	12	3	3	15	23	25	26	22	24	14	20	9	17	9	13	9	16
25—45 ,,	31	22	15	13	26	19	13	17	19	16	21	22	17	28	21	23	25	20	24	24	17	14	19	24	12	17
45—65 ,,	35	35	36	21	27	35	32	24	22	24	27	30	22	51	24	37	29	23	26	30	21	27	32	20	29	25
65 and upwards	46	48	41	46	38	29	38	32	36	23	24	26	32	41	33	36	22	21	20	20	22	24	24	17	20	11
Deaths from :—																										
Enteric Fever	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2
Typhus	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	9	7	4	11	6	7	3	5	.	1	2	3	2	1	1	.	.	1	2	.	.	1	.	.	.	1
Scarlet Fever	.	1	.	.	.	.	1	1	.	.	.	.	.	.	2	2	.	3	2	.	1	.	1	.	.	.
Whooping-cough	9	13	14	10	15	12	11	10	7	4	2	5	4	.	4	2	1	1	.	2	4	1	2	2	2	.
Diphtheria	.	2	1	.	.	2	.	1	1	1	1	.	2	.	2	1	.	2	.	2	.	1	1	.	.	.
Dysentery	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5	4	3	1	2	4	3	.	2	1	1	.	.	13	10	9	8	3	3	1	1	.	.	1	.	.
Tuberculosis — Pulmonary	16	24	9	19	18	14	17	9	13	12	9	11	20	23	22	19	16	21	15	15	12	13	11	21	14	14
Tuberculosis — Other Forms	5	4	8	1	4	8	2	7	3	4	1	10	6	8	3	3	4	9	5	6	2	5	3	4	2	4
Cancer	9	9	8	7	14	8	9	7	7	2	11	9	5	5	10	6	2	7	2	5	4	10	9	5	9	5
Diseases of Respiratory System — Pneumonia	47	36	18	22	18	17	15	7	20	12	16	7	8	38	24	18	15	5	6	3	5	11	5	2	5	9
Diseases of Respiratory System — Others	38	17	24	24	23	20	23	11	14	8	8	14	12	36	15	19	14	10	10	7	8	3	8	4	7	4
Diarrhœa & Enteritis, under 2 years	2	3	9	1	2	6	3	4	4	2	3	3	4	5	3	4	6	6	2	3	1	3	1	3	5	2
Diarrhœa, 2 years and upwards	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.	2	.	.	1	.
Violent Deaths,	6	3	2	3	3	4	.	2	2	5	.	2	3	3	.	2	4	3	4	3	1	3	3	1	4	.
Number of Uncertified Deaths	4	5	4	5	3	1	4	9	7	3	4	1	2	4	.	1	1	3	3	.	1	.	1	4	5	1
A Mean Maximum Temperature in degs.	54·7	53·3	55·2	58·1	59·0	64·8	61·9	62·0	65·2	63·7	62·8	63·2	64·1	52·3	49·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4	65·8	60·3	62·0	64·3
B Mean Minimum ,, ,,	37·8	37·4	39·4	40·3	45·3	46·9	46·8	41·5	48·6	51·3	49·1	48·2	51·7	36·8	33·3	42·2	40·5	45·0	51·0	49·9	45·8	52·5	51·4	50·2	50·2	51·5
Mean of A and B ,, ,,	46·3	45·3	47·3	49·2	52·1	55·8	54·3	51·7	56·9	57·5	55·9	55·7	57·9	44·5	41·6	49·0	48·4	51·6	57·9	55·4	53·6	58·4	58·6	55·3	56·1	57·9
Rainfall in inches	0·39	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·70	0·84	1·58	0·79	1·00	0·31	0·31	0·49	0·73	0·12	1·62	1·00	0·46

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th July, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		DEATHS.																										
			All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																			
						Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercular Disease: Pulmonary.	Tubercular Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
Belfast Urban No. 1 District,	15,879	4	26·3	.	8	4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	2	1
Do. 2 do.	49,509	19	10·5	.	10	1	1	1	3	4	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	4	.
Do. 3 do.	50,032	31	10·4	1·0	10	.	.	2	1	5	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	4	.
Do. 4 do.	32,637	14	20·8	.	13	5	.	.	2	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	6	.
Do. 5 do.	16,112	11	3·2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do.	37,293	9	5·6	.	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	8	12·8	.	6	2	1	.	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	1	5	.
Do. 10 do.	28,958	11	21·6	1·8	12	1	1	2	4	2	2	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	1	.
Do. 11 do.	—	21	—	—	8	3	.	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 12 do.	—	27	—	—	9	4	.	1	2	1	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
Do. 13 do.	—	8	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	19	23·0	.	10	.	1	5	.	3	1	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.	.	.	3	.
Do. 16 do.	—	6	—	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Total, . .	386,947	193	11·9	0·6	94	21	4	16	17	25	11	2	.	.	.	1	.	.	.	.	14	4	5	9	4	2	.	.	2	30	1
CITY OF CORK																															
Cork Urban No. 1 District, .	13,455	7	23.3	.	6	1	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 2 do. .	10,399	2	15·0	.	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Do. 3 do. .	9,793	3	5·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 4 do. .	9,139	5	34·2	.	6	2	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.
Do. 5 do. .	6,250	.	16·7	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .	11,581	2	9·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	1	2	1
Do. 7 do. .	16,056	10	16·2	.	5	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, . . .	76,673	29	17·0	.	25	5	2	4	2	7	5	.	.	.	.	.	.	.	.	.	3	1	.	3	.	.	.	2	2	6	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 9·8 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th July, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
„ „ 1, West, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	3
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 3, ...	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	4
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 4, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	.	.	.	.	5	6	.	.	.	.	.	.	2	.	.	3	18

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th July, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 17th July.			
	June 26.	July 3.	July 10	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	11	14	18	4	1	.	21
Typhus, ...	6	6	3	.	1	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	25	19	25	11	7	.	29
Scarlet Fever, ...	36	40	46	10	9	.	47*
Diphtheria, ...	50	50	43	18	13	4	44
Pneumonia, ...	19	19	14	1	2	.	13

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3073) Wt. 200. 3. 380. 7. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 29. VOL. LVII.] WEEK ENDING SATURDAY, 24TH JULY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 26th July, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 12·7 and 13·6; Dublin Registration Area, 12·8 and 14·0; Dublin City, 13·4 and 14·8; Belfast, 11·6 and 12·3; Cork, 15·0 and 14·8; Londonderry, 14·2 and 18·9; Limerick, 9·5 and 15·6; and Waterford, 24·7 and 17·6.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 92 deaths from all causes for Belfast are one from scarlet fever, one from whooping-cough, 2 from diphtheria and 3 from diarrhœal diseases. Included in the 12 deaths from all causes for Londonderry are one from measles and one from diphtheria and of the 7 deaths from all causes for Limerick one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—104 boys and 105 girls—and the deaths to 115—56 males and 59 females.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 12·8 per 1,000 of the population. During the twenty-nine weeks ending with Saturday last, the death-rate averaged 19·8 and was 2·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the twenty-nine weeks was 21·5 and for the corresponding period of the preceding ten years 23·8.

Included in the 102 deaths appertaining to the Area are one from measles, 3 from whooping-cough, one from diarrhœa and enteritis of a child under 2 years and one from influenza.

In the 3 preceding weeks, deaths from measles were 2, 3, and 2; deaths from whooping-cough were 2, 5, and 4; deaths from diarrhœa and enteritis of children under 2 years, 3, 3 and 4, and deaths from influenza one, 0 and 0.

There were 6 deaths from pneumonia, comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 12 deaths (including 9 from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from disseminated tuberculosis) as against 10, 21, and 26 in the three weeks preceding.

Eight deaths were caused by cancer, 9 by organic diseases of the heart, and 4 by bronchitis.

There were 3 deaths from accidental violence registered, one being that of a child aged 4 years from burns.

Among deaths of infants under one year old, 2 were due to whooping-cough, one to venereal disease, 2 to simple meningitis, one to convulsions, one to bronchitis, one to broncho-pneumonia, one to diarrhœa and enteritis and 6 to congenital debility.

Twenty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 7 were under one month old, and 28 deaths were those of persons aged 65 and upwards, of whom 23 were 70 years of age or over.

Of the 102 deaths recorded, 43 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 24th July, in 96 large English towns (including London in which the rate was 9·1) was equal to an average annual death rate of 9·8 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·6 per 1,000 persons living, the rate for Glasgow being 12·8, and for Edinburgh 13·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th July. From this Report it appears that of 54 cases notified, 17 were scarlet fever, 17 pulmonary tuberculosis, 5 other forms of tuberculosis, 8 diphtheria, 5 erysipelas, one malaria, and one enteric fever. Among the 515 cases of infectious diseases in hospital at the close of the week were 227 of pulmonary tuberculosis, 6 other forms of tuberculosis, 136 of scarlet fever, 81 of diphtheria, 34 of venereal disease, 9 of measles, 5 of erysipelas, 2 of whooping-cough, one of enteric fever, and one of cerebro-spinal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th July, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 3	6	.	.	.	.	—	1	—	5	.	—	.	—	.	.	.	2	.	.	40	54
	July 10	5	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	3	.	.	12	32
	July 17	2	.	.	.	.	—	5	—	6	.	—	.	—	.	.	.	2	.	.	3	18
	July 24	1	.	.	.	.	—	1	—	5	3	—	.	—	1	.	.	1	.	.	5	17
Rathmines & Rathgar Urban District	July 3	.	.	.	.	.	—	.	—	2	1	—	.	—	.	.	.	.	.	.	—	3
	July 10	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	.	—	4
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	July 3	.	.	.	.	.	3	.	.	.	.	.	1	—	.	.	.	.	.	.	.	4
	July 10	.	.	.	.	.	16	1	.	.	.	.	.	—	.	.	.	.	.	.	.	17
	July 17	.	.	.	.	.	1	4	3	1	.	.	.	—	.	.	.	.	.	.	.	9
	July 24	.	.	.	.	.	13	.	.	.	.	.	.	—	.	.	.	.	.	.	.	13
Blackrock Urban District	July 3	.	.	.	.	.	2	.	—	.	.	—	.	—	.	.	.	.	.	.	.	2
	July 10	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
	July 17	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
	July 24	1	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	1
	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	2	4
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	July 3	.	.	.	.	.	—	19	—	4	.	—	1	—	.	.	.	.	.	.	3	27
	July 10	3	.	.	.	.	—	29	—	3	.	—	.	—	.	.	.	1	.	.	.	36
	July 17	.	.	.	.	.	—	17	—	3	3	—	2	—	.	.	.	.	.	.	.	25
	July 24	3	.	.	.	.	—	20	—	3	1	—	1	—	.	.	.	.	.	.	.	28
City of Cork	July 3	1	.	.	.	.	.	3	—	2	.	—	.	.	.	.	.	.	—	.	—	6
	July 10	.	.	.	.	.	.	1	—	4	.	—	.	2	.	.	.	.	—	.	—	7*a*
	July 17	.	.	.	.	.	.	1	—	1	1	—	.	3	.	.	.	.	—	.	—	6*b*
	July 24	.	1	1	.	.	.	.	—	3	.	—	.	.	.	.	.	.	—	.	—	5*a*
City of Londonderry	July 3	.	.	.	.	.	—	12	—	.	.	—	.	—	.	.	.	.	.	—	—	12
	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	—	—	2
	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	July 24	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
City of Limerick	July 3	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 10	1	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	3
	July 17	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	July 3	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	1	2
	July 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including three cases of varicella. (*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th July, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 4 and 23; typhus nil and 2; measles 9 and 26; scarlet fever one and 36,* and diphtheria 9 and 44. Three cases of pneumonia were admitted during the week and 14 remained under treatment at its close. Of the deaths in hospital during the week 2 were from measles and one from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 24th July, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 24TH JULY, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 24TH JULY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	26·5	12·7	0·7	594	285	51	76	.	.	.	2	1	5	3	.	1	26	16	17	19	11	4	1	5	8	101	9	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	26·3	12·8	0·6	209	102	19	28	.	.	.	1	.	3	.	.	1	9	3	8	6	8	1	.	3	4	43	1	(d) 66·1	41·6	64·0	50·1	57·0	0·74
Urban Districts. CITY OF DUBLIN	318,200	39·0	27·4	13·4	0·8	167	82	18	19	.	.	.	1	.	3	.	.	.	8	3	6	5	5	1	.	3	4	38	1	(e) 68·2	45.9	64·2	52·2	58·2	0·62
																														(f) 67·0	44·0	65·0	51·4	58·2	0·74
RATHMINES and RATHGAR ...	40,400	23·6	34·8	11·6	.	27	9	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	2	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	12·1	10·4	.	7	6	.	3	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	3	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	17·0	11·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	15·3	9·2	.	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	46	64·4	52·1	58·3	0·49
Urban Districts. BELFAST	413,000	27·7	26·4	11·6	0·9	209	92	20	22	.	.	.	.	1	1	2	.	.	7	5	5	7	1	3	.	1	3	28	2	66·6	48·0	64·0	50·7	57·4	0·52
CORK	76,673	28·6	24·5	15·0	.	36	22	1	5	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.	.	11	1	67	47	62·1	51·0	56·6	1·14
LONDONDERRY ...	44,000	17·1	32·0	14·2	2·4	27	12	1	3	.	.	.	1	.	.	1	.	.	2	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.
LIMERICK	38,518	16·1	31·1	9·5	1·4	23	7	5	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	1	.	2	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	43·7	24·7	1·9	23	13	.	6	.	.	.	.	.	.	.	.	.	3	2	1	3	.	.	.	1	.	9	.	.	.	.	.	.	.
GALWAY	13,255	2·5				4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	62	45	61·5	49·5	55·5	0·58
DUNDALK ...	13,128	9·5				5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				7	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	67·1	43·0	64·4	48·8	56·6	0·62
DROGHEDA ...	12,501	8·4				3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				9	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	68	42	67	46	56·5	0·65
NEWRY	11,963	17·0				8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·1	43·0	64·4	48·8	56·6	0·62
PORTADOWN ...	11,727	15·3				8	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	67·1	43·0	64·4	48·8	56·6	0·62
WEXFORD ...	11,531	22·8				6	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
SLIGO	11,163	3·8				1	6	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	.	67	43	63	48	55·5	0·87
KILKENNY ...	10,514	11·4				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	43	63·8	50·2	57·0	0·79
TRALEE	10,300	17·4				2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	1	.	.	.	.	.	.
CLONMEL	10,209	7·8				8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·1	—	2,229	762	97	248	.	.	.	4	1	4	13	—	—	66	15	100	41	41	20	8	38	72	378	1	76	44	72·7	53·6	63·2	0·85
EDINBURGH ...	342,300	—	—	13·3	—	142	87	18	34	.	.	.	.	.	.	1	—	.	—	—	—	—	—	2	—	7	—	—	—	64·0	47·0	62·3	50·1	56·2	0·20
GLASGOW	1,115,500	—	—	12·8	—	577	273	58	65	1	.	8	2	.	1	2	—	1	—	—	—	—	—	11	—	12	—	—	—	64·0	47·8	61·9	50·7	56·3	0·34

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 29th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 24th July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	132·2	115	8	13	3	4	.	3	3	4	12	9	10	18	14	14	102
Enteric Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·4	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	3
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	11·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	19·0	9	.	.	.	.	.	.	1	2	2	1	1	2	.	.	9
Tuberculous Meningitis	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Abdominal Tuberculosis	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Venereal Diseases	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	8·4	10	.	.	.	.	.	.	.	.	1	.	2	4	2	1	8
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Diabetes	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Anæmia, Leucocythæmia.	·2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Other General Diseases	1·0	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
Alcoholism	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	·8	4	.	2	.	2	.	.	.	.	.	.	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	4·2	6	.	.	.	.	.	.	.	.	.	.	1	1	2	2	6
Softening of Brain	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	·8	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Organic Diseases of the Heart.	12·8	9	.	.	.	.	.	.	.	.	.	.	2	4	1	2	9
Embolism and Thrombosis (including Cerebral).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	10·4	4	.	1	.	.	.	.	.	.	.	1	.	.	.	2	4
Broncho-pneumonia	3·0	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2
Lobar pneumonia	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pneumonia (type not distinguished).	6·0	3	.	.	.	.	.	.	.	.	2	.	1	.	.	.	3
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·0	4	.	.	.	.	.	.	.	.	1	1	.	2	.	.	4

registered in the TWENTY-NINTH WEEK, ending Saturday, 24th July, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 29th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 24th July, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diarrhœa and Enteritis of Children under 2 years.	3·0	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Diarrhœa 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·6	3	·	·	·	·	·	·	1	1	·	·	1	·	·	·	·	1
Hernia and Intestinal Obstructions.	1·6	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1
Cirrhosis of Liver ..	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Digestive System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Acute Nephritis ..	·4	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Chronic Bright's Disease	3·4	5	·	·	·	·	·	·	·	·	3	·	1	·	1	·	·	4
Urinary Calculi ..	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·4	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2
Diseases of Locomotor System.	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1
Congenital Malformations.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Debility ..	4·0	8	4	4	·	·	·	·	·	·	·	·	·	·	·	·	·	6
Old Age	4·2	9	·	·	·	·	·	·	·	·	·	·	·	·	3	6	·	9
Other Specified Diseases	·4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1
Drowning	·4	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·2	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1
Ships, Boats, Docks ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c. ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths ..	1·6	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Not included in above—																		
Homicide	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes ..	1·8	2	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	1

TABLE IV.—Showing for the WEEK ENDED 24TH JULY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 24TH JULY, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.								CAUSED BY																				In Institutions.		
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	13·6	1·7	8	2	.	1	.	.	.	2	3	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.
,, 1, W.	42,100	22·3	2·5	18	3	1	.	1	1	3	2	7	.	.	.	.	.	1	.	.	.	.	1	.	1	1	1	.	.	13	.	4	4	.
,, 2	28,200	22·2	·	12	3	.	2	.	1	2	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	9	2	3	2	.
,, 3	35,000	7·3	·	5	.	.	1	.	.	.	4	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	1	.	1	.	.
CLONTARF AND HOWTH, No. 1, part of	5,600	.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	·	4	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	1	.	1
FINGLAS AND GLASNEVIN, part of ...	11,400	13·7	·	3	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	1	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	11·8	1·2	10	4	1	.	.	1	3	1	.	.	.	.	1	.	.	.	.	.	2	.	1	2	.	.	.	.	4	.	5	3	.
,, 2	18,600	8·4	·	3	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	3	.	.
,, 3	44,400	9·4	·	8	.	.	.	1	.	2	4	1	.	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	1	1	1	5	2	.
,, 4	33,600	15·5	1·6	10	3	.	.	.	.	3	2	2	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	7	.	2	1	.
NEW KILMAINHAM	10,600	4·9	·	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	11·6	·	9	1	.	.	.	2	1	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	5	.	2	.	.
PEMBROKE	30,200	10·4	.	6	.	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	2	.	2	1	.
BLACKROCK	9,200	11·3	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
KINGSTOWN	17,000	9·2	.	3	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
TOTAL CITY. North	166,900	15·6	0·9	50	10	1	4	1	2	6	12	14	.	.	.	.	.	2	.	.	.	4	2	3	2	3	1	.	1	32	2	10	6	1
TOTAL CITY. South	151,300	11·0	0·7	32	8	1	.	1	1	9	7	5	.	.	.	1	.	1	.	.	.	4	1	3	3	2	.	.	2	15	2	16	6	.
TOTAL CITY. North and South ...	318,200	13·4	0·8	82	18	2	4	2	3	15	19	19	.	.	.	1	.	3	.	.	.	8	3	6	5	5	1	.	3	47	4	26	12	1
Total Urban Districts	96,800	10·8	.	20	1	1	.	.	2	3	4	9	.	.	.	.	.	.	.	.	1	1	.	2	1	3	.	.	.	12	.	4	1	.
Total Registration Area ...	415,000	12·8	0·6	102	19	3	4	2	5	18	23	28	.	.	.	1	.	3	.	.	1	9	3	8	6	8	1	.	3	59	4	30	13	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				13	2	.	.	1	2	3	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	10	2	13	.	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th July, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH JULY, 1920.																													
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	115	28	3	7	21	28	14	14	.	.	.	1	.	3	.	.	1	9	3	10	1	6	8	1	.	4	68	1
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	2	.
II.	MIDDLE CLASS	101,798	12·3	24	4	.	2	4	10	1	3	.	.	.	.	.	.	.	.	.	2	1	2	.	.	2	.	.	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·5	26	6	1	1	2	9	3	4	.	.	.	.	.	1	.	.	1	.	1	2	.	1	1	.	.	2	17	1
IV.	GENERAL SERVICE CLASS	167,479	15·3	49	14	1	4	11	7	8	4	.	.	.	1	.	2	.	.	.	6	1	4	1	4	5	.	.	2	23	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	13	4	1	.	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants ..	33,249	—	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	13	3	.	.	4	5	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades ..	28,823	—	4	2	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1
	10. Clothing Trades	20,026	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	15	1	1	1	2	5	2	3	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	.	2	9	.
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	.	1	.
	15. Domestic Servants	36,041	—	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	39	12	1	3	9	4	8	2	.	.	.	1	.	2	.	.	.	3	1	3	.	4	4	.	.	2	19	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	13	4	1	.	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	9	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.
No. of weeks in Annual Series ..	17	18	19	20	21	22	23	24	25	26	27	28	29	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered	270	259	268	267	231	286	260	254	265	202	232	247	209	288	256	253	298	223	262	302	276	214	225	228	193	209
Average Births in corresponding week of previous 10 years	*198*	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*219*	*203*	*206*	*216*	*218*	*215*	*208*	*208*	*200*	*213*	*195*	*184*	*215*
Number of Deaths	215	182	164	171	152	149	129	136	116	106	113	125	102	158	168	134	124	122	116	109	112	109	98	104	94	92
Annual Death-rate per 1,000 ..	27·0	22·9	20·6	21·5	19·1	18·7	16·2	17·1	14·6	13·3	14·2	15·7	12·8	19·9	21·2	16·9	15·7	15·4	14·6	13·8	14·1	13·8	12·4	13·1	11·9	11·6
Average Deaths in corresponding week of previous 10 years	*159*	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*152*	*136*	*130*	*136*	*131*	*123*	*117*	*123*	*118*	*135*	*126*	*123*	*111*
Ages .. Under one year ..	42	58	37	44	32	35	27	32	26	19	17	27	19	40	34	32	26	30	14	32	23	20	22	25	21	20
1— 5 years ..	38	16	24	28	22	18	18	17	15	12	15	12	7	15	12	4	10	8	8	8	7	5	2	9	4	8
5—25 „ ..	30	16	23	8	15	13	11	10	12	3	3	15	7	25	26	22	24	14	20	9	17	9	13	9	16	10
25—45 „ ..	22	15	13	26	19	13	17	19	16	21	22	17	18	21	23	25	20	24	24	17	14	19	24	12	17	12
45—65 „ ..	35	36	21	27	35	32	24	22	24	27	30	22	23	24	37	29	23	26	30	21	27	32	20	29	25	20
65 and upwards ..	48	41	46	38	29	38	32	36	23	24	26	32	28	33	36	22	21	20	20	22	24	24	17	20	11	22
Deaths from :—																										
Enteric Fever	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2	.
Typhus	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	7	4	11	6	7	3	5	.	1	2	3	2	1	1	.	.	1	2	.	.	1	.	.	.	.	.
Scarlet Fever	1	.	.	.	.	1	1	.	.	.	.	.	.	2	2	.	3	2	.	1	.	1	.	.	1	1
Whooping-cough	13	14	10	15	12	11	10	7	4	2	5	4	3	4	2	1	1	.	2	4	1	2	2	2	.	1
Diphtheria	2	1	.	.	2	.	1	1	1	1	.	2	.	2	1	.	2	.	2	.	1	1	.	.	.	2
Dysentery	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4	3	1	2	4	3	.	2	1	1	.	.	1	10	9	8	3	3	1	1	.	.	1	.	.	.
Tuberculosis {Pulmonary ..	24	9	19	18	14	17	9	13	12	9	11	20	9	22	19	16	21	15	15	12	13	11	21	14	14	7
Tuberculosis {Other Forms ..	4	8	1	4	8	2	7	3	4	1	10	6	3	3	3	4	9	5	6	2	5	3	4	2	4	5
Cancer	9	8	7	14	8	9	7	7	2	11	9	5	8	10	6	2	7	2	5	4	10	9	5	9	5	5
Diseases of Respiratory System {Pneumonia ..	36	18	22	18	17	15	7	20	12	16	7	8	6	24	18	15	5	6	3	5	11	5	2	5	9	7
Diseases of Respiratory System {Others ..	17	24	24	23	20	23	11	14	8	8	14	12	8	15	19	14	10	10	7	8	3	8	4	7	4	1
Diarrhœa & Enteritis, under 2 years	3	9	1	2	6	3	4	4	2	3	3	4	1	3	4	6	6	2	3	1	3	1	3	5	2	3
Diarrhœa, 2 years and upwards ..	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.	2	.	.	1	.	.
Violent Deaths, ...	3	2	3	3	4	.	2	2	5	.	2	3	3	.	2	4	3	4	3	1	3	3	1	4	.	1
Number of Uncertified Deaths ..	5	4	5	3	1	4	9	7	3	4	1	2	1	.	1	1	3	3	.	1	.	1	4	5	1	2
A Mean Maximum Temperature in degs.	53·3	55·2	58·1	59·0	64·8	61·9	62·0	65·2	63·7	62·8	63·2	64·1	64·0	49·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4	65·8	60·3	62·0	64·3	64·0
B Mean Minimum „ „	37·4	39·4	40·3	45·3	46·9	46·8	41·5	48·6	51·3	49·1	48·2	51·7	50·1	33·3	42·2	40·5	45·0	51·0	49·9	45·8	52·5	51·4	50·2	50·2	51·5	50·7
Mean of A and B „ „	45·3	47·3	49·2	52·1	55·8	54·3	51·7	56·9	57·5	55·9	55·7	57·9	57·0	41·6	49·0	48·4	51·6	57·9	55·4	53·6	58·4	58·6	55·3	56·1	57·9	57·4
Rainfall in inches	0·65	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·74	0·84	1·58	0·79	1·00	0·31	0·31	0·49	0·73	0·12	1·62	1·00	0·46	0·52

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th July, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	8	3·3	·	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
Do. 2 do. .	49,500	21	16·9	1·1	16	4	1	4	.	5	2	.	.	.	.	.	1	.	.	.	2	.	.	2	.	1	.	.	2	4	.
Do. 3 do. .	50,032	28	16·7	1·0	16	1	2	3	1	5	4	.	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	1	2	4	.
Do. 4 do. .	32,637	15	19·2	3·2	12	3	1	.	2	4	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	1	1	8	.
Do. 5 do. .	16,112	14	16·2	3·2	5	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
Do. 6 do. .	37,293	23	12·6	.	9	2	.	.	1	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2
Do. 7 do. .	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do. .	5,964	2	8·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do. .	24,427	10	10·7	.	5	1	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 10 do. .	28,958	18	5·4	.	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 11 do. .	—	23	—	—	5	1	2	.	1	.	1	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 12 do. .	—	17	—	—	7	2	.	1	3	.	1	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	.	.	.	1	.
Do. 13 do. .	—	9	—	—	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 do. .	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do. .	22,669	9	16·1	.	7	1	1	1	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	3	.
Do. 16 do. .	—	11	—	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Total, . .	386,947	209	11·6	0·9	92	20	8	10	12	20	22	.	.	.	.	1	1	2	.	.	7	5	5	7	1	3	.	1	3	28	2
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	4	11·6	·	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do. 2 do. .	10,399	3	15·0	·	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 3 do. .	9,793	7	5·3	·	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 4 do. .	9,139	2	22·8	·	4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 5 do. .	6,250	6	.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do. .	11,581	3	13·5	·	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 7 do. .	16,056	11	26·0	.	8	1	.	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Total, . . .	76,673	36	15·0	.	22	1	2	4	6	4	5	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.	.	11	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 6 formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 8·8 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th July, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	4
„ „ 2,	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	4
„ „ 3,	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
„ „ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 3,	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
„ „ „ 4,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	.	.	.	.	1	5	.	3	.	1	.	.	1	.	.	5	17

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th July, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 24th July.			
	July 3.	July 10	July 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	14	18	21	4	2	.	23
Typhus,	6	3	2	.	.	.	2
Small-pox,	.	.	.	.	.	.	.
Measles,	19	25	29	9	10	2	26
Scarlet Fever,	40	46	47	1	12	.	36*
Diphtheria,	50	43	44	9	8	1	44
Pneumonia,	19	14	13	3	2	.	14

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3187) Wt. 200. 3. 380. 7. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 30. VOL. LVII.] WEEK ENDING SATURDAY, 31ST JULY, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 3rd August, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·4 and 13·5; Dublin Registration Area, 13·4 and 14·0; Dublin City, 13·9 and 14·9; Belfast, 13·1 and 12·4; Cork, 13·6 and 14·1; Londonderry, 13·0 and 15·1; Limerick, 17·6 and 15·2; and Waterford, 9·5 and 15·2.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. Among the 104 deaths from all causes for Belfast are 4 from diarrhœa and enteritis of children under 2 years. Of the 20 deaths from all causes from Cork there is one from each of enteric fever and diphtheria. Included in the 11 deaths from all causes for Londonderry is one from diphtheria and of the 13 deaths from all causes for Limerick one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—124 boys and 108 girls—and the deaths to 119—64 males and 55 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·4 per 1,000 of the population. During the thirty weeks ending with Saturday last, the death-rate averaged 19·6 and was 2·4 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty weeks was 21·2 and for the corresponding period of the preceding ten years 23·6.

Included in the 107 deaths appertaining to the Area are one from measles, one from scarlet fever, 3 from whooping-cough, 4 from diarrhœal diseases and 2 from influenza.

In the 3 preceding weeks, deaths from measles were 3, 2, and one; deaths from whooping-cough were 5, 4, and 3; deaths from diarrhœal diseases 3, 4 and one, and deaths from influenza 0, 0, and one.

There were no deaths from scarlet fever registered in the three preceding weeks.

There were 6 deaths from pneumonia, comprising 4 from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia (type not distinguished).

Tuberculous disease caused 18 deaths (including 13 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from disseminated tuberculosis) as against 21, 26, and 12 in the three weeks preceding.

Seven deaths were caused by cancer, 10 by organic diseases of the heart, and 10 by bronchitis.

There were 3 deaths from accidental violence registered, 2 being by vehicles.

Among deaths of infants under one year old, one was due to measles, 2 were due to whooping-cough, one to pulmonary tuberculosis, 2 to venereal disease, one to simple meningitis, one to convulsions, one to bronchitis, 3 to diarrhœa and enteritis and 2 to congenital debility.

Twenty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 3 were under one month old, and 22 deaths were those of persons aged 65 and upwards, of whom 19 were 70 years of age or over.

Of the 107 deaths recorded, 49 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 31st July, in 96 large English towns (including London in which the rate was 9·5) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·2 per 1,000 persons living, the rate for Glasgow being 11·0, and for Edinburgh 8·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st July. From this Report it appears that of 66 cases notified, 15 were diphtheria, 14 scarlet fever, 12 chicken-pox, 11 pulmonary tuberculosis, 6 other forms of tuberculosis, 4 erysipelas, one malaria, one puerperal fever, one ophthalmia neonatonum, and one acute primary pneumonia. Among the 499 cases of infectious diseases in hospital at the close of the week were 235 of pulmonary tuberculosis, 6 other forms of tuberculosis, 120 of scarlet fever, 75 of diphtheria, 32 of venereal disease, 7 of measles, 4 of erysipelas, 2 of whooping-cough, 2 of chicken-pox, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 31st July, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 10	* 5	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	3	.	.	12	32
	July 17	2	.	.	.	.	—	5	—	6	.	—	.	—	.	.	.	2	.	.	3	18
	July 24	1	.	.	.	.	—	1	—	5	3	—	.	—	1	.	.	1	.	.	5	17
	July 31	5	.	.	.	.	—	1	—	2	.	—	.	—	4	.	.	2	.	.	.	14
Rathmines & Rathgar Urban District	July 10	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	.	—	4
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	July 10	.	.	.	.	.	16	1	.	.	.	.	.	—	.	.	.	.	.	.	.	17
	July 17	.	.	.	.	.	1	4	3	1	.	.	.	—	.	.	.	.	.	.	.	9
	July 24	.	.	.	.	.	13	.	.	.	.	.	.	—	.	.	.	.	.	.	.	13
	July 31	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
Blackrock Urban District	July 10	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
	July 17	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
	July 24	1	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	July 31	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
Kingstown Urban District	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	2	4
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	July 10	3	.	.	.	.	—	29	—	3	.	—	.	—	.	.	.	1	.	.	.	36
	July 17	.	.	.	.	.	—	17	—	3	3	—	2	—	.	.	.	.	.	.	.	25
	July 24	3	.	.	.	.	—	20	—	3	1	—	1	—	.	.	.	.	.	.	.	28
	July 31	2	.	.	.	.	—	18	—	2	.	—	1	—	.	.	.	.	.	.	.	23
City of Cork	July 10	.	.	.	.	.	.	1	—	4	.	—	.	2	.	.	.	.	—	.	—	7*a*
	July 17	.	.	.	.	.	.	1	—	1	1	—	.	3	.	.	.	.	—	.	—	6*b*
	July 24	.	1	1	.	.	.	.	—	3	.	—	.	.	.	.	.	.	—	.	—	5*a*
	July 31	.	.	.	.	.	.	.	—	2	.	—	.	2	.	.	.	.	—	.	—	4*c*
City of London-derry	July 10	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	—	—	2
	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	July 24	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	July 31	.	.	.	.	.	—	2	—	1	1	—	.	—	.	.	.	.	.	—	—	4
City of Limerick	July 10	1	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	3
	July 17	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	July 10	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 31	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2

(*a*) Not including 3 cases of varicella. (*b*) Not including one case of varicella.
(*c*) Not including 6 cases of varicella.

Note—A case of small-pox in a visitor from Glasgow has been reported from Drogheda Urban District.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st July, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 5 and 26; typhus nil and 2; measles 11 and 24; scarlet fever 3 and 27,* and diphtheria 2 and 37. Four cases of pneumonia were admitted during the week and 12 remained under treatment at its close. Of the deaths in hospital during the week one was from measles and one from scarlet fever.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 31st July, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 31ST JULY, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 31ST JULY, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(39)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	28·5	13·4	0·8	638	301	40	67	1	.	.	2	1	3	2	.	3	36	17	26	18	20	8	1	5	5	116	13	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	29·2	13·4	1·1	232	107	17	22	.	.	.	1	1	3	.	.	2	13	5	7	6	13	3	1	3	2	49	4	(d) 66·4	40·3	62·9	48·1	55·5	1·85
Urban Districts. CITY OF DUBLIN	318,200	39·0	31·0	13·9	1·1	189	85	16	15	.	.	.	1	1	2	.	.	2	11	3	5	5	9	2	1	3	2	41	3	(c) 67·8 (f) 68·6	44·6 43·0	62·3 63·2	50·4 49·9	56·4 56·6	1·92 1·91
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	21·9	11·6	1·3	17	9	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	.	.	6	1	.	.	.	.	.	.
Urban Districts. PEMBROKE ...	30,200	19·2	25·9	12·1	1·7	15	7	.	1	.	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. BLACKROCK ...	9,200	8·5	17·0	11·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	24·5	12·3	.	8	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	72	46	64·7	51·7	58·2	1·66
Urban Districts. BELFAST	413,000	27·7	29·2	13·1	0·5	231	104	20	20	.	.	.	.	.	.	.	.	.	17	5	10	5	2	4	.	1	2	30	5	62·5	44·0	60·9	48·3	54·6	0·57
Urban Districts. CORK	76,673	28·6	36·0	13·6	1·4	53	20	.	2	1	.	.	.	.	.	1	.	.	2	2	4	1	1	.	.	1	1	16	.	68	48	62·4	51·4	56·9	0·83
Urban Districts. LONDONDERRY ...	44,000	17·1	40·3	13·0	1·2	34	11	.	8	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. LIMERICK	38,518	16·1	16·2	17·6	1·4	12	13	1	1	.	.	.	1	.	.	.	.	.	2	1	.	2	1	.	.	.	.	7	1	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	24·7	9·5	1·9	13	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				2	7	1	.	.	.	.	.	.	.	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. DUNDALK ...	13,128	9·5				3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. DROGHEDA ...	12,501	8·4				8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. LISBURN	12,388	10·9				5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	65	42	62·4	47·1	54·8	0·37
Urban Districts. NEWRY	11,963	17·0				10	5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. PORTADOWN ...	11,727	15·3				11	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Urban Districts. WEXFORD ...	11,531	22·8				3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				6	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	65	43	60	47	53·5	0·96
Urban Districts. KILKENNY ...	10,514	11·4				2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.	70	43	64·5	47·8	56·2	1·16
Urban Districts. TRALEE	10,300	17·4				1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				4	5	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·5	—	2,295	796	138	235	1	.	.	5	3	7	13	—	—	72	15	107	43	44	28	10	22	54	432	—	74	44	67·0	49·9	58·5	0·44
EDINBURGH ...	342,300	—	—	8·3	—	149	54g	3	28	.	.	.	.	.	.	.	—	1	—	—	—	—	—	.	—	.	—	—	—	63·0	45·0	60·0	48·4	54·2	0·50
GLASGOW	1,115,500	—	—	11·0	—	643	235g	35	59	.	.	13	1	1	2	1	—	1	—	—	—	—	—	6	—	14	—	—	—	61·0	45·8	59·1	49·4	54·2	0·82

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including one death from

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 30th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 31st July, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	125·2	119	3	15	6	3	4	1	8	2	6	17	11	18	18	7	107
Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough	1·2	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	3
Diphtheria	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	5·4	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·4	14	.	1	.	.	1	.	4	1	2	5	.	.	.	.	13
Tuberculous Meningitis	2·8	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	1·0	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Venereal Diseases	·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Cancer	8·4	7	.	.	.	.	.	.	.	.	.	3	1	.	2	1	7
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	1·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	2·4	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	4·0	5	.	.	.	.	.	.	.	.	.	.	1	1	2	1	5
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Convulsions (non-puerperal).	3·8	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·2	3	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1
Pericarditis	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	9·2	11	.	.	.	.	.	1	.	1	.	1	.	4	4	.	10
Embolism and Thrombosis (including Cerebral).	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·6	12	.	2	1	.	.	.	.	.	.	1	1	2	2	3	10
Broncho-pneumonia	4·6	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	4
Lobar pneumonia	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Pneumonia (type not distinguished).	4·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pleurisy	·8	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

registered in the THIRTIETH WEEK, ending Saturday, 31st July, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 30th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 31st July, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	2·0	3	·	1	·	·	·	·	·	·	·	·	2	·	·	·	·	3
Diarrhœa and Enteritis of Children under 2 years.	4·4	3	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Diarrhœa 2 years and upwards.	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Enteritis 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Appendicitis and Typhlitis.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	·8	2	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2
Cirrhosis of Liver ..	·2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Other Diseases of Liver	·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Peritonitis (cause unknown).	1·4	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1
Other Diseases of Digestive System.	·2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1
Acute Nephritis ..	1·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Chronic Bright's Disease	3·8	3	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ovarian Tumour (non-cancerous).	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·8	2	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Skin and Cellular Tissues.	·8	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Locomotor System.	·4	2	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	2
Congenital Malformations.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Debility ..	3·4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	6·0	3	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	3
Other Specified Diseases	1·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Drowning	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses ..	·6	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	2
Ships, Boats, Docks ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c. ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Violent Deaths ..		1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	1
Not included in above—																		
Homicide	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·
Suicide	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes ..	1·8	2	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	2

TABLE IV.—Showing for the WEEK ENDED 31ST JULY, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 31ST JULY, 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.. FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*	TOTAL DEATHS.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	IN INSTITUTIONS. In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	20·4	1·7	12	3	.	.	1	1	2	2	4	.	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	7	.	5	1	.
,, 1, W.	42,100	12·4	2·5	10	2	.	.	1	1	3	2	1	.	.	.	.	.	1	.	.	.	.	1	1	.	4	1	.	.	2	.	1	4	1
,, 2	28,200	12·9	1·8	7	2	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	2	1	.
,, 3	35,000	13·1	1·5	9	1	1	1	.	1	2	1	2	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.	1	1	4	.	2	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	3	1	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	.	3	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	18·3	.	4	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1	2	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	16·6	.	14	.	.	.	1	2	3	7	1	.	.	.	.	.	.	.	.	.	4	1	1	1	.	.	.	.	7	.	6	2	.
,, 2	18,600	19·6	2·8	7	3	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	5	.	2	.	2
,, 3	44,400	10·6	1·2	9	3	.	.	.	1	1	2	2	.	.	.	1	.	.	.	.	1	3	.	1	.	.	.	.	.	4	.	6	2	.
,, 4	33,600	9·3	.	6	2	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	2	.	.	1	.
NEW KILMAINHAM	10,600	19·7	.	4	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	2	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	11·6	1·3	9	1	.	.	.	1	1	3	3	.	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	.	3	.	6	.	1
PEMBROKE	30,200	12·1	1·7	7	.	1	.	1	.	1	3	1	.	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	2	.	2	.	.
BLACKROCK	9,200	11·3	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
KINGSTOWN	17,000	12·3	.	4	.	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.
TOTAL CITY. North	166,900	14·1	1·6	45	8	2	2	3	3	11	7	9	.	.	.	.	1	2	.	.	.	3	2	2	2	8	1	1	2	21	1	13	7	1
TOTAL CITY. South	151,300	13·8	0·7	40	8	1	1	1	5	6	12	6	.	.	.	1	.	.	.	.	2	8	1	3	3	1	1	.	1	19	1	16	5	2
TOTAL CITY. North and South ...	318,200	13·9	1·1	85	16	3	3	4	8	17	19	15	.	.	.	1	1	2	.	.	2	11	3	5	5	9	2	1	3	40	2	29	12	3
Total Urban Districts	96,800	11·9	1·1	22	1	2	.	1	1	3	7	7	.	.	.	.	.	1	.	.	.	2	2	2	1	4	1	.	.	9	.	8	.	1
Total Registration Area ...	415,000	13·4	1·1	107	17	5	3	5	9	20	26	22	.	.	.	1	1	3	.	.	2	13	5	7	6	13	3	1	3	49	2	37	12	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				12	1	1	.	.	1	3	3	3	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	1	6	2	11	1	.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st July, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31st JULY, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	119	27	5	10	23	29	18	7	.	.	.	1	1	3	.	.	2	14	7	7	2	6	15	3	1	4	53	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.
II.	MIDDLE CLASS	101,798	11·8	23	4	1	2	8	5	2	1	.	.	.	.	1	.	.	.	.	3	1	2	.	2	2	.	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	7	.	2	6	8	4	.	.	.	.	.	.	1	.	.	1	4	1	.	1	1	2	.	1	2	13	3
IV.	GENERAL SERVICE CLASS	167,479	16·5	53	15	4	6	7	11	7	3	.	.	.	1	.	2	.	.	.	7	4	2	1	2	7	3	.	1	23	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	13	1	.	.	2	3	4	3	.	.	.	.	.	.	.	.	1	.	.	3	.	1	4	.	.	.	4	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
	6. Clerks and Commercial Assistants ..	33,249	—	12	4	.	1	3	4	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	2	.	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	7	.	.	1	4	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	5	1	.	1	2	1	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	2	1
	9. Building and Furnishing Trades ..	28,823	—	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	10. Clothing Trades	20,026	—	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	2
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	14	4	.	1	2	5	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	.	1	1	7	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	7	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	4	.
	15. Domestic Servants	36,041	—	5	2	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	40	12	3	5	5	8	6	1	.	.	.	1	.	2	.	.	.	6	3	2	1	1	5	2	.	1	16	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	13	1	.	.	2	3	4	3	.	.	.	.	.	.	.	.	1	.	.	3	.	1	4	.	.	.	4	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.
No. of weeks in Annual Series ..	18	19	20	21	22	23	24	25	26	27	28	29	30	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered	259	268	267	231	286	260	254	265	202	232	247	209	232	256	253	298	223	262	302	276	214	225	228	193	209	231
Average Births in corresponding week of previous 10 years	*209*	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*203*	*206*	*216*	*218*	*215*	*208*	*208*	*200*	*213*	*195*	*184*	*215*	*214*
Number of Deaths	182	164	171	152	149	129	136	116	106	113	125	102	107	168	134	124	122	116	109	112	109	98	104	94	92	104
Annual Death-rate per 1,000 ..	22·9	20·6	21·5	19·1	18·7	16·2	17·1	14·6	13·3	14·2	15·7	12·8	13·4	21·2	16·9	15·7	15·4	14·6	13·8	14·1	13·8	12·4	13·1	11·9	11·6	13·1
Average Deaths in corresponding week of previous 10 years	*168*	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*136*	*130*	*136*	*131*	*123*	*117*	*123*	*118*	*135*	*126*	*123*	*111*	*110*
Ages .. Under one year ..	58	37	44	32	35	27	32	26	19	17	27	19	17	34	32	26	30	14	32	23	20	22	25	21	20	20
1— 5 years ..	16	24	28	22	18	18	17	15	12	15	12	7	8	12	4	10	8	8	8	7	5	2	9	4	8	8
5—25 „ ..	16	23	8	15	13	11	10	12	3	3	15	7	14	26	22	24	14	20	9	17	9	13	9	16	10	12
25—45 „ ..	15	13	26	19	13	17	19	16	21	22	17	18	20	23	25	20	24	24	17	14	19	24	12	17	12	13
45—65 „ ..	36	21	27	35	32	24	22	24	27	30	22	23	26	37	29	23	26	30	21	27	32	20	29	25	20	31
65 and upwards ..	41	46	38	29	38	32	36	23	24	26	32	28	22	36	22	21	20	20	22	24	24	17	20	11	22	20
Deaths from :—																										
Enteric Fever	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2	.	.
Typhus	1	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4	11	6	7	3	5	.	1	2	3	2	1	1	.	.	1	2	.	.	1	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	1	1	.	.	.	.	.	.	1	2	.	3	2	.	1	.	1	.	.	1	1	.
Whooping-cough	14	10	15	12	11	10	7	4	2	5	4	3	3	2	1	1	.	2	4	1	2	2	2	.	1	.
Diphtheria	1	.	.	2	.	1	1	1	1	.	2	.	.	1	.	2	.	2	.	1	1	.	.	.	2	.
Dysentery	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3	1	2	4	3	.	2	1	1	.	.	1	2	9	8	3	3	1	1	.	.	1	.	.	.	.
Tuberculosis {Pulmonary ..	9	19	18	14	17	9	13	12	9	11	20	9	13	19	16	21	15	15	12	13	11	21	14	14	7	17
Tuberculosis {Other Forms ..	8	1	4	8	2	7	3	4	1	10	6	3	5	3	4	9	5	6	2	5	3	4	2	4	5	5
Cancer	8	7	14	8	9	7	7	2	11	9	5	8	7	6	2	7	2	5	4	10	9	5	9	5	5	10
Diseases of Respiratory System {Pneumonia ..	18	22	18	17	15	7	20	12	16	7	8	6	6	18	15	5	6	3	5	11	5	2	5	9	7	5
Diseases of Respiratory System {Others ..	24	24	23	20	23	11	14	8	8	14	12	8	13	19	14	10	10	7	8	3	8	4	7	4	1	2
Diarrhœa & Enteritis, under 2 years	9	1	2	6	3	4	4	2	3	3	4	1	3	4	6	6	2	3	1	3	1	3	5	2	3	4
Diarrhœa, 2 years and upwards ..	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.	2	.	.	1	.	.	.
Violent Deaths, ...	2	3	3	4	.	2	2	5	.	2	3	3	3	2	4	3	4	3	1	3	3	1	4	.	1	1
Number of Uncertified Deaths ..	4	5	3	1	4	9	7	3	4	1	2	1	4	1	1	3	3	.	1	.	1	4	5	1	2	5
A Mean Maximum Temperature in degs.	55·2	58·1	59·0	64·8	61·9	62·0	65·2	63·7	62·8	63·2	64·1	64·0	62·9	55·9	56·2	58·2	64·8	60·9	61·3	64·4	65·8	60·3	62·0	64·3	64·0	60·9
B Mean Minimum „ „	39·4	40·3	45·3	46·9	46·8	41·5	48·6	51·3	49·1	48·2	51·7	50·1	48·1	42·2	40·5	45·0	51·0	49·9	45·8	52·5	51·4	50·2	50·2	51·5	50·7	48·3
Mean of A and B „ „	47·3	49·2	52·1	55·8	54·3	51·7	56·9	57·5	55·9	55·7	57·9	57·0	55·5	49·0	48·4	51·6	57·9	55·4	53·6	58·4	58·6	55·3	56·1	57·9	57·4	54·6
Rainfall in inches	0·54	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·58	0·79	1·00	0·31	0·31	0·49	0·73	0·12	1·62	1·00	0·46	0·52	0·57

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st July, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																	
BELFAST URBAN No. 1 DISTRICT,	15,879	14	6·6	3·3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 2 do.	49,500	27	12·6	.	12	.	.	1	5	6	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	2
Do. 3 do.	50,032	38	15·6	.	15	3	2	3	3	1	3	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	4	.
Do. 4 do.	32,637	17	17·6	1·6	11	5	.	1	1	3	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	7	1
Do. 5 do.	16,112	17	12·9	.	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	4	.
Do. 6 do.	37,293	20	12·6	.	9	.	.	2	2	2	3	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	3	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	6	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	13	21·3	2·1	10	.	1	2	1	5	1	.	.	.	.	.	.	.	.	.	3	1	.	.	1	1	.	.	.	2	.
Do. 10 do.	28,958	8	18·0	.	10	.	2	1	1	4	2	.	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	.	.	2	.
Do. 11 do.	—	19	—	—	7	2	.	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	1
Do. 12 do.	—	16	—	—	7	2	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
Do. 13 do.	—	9	—	—	6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	18	9.2	.	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	1
Do. 16 do.	—	9	—	—	6	2	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.
Total, . .	386,947	231	13·1	0·5	104	20	8	12	13	31	20	.	.	.	.	.	.	.	.	.	17	5	10	5	2	4	.	1	2	30	5
CITY OF CORK																																	
CORK URBAN No. 1 DISTRICT,	13,455	7	7.8	.	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.	10,399	9	10·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 3 do.	9,793	6	26·6	.	5	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	4	.
Do. 4 do.	9,139	4	17·1	5·7	3	.	1	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.
Do. 5 do.	6,250	4	16·7	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 6 do.	11,581	5	13·5	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	18	9·7	3·2	3	.	.	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Total, . . .	76,673	53	13·6	1·4	20	.	1	6	6	5	2	1	.	.	.	.	.	1	.	.	2	2	4	1	1	.	.	1	1	16	.

* The rates for the total of Belfast City are calculated on the population estimated to the middle of he year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 6) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 13·5 per 1,000 and from certain epidemic diseases 0·5.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st July, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	3	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	5
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	5	.	.	.	.	1	2	.	.	.	4	.	.	2	.	.	.	14

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st July, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 31st July.			
	July 10.	July 17.	July 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	18	21	23	5	2	.	26
Typhus, ...	3	2	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	25	29	26	11	12	1	24
Scarlet Fever, ...	46	47	36	3	11	1	27*
Diphtheria, ...	43	44	44	2	9	.	37
Pneumonia, ...	14	13	14	4	6	.	12

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3217) Wt. 200. 3. 380. 7. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 31. VOL. LVII.] WEEK ENDING SATURDAY, 7TH AUGUST, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 9th August, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·7 and 13·6; Dublin Registration Area, 13·4 and 13·8; Dublin City, 14·4 and 14·9; Belfast, 12·4 and 12·3; Cork, 12·9 and 14·6; Londonderry, 16·6 and 13·6; Limerick, 29·8 and 20·0; and Waterford, 5·7 and 11·9.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 98 deaths from all causes for Belfast are one from enteric fever, one from measles, 2 from scarlet fever, one from whooping-cough and 10 from diarrhœa and enteritis of children under 2 years. The 8 deaths from all causes for Galway include one from typhus, and one of the 5 deaths from all causes for Drogheda is also from this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 191—90 boys and 101 girls—and the deaths to 115—53 males and 62 females.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·4 per 1,000 of the population. During the thirty-one weeks ending with Saturday last, the death-rate averaged 19·4 and was 2·5 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-one weeks was 21·0 and for the corresponding period of the preceding ten years 23·4.

Included in the 107 deaths appertaining to the Area are one from enteric fever, 4 from whooping-cough, one from diphtheria, and 3 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were 4, 3, and 3; deaths from diphtheria 2, 0, and 0, and deaths from diarrhœa and enteritis of children under 2 years 4, one, and 3.

There were no deaths from enteric fever registered in the three preceding weeks.

There were 5 deaths from pneumonia, comprising one from broncho-pneumonia and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 16 deaths (including 13 from pulmonary tuberculosis and 3 from disseminated tuberculosis) as against 26, 12, and 18 in the three weeks preceding.

Thirteen deaths were caused by cancer, 4 by organic diseases of the heart, and 9 by bronchitis.

There were 3 deaths from accidental violence registered.

Among deaths of infants under one year old, 3 were due to whooping-cough, one to venereal disease, one to simple meningitis, one to bronchitis, 3 to diarrhœa and enteritis, one to congenital malformation, 2 to premature birth and 4 to congenital debility.

Twenty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 18 being infants under one year, of whom 6 were under one month old, and 33 deaths were those of persons aged 65 and upwards, of whom 24 were 70 years of age or over.

Of the 107 deaths recorded, 39 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 7th August in 96 large English towns (including London in which the rate was 9·1) was equal to an average annual death rate of 9·6 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·1 per 1,000 persons living, the rate for Glasgow being 11·1, and for Edinburgh 8·6

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th August. From this Report it appears that of 49 cases notified, 13 were pulmonary tuberculosis, 6 other forms of tuberculosis, 11 scarlet fever, 9 diphtheria, 5 erysipelas, 2 chicken-pox, 2 acute primary pneumonia, and one ophthalmia neonatonum. Among the 482 cases of infectious diseases in hospital at the close of the week were 233 of pulmonary tuberculosis, 6 other forms of tuberculosis, 110 of scarlet fever, 63 of diphtheria, 34 of venereal disease, 10 of measles, 6 of erysipelas, 3 of whooping-cough, 2 of chicken-pox, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th August, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 17	2	.	.	.	.	—	5	—	6	.	—	.	—	.	.	.	2	.	.	3	18
	July 24	1	.	.	.	.	—	1	—	5	3	—	.	—	1	.	.	1	.	.	5	17
	July 31	5	.	.	.	.	—	1	—	2	.	—	.	—	4	.	.	2	.	.	.	14
	Aug. 7	3	.	.	.	.	—	3	—	10	2	—	.	—	4	1	.	2	.	.	.	25
Rathmines & Rathgar Urban District	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	.	—	4
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 31	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	July 17	.	.	.	.	.	1	4	3	1	.	.	.	—	.	.	.	.	.	.	.	9
	July 24	.	.	.	.	.	13	.	.	.	.	.	.	—	.	.	.	.	.	.	.	13
	July 31	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	Aug. 7	.	.	.	.	.	5	1	1	.	.	.	.	—	.	.	.	.	.	.	.	7
Blackrock Urban District	July 17	.	.	.	.	.	6	.	—	.	.	—	.	—	.	.	.	.	.	.	.	6
	July 24	1	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	July 31	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
	Aug. 7	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 7	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
City of Belfast	July 17	.	.	.	.	.	—	17	—	3	3	—	2	—	.	.	.	.	.	.	.	25
	July 24	3	.	.	.	.	—	20	—	3	1	—	1	—	.	.	.	.	.	.	.	28
	July 31	2	.	.	.	.	—	18	—	2	.	—	1	—	.	.	.	.	.	.	.	23
	Aug. 7	2	.	.	.	.	—	26	—	2	5	—	1	—	.	.	.	.	.	.	11	47
City of Cork	July 17	.	.	.	.	.	.	1	—	1	1	—	.	3	.	.	.	.	—	.	—	6*a*
	July 24	.	1	1	.	.	.	.	—	3	.	—	.	.	.	.	.	.	—	.	—	5*b*
	July 31	.	.	.	.	.	.	.	—	2	.	—	.	2	.	.	.	.	—	.	—	4*c*
	Aug. 7	.	1	.	.	.	.	.	—	1	.	—	1	3	.	.	.	.	—	.	—	6
City of Londonderry	July 17	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	.	—	4
	July 24	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	.	—	2
	July 31	.	.	.	.	.	—	2	—	1	1	—	.	—	.	.	.	.	.	.	—	4
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Limerick	July 17	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	July 17	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 31	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella. (*b*) Not including 3 cases of varicella.
(*c*) Not including 6 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th August, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows : Enteric fever one and 26 ; typhus nil and one ; measles 5 and 17 ; scarlet fever 6 and 24,* and diphtheria 10 and 36. Seven cases of pneumonia were admitted during the week and 18 remained under treatment at its close. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th August, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 7TH AUGUST, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 7TH AUGUST, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(39)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	24·3	13·7	1·2	545	307	51	84	2	2	.	1	2	5	1	.	1	29	11	29	17	27	13	1	10	11	114	16	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	24·0	13·4	1·1	191	107	18	35	1	.	.	.	.	4	1	.	.	13	3	13	5	11	3	.	3	4	39	1	(d) 63·0	47·6	62·3	49·0	55·7	1·18
Urban Districts. CITY OF DUBLIN	318,200	39·0	25·6	14·4	1·3	156	88	13	24	1	.	.	.	.	3	1	.	.	12	3	12	5	8	3	.	3	4	35	1	(e) 63·4	49.7	61·9	51·0	56·5	1·01
																														(f) 64·0	48·0	63·1	50·1	56·6	1·30
RATHMINES and RATHGAR ...	40,400	23·6	12·9	6·5	.	10	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	31·1	13·8	.	18	8	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	28·3	11·3	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	6·1	12·3	3·1	2	4	2	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	67	50	63·3	51·0	57·1	0·81
Urban Districts. BELFAST	413,000	27·7	28·2	12·4	1·9	223	98	24	18	1	.	.	1	2	1	.	.	.	8	3	7.	8	8	10	.	2	6	30	2	63·0	49·0	61·0	50·3	55·6	0·72
CORK	76,673	28·6	21·1	12·9	0·7	31	19	.	9	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	1	1	1	10	1	64	47	62·4	51·1	56·8	1·30
LONDONDERRY ...	44,000	17·1	23·7	16·6	.	20	14	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	1	.	4	1	.	.	.	.	.	.
LIMERICK	38,518	16·1	28·4	29·8	.	21	22	2	5	.	.	.	.	.	.	.	.	1	.	1	2	2	4	.	.	3	.	11	4	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	15·2	5·7	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY	13,255	2·5				2	8	1	3	.	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	2	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				3	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	63·1	48·0	61·8	49·4	55·6	0·85
DROGHEDA ...	12,501	8·4				3	5	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
LISBURN	12,388	10·9				3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
NEWRY	11,963	17·0				4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	63·1	48·0	61·8	49·4	55·6	0·85
PORTADOWN ...	11,727	15·3				4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	63·1	48·0	61·8	49·4	55·6	0·85
WEXFORD ...	11,531	22·8				3	5	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
SLIGO	11,163	3·8				6	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	62	48	60	49	54·5	1·43
KILKENNY ...	10,514	11·4				4	5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	3	.	65	47	62·7	50.2	56·5	1·39
TRALEE	10,300	17·4				7	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·1	—	2,155	763	110	255	2	.	.	1	1	3	8	—	—	75	15	89	35	41	17	5	41	85	375	2	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	8·6	—	172	56	4	22	.	.	.	.	.	.	.	—	1	—	—	—	—	—	1	—	1	—	—	—	62·0	44·0	58·9	49·0	53·9	1·12
GLASGOW	1,115,500	—	—	11·1	—	567	236(g)	45	58	.	.	2	2	.	2	2	—	.	—	—	—	—	—	8	—	12	—	—	—	60·5	44·6	58·5	49·6	54·1	1·73

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 31st Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 7th August, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	116·2	115	6	14	2	3	3	3	4	3	7	9	11	16	21	13	107
Enteric Fever	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	·6	4	.	3	.	1	.	.	.	.	.	.	.	.	.	.	4
Diphtheria	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·0	15	.	.	.	.	.	2	2	1	2	4	3	1	.	.	13
Tuberculous Meningitis	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	3	.	.	.	1	.	.	.	.	1	.	.	1	.	.	3
Venereal Diseases	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	7·4	13	.	.	.	.	.	.	.	.	.	1	2	5	5	.	13
Tumour, situation undefined.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other General Diseases	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Alcoholism	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	·4	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	3·2	5	.	.	.	.	.	.	1	.	.	1	.	1	2	.	4
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Epilepsy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	1·4	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2
Pericarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Organic Diseases of the Heart.	10·6	4	.	.	.	.	.	1	.	.	.	.	1	.	2	.	4
Embolism and Thrombosis (including Cerebral).	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·4	9	.	1	.	.	.	.	.	.	.	.	.	2	2	4	9
Broncho-pneumonia	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Lobar pneumonia	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	1·6	4	.	.	.	.	1	.	.	1	.	.	1	.	1	.	4
Pleurisy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1

registered in the THIRTY-FIRST WEEK, ending Saturday, 7th August 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 31st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 7th August, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	6·2	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·0	4	.	1	.	.	.	.	.	.	1	.	.	.	2	.	.	3
Cirrhosis of Liver ..	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Chronic Bright's Disease	4·0	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Congenital Malformations.	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	2·2	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	2·4	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Old Age	4·2	6	.	.	.	.	.	.	.	.	.	.	.	.	4	2	.	6
Other Specified Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		3	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	3
Not included in above—																		
Homicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·2	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2

TABLE IV.—Showing for the WEEK ENDED 7TH AUGUST, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 7TH AUGUST, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																						In Institutions.		
		From all causes	From certain Epidemic Diseases*									Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																			
NORTH CITY, No. 1, E.	30,700	13·6	3·4	8	2	.	.	1	.	1	2	2	.	.	.	.	.	2	.	.	.	2	.	1	.	.	.	.	3	.	.	1	.
,, 1, W.	42,100	14·9	2·5	12	2	.	1	.	.	2	3	4	.	.	.	.	.	1	.	.	.	.	.	1	2	1	1	.	6	1	4	2	.	.
,, 2	28,200	9·2	.	5	.	.	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	2	.	1	.	1	.
,, 3	35,000	13·1	.	9	1	1	.	.	.	4	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	5	.	1	1	.	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	3·8	4	.	.	.	1	1	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	1	2	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	13·7	.	3	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	.	.
South City.																																			
SOUTH CITY, No. 1	44,100	17·7	2·4	15	4	.	.	1	.	1	6	3	.	.	.	.	.	.	1	.	.	3	.	2	.	1	1	.	7	.	.	9	.	.
,, 2	18,600	22·4	.	8	1	.	.	.	.	2	2	3	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	3	.	.	4	.	.
,, 3	44,400	10·6	.	9	.	.	.	2	2	3	1	1	.	.	.	.	.	.	.	.	.	3	.	1	3	.	.	.	2	.	3	.	.	.
,, 4	33,600	15·5	1·6	10	3	.	.	.	2	.	2	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	4	2	2	3	.	.
NEW KILMAINHAM	10,600	14·8	.	3	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.	.
Urban Districts.																																			
RATHMINES AND RATHGAR	40,400	6·5	.	5	1	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	3	.	.	.
PEMBROKE	30,200	13·8	.	8	2	1	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	6	.	1	.	.	.
BLACKROCK	9,200	11·3	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
KINGSTOWN	17,000	12·3	3·1	4	2	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.
TOTAL CITY. North	166,900	13·4	1·6	43	5	1	2	2	1	8	11	13	1	.	.	.	.	3	.	.	.	5	2	5	2	4	1	.	1	19	2	9	4	.
TOTAL CITY. South	151,300	15·5	1·0	45	8	.	.	3	4	8	11	11	.	.	.	.	.	.	1	.	.	7	1	7	3	4	2	.	2	18	2	5	17	1
TOTAL CITY. North and South ...	318,200	14·4	1·3	88	13	1	2	5	5	16	22	24	1	.	.	.	.	3	1	.	.	12	3	12	5	8	3	.	3	37	4	14	21	1
Total Urban Districts	96,800	10·2	0·5	19	5	1	.	1	1	.	2	9	.	.	.	.	.	1	.	.	.	1	.	1	.	3	.	.	.	13	.	4	.	.
Total Registration Area ...	415,000	13·4	1·1	107	18	2	2	6	6	16	24	33	1	.	.	.	.	4	1	.	.	13	3	13	5	11	3	.	3	50	4	18	21	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				8	2	.	1	.	1	.	3	1	.	.	.	.	.	.	.	1	.	2	.	.	.	.	2	.	.	3	.	7	1	.

* See note (*) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th August, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH AUGUST, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	115	25	6	7	16	27	21	13	1	.	.	.	.	4	1	1	.	15	3	13	.	5	11	5	.	3	53	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	7·1	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS	101,798	8·2	16	2	.	.	4	4	5	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	1	.	.	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·4	30	8	1	1	4	7	6	3	.	.	.	.	.	3	.	1	.	3	1	7	.	1	2	1	.	.	11	.
IV.	GENERAL SERVICE CLASS	167,479	14·0	45	11	4	5	4	10	5	6	1	.	.	.	.	1	1	.	.	5	.	3	.	4	4	4	.	3	19	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	4	1	1	4	6	4	2	.	.	.	.	.	.	.	.	.	5	1	2	.	.	3	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	6. Clerks and Commercial Assistants ..	33,249	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	9	1	.	.	2	2	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	7	4	.	.	1	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	9. Building and Furnishing Trades ..	28,823	—	6	2	1	.	1	2	2	.	.	.	.	.	.	1	.	.	.	1	1	2	.	1	.	.	.	.	2	.
	10. Clothing Trades	20,026	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	11	2	.	1	.	4	3	1	.	.	.	.	.	.	.	1	.	1	.	3	.	.	1	1	.	.	4	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
	15. Domestic Servants	36,041	—	3	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	7	1	1	1	.	1	2	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	2	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	29	8	2	1	2	9	3	4	1	.	.	.	.	1	.	.	.	3	.	2	.	3	2	4	.	1	12	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	22	4	1	1	4	6	4	2	.	.	.	.	.	.	.	.	.	5	1	2	.	.	3	.	.	.	11	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.
No. of weeks in Annual Series ..	19	20	21	22	23	24	25	26	27	28	29	30	31	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered	268	267	231	286	260	254	265	202	232	247	209	232	191	253	298	223	262	392	276	214	225	228	193	209	231	223
Average Births in corresponding week of previous 10 years	*229*	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*206*	*216*	*218*	*215*	*208*	*208*	*200*	*213*	*195*	*184*	*215*	*211*	*193*
Number of Deaths	164	171	152	149	129	136	116	106	113	125	102	107	107	134	124	122	116	109	112	109	98	104	94	92	104	98
Annual Death-rate per 1,000 ..	20·6	21·3	19·1	18·7	16·2	17·1	14·6	13·3	14·2	15·7	12·8	13·4	13·4	16·9	15·7	15·4	14·6	13·8	14·1	13·8	12·4	13·1	11·9	11·6	13·1	12·4
Average Deaths in corresponding week of previous 10 years	*183*	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*130*	*136*	*131*	*123*	*117*	*123*	*118*	*135*	*126*	*123*	*111*	*110*	*103*
Ages .. Under one year ..	37	44	32	35	27	32	26	19	17	27	19	17	18	32	26	30	14	32	23	20	22	25	21	20	20	24
1— 5 years ..	24	28	22	18	18	17	15	12	15	12	7	8	4	4	10	8	8	8	7	5	2	9	4	8	8	9
5—25 ,, ..	23	8	15	13	11	10	12	3	3	15	7	14	12	22	24	14	20	9	17	9	13	9	16	10	12	13
25—45 ,, ..	13	26	19	13	17	19	16	21	22	17	18	20	16	25	20	24	24	17	14	19	24	12	17	12	13	16
45—65 ,, ..	21	27	35	32	24	22	24	27	30	22	23	26	24	29	23	26	30	21	27	32	20	29	25	20	31	18
65 and upwards ..	46	38	29	38	32	36	23	24	26	32	28	22	33	22	21	20	20	22	24	24	17	20	11	22	20	18
Deaths from :—																										
Enteric Fever	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2	.	.	1
Typhus	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	11	6	7	3	5	.	1	2	3	2	1	1	.	.	1	2	.	.	1	.	.	.	.	.	.	1
Scarlet Fever	.	.	.	1	1	.	.	.	.	.	.	1	.	.	3	2	.	1	.	1	.	.	1	1	.	2
Whooping-cough	10	15	12	11	10	7	4	2	5	4	3	3	4	1	1	.	2	4	1	2	2	2	.	1	.	1
Diphtheria	.	.	2	.	1	1	1	1	.	2	.	.	1	.	2	.	2	.	1	1	.	.	.	2	.	.
Dysentery	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	2	4	3	.	2	1	1	.	.	1	2	.	8	3	3	1	1	.	.	1	.	.	.	.	.
Tuberculosis {Pulmonary ..	19	18	14	17	9	13	12	9	11	20	9	13	13	16	21	15	15	12	13	11	21	14	14	7	17	8
Tuberculosis {Other Forms ..	1	4	8	2	7	3	4	1	10	6	3	5	3	4	9	5	6	2	5	3	4	2	4	5	5	3
Cancer	7	14	8	9	7	7	2	11	9	5	8	7	13	2	7	2	5	4	10	9	5	9	5	5	10	7
Diseases of Respiratory System {Pneumonia ..	22	18	17	15	7	20	12	16	7	8	6	6	5	15	5	6	3	5	11	5	2	5	9	7	5	8
Diseases of Respiratory System {Others ..	24	23	20	23	11	14	8	8	14	12	8	13	11	14	10	10	7	8	3	8	4	7	4	1	2	8
Diarrhœa & Enteritis, under 2 years	1	2	6	3	4	4	2	3	3	4	1	3	3	6	6	2	3	1	3	1	3	5	2	3	4	10
Diarrhœa, 2 years and upwards ..	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.	2	.	.	1	.	.	.	.
Violent Deaths, ...	3	3	4	.	2	2	5	.	2	3	3	3	3	4	3	4	3	1	3	3	1	4	.	1	1	2
Number of Uncertified Deaths ..	5	3	1	4	9	7	3	4	1	2	1	4	1	1	3	3	.	1	.	1	4	5	1	2	5	2
A Mean Maximum Temperature in degs.	58·1	59·0	64·8	61·9	62·0	65·2	53·7	62·8	63·2	64·1	64·0	62·9	62·3	56·2	58·2	64·8	60·9	61·3	64·4	65·8	60·3	62·0	64·3	64·0	60·9	61·0
B Mean Minimum ,, ,,	40·3	45·3	46·9	46·8	41·5	48·6	51·3	49·1	48·2	51·7	50·1	48·1	49·0	40·5	45·0	51·0	49·9	45·8	52·5	51·4	50·2	50·2	51·5	50·7	48·3	50·3
Mean of A and B ,, ,,	49·2	52·1	55·8	54·3	51·7	56·9	57·5	55·9	55·7	57·9	57·0	55·5	55·7	48·4	51·6	57·9	55·4	53·6	58·4	58·6	55·3	56·1	57·9	57·4	54·6	55·6
Rainfall in inches	0·34	0·77	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·79	1·00	0·31	0·31	0·49	0·73	0·12	1·62	1·00	0·46	0·52	0·57	0·72

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th August, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	8	16·4	·	5	·	·	1	1	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·	·	·	1	1	·
Do. 2 do.	49,509	22	6·3	·	6	·	1	·	1	3	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·
Do. 3 do.	50,032	18	21·9	5·2	21	6	2	5	4	2	2	·	·	·	·	·	·	·	·	·	1	2	3	2	1	5	·	·	2	8	·
Do. 4 do.	32,637	15	20·8	1·6	13	5	·	1	2	2	3	·	·	·	·	·	·	·	·	·	1	·	·	2	1	1	·	·	·	6	·
Do. 5 do.	16,112	11	9·7	·	3	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 6 do.	37,293	18	5·6	·	4	1	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·
Do. 7 do.	2,681	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	5	26·2	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	1	·
Do. 9 do.	24,427	12	14·9	4·3	7	1	1	1	2	1	1	·	·	·	·	·	1	·	·	·	·	·	·	2	1	3	·	·	1	1	·
Do. 10 do.	28,958	17	18·0	5·4	10	4	·	2	·	2	2	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·
Do. 11 do.	—	25	—	—	5	2	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	4	1
Do. 12 do.	—	19	—	—	11	2	4	1	1	2	1	1	·	·	1	1	·	·	·	·	1	1	·	·	1	·	·	·	·	1	·
Do. 13 do.	—	11	—	—	3	·	1	1	·	·	1	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	24	6·9	·	3	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	1	1	·
Do. 16 do.	—	15	—	—	4	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	1	·	1
Total,	386,947	223	12·4	1·9	98	24	9	13	16	18	18	1	·	·	1	2	1	·	·	·	8	3	7	8	8	10	·	2	6	30	2
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	4	15·5	·	4	·	·	·	1	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1
Do. 2 do.	10,399	1	5·0	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·
Do. 3 do.	9,793	2	16·0	5·3	3	·	·	1	·	·	2	·	·	·	·	·	·	·	·	·	1	1	1	·	·	·	·	·	·	2	·
Do. 4 do.	9,139	4	17·1	·	3	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	1	3	·
Do. 6 do.	11,581	10	27·0	·	6	·	·	·	2	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 7 do.	16,056	8	6·5	·	2	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total,	76,673	31	12·9	0·7	19	·	·	3	4	3	9	·	·	·	·	·	·	·	·	·	2	1	2	·	·	·	1	1	1	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 6) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 11·9 per 1,000 and from certain epidemic diseases 2·1.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th August, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, ,, 1, West, ..	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
,, ,, 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
,, ,, 3, ...	1	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	2	7	.	.	.	.	.	.	1	.	.	.	10
,, ,, ,, 2, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
,, ,, ,, 3, ...	.	.	.	.	.	.	1	.	1	.	.	1	.	1	.	.	.	4
,, ,, ,, 4, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	3	.	.	.	.	3	10	.	2	.	4	1	.	2	.	.	.	25

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th August, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 7th August.			
	July 17.	July 24.	July 31.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	23	26	1	1	.	26
Typhus, ...	2	2	2	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	29	26	24	5	12	.	17
Scarlet Fever, ...	47	36	27	6	9	.	24*
Diphtheria, ...	44	44	37	10	11	.	36
Pneumonia, ...	13	14	12	7	.	1	18

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(8.3321) Wt. 200. 3. 380. 8. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 32. Vol. LVII.] Week ending Saturday, 14th August, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 16th August, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·2 and 13·3; Dublin Registration Area, 13·1 and 13·2; Dublin City, 12·8 and 13·6; Belfast, 13·5 and 12·7; Cork, 14·3 and 13·9; Londonderry, 15·4 and 14·8; Limerick, 8·1 and 16·2; and Waterford, 15·2 and 13·8.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 107 deaths from all causes for Belfast are 2 from enteric fever, one from measles, and 3 from diarrhœal diseases. One of the 21 deaths from all causes for Cork is from diphtheria, and the 13 deaths from all causes for Londonderry include one from measles and one from diarrhœa and enteritis of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—120 boys and 125 girls—and the deaths to 113—55 males and 58 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·1 per 1,000 of the population. During the thirty-two weeks ending with Saturday last, the death-rate averaged 19·2 and was 2·5 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-two weeks was 20·8 and for the corresponding period of the preceding ten years 23·2.

Included in the 104 deaths appertaining to the Area are 2 from diphtheria, 3 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from diphtheria were 0, 0, and 1, deaths from diarrhœa and enteritis of children under 2 years one, 3, and 3, and deaths from influenza one, 2, and 0.

There were 6 deaths from pneumonia, comprising 2 from broncho-pneumonia and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 18 deaths (including 15 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from disseminated tuberculosis) as against 12, 18, and 16 in the three weeks preceding.

Nine deaths were caused by cancer, 3 by simple meningitis, 12 by organic diseases of the heart, and 8 by bronchitis.

There were 2 deaths from accidental violence registered.

Among deaths of infants under one year old, one was due to bronchitis, 3 were due to diarrhœa and enteritis, 6 to premature birth, and 3 to congenital debility.

Twenty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 16 being infants under one year, of whom 9 were under one month old, and 23 deaths were those of persons aged 65 and upwards, of whom 16 were 70 years of age or over.

Of the 104 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 14th August in 96 large English towns (including London in which the rate was 8·5) was equal to an average annual death rate of 9·4 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th August. From this Report it appears that of 64 cases notified, 18 were diphtheria, 17 scarlet fever, 8 pulmonary tuberculosis, 5 other forms of tuberculosis, 7 erysipelas, 6 chicken-pox, 2 malaria, and one puerperal fever. Among the 484 cases of infectious diseases in hospital at the close of the week were 232 of pulmonary tuberculosis, 6 other forms of tuberculosis, 98 of scarlet fever, 68 of diphtheria, 35 of venereal disease, 12 of erysipelas, 10 of measles, 5 of chicken-pox, 3 of whooping-cough one of puerperal fever and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th August, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 24	1	.	.	.	.	—	1	—	5	3	—	.	—	1	.	.	1	.	.	5	17
	July 31	5	.	.	.	.	—	1	—	2	.	—	.	—	4	.	.	2	.	.	.	14
	Aug. 7	3	.	.	.	.	—	3	—	10	2	—	.	—	4	1	.	2	.	.	.	25
	Aug. 14	2	.	.	.	.	—	2	—	.	2	—	.	—	2	.	.	2	.	.	19	29
Rathmines & Rathgar Urban District	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 31	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 14	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
Pembroke Urban District	July 24	.	.	.	.	.	13	.	.	.	.	.	.	—	.	.	.	.	.	.	.	13
	July 31	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	Aug. 7	.	.	.	.	.	5	1	1	.	.	.	.	—	.	.	.	.	.	.	.	7
	Aug. 14	.	.	.	.	.	.	.	.	2	.	.	.	—	.	.	.	.	.	.	.	2
Blackrock Urban District	July 24	1	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	July 31	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
	Aug. 7	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 14	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 7	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	July 24	3	.	.	.	.	—	20	—	3	1	—	1	—	.	.	.	.	.	.	.	28
	July 31	2	.	.	.	.	—	18	—	2	.	—	1	—	.	.	.	.	.	.	.	23
	Aug. 7	2	.	.	.	.	—	26	—	2	5	—	1	—	.	.	.	.	.	.	11	47
	Aug. 14	2	.	.	.	.	—	34	—	.	.	—	.	—	.	.	.	.	.	.	29	65
City of Cork	July 24	.	1	1	.	.	.	.	—	3	.	—	.	.	.	.	.	.	—	.	—	5[a]
	July 31	.	.	.	.	.	.	.	—	2	.	—	.	2	.	.	.	.	—	.	—	4[b]
	Aug. 7	.	1	.	.	.	.	.	—	1	.	—	1	3	.	.	.	.	—	.	—	6
	Aug. 14	2	.	.	.	.	.	.	—	1	.	—	.	5	.	.	.	.	—	.	—	8
City of Londonderry	July 24	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	July 31	.	.	.	.	.	—	2	—	1	1	—	.	—	.	.	.	.	.	—	—	4
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 14	.	.	.	.	.	—	2	—	.	.	—	.	—	.	1	.	.	.	—	—	3
City of Limerick	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	1	.	.	—	1
City of Waterford	July 24	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	July 31	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 3 cases of varicella. (*b*) Not including 6 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th August, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 3 and 22; typhus nil and one; measles 8 and 13; scarlet fever 6 and 20,* and diphtheria 7 and 37. Two cases of pneumonia were admitted during the week and 12 remained under treatment at its close. Of the deaths in hospital during the week two were from diphtheria, and one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 14th August, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 14TH AUGUST, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 14th August, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(39)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	29·6	13·2	0·7	661	295	44	69	2	.	.	2	.	.	3	.	3	37	15	23	13	25	7	1	16	18	104	5	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	30·8	13·1	0·6	245	104	16	23	.	.	.	.	.	.	2	.	1	15	3	9	6	10	3	.	2	2	42	2	(d) 68·6	47·8	63·7	50·3	57·0	0·21
Urban Districts. CITY OF DUBLIN	318,200	39·0	32·1	12·8	0·8	196	78	13	10	.	.	.	.	.	.	2	.	.	14	3	5	4	7	3	.	2	1	34	2	(e) 68·2	52 3	63·3	54·0	58·7	0·20
																														(f) 69·8	50·6	63·6	53·2	58·4	0·20
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	20·7	11·6	.	16	9	.	3	.	.	.	.	.	.	.	.	1	.	.	3	.	1	.	.	.	1	3	.	.	.	.	.	.	.
Urban Districts. PEMBROKE ...	30,200	19·2	36·3	13·8	.	21	8	2	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.	.	.	.	.	.	.
Urban Districts. BLACKROCK ...	9,200	8·5	11·3	11·3	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	30·7	21·5	.	10	7	1	3	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	1	.	65	52	63·1	53·8	58·4	0·17
Urban Districts. BELFAST	413,000	27·7	28·9	13·5	0·6	229	107	15	22	2	.	.	1	.	.	.	.	.	15	7	8	2	8	2	1	13	15	34	.	66·0	49·5	61·5	52·0	56·7	0·52
Urban Districts. CORK	76,673	28·6	32·6	14·3	0·7	48	21	.	4	.	.	.	.	.	.	1	.	.	4	.	3	1	1	.	1	.	1	7	.	66	50	62·4	52·6	57·5	0·75
Urban Districts. LONDONDERRY ...	44,000	17·1	17·8	15·4	2·4	15	13	2	3	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3	.	.	.	.	.	.	.
Urban Districts. LIMERICK	38,518	16·1	19·0	8·1	1·4	14	6	2	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	36·1	15·2	.	19	8	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	1	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				5	3	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. DUNDALK	13,128	9·5				11	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	68·9	41·5	63·7	49·8	56·7	0·19
Urban Districts. DROGHEDA ...	12,501	8·4				3	3	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. EISBURN	12,388	10·9				1	6	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	70	43	65·3	49·6	57·5	0·59
Urban Districts. NEWRY	11,963	17·0				5	6	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	3	.	68·9	41·5	63·7	49·8	56·7	0·19
Urban Districts. PORTADOWN ...	11,727	15·3				2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·9	41·5	63·7	49·8	56·7	0·19
Urban Districts. WEXFORD ...	11,531	22·8				12	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				23	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	66	49	64	52	58	0·54
Urban Districts. KILKENNY ...	10,514	11·4				12	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	2	1	68	48	63·7	52.7	58·2	0·43
Urban Districts. TRALEE	10,300	17·4				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				3	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	8·5	—	2,335	710	101	236	.	.	.	1	2	4	18	—	—	63	23	90	24	34	20	8	39	71	352	1	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 32nd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 14th August, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	128·4	113	10	7	3	2	4	5	4	2	14	8	8	22	12	12		104
Enteric Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diphtheria	·8	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.		2
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	16·8	16	.	.	.	.	1	.	1	1	7	3	.	3	.	.		15
Tuberculous Meningitis	2·2	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.		2
Abdominal Tuberculosis	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	2·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Venereal Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	8·4	9	.	.	.	.	.	.	.	.	1	.	3	3	1	1		9
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	.	4	.	.	.	.	.	.	1	.	.	.	1	1	.	1		4
Anæmia, Leucocythæmia.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Simple Meningitis	·8	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.		3
Cerebral Hæmorrhage, Apoplexy.	3·8	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.		1
Softening of Brain	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Epilepsy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Nervous System.	1·4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1		1
Pericarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	10·2	12	.	.	.	.	.	.	.	.	3	2	2	1	4	.		12
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	7·4	9	.	1	.	.	.	.	.	.	.	.	1	3	2	2		8
Broncho-pneumonia	1·6	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.		2
Lobar pneumonia	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pneumonia (type not distinguished).	3·0	4	.	.	.	.	.	.	1	.	.	1	.	2	.	.		4
Pleurisy	·4	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1		2
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

registered in the THIRTY-SECOND WEEK, ending Saturday, 14th August, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 32nd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 14th August, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of Stomach ..	3·6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2
Diarrhœa and Enteritis of Children under 2 years.	12·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Appendicitis and Typhlitis.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2
Cirrhosis of Liver ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Acute Nephritis ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Chronic Bright's Disease	4·2	3	.	.	.	.	.	.	.	.	.	1	.	2	.	.	2
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·6	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2
Diseases of Skin and Cellular Tissues.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	2·2	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	6
Congenital Debility ..	4·4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	4·6	5	.	.	.	.	.	.	.	.	.	.	.	.	1	4	5
Other Specified Diseases	·6	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1

TABLE IV.—Showing for the WEEK ENDED 14TH AUGUST, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 14TH AUGUST, 1920.																																	
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																															
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																						In Institutions.		
		From all causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercular Pulmonary.	Tubercular Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals and Lunatic Asylums. Prisons	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																			
NORTH CITY, No. 1, E.	30,700	20·4	·	12	.	1	.	2	1	3	5	.	.	.	.	.	.	.	.	.	.	3	1	1	.	2	.	.	.	5	.	2	1	.
,, 1, W.	42,100	12·4	·	10	2	.	1	1	.	3	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	7	.	6	.	.
,, 2	28,200	12·9	.	7	2	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	5	.	3	.	1
,, 3	35,000	11·7	1·5	8	2	.	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	4	.	1	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	3·8	4	.	.	.	1	.	.	3	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2	.	2	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.
South City.																																			
SOUTH CITY, No. 1	44,100	14·2	2·4	12	3	1	1	1	.	1	3	2	.	.	.	.	.	.	1	.	.	1	.	.	1	1	1	.	1	6	.	2	3	.
,, 2	18,600	16·8	·	6	.	.	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	2	.	2	3	.
,, 3	44,400	9·4	·	8	1	.	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	4	.	3	.	1
,, 4	33,600	9·3	1·6	6	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	1	2	1	2	2	.
NEW KILMAINHAM	10,600	9·8	.	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Urban Districts.																																			
RATHMINES AND RATHGAR	40,400	11·6	·	9	.	.	.	.	.	2	4	3	.	.	.	.	.	.	.	.	1	.	.	3	.	1	.	.	.	4	1	2	1	.
PEMBROKE	30,200	13·8	.	8	2	.	.	.	.	1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	7	.	4	.	.
BLACKROCK	9,200	11·3	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
KINGSTOWN	17,000	21·5	.	7	1	.	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	3	.	.	1	.
TOTAL CITY. North	166,900	13·7	0·6	44	6	1	1	5	3	11	13	4	.	.	.	.	.	.	1	.	.	9	3	2	1	3	1	.	.	24	.	15	2	1
TOTAL CITY. South	151,300	11·7	1·0	34	7	2	1	3	1	5	9	6	.	.	.	.	.	.	1	.	.	5	.	3	3	4	2	.	2	14	1	9	8	1
TOTAL CITY. North and South ...	318,200	12·8	0·8	78	13	3	2	8	4	16	22	10	.	.	.	.	.	.	2	.	.	14	3	5	4	7	3	.	2	38	1	24	10	2
Total Urban Districts	96,800	14·0	·	26	3	.	.	.	1	4	5	13	.	.	.	.	.	.	.	.	1	1	.	4	2	3	.	.	.	15	1	6	2	.
Total Registration Area ...	415,000	13·1	0·6	104	16	3	2	8	5	20	27	23	.	.	.	.	.	.	2	.	1	15	3	9	6	10	3	.	2	53	2	30	12	2
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	1	.	.	1	1	2	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	6	1	8	1	.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th August, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH AUGUST, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	113	22	9	6	22	30	12	12	.	.	.	.	.	.	2	.	1	16	3	9	.	6	11	3	.	3	59	2
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14·2	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	14·3	28	2	3	1	6	5	4	7	.	.	.	.	.	.	1	.	.	2	.	2	.	1	.	1	.	1	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·4	30	6	2	2	6	9	3	2	.	.	.	.	.	.	.	.	.	4	2	4	.	2	2	1	.	1	14	.
IV.	GENERAL SERVICE CLASS	167,479	11·8	38	11	4	3	9	6	2	3	.	.	.	.	.	.	1	.	.	7	1	1	.	2	5	.	.	1	20	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	13	3	.	.	1	7	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	1	4	1	.	.	3	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	5	1	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
	6. Clerks and Commercial Assistants ..	33,249	—	7	.	1	.	2	2	1	1	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	12	.	2	1	3	2	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.
	9. Building and Furnishing Trades ..	28,823	—	6	1	.	.	3	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
	10. Clothing Trades	20,026	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	16	3	1	2	2	7	.	1	.	.	.	.	.	.	.	.	.	3	.	2	.	1	2	.	.	1	7	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	3	.	.	1	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	2	2	1
	15. Domestic Servants	36,041	—	5	.	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	26	7	3	2	8	4	1	1	.	.	.	.	.	.	.	.	.	5	.	.	.	2	4	.	.	.	15	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	13	3	.	.	1	7	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	1	4	1	.	.	3	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.
No. of weeks in Annual Series ..	20	21	22	23	24	25	26	27	28	29	30	31	32	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered	267	231	286	260	254	265	202	232	247	209	232	191	245	298	223	262	302	276	214	225	228	193	209	231	223	229
Average Births in corresponding week of previous 10 years	*216*	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*216*	*218*	*215*	*208*	*208*	*200*	*213*	*195*	*184*	*215*	*214*	*193*	*191*
Number of Deaths	171	152	149	129	136	116	106	113	125	102	107	107	104	124	122	116	109	112	109	98	104	94	92	104	98	107
Annual Death-rate per 1,000 ..	21·5	19·1	18·7	16·2	17·1	14·6	13·3	14·2	15·7	12·8	13·4	13·4	13·1	15·7	15·4	14·6	13·8	14·1	13·8	12·4	13·1	11·9	11·6	13·1	12·4	13·5
Average Deaths in corresponding week of previous 10 years	*151*	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*136*	*131*	*123*	*117*	*123*	*118*	*135*	*126*	*123*	*111*	*110*	*103*	*102*
Ages .. Under one year ..	44	32	35	27	32	26	19	17	27	19	17	18	16	26	30	14	32	23	20	22	25	21	20	20	24	15
1— 5 years ..	28	22	18	18	17	15	12	15	12	7	8	4	5	10	8	8	8	7	5	2	9	4	8	8	9	2
5—25 „ ..	8	15	13	11	10	12	3	3	15	7	14	12	13	24	14	20	9	17	9	13	9	16	10	12	13	22
25—45 „ ..	26	19	13	17	19	16	21	22	17	18	20	16	20	20	24	24	17	14	19	24	12	17	12	13	16	19
45—65 „ ..	27	35	32	24	22	24	27	30	22	23	26	24	27	23	26	30	21	27	32	20	29	25	20	31	18	27
65 and upwards ..	38	29	38	32	36	23	24	26	32	28	22	33	23	21	20	20	22	24	24	17	20	11	22	20	18	22
Deaths from :—																										
Enteric Fever	.	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2	.	.	1	2
Typhus	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	6	7	3	5	.	1	2	3	2	1	1	.	.	1	2	.	.	1	.	.	.	.	.	.	1	1
Scarlet Fever	.	.	1	1	.	.	.	.	.	.	1	.	.	3	2	.	1	.	1	.	.	1	1	.	2	.
Whooping-cough	15	12	11	10	7	4	2	5	4	3	3	4	.	1	.	2	4	1	2	2	2	.	1	.	1	.
Diphtheria	.	2	.	1	1	1	1	.	2	.	.	1	2	2	.	2	.	1	1	.	.	.	2	.	.	.
Dysentery	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2	4	3	.	2	1	1	.	.	1	2	.	1	3	3	1	1	.	.	1	.	.	.	.	.	.
Tuberculosis {Pulmonary ..	18	14	17	9	13	12	9	11	20	9	13	13	15	21	15	15	12	13	11	21	14	14	7	17	8	15
Tuberculosis {Other Forms ..	4	8	2	7	3	4	1	10	6	3	5	3	3	9	5	6	2	5	3	4	2	4	5	5	3	7
Cancer	14	8	9	7	7	2	11	9	5	8	7	13	9	7	2	5	4	10	9	5	9	5	5	10	7	8
Diseases of Respiratory System {Pneumonia ..	18	17	15	7	20	12	16	7	8	6	6	5	6	5	6	3	5	11	5	2	5	9	7	5	8	2
Diseases of Respiratory System {Others ..	23	20	23	11	14	8	8	14	12	8	13	11	10	10	10	7	8	3	8	4	7	4	1	2	8	8
Diarrhœa & Enteritis, under 2 years	2	6	3	4	4	2	3	3	4	1	3	3	3	6	2	3	1	3	1	3	5	2	3	4	10	2
Diarrhœa, 2 years and upwards ..	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.	2	.	.	1	.	.	.	.	1
Violent Deaths, ...	3	4	.	2	2	5	.	2	3	3	3	3	2	3	4	3	1	3	3	1	4	.	1	1	2	13
Number of Uncertified Deaths ..	3	1	4	9	7	3	4	1	2	1	4	1	2	3	3	.	1	.	1	4	5	1	2	5	2	.
A Mean Maximum Temperature in degs.	59·0	64·8	61·9	62·0	65·2	53·7	62·8	63·2	64·1	64·0	62·9	62·3	63·7	58·2	64·8	60·9	61·3	64·4	65·8	60·3	62·0	64·3	64·0	60·9	61·0	61·5
B Mean Minimum „ „	45·3	46·9	46·8	41·5	48·6	51·3	49·1	48·2	51·7	50·1	48·1	49·0	50·3	45·0	51·0	49·9	45·8	52·5	51·4	50·2	50·2	51·5	50·7	48·3	50·3	52·0
Mean of A and B „ „	52·1	55·8	54·3	51·7	56·9	57·5	55·9	55·7	57·9	57·0	55·5	55·7	57·0	51·6	57·9	55·4	53·6	58·4	58·6	55·3	56·1	57·9	57·4	54·6	55·6	56·7
Rainfall in inches	0·77	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·21	1·00	0·31	0·31	0·49	0·73	0·12	1·62	1·00	0·46	0·52	0·57	0·72	0·52

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th August, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)			
CITY OF BELFAST.																																	
BELFAST URBAN No. 1 DISTRICT,	15,879	8	16·4	·	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.			
Do. 2 do.	49,500	28	9·5	·	9	2	.	.	4	1	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	2	.			
Do. 3 do.	50,032	29	16·7	·	16	.	.	3	5	6	2	.	.	.	.	.	.	.	.	.	2	1	2	.	1	.	.	.	2	5			
Do. 4 do.	32,637	12	14·4	1·6	9	1	.	2	.	3	3	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	1	1	3			
Do. 5 do.	16,112	8	19·4	·	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	3			
Do. 6 do.	37,293	19	14·0	1·4	10	2	.	2	.	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	1			
Do. 7 do.	2,681	.	19·4	·	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 8 do.	5,964	1	8·7	·	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 9 do.	24,427	19	27·8	·	13	1	.	5	3	4	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	5	5	4			
Do. 10 do.	28,958	17	9·0	1·8	5	.	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	1	2			
Do. 11 do.	—	23	—	—	5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	1			
Do. 12 do.	—	25	—	—	9	1	1	3	3	1	.	1	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	4	3	6			
Do. 13 do.	—	14	—	—	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.			
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 15 do.	22,669	18	32·2	2·3	14	3	.	4	2	2	3	.	.	.	.	.	.	.	.	.	5	.	2	.	1	1	.	.	.	3			
Do. 16 do.	—	8	—	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1			
Total, . .	386,947	229	13·5	0·6	107	15	2	22	19	27	22	2	.	.	1	.	.	.	.	.	15	7	8	2	8	2	1	13	15	34	.			
CITY OF CORK																																	
CORK URBAN No. 1 DISTRICT, .	13,455	12	15·5	·	4	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.			
Do. 2 do. .	10,399	8	15·0	5·0	3	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	3			
Do. 3 do. .	9,793	3	5·3	·	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 4 do. .	9,139	5	22·8	·	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1			
Do. 5 do. .	6,250	3	33·4	·	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1			
Do. 6 do. .	11,581	6	.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 7 do. .	16,056	11	16·2	·	5	.	1	.	3	.	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2			
Total, . . .	76,673	48	14·3	0·7	21	.	3	1	8	5	4	.	.	.	.	.	.	1	.	.	4	.	3	1	1	.	.	.	.	7	.			

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 9·3 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th August, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	5	7
„ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
„ „ „ 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	4
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	.	.	.	.	2	.	.	2	.	2	.	.	2	.	.	19	29

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th August, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 14th August.			
	July 24.	July 31.	Aug. 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	26	26	3	7	.	22
Typhus, ...	2	2	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	26	24	17	8	12	.	13
Scarlet Fever, ...	36	27	24	6	10	.	20*
Diphtheria, ...	44	37	36	7	4	2	37
Pneumonia, ...	14	12	18	2	7	1	12

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3360) Wt. 200. 3. 380. 8. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 33. Vol. LVII.] Week ending Saturday, 21st August, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 23rd August, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 11·7 and 13·0; Dublin Registration Area, 13·3 and 13·3; Dublin City, 14·4 and 13·9; Belfast, 8·6 and 11·9; Cork, 9·5 and 12·6; Londonderry, 8·3 and 13·3; Limerick, 20·3 and 18·9; and Waterford, 19·0 and 12·4.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·7 per 1,000. Among the 68 deaths from all causes for Belfast are one from whooping cough, one from influenza, and 4 from diarrhœa and enteritis of children under 2 years. One of the 14 deaths from all causes for Cork is from diphtheria. Of the 15 deaths from all causes for Limerick one is from measles. The 10 deaths from all causes for Waterford include one from scarlet fever, and one of the 6 deaths from all causes for Drogheda is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 234—110 boys and 124 girls—and the deaths to 116—59 males and 57 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·3 per 1,000 of the population. During the thirty-three weeks ending with Saturday last, the death-rate averaged 19·1 and was 2·5 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-three weeks was 20·6 and for the corresponding period of the preceding ten years 23·0.

Included in the 106 deaths appertaining to the Area are one from whooping-cough and 5 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were 3, 4, and 0, and deaths from diarrhœa and enteritis of children under 2 years, 3, 3, and 3.

There were 6 deaths from pneumonia, comprising 4 from broncho-pneumonia and 2 from pneumonia (type not distinguished).

Tuberculous disease caused 27 deaths (including 23 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from other forms of tuberculosis) as against 18, 16, and 18 in the three weeks preceding.

Nine deaths were caused by cancer, 9 by organic diseases of the heart, and 4 by bronchitis.

There were 3 deaths from violence, including one by drowning.

Among deaths of infants under one year old, one was due to whooping-cough, 3 were due to convulsions, one to bronchitis, one to broncho-pneumonia, 4 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and 3 to congenital debility.

Twenty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 17 being infants under one year, of whom 4 were under one month old, and 21 deaths were those of persons aged 65 and upwards, of whom 14 were 70 years of age or over.

Of the 106 deaths recorded, 53 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 21st August in 96 large English towns (including London in which the rate was 9·8) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 10·8 per 1,000 persons living, the rate for Glasgow being 11·0, and for Edinburgh 11·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st August. From this Report it appears that of 67 cases notified, 28 were scarlet fever, 15 diphtheria, 5 chicken-pox, 4 erysipelas, 3 pulmonary tuberculosis, 7 other forms of tuberculosis, 2 acute primary pneumonia, one malaria, one ophthalmia neonatorum, and one puerperal fever. Among the 485 cases of infectious diseases in hospital at the close of the week were 224 of pulmonary tuberculosis, 6 other forms of tuberculosis, 96 of scarlet fever, 64 of diphtheria, 41 of venereal disease, 11 of measles, 9 of erysipelas, 5 of chicken-pox, 3 of whooping-cough one of puerperal fever and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st August, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	July 31	5	.	.	.	.	—	1	—	2	.	—	.	—	4	.	.	2	.	.	.	14
	Aug. 7	3	.	.	.	.	—	3	—	10	2	—	.	—	4	1	.	2	.	.	.	25
	Aug. 14	2	.	.	.	.	—	2	—	.	2	—	.	—	2	.	.	2	.	.	19	29
	Aug. 21	9	.	.	.	.	—	3	—	3	1	—	.	—	3	.	.	.	.	.	12	31
Rathmines & Rathgar Urban District	July 31	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 14	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 21	1	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	4
Pembroke Urban District	July 31	.	.	.	.	.	2	.	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	Aug. 7	.	.	.	.	.	5	1	1	.	.	.	.	—	.	.	.	.	.	.	.	7
	Aug. 14	.	.	.	.	.	.	.	.	2	.	.	.	—	.	.	.	.	.	.	.	2
	Aug. 21	.	.	.	.	.	2	.	4	.	1	.	.	—	.	.	.	1	.	.	.	8
Blackrock Urban District	July 31	.	.	.	.	.	3	.	—	.	.	—	.	—	.	.	.	.	.	.	.	3
	Aug. 7	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 14	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 21	.	.	.	.	.	.	.	—	.	1	—	.	—	.	.	.	.	.	.	1	2
Kingstown Urban District	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 7	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	1	1
City of Belfast	July 31	2	.	.	.	.	—	18	—	2	.	—	1	—	.	.	.	.	.	.	.	23
	Aug. 7	2	.	.	.	.	—	26	—	2	5	—	1	—	.	.	.	.	.	.	11	47
	Aug. 14	2	.	.	.	.	—	34	—	.	.	—	.	—	.	.	.	.	.	.	29	65
	Aug. 21	5	.	.	.	.	—	44	—	1	1	—	1	—	.	.	.	1	.	.	8	61
City of Cork	July 31	.	.	.	.	.	.	.	—	2	.	—	.	2	.	.	.	.	—	.	—	4[a]
	Aug. 7	.	1	.	.	.	.	.	—	1	.	—	1	3	.	.	.	.	.	.	—	6
	Aug. 14	2	.	.	.	.	.	.	—	1	.	—	.	5	.	.	.	.	.	.	—	8
	Aug. 21	.	.	.	.	.	.	.	—	7	1	—	.	4	.	1	.	.	—	.	—	13[b]
City of Londonderry	July 31	.	.	.	.	.	—	2	—	1	1	—	.	—	.	.	.	.	.	—	—	4
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 14	.	.	.	.	.	—	2	—	.	.	—	.	—	.	1	.	.	.	—	—	3
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
City of Limerick	July 31	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	1	.	.	—	1
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	July 31	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 21	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2

(*a*) Not including 6 cases of varicella. (*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st August, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 7 and 26; measles 4 and 8; scarlet fever 7 and 24,* and diphtheria 3 and 26. Three cases of pneumonia were admitted during the week and 10 remained under treatment at its close.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 21st August, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 21ST AUGUST, 1920. NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 21ST AUGUST, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	27·4	11·7	0·7	614	261	42	58	1	.	.	1	1	2	1	.	1	45	9	20	12	18	9	.	8	11	97	11	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	29·4	13·3	0·8	234	106	17	21	.	.	.	.	.	1	.	.	.	23	4	9	6	6	5	.	3	3	53	2	(d) 67·2	37·0	62·1	47·9	55·0	0·32
Urban Districts. CITY OF DUBLIN	318,200	39·0	33·3	14·4	1·0	203	88	16	15	.	.	.	.	.	1	.	.	.	19	4	8	5	5	5	.	3	3	47	2	(e) 68·1	43 1	62·6	50·9	56·8	0·17
																													(f) 70·0	41·0	63·1	49·5	56·3	0·23
RATHMINES and RATHGAR ...	40,400	23·6	10·3	11·6	.	8	9	.	4	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	5	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	15·5	5·2	.	9	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	5·7	11·3	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	39·9	12·3	.	13	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	71	45	64·7	51·8	58·2	0·06
Urban Districts. BELFAST	413,000	27·7	30·8	8·6	0·6	244	68	18	10	.	.	.	.	.	1	.	.	1	11	3	5	4	6	4	.	3	6	18	3	66·0	47·0	61·4	52·3	56·8	0·40
CORK	76,673	28·6	21·8	9·5	0·7	32	14	2	1	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	8	1	67	47	63·1	52·4	57·8	0·35
LONDONDERRY ...	44,000	17·1	29·6	8·3	.	25	7	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	1	.	.	.	.	.	.
LIMERICK	38,518	16·1	24·4	20·3	1·4	18	15	1	6	.	.	.	1	.	.	.	.	.	.	.	1	1	3	.	.	.	.	4	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	17·1	19·0	1·9	9	10	.	4	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2	2	3	.	.	.	.	.	.	.
GALWAY	13,255	2·5				5	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·1	41·5	62·1	48·7	55·4	0·56
DROGHEDA ...	12,501	8·4				3	6	.	2	1	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LISBURN	12,388	10·9				2	6	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	68	39	61	47	54	0·29
NEWRY	11,963	17·0				8	4	.	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	2	.	68·1	41·5	62·1	48·7	55·4	0·56
PORTADOWN ...	11,727	15·3				6	6	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.	68·1	41·5	62·1	48·7	55·4	0·56
WEXFORD ...	11,531	22·8				5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	44	62	51	56·5	0·43
KILKENNY ...	10,514	11·4				3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	68	40	62·8	49.7	56·2	0·22
TRALEE	10,300	17·4				3	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·8	—	2,075	815	132	244	1	.	.	1	.	3	15	—	—	66	14	93	38	41	30	5	49	92	433	1	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	11·5	—	150	75	14	24	.	.	.	.	3	.	2	—	—	—	—	—	—	—	.	—	4	—	—	—	66·0	41·0	59·4	46·4	52·9	3·28
GLASGOW	1,115,500	—	—	11·0	—	587	235	43	49	.	.	.	.	1	1	.	—	1	—	—	—	—	—	11	—	15	—	—	—	62·3	41·5	59·9	47·0	53·4	3·08

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 33rd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 21st August, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	127·6	116	4	14	2	4	5	4	6	6	8	16	11	15	13	8	106
Enteric Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	14·4	27	.	1	.	2	.	2	1	3	5	8	2	2	1	.	23
Tuberculous Meningitis	1·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Abdominal Tuberculosis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1
Venereal Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·8	9	.	.	.	.	.	.	.	.	.	1	2	3	2	1	9
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Alcoholism	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Chronic Poisonings	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	3·0	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	3·6	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Softening of Brain	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Epilepsy	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Convulsions (non-puerperal).	1·6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	9·8	9	.	.	.	.	.	.	.	.	.	.	1	3	5	.	9
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	8·4	4	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Broncho-pneumonia	3·0	4	.	1	1	.	.	.	.	.	.	.	.	2	.	.	4
Lobar pneumonia	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
Pneumonia (type not distinguished).	2·4	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Respiratory System.	·8	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1

registered in the THIRTY-THIRD WEEK, ending Saturday, 21st August, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 33rd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 21st August, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Diseases of Stomach ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	19·4	5	.	4	1	.	.	.	.	.	.	.	.	.	.	.		5
Diarrhœa 2 years and upwards.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	2·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Appendicitis and Typhlitis.	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Hernia and Intestinal Obstructions.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.		1
Other Diseases of Digestive System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	1·8	5	.	.	.	.	.	.	1	.	.	.	1	2	1	.		5
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Diseases of Locomotor System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Premature Birth ..	2·6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.		3
Congenital Debility ..	3·8	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.		3
Old Age	3·8	5	.	.	.	.	.	.	.	.	.	.	.	.	.	5		5
Other Specified Diseases	1·4	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·8	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.		1
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.		1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	2·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1

TABLE IV.—Showing for the WEEK ENDED 21ST AUGUST, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 21st AUGUST, 1920.																																		
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																																
					CAUSED BY																																	
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)		
North City.																																				
North City, No. 1, E.	30,700	15·3	·	9	4	.	1	1	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	5	.	5	1	1		
,, 1, W.	42,100	17·3	3·7	14	6	.	.	2	.	1	4	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	3	.	.	7	.	4	1	.		
,, 2	28,200	14·8	.	8	1	1	.	.	4	1	.	1	.	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	2	1	2	3	1	.		
,, 3	35,000	20·4	1·5	14	2	.	.	1	1	4	3	3	.	.	.	.	.	1	.	.	.	5	.	2	3	.	.	.	.	3	.	5	3	.		
Clontarf and Howth, No. 1, part of	5,600	·	·	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Coolock and Drumcondra, part of ...	13,900	7·5	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.		
Finglas and Glasnevin, part of ...	11,400	·	·	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
South City.																																				
South City, No. 1	44,100	15·4	·	13	1	.	.	2	.	4	2	4	.	.	.	.	.	.	.	.	.	5	1	1	.	.	.	.	.	6	.	4	4	1		
,, 2	18,600	11·2	·	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	2	.		
,, 3	44,400	16·4	1·2	14	.	1	2	1	2	3	2	3	.	.	.	.	.	.	.	.	.	4	.	1	1	.	1	.	.	7	.	5	3	.		
,, 4	33,600	12·4	1·6	8	2	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	1	3	1	3	1	.		
New Kilmainham	10,600	9·8	·	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.		
Urban Districts.																																				
Rathmines and Rathgar	40,400	11·6	·	9	.	.	.	.	2	2	1	4	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	5	.	5	.	.		
Pembroke	30,200	5·2	.	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.		
Blackrock	9,200	11·3	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.		
Kingstown	17,000	12·3	.	4	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.		
TOTAL CITY. North	166,900	14·7	1·2	47	13	1	1	4	6	6	8	8	.	.	.	.	.	1	.	.	.	10	2	5	4	2	3	.	2	18	2	18	6	1		
TOTAL CITY. South	151,300	14·1	0·7	41	3	1	3	5	2	12	8	7	.	.	.	.	.	.	.	.	.	9	2	3	1	3	2	.	1	20	1	12	11	1		
TOTAL CITY. North and South ...	318,200	14·4	1·0	88	16	2	4	9	8	18	16	15	.	.	.	.	.	1	.	.	.	19	4	8	5	5	5	.	3	38	3	30	17	2		
Total Urban Districts	96,800	9·7	·	18	1	.	.	.	2	3	6	6	.	.	.	.	.	.	.	.	.	4	.	1	1	1	.	.	.	11	.	5	1	.		
Total Registration Area ...	415,000	13·3	0·8	106	17	2	4	9	10	21	22	21	.	.	.	.	.	1	.	.	.	23	4	9	6	6	5	.	3	49	3	35	18	2		
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	.	.	.	2	3	4	.	.	.	.	.	.	.	.	.	.	4	2	.	.	1	.	.	2	1	2	7	2	.		

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st August, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21st AUGUST, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages.							Causes of Death.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	116	24	9	12	24	26	13	8	.	.	.	.	.	1	.	.	.	27	6	9	3	6	7	5	.	5	47	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	17·8	5	.	.	.	.	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.
II.	MIDDLE CLASS	101,798	11·3	22	2	.	5	3	6	2	4	.	.	.	.	.	.	.	.	.	7	1	.	.	2	1	.	.	1	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·5	26	8	2	3	3	5	4	1	.	.	.	.	.	.	.	.	.	5	1	5	.	1	1	2	.	2	9	.
IV.	GENERAL SERVICE CLASS	167,479	13·4	43	13	6	3	13	5	3	.	.	.	.	.	.	1	.	.	.	9	2	3	3	3	2	3	.	1	16	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	1	1	1	5	6	4	2	.	.	.	.	.	.	.	.	.	5	2	1	.	.	2	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	6. Clerks and Commercial Assistants ..	33,249	—	8	2	.	2	1	1	.	2	.	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	9	.	.	2	2	3	1	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	1	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades ..	28,823	—	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.
	10. Clothing Trades	20,026	—	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	1	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	13	4	1	1	1	2	3	1	.	.	.	.	.	.	.	.	.	2	1	2	.	1	.	1	.	2	4	.
	13. Petty Shopkeepers	6,772	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	8	3	1	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	3	1
	15. Domestic Servants	36,041	—	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	1	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	28	10	4	.	8	4	2	.	.	.	.	.	.	1	.	.	.	6	.	1	2	2	2	3	.	.	11	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	20	1	1	1	5	6	4	2	.	.	.	.	.	.	.	.	.	5	2	1	.	.	2	.	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.
No. of weeks in Annual Series ..	21	22	23	24	25	26	27	28	29	30	31	32	33	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered	231	286	260	254	265	202	232	247	209	232	191	245	234	223	262	302	276	214	225	228	193	209	231	223	229	244
Average Births in corresponding week of previous 10 years	*210*	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*218*	*215*	*208*	*208*	*200*	*213*	*195*	*184*	*215*	*214*	*193*	*191*	*194*
Number of Deaths	152	149	129	136	116	106	113	125	102	107	107	104	106	122	116	109	112	109	98	104	94	92	104	98	107	68
Annual Death-rate per 1,000 ..	19·1	18·7	16·2	17·1	14·6	13·3	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·4	14·6	13·8	14·1	13·8	12·4	13·1	11·9	11·6	13·1	12·4	13·5	8·6
Average Deaths in corresponding week of previous 10 years	*147*	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*135*	*131*	*123*	*117*	*123*	*118*	*135*	*126*	*123*	*111*	*110*	*103*	*102*	*111*
Ages .. Under one year ..	32	35	27	32	26	19	17	27	19	17	18	16	17	30	14	32	23	20	22	25	21	20	20	24	15	18
1— 5 years ..	22	18	18	17	15	12	15	12	7	8	4	5	6	8	8	8	7	5	2	9	4	8	8	9	2	3
5—25 ,, ..	15	13	11	10	12	3	3	15	7	14	12	13	19	14	20	9	17	9	13	9	16	10	12	13	22	10
25—45 ,, ..	19	13	17	19	16	21	22	17	18	20	16	20	21	24	24	17	14	19	24	12	17	12	13	16	19	15
45—65 ,, ..	35	32	24	22	24	27	30	22	23	26	24	27	22	26	30	21	27	32	20	29	25	20	31	18	27	12
65 and upwards ..	29	38	32	36	23	24	26	32	28	22	33	23	21	20	20	22	24	24	17	20	11	22	20	18	22	10
Deaths from :—																										
Enteric Fever	.	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2	.	.	1	2	.
Typhus	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	7	3	5	.	1	2	3	2	1	1	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	1	1	.	.	.	.	.	.	1	.	.	.	2	.	1	.	1	.	1	1	.	.	2	.	.
Whooping-cough	12	11	10	7	4	2	5	4	3	3	4	.	1	.	2	4	1	2	2	2	.	1	.	1	.	.
Diphtheria	2	.	1	1	1	1	.	2	.	.	1	2	.	.	2	.	1	1	.	.	.	2	.	.	.	.
Dysentery	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	4	3	.	2	1	1	.	.	1	2	.	1	.	3	1	1	.	.	1	.	.	.	.	.	.	1
Tuberculosis {Pulmonary ..	14	17	9	13	12	9	11	20	9	13	13	15	23	15	15	12	13	11	21	14	14	7	17	8	15	11
Tuberculosis {Other Forms ..	8	2	7	3	4	1	10	6	3	5	3	3	4	5	6	2	5	3	4	2	4	5	5	3	7	3
Cancer	8	9	7	7	2	11	9	5	8	7	13	9	9	2	5	4	10	9	5	9	5	5	10	7	8	5
Diseases of Respiratory System {Pneumonia ..	17	15	7	20	12	16	7	8	6	6	5	6	6	6	3	5	11	5	2	5	9	7	5	8	2	4
Diseases of Respiratory System {Others ..	20	23	11	14	8	8	14	12	8	13	11	10	6	10	7	8	3	8	4	7	4	1	2	8	8	6
Diarrhœa & Enteritis, under 2 years	6	3	4	4	2	3	3	4	1	3	3	3	5	2	3	1	3	1	3	5	2	3	4	10	2	4
Diarrhœa, 2 years and upwards ..	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.	2	.	.	1	.	.	.	.	1	.
Violent Deaths, ...	4	.	2	2	5	.	2	3	3	3	3	2	3	4	3	1	3	3	1	4	.	1	1	2	13	3
Number of Uncertified Deaths ..	1	4	9	7	3	4	1	2	1	4	1	2	2	3	.	1	.	1	4	5	1	2	5	2	.	3
A Mean Maximum Temperature in degs.	64·8	61·9	62·0	65·2	63·7	62·8	63·2	64·1	64·0	62·9	62·3	63·7	62·1	64·8	60·9	61·3	64·4	65·8	60·3	62·0	64·3	64·0	60·9	61·0	61·5	61·4
B Mean Minimum ,, ,,	46·9	46·8	41·5	48·6	51·3	49·1	48·2	51·7	50·1	48·1	49·0	50·3	47·9	51·0	49·9	45·8	52·5	51·4	50·2	50·2	51·5	50·7	48·3	50·3	52·0	52·3
Mean of A and B ,, ,,	55·8	54·3	51·7	56·9	57·5	55·9	55·7	57·9	57·0	55·5	55·7	57·0	55·0	57·9	55·4	53·6	58·4	58·6	55·3	56·1	57·9	57·4	54·6	55·6	56·7	56·8
Rainfall in inches .. .. ,,	0·37	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·31	0·31	0·49	0·73	0·12	1·62	1·00	0·46	0·52	0·57	0·72	0·52	0·40

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st August, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
Belfast Urban No. 1 District,	15,879	8	6·6	·	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	2	·
Do. 2 do.	49,500	31	11·6	1.1	11	1	1	4	3	2	·	·	·	·	·	·	·	·	·	·	4	·	·	1	·	1	·	1	1	4	·
Do. 3 do.	50,032	37	12·5	1.0	12	1	2	·	2	4	3	·	·	·	·	·	1	·	·	·	·	1	2	·	2	·	·	·	1	3	2
Do. 4 do.	32,637	22	8·4	1·6	5	3	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	2	·
Do. 5 do.	16,112	13	6·5	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 6 do.	37,293	20	5·6	·	4	·	·	·	3	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 9 do.	24,427	16	10·7	·	5	1	·	1	2	1	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	1	1	1	1
Do. 10 do.	28,958	17	9·0	·	5	1	·	2	1	1	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	·	1	·	·
Do. 11 do.	—	21	—	—	6	3	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2	·
Do. 12 do.	—	22	—	—	5	2	·	1	·	2	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	1	·
Do. 13 do.	—	8	—	—	2	·	·	·	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	16	6·9	·	3	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	2	·	·
Do. 16 do.	—	11	—	—	6	4	·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	2	·	·	·	1	·
Total,	386,947	244	8·6	0·6	68	18	3	10	15	12	10	·	·	·	·	·	1	·	·	1	11	3	5	4	6	4	·	3	6	18	3
CITY OF CORK																															
Cork Urban No. 1 District,	13,455	4	11·6	·	3	1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	10,399	7	5·0	5·0	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	2	16·0	·	3	·	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do. 4 do.	9,139	1	5·7	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	7	18·0	·	4	·	·	·	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	1
Do. 7 do.	16,056	11	6·5	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Total,	76,673	32	9·5	0·7	14	2	2	1	3	5	1	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	·	·	·	8	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 9·8 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st August, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	4
„ „ 1, West, ..	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	4
„ „ 2, ...	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	5
„ „ 3, ...	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ „ 2, ...	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
„ „ „ 3, ...	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2
„ „ „ 4, ...	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	9	.	.	.	.	3	3	.	1	.	3	..	.	.	.	.	12	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st August, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 21st August.			
	July 31.	Aug. 7.	Aug. 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	26	22	7	3	.	26
Typhus, ...	2	1	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	24	17	13	4	9	.	8
Scarlet Fever, ...	27	24	20	7	3	.	24*
Diphtheria, ...	37	36	37	3	14	.	26
Pneumonia, ...	12	18	12	3	5	.	10

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3405) Wt. 200. 3. 380. 8. 1920. G. III. Sch. a. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 34. Vol. LVII.] Week ending Saturday, 28th August, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 30th August, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·0 and 12·9; Dublin Registration Area, 15·3 and 13·8; Dublin City, 15·1 and 14·2; Belfast, 13·3 and 12·0; Cork, 6·8 and 10·9; Londonderry, 15·4 and 13·9; Limerick, 10·8 and 17·2; and Waterford, 13·3 and 13·3.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·0 per 1,000. Among the 105 deaths from all causes for Belfast are one from scarlet fever, one from diphtheria, one from influenza, and 9 from diarrhœal diseases, and one of the 7 deaths from all causes for Waterford is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—91 boys and 99 girls—and the deaths to 141—71 males and 70 females.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·3 per 1,000 of the population. During the thirty-four weeks ending with Saturday last, the death-rate averaged 18·9 and was 2·5 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-four weeks was 20·5 and for the corresponding period of the preceding ten years 22·9.

Included in the 122 deaths appertaining to the Area are one from enteric fever, 2 from whooping-cough, 2 from diphtheria, and 5 from diarrhœal diseases.

In the 3 preceding weeks, deaths from enteric fever were one, 0, and 0, deaths from whooping-cough were 4, 0, and one, deaths from diphtheria one, 2, and 0, and deaths from diarrhœal diseases 3, 3, and 5.

There were 2 deaths from broncho-pneumonia.

Tuberculous disease caused 26 deaths (including 19 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 4 from other forms of tuberculosis) as against 16, 18, and 27 in the three weeks preceding.

Nine deaths were caused by cancer, 16 by organic diseases of the heart, and 12 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, one to venereal disease, 2 to convulsions, one to bronchitis, 4 to diarrhœa and enteritis, 3 to premature birth, and 3 to congenital debility.

Twenty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 16 being infants under one year, of whom 6 were under one month old, and 37 deaths were those of persons aged 65 and upwards, of whom 23 were 70 years of age or over.

Of the 122 deaths recorded, 46 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 28th August in 96 large English towns (including London in which the rate was 9·7) was equal to an average annual death rate of 9·9 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th August. From this Report it appears that of 65 cases notified, 26 were scarlet fever, 9 diphtheria, 9 pulmonary tuberculosis, 2 other forms of tuberculosis, 8 erysipelas, 5 chicken-pox, 2 ophthalmia neonatorum, one malaria, one dysentery, one acute primary pneumonia, and one puerperal fever. Among the 458 cases of infectious diseases in hospital at the close of the week were 207 of pulmonary tuberculosis, 7 other forms of tuberculosis, 104 of scarlet fever, 64 of diphtheria, 33 of venereal disease, 10 of erysipelas, 7 of measles, 4 of chicken-pox, 3 of whooping-cough, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th August, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 7	3	.	.	.	.	—	3	—	10	2	—	.	—	4	1	.	2	.	.	.	25
	Aug. 14	2	.	.	.	.	—	2	—	.	2	—	.	—	2	.	.	2	.	.	19	29
	Aug. 21	9	.	.	.	.	—	3	—	3	1	—	.	—	3	.	.	.	.	.	12	31
	Aug. 28	1	.	1	.	.	—	2	—	4	2	—	.	—	2	.	.	3	.	.	16	31
Rathmines & Rathgar Urban District	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 14	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 21	1	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	4
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Aug. 7	.	.	.	.	.	5	1	1	.	.	.	.	—	.	.	.	.	.	.	.	7
	Aug. 14	.	.	.	.	.	.	.	.	2	.	.	.	—	.	.	.	.	.	.	.	2
	Aug. 21	.	.	.	.	.	2	.	4	.	1	.	.	—	.	.	.	1	.	.	.	8
	Aug. 28	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	.	.	.	.	.	1
Blackrock Urban District	Aug. 7	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 14	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 21	.	.	.	.	.	.	.	—	.	1	—	.	—	.	.	.	.	.	.	1	2
	Aug. 28	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Aug. 7	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	1	1
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Aug. 7	2	.	.	.	.	—	26	—	2	5	—	1	—	.	.	.	.	.	.	11	47
	Aug. 14	2	.	.	.	.	—	34	—	.	.	—	.	—	.	.	.	.	.	.	29	65
	Aug. 21	5	.	.	.	.	—	44	—	1	1	—	1	—	.	.	.	1	.	.	8	61
	Aug. 28	3	.	.	.	.	—	31	—	2	2	—	.	—	.	.	.	.	1	.	22	61
City of Cork	Aug. 7	.	1	.	.	.	.	.	—	1	.	—	1	3	.	.	.	.	—	.	—	6
	Aug. 14	2	.	.	.	.	.	.	—	1	.	—	.	5	.	.	.	.	—	.	—	8
	Aug. 21	.	.	.	.	.	.	.	—	7	1	—	.	4	.	1	.	.	—	.	—	13[a]
	Aug. 28	.	.	.	.	.	.	1	—	1	2	—	1	6	.	.	.	.	—	.	—	11
City of Londonderry	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 14	.	.	.	.	.	—	2	—	.	.	—	.	—	.	1	.	.	.	—	—	3
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 28	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
City of Limerick	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	1	.	.	—	1
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Aug. 7	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 21	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	2	2

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th August, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever nil and 24; measles one and 9; scarlet fever 8 and 25,* and diphtheria 7 and 23. Seven cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from enteric fever and 2 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th August, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 28TH AUGUST, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: BIRTHS.	DEATHS. From all Causes.	From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 28TH AUGUST, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	23·8	13·0	1·0	532	290	50	73	1	.	.	.	1	2	4	.	1	40	13	22	11	29	13	2	8	7	99	13	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	23·9	15·3	1·3	190	122	16	37	1	.	.	.	.	2	2	.	.	19	7	9	2	15	4	1	1	3	46	4	(d) 69·0	37·3	63·9	46·1	55·0	0·17
Urban Districts. CITY OF DUBLIN	318,200	39·0	26·5	15·1	1·5	162	92	13	24	1	.	.	.	.	2	1	.	.	15	5	6	2	14	4	1	1	2	40	4	(e) 67·9	46·2	62·9	50·7	56·8	0·15
																														(f) 68·0	41·0	64·1	47·6	55·9	0·17
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	9·0	20·7	1·3	7	16	1	9	.	.	.	.	.	.	1	.	.	3	1	2	.	1	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. PEMBROKE ...	30,200	19·2	17·3	10·4	.	10	6	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	3	.	.	.	.	.	.	.
Urban Districts. BLACKROCK ...	9,200	8·5	22·7	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	21·5	21·5	.	7	7	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	65	47	60·8	50·6	55·7	0·11
Urban Districts. BELFAST	413,000	27·7	22·7	13·3	1·4	180	105	22	23	.	.	.	.	1	.	1	.	1	13	2	6	5	8	8	1	1	1	32	2	66·0	42·5	61·8	48·3	55·1	0·33
Urban Districts. CORK	76,673	28·6	27·2	6·8	.	40	10	3	3	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	4	1	68	50	63·3	53·0	58·2	0·08
Urban Districts. LONDONDERRY ...	44,000	17·1	30·8	15·4	1·2	26	13	4	4	.	.	.	.	.	.	.	.	.	3	.	.	.	3	1	.	.	3	.	.	.	.	.	.	.	.
Urban Districts. LIMERICK ...	38,518	16·1	21·7	10·8	.	16	8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	2	4	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	32·3	13·3	1·9	17	7	.	2	.	.	.	.	.	.	1	.	.	1	.	1	1	1	.	.	.	4	.	.	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				10	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.
Urban Districts. DUNDALK ...	13,128	9·5				8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	70·1	41·0	64·0	47·3	55·6	0·31
Urban Districts. DROGHEDA ...	12,501	8·4				5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LISBURN	12,388	10·9				3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	70	40	64·6	44·6	54·6	0·40
Urban Districts. NEWRY	11,963	17·0				6	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	70·1	41·0	64·0	47·3	55·6	0·31
Urban Districts. PORTADOWN ...	11,727	15·3				8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	70·1	41·0	64·0	47·3	55·6	0·31
Urban Districts. WEXFORD ...	11,531	22·8				9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	71	35	63	46	54·5	0·45
Urban Districts. KILKENNY ...	10,514	11·4				2	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	69	44	64·0	49·5	56·7	0·08
Urban Districts. TRALEE	10,300	17·4				7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·7	—	2,294	813	132	247	.	.	.	3	5	5	15	—	—	86	8	113	28	39	38	4	45	91	392	—	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	—	—	—	—	—	—	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	—	—	—	—	—	—	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 34th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 28th August, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	139·2	141	6	12	1	5	7	6	9	6	11	9	14	16	27	12	122
Enteric Fever	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	·6	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·4	19	.	.	.	.	1	1	4	3	6	1	2	.	1	.	19
Tuberculous Meningitis	2·4	4	.	.	.	1	.	2	1	.	.	.	.	.	.	.	3
Abdominal Tuberculosis	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of Joints	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	10·2	10	.	.	.	.	.	.	.	.	.	1	1	4	2	2	9
Tumour, situation undefined.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	2·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	3·8	6	.	.	.	.	.	.	.	.	1	.	.	1	3	1	6
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·4	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1
Organic Diseases of the Heart.	10·6	17	.	.	.	.	.	.	.	.	1	1	2	3	9	1	16
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·6	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1
Diseases of the Larynx	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Bronchitis	7·6	13	.	1	.	.	.	.	.	.	.	1	2	2	5	2	12
Broncho-pneumonia	2·0	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Lobar pneumonia	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Respiratory System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

registered in the THIRTY-FOURTH WEEK, ending Saturday, 28th August, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 34th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 28th August, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	25·4	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards.	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Enteritis 2 years and upwards.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Appendicitis and Typhlitis.	·8	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·4	3	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1
Cirrhosis of Liver ..	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other Diseases of Liver	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·8	6	.	.	.	.	.	.	.	.	2	.	1	2	.	1	.	4
Acute Nephritis ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	2·6	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Congenital Malformations.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	3·6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	5·0	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	4·2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	4
Other Specified Diseases	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	1·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 28TH AUGUST, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 28TH AUGUST, 1920.																																
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																													
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																			In Institutions.		Number of Uncertified Deaths.
		From all causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercular. Pulmonary.	Tubercular. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	8·5	1·7	5	.	.	1	.	.	2	1	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	2	.	2	1	.
,, 1, W.	42,100	17·3	3·7	14	2	.	2	2	2	2	2	2	.	.	.	.	.	1	.	.	.	1	2	.	.	1	1	1	.	7	1	4	3	.
,, 2	28,200	9·2	1·8	5	3	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	4	.	1	.	3
,, 3	35,000	5·8	.	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	1	.	.
CLONTARF AND HOWTH, No. 1, part of	5,600	27·9	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	22·5	.	6	.	.	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.	3	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	20·1	1·2	17	3	.	.	3	.	3	4	4	.	.	.	.	.	.	.	.	.	4	1	1	.	6	1	.	1	3	1	1	5	.
,, 2	18,600	22·4	.	8	.	.	.	2	1	.	2	3	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	.	.	2	.	2	4	1
,, 3	44,400	17·6	2·3	15	4	.	.	2	1	2	3	3	1	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	8	.	5	3	.
,, 4	33,600	18·6	1·6	12	1	.	1	.	1	2	2	5	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	7	.	3	2	.
NEW KILMAINHAM	10,600	9·8	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	20·7	1·3	16	1	.	.	2	1	2	1	9	.	.	.	.	.	.	1	.	.	3	1	2	.	1	.	.	.	8	.	.	2	.
PEMBROKE	30,200	10·4	.	6	1	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	1	3	.	.
BLACKROCK	9,200	5·7	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
KINGSTOWN	17,000	21·5	.	7	1	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	5	.	1	.	.
TOTAL CITY. North	166,900	11·9	1·6	38	5	1	3	2	5	5	9	8	.	.	.	.	.	2	1	.	.	5	2	3	1	2	1	1	.	20	1	11	4	3
TOTAL CITY. South	151,300	18·6	1·4	54	8	.	1	7	3	7	12	16	1	.	.	.	.	.	.	.	.	10	3	3	1	12	3	.	1	20	1	11	14	1
TOTAL CITY. North and South ...	318,200	15·1	1·5	92	13	1	4	9	8	12	21	24	1	.	.	.	.	2	1	.	.	15	5	6	2	14	4	1	1	40	2	22	18	4
Total Urban Districts	96,800	16·2	0·5	30	3	.	.	3	3	3	5	13	.	.	.	.	.	.	1	.	.	4	2	3	.	1	.	.	.	19	1	4	2	.
Total Registration Area ...	415,000	15·3	1·3	122	16	1	4	12	11	15	26	37	1	.	.	.	.	2	2	.	.	19	7	9	2	15	4	1	1	59	3	26	20	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				19	2	.	1	1	4	5	4	2	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	1	14	.	17	2	.

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th August, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH AUGUST, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	141	24	13	15	20	30	27	12	1	.	.	.	.	2	3	.	.	19	8	10	2	2	16	4	1	2	71	4
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	28·5	8	.	.	1	1	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	6	.
II.	MIDDLE CLASS	101,798	14·3	28	.	2	5	4	6	7	4	.	.	.	.	.	.	.	.	.	4	1	4	.	1	1	.	.	1	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	14·9	31	7	2	2	6	10	4	.	.	.	.	.	.	.	2	.	.	5	1	3	1	.	4	2	.	.	13	3
IV.	GENERAL SERVICE CLASS	167,479	16·2	52	17	7	6	6	9	5	2	1	.	.	.	.	2	1	.	.	6	3	2	1	1	5	2	1	1	26	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	22	.	2	1	3	4	9	3	.	.	.	.	.	.	.	.	.	4	2	1	.	.	5	.	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	6	.	.	1	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	8	.	.	.	.	3	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	5	.
	6. Clerks and Commercial Assistants ..	33,249	—	5	.	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	14	.	1	3	3	3	3	1	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	.	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	5	1	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	6	1	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	1	.	.	1	.
	10. Clothing Trades	20,026	—	9	4	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	.	.	4	1
	11. Food Supply Trades	8,952	—	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	12. Other Trades and Callings ranking with Trades	32,070	—	7	.	.	1	1	4	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	2
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	1	1	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	1	1	.
	15. Domestic Servants	36,041	—	8	3	.	1	2	1	.	1	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	5	.	.	.	1	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	34	13	6	3	3	4	5	.	1	.	.	.	.	1	1	.	.	3	2	1	.	.	4	2	1	.	18	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	22	.	2	1	3	4	9	3	.	.	.	.	.	.	.	.	.	4	2	1	.	.	5	.	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.
No. of weeks in Annual Series ..	22	23	24	25	26	27	28	29	30	31	32	33	34	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered	286	260	254	265	202	232	247	209	232	191	245	234	190	262	392	276	214	225	228	193	209	231	223	229	244	180
Average Births in corresponding week of previous 10 years	*235*	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*215*	*208*	*208*	*200*	*213*	*195*	*184*	*215*	*214*	*193*	*191*	*194*	*186*
Number of Deaths	149	129	136	116	106	113	125	102	107	107	104	106	122	116	109	112	109	98	104	94	92	104	98	107	68	105
Annual Death-rate per 1,000 ..	18·7	16·2	17·1	14·6	13·3	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·3	14·6	13·8	14·1	13·8	12·4	13·1	11·9	11·6	13·1	12·4	13·5	8·6	13·3
Average Deaths in corresponding week of previous 10 years	*141*	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*135*	*134*	*123*	*117*	*123*	*118*	*135*	*126*	*123*	*111*	*110*	*103*	*102*	*111*	*119*
Ages .. Under one year ..	35	27	32	26	19	17	27	19	17	18	16	17	16	14	32	23	20	22	25	21	20	20	24	15	18	22
1— 5 years ..	18	18	17	15	12	15	12	7	8	4	5	6	5	8	8	7	5	2	9	4	8	8	9	2	3	9
5—25 ,, ..	13	11	10	12	3	3	15	7	14	12	13	19	23	20	9	17	9	13	9	16	10	12	13	22	10	13
25—45 ,, ..	13	17	19	16	21	22	17	18	20	16	20	21	15	24	17	14	19	24	12	17	12	13	16	19	15	13
45—65 ,, ..	32	24	22	24	27	30	22	23	26	24	27	22	26	30	21	27	32	20	29	25	20	31	18	27	12	25
65 and upwards ..	38	32	36	23	24	26	32	28	22	33	23	21	37	20	22	24	24	17	20	11	22	20	18	22	10	23
Deaths from :—																										
Enteric Fever	.	1	.	1	.	.	.	.	.	1	.	.	1	2	.	.	.	.	1	2	.	.	1	2	.	.
Typhus	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3	5	.	1	2	3	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.
Scarlet Fever	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1	1	.	2	.	.	1
Whooping-cough	11	10	7	4	2	5	4	3	3	4	.	1	2	2	4	1	2	2	2	.	1	.	1	.	1	.
Diphtheria	.	1	1	1	1	.	2	.	.	1	2	.	2	2	.	1	1	.	.	.	2	.	.	.	.	1
Dysentery	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	3	.	2	1	1	.	.	1	2	.	1	.	.	1	1	.	.	1	.	.	.	.	.	.	1	1
Tuberculosis {Pulmonary ..	17	9	13	12	9	11	20	9	13	13	15	23	19	15	12	13	11	21	14	14	7	17	8	15	11	13
Tuberculosis {Other Forms ..	2	7	3	4	1	10	6	3	5	3	3	4	7	6	2	5	3	4	2	4	5	5	3	7	3	2
Cancer	9	7	7	2	11	9	5	8	7	13	9	9	9	5	4	10	9	5	9	5	5	10	7	8	5	6
Diseases of Respiratory System {Pneumonia ..	15	7	20	12	16	7	8	6	6	5	6	6	2	3	5	11	5	2	5	9	7	5	8	2	4	5
Diseases of Respiratory System {Others ..	23	11	14	8	8	14	12	8	13	11	10	6	15	7	8	3	8	4	7	4	1	2	8	8	6	8
Diarrhœa & Enteritis, under 2 years	3	4	4	2	3	3	4	1	3	3	3	5	4	3	1	3	1	3	5	2	3	4	10	2	4	8
Diarrhœa, 2 years and upwards ..	.	.	.	.	1	.	.	.	1	.	.	.	1	2	.	2	.	.	1	.	.	.	.	1	.	1
Violent Deaths, ...	.	2	2	5	.	2	3	3	3	3	2	3	1	3	1	3	3	1	4	.	1	1	2	13	3	1
Number of Uncertified Deaths ..	4	9	7	3	4	1	2	1	4	1	2	2	4	.	1	.	1	4	5	1	2	5	2	.	3	2
A Mean Maximum Temperature in degs.	61·9	62·0	65·2	63·7	62·8	63·2	64·1	64·0	62·9	62·3	63·7	62·1	63·9	60·9	61·3	64·4	65·8	60·3	62·0	64·3	64·0	60·9	61·0	61·5	61·4	61·8
B Mean Minimum ,, ,,	46·8	41·5	48·6	51·3	49·1	48·2	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·9	45·8	52·5	51·4	50·2	50·2	51·5	50·7	48·3	50·3	52·0	52·3	48·3
Mean of A and B ,, ,,	54·3	51·7	56·9	57·5	55·9	55·7	57·9	57·0	55·5	55·7	57·0	55·0	55·0	55·4	53·6	58·4	58·6	55·3	56·1	57·9	57·4	54·6	55·6	56·7	56·8	55·1
Rainfall in inches .. .. ,,	0·10	0·82	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·31	0·49	0·73	0·12	1·62	1·00	0·46	0·52	0·57	0·72	0·52	0·40	0·33

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th August, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																	
Belfast Urban No. 1 District,	15,879	11	6·6	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	22	15·8	2·1	15	2	1	3	4	1	4	.	.	.	.	.	.	.	.	.	3	1	3	.	.	2	.	.	.	5	.
Do. 3 do.	50,032	27	12·5	2·1	12	5	2	3	1	.	1	.	.	.	.	.	.	.	.	.	3	1	.	1	1	2	.	.	.	2	.
Do. 4 do.	32,637	8	20·8	.	13	4	2	.	1	2	4	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	4	.
Do. 5 do.	16,112	8	19·4	3·2	6	2	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	3	.
Do. 6 do.	37,293	8	8·4	.	6	.	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
Do. 9 do.	24,427	9	17·1	.	8	1	.	.	.	5	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do. 10 do.	28,958	14	12·6	1·8	7	1	.	1	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	5	.
Do. 11 do.	—	21	—	—	9	.	.	1	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 12 do.	—	17	—	—	5	1	1	.	.	2	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 13 do.	—	7	—	—	3	.	1	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	18	34·5	2·3	15	5	1	2	2	4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1	.	1	1	6	1
Do. 16 do.	—	7	—	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	2	.
Total,	386,947	180	13·3	1·4	105	22	9	13	13	25	23	.	.	.	.	1	.	1	.	1	13	2	6	5	8	8	1	1	1	32	2
CITY OF CORK																																	
Cork Urban No. 1 District,	13,455	6	11·6	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.
Do. 2 do.	10,399	5	10·0	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	8	5·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.	6,250	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 6 do.	11,581	6	9·0	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 7 do.	16,056	9	6·5	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	76,673	40	6·8	.	10	3	1	.	1	2	3	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	4	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 10·9 per 1,000 and from certain epidemic diseases 2·1.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th August, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	5
„ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	5
„ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	4
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	4
„ „ „ 3, ...	.	.	1	.	.	.	1	.	2	.	.	.	.	1	.	.	2	7
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	.	1	.	.	2	4	.	2	.	2	.	.	3	.	.	16	31

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th August, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 28th August.			
	Aug. 7.	Aug. 14.	Aug. 21.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	22	26	.	1	1	24
Typhus, ...	1	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	13	8	1	.	.	9
Scarlet Fever, ...	24	20	24	8	7	.	25*
Diphtheria, ...	36	37	26	7	8	2	23
Pneumonia, ...	18	12	10	7	1	.	16

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3458) Wt. 200. 3. 380. 8. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 35. Vol. LVII.] Week ending Saturday, 4th September, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 6th September, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·1 and 12·8; Dublin Registration Area, 13·7 and 13·8; Dublin City, 14·1 and 14·1; Belfast, 12·2 and 11·9; Cork, 19·7 and 12·6; Londonderry, 13·0 and 13·0; Limerick, 14·9 and 13·5; and Waterford, 7·6 and 13·8.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. Among the 97 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever, and 8 from diarrhœa and enteritis of children under 2 years. The 29 deaths from all causes for Cork include 2 from diphtheria and one from influenza, and of the 11 deaths from all causes for Limerick, one is from measles and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 248—126 boys and 122 girls—and the deaths to 120—62 males and 58 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·7 per 1,000 of the population. During the thirty-five weeks ending with Saturday last, the death-rate averaged 18·8 and was 2·6 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-five weeks was 20·4 and for the corresponding period of the preceding ten years 22·8.

Included in the 109 deaths appertaining to the Area are 3 from diarrhœa and enteritis of children under 2 years, and one from cerebro-spinal meningitis,

In the 3 preceding weeks, deaths from diarrhœa and enteritis of children under 2 years were 3, 5, and 4.

There were 5 deaths from pneumonia, comprising 4 from broncho-pneumonia and one from pneumonia (type not distinguished).

Tuberculous disease caused 23 deaths (including 18 from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of tuberculosis) as against 18, 27, and 26 in the three weeks preceding.

Four deaths were caused by cancer, 12 by organic diseases of the heart, 10 by bronchitis, and one by encephalitis lethargica.

Two deaths from accidental violence were registered.

Among deaths of infants under one year old, one was due to disseminated tuberculosis, 2 to venereal disease, one to convulsions, 2 to bronchitis, 3 to broncho-pneumonia, one to diarrhœa and enteritis, and 3 to to premature birth.

Seventeen of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 13 being infants under one year, of whom 4 were under one month old, and 35 deaths were those of persons aged 65 and upwards, of whom 27 were 70 years of age or over.

Of the 109 deaths recorded, 48 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 4th September in 96 large English towns (including London in which the rate was 9·7) was equal to an average annual death rate of 10·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 9·8 per 1,000 persons living, the rate for Glasgow being 9·7, and for Edinburgh 8·4.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th September. From this Report it appears that of 83 cases notified, 25 were diphtheria, 24 scarlet fever, 14 pulmonary tuberculosis, 9 other forms of tuberculosis, 5 erysipelas, 2 ophthalmia neonatorum, 2 malaria, and 2 acute primary pneumonia. Among the 498 cases of infectious diseases in hospital at the close of the week were 209 of pulmonary tuberculosis, 7 other forms of tuberculosis, 120 of scarlet fever, 78 of diphtheria, 36 of venereal disease, 9 of erysipelas, 6 of measles, 3 of whooping-cough, 2 of chicken-pox, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th September, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 14	2	.	.	.	.	—	2	—	.	2	—	.	—	2	.	.	2	.	.	19	29
	Aug. 21	9	.	.	.	.	—	3	—	3	1	—	.	—	3	.	.	.	.	.	12	31
	Aug. 28	1	.	1	.	.	—	2	—	4	2	—	.	—	2	.	.	3	.	.	16	31
	Sept. 4	2	.	.	.	.	—	6	—	3	.	—	.	—	2	.	.	1	1	.	12	27
Rathmines & Rathgar Urban District	Aug. 14	1	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Aug. 21	1	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	4
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Aug. 14	.	.	.	.	.	.	.	.	2	.	.	.	—	.	.	.	.	.	.	.	2
	Aug. 21	.	.	.	.	.	2	.	4	.	1	.	.	—	.	.	.	1	.	.	.	8
	Aug. 28	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	.	.	.	.	.	1
	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Aug. 14	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Aug. 21	.	.	.	.	.	.	.	—	.	1	—	.	—	.	.	.	.	.	.	1	2
	Aug. 28	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	1	1
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Sept. 4	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	—	.	.	3
City of Belfast	Aug. 14	2	.	.	.	.	—	34	—	.	1	—	.	—	.	.	.	.	.	.	29	65
	Aug. 21	5	.	.	.	.	—	44	—	1	1	—	1	—	.	.	.	1	.	.	8	61
	Aug. 28	3	.	.	.	.	—	31	—	2	2	—	.	—	.	.	.	.	1	.	22	61
	Sept. 4	6	.	.	.	.	—	58	—	2	3	—	.	—	.	.	.	.	.	.	3	72
City of Cork	Aug. 14	2	.	.	.	.	.	.	—	1	.	—	.	5	.	.	.	.	—	.	—	8
	Aug. 21	.	.	.	.	.	.	.	—	7	1	—	.	4	.	1	.	.	—	.	—	13[a]
	Aug. 28	.	.	.	.	.	.	1	—	1	2	—	1	6	.	.	.	.	—	.	—	11
	Sept. 4	.	.	.	.	.	.	8	—	8	.	—	.	4	.	1	.	.	—	.	—	21
City of Londonderry	Aug. 14	.	.	.	.	.	—	2	—	.	.	—	.	—	.	1	.	.	.	—	—	3
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 28	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	Sept. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	1	.	.	—	1
	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Aug. 14	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Aug. 21	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	2	2
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th September, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 4 and 24; measles 8 and 14; scarlet fever 9 and 27,* and diphtheria 7 and 20. Four cases of pneumonia were admitted during the week and 18 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 4th September, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 4TH SEPTEMBER, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS Total Number	DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 4TH SEPTEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	24·6	13·1	0·8	550	294	43	70	1	.	.	1	1	.	3	.	1	40	20	17	14	27	12	.	8	6	112	12	°	°	°	°	°	.
DUBLIN REGISTRATION AREA	415,000	29·7	31·2	13·7	0·4	248	109g	13	35	.	.	.	.	.	.	.	.	.	18	5	4	5	12	3	.	2	1	48	6	(d) 67·9	45·1	63·3	49·1	56·2	0·27
Urban Districts. CITY OF DUBLIN	318,200	39·0	34·7	14·1	0·5	212	86	8	30	.	.	.	.	.	.	.	.	.	15	3	4	2	11	3	.	2	1	42	4	(e) 68·7	50·2	63·6	53·5	58·6	0·22
																													(f) 67·0	46·0	63·9	51·2	57·5	0·21
RATHMINES and RATHGAR ...	40,400	23·6	14·2	7·7	.	11	6	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	20·7	17·3	.	12	10	3	1	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	.	.	5	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	28·3	22·7	.	5	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	24·5	9·2	.	8	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	49	64·0	52·3	58·1	0·24
Urban Districts. BELFAST	413,000	27·7	16·7	12·2	1·3	132	97	17	22	1	.	.	.	1	.	.	.	.	10	9	6	3	7	8	.	3	2	35	3	66·0	48·0	63·4	50·4	56·9	0·78
CORK	76,673	28·6	29·2	19·7	1·4	43	29	3	4	.	.	.	.	.	.	2	.	1	3	2	1	.	.	.	.	.	.	19	.	65	53	63·1	55·7	59·4	0·16
LONDONDERRY ...	44,000	17·1	28·4	13·0	1·2	24	11	2	1	.	.	.	.	.	.	.	.	.	2	1	1	.	3	1	.	.	.	1	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	28·4	14·9	2·7	21	11	2	.	.	.	.	1	.	.	1	.	.	3	.	2	2	.	.	.	.	.	5	1	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	24·7	7·6	.	13	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY	13,255	2·5				12	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				16	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				4	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	69·8	43·5	64·6	48·3	56·5	0·73
DROGHEDA ...	12,501	8·4				4	4	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				7	6	2	2	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	2	.	68	46	64	49	56·5	1·13
NEWRY	11,963	17·0				3	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	69·8	43·5	64·6	48·3	56·5	0·73
PORTADOWN ...	11,727	15·3				6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	69·8	43·5	64·6	48·3	56·5	0·73
WEXFORD ...	11,531	22·8				7	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	70	48	65	52	58·5	1·34
KILKENNY ...	10,514	11·4				1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69	43	65·2	51·7	58·5	0·25
TRALEE	10,300	17·4				2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·7	—	2,134	809	122	245	1	.	.	1	2	2	13	—	—	78	12	102	48	44	34	3	39·	71	386	1	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	8·4	—	140	55	10	19	.	.	.	—	—	—	1	—	1	—	—	—	—	—	1	—	3	—	—	—	60·0	48·0	57·7	49·0	53·4	0·16
GLASGOW	1,115,500	—	—	9·7	—	566	206g	33	53	.	.	.	—	—	4	1	—	—	—	—	—	—	—	6	—	12	—	—	—	63·9	49·9	60·4	51·0	55·7	0·86

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) Including one death from cerebro-spinal meningitis for Dublin and 3 for Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 35th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 4th September, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	146·6	120	5	9	4	.	1	1	8	2	12	12	14	17	18	17		109
Enteric Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diphtheria	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Dysentery	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.
Erysipelas	.8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	18·0	18	.	.	.	.	.	.	5	1	6	2	2	1	1	.		18
Tuberculous Meningitis	1·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Abdominal Tuberculosis	1·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	·6	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.		1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·0	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.		2
Venereal Diseases	·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Cancer	10·6	7	.	.	.	.	.	.	.	.	1	.	1	3	1	1		4
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Simple Meningitis	2·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Cerebral Hæmorrhage, Apoplexy.	4·2	6	.	.	.	.	.	.	.	.	.	1	.	3	2	.		6
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·0	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1		4
Epilepsy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	1·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Other Diseases of Nervous System.	·8	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.		3
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	·6	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.		2
Organic Diseases of the Heart.	9·2	12	.	.	.	.	.	.	1	.	.	2	1	2	3	3		12
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.
Other Diseases of Circulatory System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of the Larynx	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Bronchitis	8·0	10	.	2	.	.	.	.	.	.	.	1	.	2	4	1		10
Broncho-pneumonia	1·6	4	.	3	.	.	.	.	.	.	.	1	.	1	.	.		4
Lobar pneumonia	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pneumonia (type not distinguished).	2·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Pleurisy	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Other Diseases of Respiratory System.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1

registered in the THIRTY FIFTH WEEK, ending Saturday, 4th September, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 35th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 4th September, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœa and Enteritis of Children under 2 years.	27·2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·8	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
Acute Nephritis ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Chronic Bright's Disease	3·4	6	.	.	.	.	.	.	.	.	.	1	.	.	1	4	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	3·4	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	3·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Old Age	4·4	7	.	.	.	.	.	.	.	.	.	.	.	.	2	5	7
Other Specified Diseases	1·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																	
Poisons or Poisonous Vapours.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	6·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Violent Deaths ..		2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2
Not included in above—																	
Homicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	1·8	4	.	.	.	.	.	.	.	.	.	1	2	1	.	.	4

TABLE IV.—Showing for the WEEK ENDED 4TH SEPTEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 4TH SEPTEMBER, 1920.																																		
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																																
													CAUSED BY																								
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)		
North City.																																				
NORTH CITY, No. 1, E.	30,700	15·3	·	9	.	.	.	.	1	2	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	4	.	2	1	1		
„ 1, W.	42,100	17·3	1·2	14	1	.	.	.	2	3	2	6	.	.	.	.	.	.	.	.	.	4	.	.	.	1	1	1	.	8	.	3	6	.		
„ 2	28,200	16·6	1·8	9	2	1	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	5	.	1	1	.		
„ 3	35,000	17·5	.	12	.	.	.	.	1	2	2	7	.	.	.	.	.	.	.	.	.	6	1	.	.	.	.	.	1	4	.	3	3	.		
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.		
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	.	3	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	1	.		
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.		
South City.																																				
SOUTH CITY, No. 1	44,100	10·6	·	9	1	.	.	.	1	1	4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1	5	1	1	5	1		
„ 2	18,600	14·0	·	5	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.	1	3	.		
„ 3	44,400	12·9	·	11	3	.	.	1	1	1	1	4	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	6	.	2	2	.		
„ 4	33,600	17·1	1·6	11	.	1	.	.	.	3	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	7	.	2	2	1		
NEW KILMAINHAM	10,600	4·9	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		
Urban Districts.																																				
RATHMINES AND RATHGAR	40,400	7·7	·	6	1	1	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.	1	.	.		
PEMBROKE	30,200	17·3	.	10	3	.	.	.	1	4	1	1	.	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	.	5	.	4	1	.		
BLACKROCK	9,200	22·7	.	4	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	2		
KINGSTOWN	17,000	9·2	.	3	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.		
TOTAL CITY. North	166,900	15·3	0·6	49	4	2	.	1	5	9	10	18	.	.	.	.	.	.	.	.	.	12	2	1	2	5	2	.	1	24	.	11	13	2		
TOTAL CITY. South	151,300	12·8	0·3	37	4	1	.	1	3	5	11	12	.	.	.	.	.	.	.	.	.	3	1	3	.	6	1	.	1	22	1	6	12	2		
TOTAL CITY. North and South ...	318,200	14·1	0·5	86	8	3	.	2	8	14	21	30	.	.	.	.	.	.	.	.	.	15	3	4	2	11	3	.	2	46	1	17	25	4		
Total Urban Districts	96,800	12·4	·	23	5	1	.	.	2	6	4	5	.	.	.	.	.	.	.	.	.	3	2	.	3	1	.	.	.	14	.	5	1	2		
Total Registration Area ...	415,000	13·7	0·4	109	13	4	.	2	10	20	25	35	.	.	.	.	.	.	.	.	.	18	5	4	5	12	3	.	2	60	1	22	26	6		
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	1	.	.	.	.	4	6	.	.	.	.	.	.	.	.	1	.	.	1	3	.	1	.	.	1	4	1	10	1	.		

* See note (†) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th September, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH SEPTEMBER, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	120	18	2	10	24	31	18	17	.	.	.	.	.	.	.	1	.	18	6	7	1	5	13	3	.	3	63	6
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	12·8	25	3	.	1	9	5	1	6	.	.	.	.	.	.	.	.	.	5	1	3	.	3	1	.	.	1	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·1	21	1	1	5	1	6	2	5	.	.	.	.	.	.	.	1	.	2	2	1	.	.	2	.	.	.	13	.
IV.	GENERAL SERVICE CLASS	167,479	13·7	44	11	1	1	11	11	7	2	.	.	.	.	.	.	.	.	.	7	—	1	1	1	6	3	.	1	24	5
V.	INMATES OF WORKHOUSES, ...	5,602	—	27	3	.	3	3	6	8	4	.	.	.	.	.	.	.	.	.	4	3	2	.	.	4	.	.	1	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	4	1	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.
	6. Clerks and Commercial Assistants ..	33,249	—	7	1	.	1	2	1	.	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	12	1	.	.	6	2	.	3	.	.	.	.	.	.	.	.	.	1	1	3	.	1	1	.	.	.	5	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades ..	28,823	—	5	.	1	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
	10. Clothing Trades	20,026	—	4	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	7	.	.	3	.	3	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	5	.
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	2	.
	15. Domestic Servants	36,041	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	37	10	1	1	7	10	6	2	.	.	.	.	.	.	.	.	.	4	.	1	1	1	5	3	.	.	22	5
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	27	3	.	3	3	6	8	4	.	.	.	.	.	.	.	.	.	4	3	2	.	.	4	.	.	1	13	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.
No. of weeks in Annual Series ..	23	24	25	26	27	28	29	30	31	32	33	34	35	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered	260	254	265	202	232	247	209	232	191	245	234	190	248	302	276	214	225	228	193	209	231	223	229	244	180	132
Average Births in corresponding week of previous 10 years	*213*	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*208*	*208*	*200*	*213*	*195*	*184*	*215*	*214*	*193*	*191*	*194*	*186*	*200*
Number of Deaths	129	136	116	106	113	125	102	107	107	104	106	122	109	109	112	109	98	104	94	92	104	98	107	68	105	97
Annual Death-rate per 1,000 ..	16·2	17·1	14·6	13·3	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·3	13·7	13·8	14·1	13·8	12·4	13·1	11·9	11·6	13·1	12·4	13·5	8·6	13·3	12·2
Average Deaths in corresponding week of previous 10 years	*137*	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*117*	*123*	*118*	*135*	*126*	*123*	*111*	*110*	*103*	*102*	*111*	*119*	*123*
Ages .. Under one year ..	27	32	26	19	17	27	19	17	18	16	17	16	13	32	23	20	22	25	21	20	20	24	15	18	22	17
1— 5 years ..	18	17	15	12	15	12	7	8	4	5	6	5	4	8	7	5	2	9	4	8	8	9	2	3	9	6
5—25 ,, ..	11	10	12	3	3	15	7	14	12	13	19	23	12	9	17	9	13	9	16	10	12	13	22	10	13	14
25—45 ,, ..	17	19	16	21	22	17	18	20	16	20	21	15	20	17	14	19	24	12	17	12	13	16	19	15	13	17
45—65 ,, ..	24	22	24	27	30	22	23	26	24	27	22	26	25	21	27	32	20	29	25	20	31	18	27	12	25	21
65 and upwards ..	32	36	23	24	26	32	28	22	33	23	21	37	35	22	24	24	17	20	11	22	20	18	22	10	23	22
Deaths from :—																										
Enteric Fever	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	2	.	.	1	2	.	.	1
Typhus	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	5	.	1	2	3	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
Scarlet Fever	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	1	1	.	2	.	.	1	1
Whooping-cough	10	7	4	2	5	4	3	3	4	.	1	2	.	4	1	2	2	2	.	1	.	1	.	1	.	.
Diphtheria	1	1	1	1	.	2	.	.	1	2	.	2	.	.	1	1	.	.	2	.	.	.	.	.	1	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	.	2	1	1	.	.	1	2	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	1	1	.
Tuberculosis {Pulmonary ..	9	13	12	9	11	20	9	13	13	15	23	19	18	12	13	11	21	14	14	7	17	8	15	11	13	10
Tuberculosis {Other Forms ..	7	3	4	1	10	6	3	5	3	3	4	7	5	2	5	3	4	2	4	5	5	3	7	3	2	9
Cancer	7	7	2	11	9	5	8	7	13	9	9	9	4	4	10	9	5	9	5	5	10	7	8	5	6	6
Diseases of Respiratory System {Pneumonia ..	7	20	12	16	7	8	6	6	5	6	6	2	5	5	11	5	2	5	9	7	5	8	2	4	5	3
Diseases of Respiratory System {Others ..	11	14	8	8	14	12	8	13	11	10	6	15	12	8	3	8	4	7	4	1	2	8	8	6	8	7
Diarrhœa & Enteritis, under 2 years	4	4	2	3	3	4	1	3	3	3	5	4	3	1	3	1	3	5	2	3	4	10	2	4	8	8
Diarrhœa, 2 years and upwards ..	.	.	.	1	.	.	.	1	.	.	.	1	.	.	2	.	.	1	.	.	.	.	1	.	1	.
Violent Deaths, ...	2	2	5	.	2	3	3	3	3	2	3	1	2	1	3	3	1	4	.	1	1	2	13	3	1	3
Number of Uncertified Deaths ..	9	7	3	4	1	2	1	4	1	2	2	4	6	1	.	1	4	5	1	2	5	2	.	3	2	3
A Mean Maximum Temperature in degs.	62·0	65·2	53·7	62·8	63·2	64·1	64·0	62·9	62·3	63·7	62·1	63·9	63·3	61·3	64·4	65·8	60·3	62·0	64·3	64·0	60·9	61·0	61·5	61·4	61·8	63·4
B Mean Minimum ,, ,,	41·5	48·6	51·3	49·1	48·2	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·1	45·8	52·5	51·4	50·2	50·2	51·5	50·7	48·3	50·3	52·0	52·3	48·3	50·4
Mean of A and B ,, ,,	51·7	56·9	57·5	55·9	55·7	57·9	57·0	55·5	55·7	57·0	55·0	55·0	56·2	53·6	58·4	58·6	55·3	56·1	57·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9
Rainfall in inches	0·82	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·49	0·73	0·12	1·62	1·00	0·46	0·52	0·57	0·72	0·52	0·40	0·33	0·78

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th September, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)				
CITY OF BELFAST.																																			
BELFAST URBAN No. 1 DISTRICT,	15,879	.	29·6	.	9	1	2	1	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	1	3	1				
Do. 2 do. .	49,500	10	14·7	1·1	14	3	1	4	3	2	1	.	.	.	.	.	.	.	.	.	2	2	2	.	1	1	.	.	.	5	.				
Do. 3 do. .	50,032	17	9·4	1·0	9	4	.	1	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	.	.	4	1				
Do. 4 do. .	32,637	7	19·2	1·6	12	2	.	3	1	3	3	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	2	1	6	1				
Do. 5 do. .	16,112	3	3·2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 6 do. .	37,293	13	12·6	1·4	9	1	.	1	3	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	5	.				
Do. 7 do. .	2,681	.	19·4	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 8 do. .	5,964	.	26·2	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.				
Do. 9 do. .	24,427	3	12·8	.	6	1	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	1	.				
Do. 10 do. .	28,958	13	12·6	1·8	7	1	1	2	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	2	.				
Do. 11 do. .	—	22	—	—	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.				
Do. 12 do. .	—	13	—	—	7	.	1	.	2	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	.				
Do. 13 do. .	—	11	—	—	3	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.				
Do. 14 do. .	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 15 do. .	22,669	5	16·1	4·6	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	2	.				
Do. 16 do. .	—	15	—	—	4	.	.	2	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.				
Total, . .	386,947	132	12·2	1·3	97	17	6	14	17	21	22	1	.	.	.	1	.	.	.	.	10	9	6	3	7	8	.	3	2	35	3				
CITY OF CORK																																			
CORK URBAN No. 1 DISTRICT, .	13,455	9	15·5	.	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.				
Do. 2 do. .	10,399	12	25·1	5·0	5	2	1	.	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	3	.				
Do. 3 do. .	9,793	3	21·3	5·3	4	.	.	3	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	4	.				
Do. 4 do. .	9,139	5	17·1	.	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.				
Do. 5 do. .	6,250	1	50·1	.	6	.	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.				
Do. 6 do. .	11,581	4	9·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.				
Do. 7 do. .	16,056	9	16·2	.	5	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.				
Total, . . .	76,673	43	19·7	1·4	29	3	2	9	3	8	4	.	.	.	.	.	.	2	.	1	3	2	1	.	.	.	.	.	.	19	.				

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 9·8 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th September, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	4	6
„ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	1	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	1	4
„ „ „ 2, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3
„ „ „ 3, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	3
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	.	.	.	.	6	3	.	.	.	2	.	.	1	1	.	12	27

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th September, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 4th September.			
	Aug. 14.	Aug. 21.	Aug. 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	26	24	4	4	.	24
Typhus, ...	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	13	8	9	8	3	.	14
Scarlet Fever, ...	20	24	25	9	7	.	27*
Diphtheria, ...	37	26	23	7	9	1	20
Pneumonia, ...	12	10	16	4	2	.	18

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3509) Wt. 200. 3. 380. 9. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 36. VOL. LVII.] WEEK ENDING SATURDAY, 11TH SEPTEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 13th September, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 14·7 and 13·1; Dublin Registration Area, 14·1 and 14·1; Dublin City, 15·9 and 14·9; Belfast, 18·3 and 13·1; Cork, 13·6 and 12·4; Londonderry, 4·7 and 10·4; Limerick, 10·8 and 14·2; and Waterford, 11·4 and 12·8.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 145 deaths from all causes for Belfast are 2 from scarlet fever, one from whooping-cough, and 7 from diarrhœa and enteritis of children under 2 years. The 20 deaths from all causes for Cork include 3 from diarrhœa and enteritis of children under 2 years, and of the 8 deaths from all causes for Limerick, one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 231—108 boys and 123 girls—and the deaths to 123—63 males and 60 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·1 per 1,000 of the population. During the thirty-six weeks ending with Saturday last, the death-rate averaged 18·7 and was 2·6 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-six weeks was 20·2 and for the corresponding period of the preceding ten years 22·7.

Included in the 112 deaths appertaining to the Area are 17 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from diarrhœa and enteritis of children under 2 years were 5, 4, and 3. No death from influenza was registered in the preceding 3 weeks.

There were 7 deaths from pneumonia, comprising 3 from broncho-pneumonia, one from lobar pneumonia and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 16 deaths (including 9 from pulmonary tuberculosis, one from tuberculous meningitis, and 6 from other forms of tuberculosis) as against 27, 26, and 23 in the three weeks preceding.

Eight deaths were caused by cancer, 10 by organic diseases of the heart, 9 by bronchitis, and one by encephalitis lethargica.

Among deaths of infants under one year old, 3 were due to venereal disease, one to simple meningitis, 2 to convulsions, 3 to bronchitis, one to broncho-pneumonia, 15 to diarrhœa and enteritis, one to peritonitis, 2 to congenital malformations, 2 to premature birth, and 5 to congenital debility.

Forty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 38 being infants under one year, of whom 13 were under one month old, and 22 deaths were those of persons aged 65 and upwards, of whom 13 were 70 years of age or over.

Of the 112 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 11th September in 96 large English towns (including London in which the rate was 10·0) was equal to an average annual death rate of 10·3 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th September. From this Report it appears that of 87 cases notified, 28 were scarlet fever, 21 diphtheria, 15 pulmonary tuberculosis, 10 other forms of tuberculosis, 5 erysipelas, 5 chicken-pox, one ophthalmia neonatorum, one enteric fever, and one acute primary pneumonia. Among the 507 cases of infectious diseases in hospital at the close of the week were 212 of pulmonary tuberculosis, 8 other forms of tuberculosis, 132 of scarlet fever, 87 of diphtheria, 36 of venereal disease, 7 of erysipelas, 2 of whooping-cough, 2 of chicken-pox, one of enteric fever, one of measles, and one of puerperal fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th September, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 21	9	.	.	.	.	—	3	—	3	1	—	.	—	3	.	.	.	.	.	12	31
	Aug. 28	1	.	1	.	.	—	2	—	4	2	—	.	—	2	.	.	3	.	.	16	31
	Sept. 4	2	.	.	.	.	—	6	—	3	.	—	.	—	2	.	.	1	1	.	12	27
	Sept. 11	1	.	.	.	.	—	3	—	3	2	—	.	—	3	.	.	.	.	.	8	20
Rathmines & Rathgar Urban District	Aug. 21	1	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	4
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	.	.	—	1
Pembroke Urban District	Aug. 21	.	.	.	.	.	2	.	4	.	1	.	.	—	.	.	.	1	.	.	.	8
	Aug. 28	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	.	.	.	.	.	1
	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Aug. 21	.	.	.	.	.	.	.	—	.	1	—	.	—	.	.	.	.	.	.	1	2
	Aug. 28	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	1	1
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Sept. 4	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	—	.	.	3
	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Aug. 21	5	.	.	.	.	—	44	—	1	1	—	1	—	.	.	.	1	.	.	8	61
	Aug. 28	3	.	.	.	.	—	31	—	2	2	—	.	—	.	.	.	.	1	.	22	61
	Sept. 4	6	.	.	.	.	—	58	—	2	3	—	.	—	.	.	.	.	.	.	3	72
	Sept. 11	5	.	.	.	.	—	58	—	.	.	—	.	—	.	.	.	.	.	.	12	75
City of Cork	Aug. 21	.	.	.	.	.	.	.	—	7	1	—	.	4	.	1	.	.	—	.	—	13[a]
	Aug. 28	.	.	.	.	.	.	1	—	1	2	—	1	6	.	.	.	.	—	.	—	11
	Sept. 4	.	.	.	.	.	.	8	—	8	.	—	.	4	.	1	.	.	—	.	—	21
	Sept. 11	.	.	.	.	.	.	.	—	3	.	—	.	5	.	.	.	.	—	.	—	8
City of Londonderry	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Aug. 28	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	Sept. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Sept. 11	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
City of Limerick	Aug. 21	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 4	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	1	.	.	—	2
	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Aug. 21	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	2	2
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th September, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 3 and 22; measles one and 10; scarlet fever 7 and 34,* and diphtheria 5 and 20. Four cases of pneumonia were admitted during the week and 14 remained under treatment at its close.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th September, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 11TH SEPTEMBER, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 11TH SEPTEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	28·0	14·7	1·4	630	328	81	65	.	.	.	1	2	1	.	.	1	34	19	22	18	21	27	1	27	28	98	12	.	.	.	.	.	.
DUBLIN REGISTRATION AREA	415,000	29·7	29·0	14·1	2·3	231	112	38	22	.	.	.	.	.	.	.	.	1	9	7	8	7	10	17	1	.	.	42	2	(d) 68·0	41·9	64·1	49·3	56·7	0·38
Urban Districts. CITY OF DUBLIN	318,200	39·0	31·5	15·9	2·6	192	97	35	17	.	.	.	.	.	.	.	.	.	7	5	7	6	9	15	1	.	.	37	2	(e) 65·0	46·1	63·7	52·7	58·2	0·39
																														(f) 69·0	41·0	65·2	50·3	57·8	0·32
RATHMINES and RATHGAR ...	40,400	23·6	16·8	1·3	.	13	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	17·3	15·5	3·5	10	9	2	2	.	.	.	.	.	.	.	.	1	1	1	.	1	1	2	.	.	.	4	.	.	.	.	.	.	.
BLACKROCK ...	9,200	8·5	45·3	11·3	.	8	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	24·5	9·2	.	8	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	67	48	64·7	55·5	60·1	0·07
Urban Districts. BELFAST	413,000	27·7	26·6	18·3	1·3	211	145	34	19	.	.	.	.	2	1	.	.	.	16	5	8	10	7	7	.	27	28	42	7	66·0	43·0	62·5	52·3	57·4	0·46
CORK	76,673	28·6	33·3	13·6	2·0	49	20	3	7	.	.	.	.	.	.	.	.	.	1	3	2	1	1	3	.	.	.	5	1	68	46	65·6	54·1	59·9	0·12
LONDONDERRY ...	44,000	17·1	20·1	4·7	.	17	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	16·2	10·8	1·4	12	8	3	1	.	.	.	1	.	.	.	.	.	2	1	1	.	.	.	.	.	.	1	2	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	32·3	11·4	.	17	6	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
GALWAY	13,255	2·5				11	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	65	43	63·4	46·3	54·9	0·47
DUNDALK ...	13,128	9·5				7	5	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LURGAN	12,553	14·7				9	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	67·0	43·8	62·7	50·6	56·6	0·49
DROGHEDA ...	12,501	8·4				8	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				7	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	68	40	63	48·7	55·9	0·58
NEWRY	11,963	17·0				9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	67·0	43·8	62·7	50·6	56·6	0·49
PORTADOWN ...	11,727	15·3				8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	67·0	43·8	62·7	50·6	56·6	0·49
WEXFORD ...	11,531	22·8				13	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				.	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	44	63	51	57	0·63
KILKENNY ...	10,514	11·4				7	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	68	40	64·8	50·1	57·4	0·12
TRALEE	10,300	17·4				4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·0	—	2,219	833	159	281	.	.	.	5	5	3	15	—	—	57	15	110	45	45	43	6	36	76	425	—	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	—	—	—	—	—	—	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	—	—	—	—	—	—	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause each cause in the CORRESPONDING WEEK of

CAUSES OF DEATH.	Average number of deaths in 36th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 11th September, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	145·4	123	14	26	4	2	1	5	5	4	6	7	11	14	15	9	112
Enteric Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Dysentery	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	18·6	10	.	.	.	.	.	1	.	2	2	.	1	2	1	1	9
Tuberculous Meningitis	1·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	2.8	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	3
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
Tuberculosis of other Organs.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Venereal Diseases	·2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Cancer	12·0	11	.	.	.	.	.	.	.	.	.	2	3	2	3	1	8
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Diabetes	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Anæmia, Leucocythæmia.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·6	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apoplexy.	4·2	7	.	.	.	.	.	.	.	.	1	2	.	.	3	1	2 / 7
Softening of Brain	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Epilepsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	3·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Diseases of Nervous System.	1·4	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	10·2	10	.	.	.	.	.	.	.	.	.	.	3	3	1	3	10
Embolism and Thrombosis (including Cerebral).	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other Diseases of Circulatory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	6·6	9	.	3	.	.	.	.	.	.	.	.	1	2	3	.	9
Broncho-pneumonia	2·8	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	3
Lobar pneumonia	1·0	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
Pneumonia (type not distinguished).	3·2	3	.	.	1	1	.	.	.	.	.	.	.	1	.	.	3
Pleurisy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

registered in the THIRTY-SIXTH WEEK, ending Saturday, 11th September, 1920, with the average deaths from the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 36th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 11th September, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	2·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa and Enteritis of Children under 2 years.	21·8	17	2	13	2	.	.	.	.	.	.	.	.	.	.	.		17
Diarrhœa 2 years and upwards.	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Enteritis 2 years and upwards.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.		1
Hernia and Intestinal Obstructions.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Cirrhosis of Liver ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other Diseases of Liver	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Other Diseases of Digestive System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	4·4	3	.	.	.	.	.	1	.	.	.	.	2	.	.	.		2
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2		1
Diseases of Locomotor System.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Premature Birth ..	2·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Congenital Debility ..	4·8	7	5	2	.	.	.	.	.	.	.	.	.	.	.	.		5
Old Age	5·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Other Specified Diseases	1·0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	2·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1

TABLE IV.—Showing for the WEEK ENDED 11TH SEPTEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 11TH SEPTEMBER, 1920.

| REGISTRARS' DISTRICTS, &c. | Estimated Population Middle of 1920. | Annual Rate of Mortality per 1,000 Living represented by Deaths. | | Total Deaths. | DEATHS. | | | | | | | | CAUSED BY | | | | | | | |

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th September, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH SEPTEMBER, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis		Cancer.	Convulsions.	Diseases of the Respiratory System.		Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
																				Pulmonary.	Other Forms.			Pneumonia.	Other.					
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	123	46	6	9	13	25	15	9	.	.	.	.	.	.	.	.	1	10	7	11	2	8	10	17	1	.	56	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	17·9	35	6	2	2	8	6	8	3	.	.	.	.	.	.	.	.	.	5	1	4	.	2	1	2	1	.	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	7·7	16	5	1	2	2	4	1	1	.	.	.	.	.	.	.	.	.	3	1	2	.	1	1	3	.	.	5	.
IV.	GENERAL SERVICE CLASS	167,479	14·9	48	29	2	3	3	6	3	2	.	.	.	.	.	.	.	.	1	1	3	2	2	5	3	11	.	.	20	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	6	1	2	.	8	3	1	.	.	.	.	.	.	.	.	.	1	2	2	.	.	5	1	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	8	3	1	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	5	.
	6. Clerks and Commercial Assistants ..	33,249	—	10	2	.	2	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	13	1	1	.	2	3	3	3	.	.	.	.	.	.	.	.	.	2	.	3	.	2	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.
	10. Clothing Trades	20,026	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	11	2	1	1	2	3	1	1	.	.	.	.	.	.	.	.	.	3	1	2	.	1	.	1	.	.	3	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	10	7	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	1	1	.	.	3	.
	15. Domestic Servants	36,041	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	33	19	2	3	2	5	1	1	.	.	.	.	.	.	.	.	1	1	3	1	1	.	2	9	.	.	15	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	21	6	1	2	.	8	3	1	.	.	.	.	.	.	.	.	.	1	2	2	.	.	5	1	.	.	10	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.
No. of weeks in Annual Series ..	24	25	26	27	28	29	30	31	32	33	34	35	36	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered	254	265	202	232	247	209	232	191	245	234	190	248	231	276	214	225	228	193	209	231	223	229	244	180	132	211
Average Births in corresponding week of previous 10 years	*216*	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*208*	*200*	*213*	*195*	*184*	*215*	*214*	*193*	*191*	*194*	*186*	*200*	*193*
Number of Deaths	136	116	106	113	125	102	107	107	104	106	122	109	112	112	109	98	104	94	92	104	98	107	68	105	97	145
Annual Death-rate per 1,000 ..	17·1	14·6	13·3	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·3	13·7	14·1	14·1	13·8	12·4	13·1	11·9	11·6	13·1	12·4	13·5	8·6	13·3	12·2	18·3
Average Deaths in corresponding week of previous 10 years	*140*	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*123*	*118*	*135*	*126*	*123*	*111*	*110*	*103*	*102*	*111*	*119*	*123*	*116*
Ages .. Under one year ..	32	26	19	17	27	19	17	18	16	17	16	13	38	23	20	22	25	21	20	20	24	15	18	22	17	34
1— 5 years ..	17	15	12	15	12	7	8	4	5	6	5	4	6	7	5	2	9	4	8	8	9	2	3	9	6	5
5—25 ,, ..	10	12	3	3	15	7	14	12	13	19	23	12	15	17	9	13	9	16	10	12	13	22	10	13	14	26
25—45 ,, ..	19	16	21	22	17	18	20	16	20	21	15	20	9	14	19	24	12	17	12	13	16	19	15	13	17	33
45—65 ,, ..	22	24	27	30	22	23	26	24	27	22	26	25	22	27	32	20	29	25	20	31	18	27	12	25	21	28
65 and upwards ..	36	23	24	26	32	28	22	33	23	21	37	35	22	24	24	17	20	11	22	20	18	22	10	23	22	19
Deaths from :—																										
Enteric Fever	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	2	.	.	1	2	.	.	1	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	1	2	3	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	2	.	.	1	1	.	2
Whooping-cough	7	4	2	5	4	3	3	4	.	1	2	.	.	1	2	2	2	.	1	.	1	.	1	.	.	1
Diphtheria	1	1	1	.	2	.	.	1	2	.	2	.	.	1	1	.	.	.	2	.	.	.	.	.	1	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2	1	1	.	.	1	2	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.
Tuberculosis {Pulmonary ..	13	12	9	11	20	9	13	13	15	23	19	18	9	13	11	21	14	14	7	17	9	15	11	13	10	16
Tuberculosis {Other Forms ..	3	4	1	10	6	3	5	3	3	4	7	5	7	5	3	4	2	4	5	5	3	7	3	2	9	5
Cancer	7	2	11	9	5	8	7	13	9	9	9	4	8	10	9	5	9	5	5	10	7	8	5	6	6	8
Diseases of Respiratory System {Pneumonia ..	20	12	16	7	8	6	6	5	6	6	2	5	7	11	5	2	5	9	7	5	8	2	4	5	3	10
Diseases of Respiratory System {Others ..	14	8	8	14	12	8	13	11	10	6	15	12	10	3	8	4	7	4	1	2	8	8	6	8	7	7
Diarrhœa & Enteritis, under 2 years	4	2	3	3	4	1	3	3	3	5	4	3	17	3	1	3	5	2	3	4	10	2	4	8	8	7
Diarrhœa, 2 years and upwards ..	.	.	1	.	.	.	1	.	.	.	1	.	1	2	.	.	1	.	.	.	.	1	.	1	.	.
Violent Deaths, ...	2	5	.	2	3	3	3	3	2	3	1	2	.	3	3	1	4	.	1	1	2	13	3	1	3	27
Number of Uncertified Deaths ..	7	3	4	1	2	1	4	1	2	2	4	6	2	.	1	4	5	1	2	5	2	.	3	2	3	7
A Mean Maximum Temperature in degs.	65·2	63·7	62·8	63·2	64·1	64·0	62·9	62·3	63·7	62·1	63·9	63·3	64·1	64·4	65·8	60·3	62·0	64·3	64·0	60·9	61·0	61·5	61·4	61·8	63·4	62·5
B Mean Minimum ,, ,,	48·6	51·3	49·1	48·2	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·1	49·3	52·5	51·4	50·2	50·2	51·5	50·7	48·3	50·3	52·0	52·3	48·3	50·4	52·3
Mean of A and B ,, ,,	56·9	57·5	55·9	55·7	57·9	57·0	55·5	55·7	57·0	55·0	55·0	56·2	56·7	58·4	58·6	55·3	56·1	57·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9	57·4
Rainfall in inches	0·25	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·73	0·12	1·62	1·00	0·46	0·52	0·57	0·72	0·52	0·40	0·33	0·78	0·46

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th September, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	DEATHS.																							
						AGES AT DEATH.						DEATHS FROM																	
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	10	23·0	3·3	7	2	.	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	2	2	4	.
Do. 2 do.	49,500	27	24·2	2·1	23	4	.	7	7	4	1	.	.	.	.	.	.	.	.	.	2	.	2	1	1	2	.	9	10	7	1
Do. 3 do.	50,032	22	14·6	1·0	14	7	.	2	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	3	2	5	2
Do. 4 do.	32,637	18	12·8	1·6	8	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	3	.	5	1
Do. 5 do.	16,112	12	29·1	3·2	9	3	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	2	2	4	1
Do. 6 do.	37,293	14	19·6	1·4	14	3	.	4	2	1	4	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	1	.	.
Do. 7 do.	2,681	3	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	19	14·9	.	7	.	1	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 10 do.	28,958	20	23·4	.	13	1	2	3	3	4	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	5	5	4	1
Do. 11 do.	—	24	—	—	8	1	.	3	2	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	1	1	2	.
Do. 12 do.	—	13	—	—	10	1	1	2	2	1	3	.	.	.	.	1	.	.	.	.	1	1	2	1	1	.	.	2	2	3	.
Do. 13 do.	—	8	—	—	9	.	1	1	2	2	3	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	1	1
Do. 14 do.	175	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 15 do.	22,669	10	29·9	.	13	4	.	2	3	2	2	.	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	2	2	3	.
Do. 16 do.	—	10	—	—	7	4	.	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	1	1	.
Total,	386,947	211	18·3	1·3	145	34	5	26	33	28	19	.	.	.	.	2	1	.	.	.	16	5	8	10	7	7	.	27	28	42	7
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	7	3·9	3·9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 2 do.	10,399	9	5·0	5·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 3 do.	9,793	8	16·0	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	3	17·1	5·7	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2	.
Do. 5 do.	6,250	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	7	18·0	.	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,056	12	26·0	.	8	.	.	3	.	1	4	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	3	1
Total,	76,673	49	13·6	2·0	20	3	.	3	2	5	7	.	.	.	.	.	.	.	.	.	1	3	2	1	1	3	.	.	.	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 17·6 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th September, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2
„ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	4
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	1	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 3, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	.	.	.	.	3	3	.	2	.	3	.	.	.	.	.	8	20

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th September, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 11th September.			
	Aug. 21.	Aug. 28.	Sept. 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	24	24	3	5	.	22
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	9	14	1	5	.	10
Scarlet Fever, ...	24	25	27	7	.	.	34*
Diphtheria, ...	26	23	20	5	5	.	20
Pneumonia, ...	10	16	18	4	8	.	14

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3582) Wt. 200. 3. 380. 9. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 37. VOL. LVII.] WEEK ENDING SATURDAY, 18TH SEPTEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 20th September, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·6 and 13·6; Dublin Registration Area, 13·4 and 14·1; Dublin City, 13·4 and 14·6; Belfast, 14·4 and 14·5; Cork, 14·3 and 13·6; Londonderry, 14·2 and 11·8; Limerick, 12·2 and 12·2; and Waterford, 7·6 and 10·0.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 114 deaths from all causes for Belfast are one from enteric fever, 3 from scarlet fever, one from diphtheria, one from dysentery, and 9 from diarrhœa and enteritis of children under 2 years. The 21 deaths from all causes for Cork include 3 from diarrhœa and enteritis of children under 2 years; of the 12 deaths from all causes for Londonderry, one is from measles, and 2 of the 9 deaths from all causes for Limerick are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—110 boys and 105 girls—and the deaths to 123—69 males and 54 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·4 per 1,000 of the population. During the thirty-seven weeks ending with Saturday last, the death-rate averaged 18·5 and was 2·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-seven weeks was 20·1 and for the corresponding period of the preceding ten years 22·7.

Included in the 107 deaths appertaining to the Area are 3 from whooping-cough, 2 from dysentery, 12 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 2, 0 and 0, deaths from diarrhœa and enteritis of children under 2 years were 4, 3, and 17, and deaths from influenza 0, 0, and one. No death from dysentery was registered in the preceding 3 weeks.

There were 6 deaths from pneumonia, comprising 4 from broncho-pneumonia, and 2 from pneumonia (type not distinguished).

Tuberculous disease caused 13 deaths (including 12 from pulmonary tuberculosis, and one from abdominal tuberculosis) as against 26, 23, and 16 in the three weeks preceding.

Fourteen deaths were caused by cancer, 10 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 3 were due to whooping-cough, one to venereal disease, 2 to convulsions, one to bronchitis, 2 to broncho-pneumonia, 10 to diarrhœa and enteritis, one to peritonitis, one to congenital malformation, one to premature birth, and 2 to congenital debility.

Two deaths from accidental violence were recorded.

Twenty-nine of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 26 being infants under one year, of whom 3 were under one month old, and 28 deaths were those of persons aged 65 and upwards, of whom 23 were 70 years of age or over.

Of the 107 deaths recorded, 37 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 18th September in 96 large English towns (including London in which the rate was 9·8) was equal to an average annual death rate of 10·2 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 11·3 per 1,000 persons living, the rate for Glasgow being 12·7, and for Edinburgh 9·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th September. From this Report it appears that of 90 cases notified, 39 were scarlet fever, 21 diphtheria, 12 pulmonary tuberculosis, 6 other forms of tuberculosis, 5 erysipelas, 2 ophthalmia neonatorum, 2 acute primary pneumonia, one malaria, one dysentery, and one puerperal fever. Among the 540 cases of infectious diseases in hospital at the close of the week were 210 of pulmonary tuberculosis, 8 other forms of tuberculosis, 163 of scarlet fever, 90 of diphtheria, 35 of venereal disease, 12 of erysipelas, 2 of whooping-cough, 2 of chicken-pox, 2 of puerperal fever, one of enteric fever, and one of measles.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th September, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Aug. 28	1	.	1	.	.	—	2	—	4	2	—	.	—	2	.	.	3	.	.	16	31
	Sept. 4	2	.	.	.	.	—	6	—	3	2	—	.	—	2	.	.	1	1	.	12	27
	Sept. 11	1	.	.	.	.	—	3	—	3	2	—	.	—	3	.	.	.	.	.	8	20
	Sept. 18	4	.	.	.	.	—	2	—	6	.	—	.	—	.	.	.	.	.	.	6	18
Rathmines & Rathgar Urban District	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	.	.	—	1
	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Aug. 28	.	.	.	.	.	.	.	.	.	1	.	.	—	.	.	.	.	.	.	.	1
	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 18	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Aug 28	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 18	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Sept. 4	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	—	.	.	3
	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	—	.	.	1
	Sept. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Aug. 28	3	.	.	.	.	—	31	—	2	2	—	.	—	.	.	.	.	1	.	22	61
	Sept. 4	6	.	.	.	.	—	58	—	2	3	—	.	—	.	.	.	.	.	.	3	72
	Sept. 11	5	.	.	.	.	—	58	—	.	.	—	.	—	.	.	.	.	.	.	12	75
	Sept. 18	5	.	.	.	.	—	33	—	6	3	—	.	—	.	.	.	1	.	.	14	62
City of Cork	Aug. 28	.	.	.	.	.	.	1	—	1	2	—	1	6	.	.	.	.	—	.	—	11
	Sept. 4	.	.	.	.	.	.	8	—	8	.	—	.	4	.	1	.	.	—	.	—	21
	Sept. 11	.	.	.	.	.	.	.	—	3	.	—	.	5	.	.	.	.	—	.	—	8
	Sept. 18	3	.	.	.	.	.	3	—	4	2	—	.	13	.	.	.	.	—	.	—	25
City of Londonderry	Aug. 28	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	.	—	—	2
	Sept. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Sept. 11	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Sept. 18	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 4	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	1	.	.	—	2
	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 18	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
City of Waterford	Aug. 28	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	2	2
	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th September, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 8 and 28; measles 3 and 5; scarlet fever 9 and 38,* and diphtheria 8 and 25. Five cases of pneumonia were admitted during the week and 14 remained under treatment at its close.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th September, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 18TH SEPTEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
TOTAL OF 19 TOWN DISTRICTS	1,167,268	20·4	26·4	13·6	1·7	592	305	73	66	1	.	.	1	3	3	1	3	1	37	7	28	17	23	27	.	13	13	99	9
DUBLIN REGISTRATION AREA	415,000	29·7	27·0	13·4	2·1	215	107	26	28	.	.	.	.	.	3	.	2	1	12	1	14	6	11	12	.	2	4	37	3
Urban Districts. CITY OF DUBLIN	318,200	39·0	28·0	13·4	2·5	171	82	23	19	.	.	.	.	.	3	.	2	1	8	1	9	3	10	10	.	2	3	30	2
Urban Districts. RATHMINES and RATHGAR	40,400	23·6	18·1	15·5	1·3	14	12	2	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	1	5	1
Urban Districts. PEMBROKE	30,200	19·2	27·6	8·6	1·7	16	5	1	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	1	.
Urban Districts. BLACKROCK (g)	9,200	8·5	34·0	11·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN	17,000	11·6	24·5	18·4	.	8	6	.	2	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	1	.
Urban Districts. BELFAST	413,000	27·7	29·7	14·4	1·9	235	114	32	15	1	.	.	.	3	.	1	1	.	13	4	7	6	7	9	.	7	6	40	1
Urban Districts. CORK	76,673	28·6	17·7	14·3	2·0	26	21	5	4	.	.	.	.	.	.	.	.	.	3	1	3	1	.	3	.	.	1	6	1
Urban Districts. LONDONDERRY	44,000	17·1	22·5	14·2	1·2	19	12	.	5	.	.	.	1	.	.	.	.	.	2	.	3	.	2	.	.	.	.	2	.
Urban Districts. LIMERICK	38,518	16·1	20·3	12·2	2·7	15	9	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	2	2	.	.	.	2	.
Urban Districts. WATERFORD	27,464	19·1	28·5	7·6	1·9	15	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
Urban Districts. GALWAY	13,255	2·5				6	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	3	1
Urban Districts. DUNDALK	13,128	9·5				11	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Urban Districts. DROGHEDA	12,501	8·4				3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urban Districts. LISBURN	12,388	10·9				8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. NEWRY	11,963	17·0				5	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	2	.
Urban Districts. PORTADOWN	11,727	15·3				4	9	1	3	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.	.	1
Urban Districts. WEXFORD	11,531	22·8				3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urban Districts. BALLYMENA	11,381	9·3				4	2	.	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
Urban Districts. SLIGO	11,163	3·8				5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urban Districts. KILKENNY	10,514	11·4				3	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. TRALEE	10,300	17·4				1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·8	—	1,876	821	148	248	1	.	.	3	2	3	15	—	7	79	10	114	47	47	46	8	30	76	399	1
EDINBURGH	342,300	—	—	9·6	—	145	63	6	24	.	.	.	.	1	.	1	—	.	—	—	—	5	—	—	—	3	—	—	—
GLASGOW	1,115,500	—	—	12·7	—	533	270	49	71	1	.	5	.	1	.	2	—	4	—	—	—	39	—	—	—	10	—	—	—

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

METEOROLOGY. (c)

WEEK ENDING 18TH SEPTEMBER, 1920.

Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
°	°	°	°	°	
(d) 70·1	35·0	62·8	43·1	53·0	0·56
(e) 66·9	44·7	61·4	49·9	55·7	0·31
(f) 71·8	37·0	63·9	46·1	55·0	0·53
.	.	.	.	.	.
68	44	63·3	48·1	55·7	0·58
65·0	40·6	62·0	48·0	55·0	0·98
65	47	60·7	50·9	55·8	1·30
.	.	.	.	.	.
.	.	.	.	.	.
.	.	.	.	.	.
64	44	61·4	46·4	53·9	1·15
.	.	.	.	.	.
66·4	38·2	61·1	45·9	53·5	0·47
.	.	.	.	.	.
66	37	62·1	44·6	53·3	0·89
66·4	38·2	61·1	45·9	53·5	0·47
66·4	38·2	61·1	45·9	53·5	0·47
.	.	.	.	.	.
66	40	60	45	52·5	0·81
70	35	63·0	44·4	53·7	0·56
.	.	.	.	.	.
.	.	.	.	.	.
76	39	67·7	48·9	58·3	1·66
64·0	42·0	58·6	48·3	53·4	0·72
63·3	41·5	57·5	47·4	52·5	0·98

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 37th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 18th September, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	145·4	123	4	24	3	.	.	2	8	5	11	8	10	19	15	14		107
Enteric Fever	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	·4	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.		.
Diphtheria	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		3
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		.
Dysentery	·6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		1
Erysipelas	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS,																		
Pulmonary Tuberculosis	19·0	13	.	.	.	.	.	.	5	2	3	1	2	.	.	.		12
Tuberculous Meningitis	1·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Abdominal Tuberculosis	.8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Venereal Diseases	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Cancer	9·6	16	.	.	.	.	.	.	.	.	1	2	3	5	3	2		14
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other General Diseases	·8	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.		2
Alcoholism	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	1·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Cerebral Hæmorrhage, Apoplexy.	3·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Paralysis, without specified cause.	3·0	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.		.
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Convulsions (non-puerperal).	3·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Nervous System.	2·2	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.		2
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Acute Endocarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	8·8	10	.	.	.	.	.	.	.	.	.	.	.	3	4	3		.
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		10
Other Diseases of Circulatory System.	1·0	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.		.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Bronchitis	9·2	10	.	1	.	.	.	.	.	.	.	1	.	3	2	3		.
Broncho-pneumonia	2·4	4	.	2	1	.	.	.	.	.	.	.	.	1	.	.		10
Lobar pneumonia	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		4
Pneumonia (type not distinguished).	2·8	3	.	.	.	.	.	.	.	.	1	1	.	1	.	.		.
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		2
Pulmonary Congestion, Pulmonary Apoplexy.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		.
																		1

registered in the THIRTY-SEVENTH WEEK, ending Saturday, 18th September, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 37th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 18th September, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diarrhœa and Enteritis of Children under 2 years.	21·4	12	.	10	2	.	.	.	.	.	.	.	.	.	.	.		12
Diarrhœa 2 years and upwards.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·0	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1		.
Cirrhosis of Liver ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Other Diseases of Digestive System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Chronic Bright's Disease	2·2	4	.	.	.	.	.	.	.	.	1	.	.	2	1	.		4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Premature Birth ..	4·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Congenital Debility ..	3·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Old Age	6·2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4		4
Other Specified Diseases	·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	3·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Other Violent Deaths ..		1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Not included in above—																		
Homicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	1·4	3	.	.	.	.	.	.	.	1	.	.	2	.	.	.		3

TABLE IV.—Showing for the WEEK ENDED 18TH SEPTEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION MIDDLE OF 1920.	WEEK ENDED SATURDAY, 18TH SEPTEMBER, 1920. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.	DEATHS.								CAUSED BY																	IN INSTITUTIONS.		
		FROM ALL CAUSES	FROM CERTAIN EPIDEMIC DISEASES*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	17·0	5·1	10	5	.	.	.	2	.	2	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	2	.	.	5	.	1	1	1
,, 1, W.	42,100	16·1	5·0	13	5	2	.	1	.	2	1	2	.	.	.	.	.	1	.	.	.	.	.	1	2	1	3	.	.	5	.	3	2	.
,, 2	28,200	11·1	1·8	6	2	.	.	.	1	.	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.	.	.	1	.	3	1	.
,, 3	35,000	11·7	1·5	8	1	.	.	.	1	.	4	2	.	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	3	.	1	.	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	.	3	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	5·9	1·2	5	1	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1	1	.	.
,, 2	18,600	11·2	.	4	1	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	1	2	1	.
,, 3	44,400	11·7	2·3	10	3	.	.	.	2	2	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	2	2	.	.	3	.	.	1	.
,, 4	33,600	27·9	4·7	18	4	.	.	.	1	1	5	7	.	.	.	.	.	1	.	1	.	1	.	3	1	2	1	.	.	8	1	4	8	1
NEW KILMAINHAM	10,600	9·8	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	15·5	1·3	12	2	1	.	.	.	2	3	4	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	7	1	4	1	1
PEMBROKE	30,200	8·6	1·7	5	1	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	.	.	.	1	.
BLACKROCK †	9,200	11·3	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
KINGSTOWN	17,000	18·4	.	6	.	.	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	2	.	.	1	.
TOTAL CITY. North	166,900	13·4	2·8	43	13	2	.	2	4	3	10	9	.	.	.	.	.	2	.	1	1	4	1	5	2	4	6	.	.	17	.	8	4	1
TOTAL CITY. South	151,300	13·4	2·1	39	10	.	.	.	5	4	10	10	.	.	.	.	.	1	.	1	.	4	.	4	1	6	4	.	2	16	3	8	10	1
TOTAL CITY. North and South ...	318,200	13·4	2·5	82	23	2	.	2	9	7	20	19	.	.	.	.	.	3	.	2	1	8	1	9	3	10	10	.	2	33	3	16	14	2
Total Urban Districts	96,800	13·5	1·1	25	3	1	.	.	2	5	5	9	.	.	.	.	.	.	.	.	.	4	.	5	3	1	2	.	.	10	1	4	3	1
Total Registration Area ...	415,000	13·4	2·1	107	26	3	.	2	11	12	25	28	.	.	.	.	.	3	.	2	1	12	1	14	6	11	12	.	2	43	4	20	17	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	2	.	.	.	2	7	4	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1	10	1	14	2	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock states, in a letter dated 16th September, that the present population of the Urban District was found to be 9,730, as the result of a house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th September, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH SEPTEMBER, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	123	31	2	13	19	29	15	14	.	.	.	.	.	3	.	2	1	13	2	16	2	7	11	12	.	3	51	3
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	7·1	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS	101,798	16·4	32	4	1	1	4	12	6	4	.	.	.	.	.	.	.	1	.	2	1	7	.	.	.	1	.	.	19	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	9·6	20	4	1	4	2	5	2	2	.	.	.	.	.	.	.	1	.	5	1	1	1	.	4	2	.	.	5	.
IV.	GENERAL SERVICE CLASS	167,479	15·6	50	20	.	7	9	7	3	4	.	.	.	.	.	2	.	.	.	6	.	3	1	5	5	9	.	2	17	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	19	3	.	1	4	5	4	2	.	.	.	.	.	1	.	.	1	.	.	5	.	2	1	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	6	.	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants ..	33,249	—	8	1	.	.	2	3	1	1	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	17	3	.	1	2	8	2	1	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	.	1	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	9. Building and Furnishing Trades ..	28,823	—	4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	10. Clothing Trades	20,026	—	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	9	2	.	2	1	1	1	2	.	.	.	.	.	.	.	1	.	2	.	1	1	.	2	1	.	.	1	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	3	1
	15. Domestic Servants	36,041	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	37	15	.	5	7	6	1	3	.	.	.	.	.	2	.	.	.	5	.	1	1	3	5	6	.	2	12	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	19	3	.	1	4	5	4	2	.	.	.	.	.	1	.	.	1	.	.	5	.	2	1	.	.	.	9	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.
No. of weeks in Annual Series	25	26	27	28	29	30	31	32	33	34	35	36	37	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered	265	202	232	247	209	232	191	245	234	190	248	231	215	214	225	228	193	209	231	223	229	244	180	132	211	235
Average Births in corresponding week of previous 10 years	*207*	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*200*	*213*	*195*	*184*	*215*	*214*	*193*	*191*	*194*	*186*	*200*	*193*	*191*
Number of Deaths	116	106	113	125	102	107	107	104	106	122	109	112	107	109	98	104	94	92	104	98	107	68	105	97	145	114
Annual Death-rate per 1,000	14·6	13·3	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·3	13·7	14·1	13·4	13·8	12·4	13·1	11·9	11·6	13·1	12·4	13·5	8·6	13·3	12·2	18·3	14·4
Average Deaths in corresponding week of previous 10 years	*126*	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*118*	*135*	*126*	*123*	*111*	*110*	*103*	*102*	*111*	*119*	*123*	*116*	*113*
Ages — Under one year	26	19	17	27	19	17	18	16	17	16	13	38	26	20	22	25	21	20	20	24	15	18	22	17	34	32
1— 5 years	15	12	15	12	7	8	4	5	6	5	4	6	3	5	2	9	4	8	8	9	2	3	9	6	5	2
5—25 „	12	3	3	15	7	14	12	13	19	23	12	15	13	9	13	9	16	10	12	13	22	10	13	14	26	17
25—45 „	16	21	22	17	18	20	16	20	21	15	20	9	12	19	24	12	17	12	13	16	19	15	13	17	33	22
45—65 „	24	27	30	22	23	26	24	27	22	26	25	22	25	32	20	29	25	20	31	18	27	12	25	21	28	26
65 and upwards	23	24	26	32	28	22	33	23	21	37	35	22	28	24	17	20	11	22	20	18	22	10	23	22	19	15
Deaths from :—																										
Enteric Fever	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	2	.	.	1	2	.	.	1	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1	2	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.	2	.	.	1	1	2	3
Whooping-cough	4	2	5	4	3	3	4	.	1	2	.	.	3	2	2	2	.	1	.	1	.	1	.	.	1	.
Diphtheria	1	1	.	2	.	.	1	2	.	2	.	.	.	1	.	.	.	2	.	.	.	.	1	.	.	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1
Influenza	1	1	.	.	1	2	.	1	.	.	.	1	1	.	1	.	.	.	.	.	.	1	1	.	.	.
Tuberculosis (Pulmonary	12	9	11	20	9	13	13	15	23	19	18	9	12	11	21	14	14	7	17	8	15	11	13	10	16	13
Tuberculosis (Other Forms	4	1	10	6	3	5	3	3	4	7	5	7	1	3	4	2	4	5	5	3	7	3	2	9	5	4
Cancer	2	11	9	5	8	7	13	9	9	9	4	8	14	9	5	9	5	5	10	7	8	5	6	6	8	7
Diseases of Respiratory System (Pneumonia	12	16	7	8	6	6	5	6	6	2	5	7	6	5	2	5	9	7	5	8	2	4	5	3	10	6
Diseases of Respiratory System (Others	8	8	14	12	8	13	11	10	6	15	12	10	11	8	4	7	4	1	2	8	8	6	8	7	7	7
Diarrhœa & Enteritis, under 2 years	2	3	3	4	1	3	3	3	5	4	3	17	12	1	3	5	2	3	4	10	2	4	8	8	7	9
Diarrhœa, 2 years and upwards	.	1	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	.
Violent Deaths,	5	.	2	3	3	3	3	2	3	1	2	.	2	3	1	4	.	1	1	2	13	3	1	3	27	7
Number of Uncertified Deaths	3	4	1	2	1	4	1	2	2	4	6	2	3	1	4	5	1	2	5	2	.	3	2	3	7	1
A Mean Maximum Temperature in degs.	63·7	62·8	63·2	64·1	64·0	62·9	62·3	63·7	62·1	63·9	63·3	64·1	62·8	65·8	60·3	62·0	64·3	64·0	60·9	61·0	61·5	61·4	61·8	63·4	62·5	62·0
B Mean Minimum „ „	51·3	49·1	48·2	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·1	49·3	43·1	51·4	50·2	50·2	51·5	50·7	48·3	50·3	52·0	52·3	48·3	50·4	52·3	48·0
Mean of A and B „ „	57·5	55·9	55·7	57·9	57·0	55·5	55·7	57·0	55·0	55·0	56·2	56·7	53·0	58·6	55·3	56·1	57·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9	57·4	55·0
Rainfall in inches	0·34	1·15	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·12	1·62	1·00	0·46	0·52	0·57	0·72	0·52	0·40	0·33	0·78	0·46	0·98

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th September, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.			
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)			
CITY OF BELFAST.																																		
Belfast Urban No. 1 District,	15,879	19	3·3	·	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.			
Do. 2 do.	49,500	31	15·8	2·1	15	3	1	1	2	6	2	.	.	.	.	.	.	.	.	.	2	1	1	1	.	2	.	1	1	5	.			
Do. 3 do.	50,032	35	15·6	3·1	15	6	.	1	3	4	1	.	.	.	.	.	.	.	.	.	1	1	.	1	2	3	.	1	1	4	.			
Do. 4 do.	32,637	18	20·8	3·2	13	2	1	3	4	2	1	1	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	1	1	7	.			
Do. 5 do.	16,112	7	32·4	·	10	3	.	1	1	2	3	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	.	5	.			
Do. 6 do.	37,293	14	12·6	1·4	9	2	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1	1	2	.			
Do. 7 do.	2,681	3	38·9	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.			
Do. 8 do.	5,964	6	.	.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 9 do.	24,427	16	10·7	2·1	5	2	.	1	.	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1			
Do. 10 do.	28,958	16	16·2	3·6	9	4	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	2	1	1	.			
Do. 11 do.	—	10	—	—	6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	3	.			
Do. 12 do.	—	15	—	—	9	4	.	3	1	1	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	.	.	4	.			
Do. 13 do.	—	8	—	—	6	1	.	1	1	1	2	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	.	.	.	4	.			
Do. 14 do.	175	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.			
Do. 15 do.	22,669	27	16·1	.	7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.			
Do. 16 do.	—	10	—	—	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.			
Total, . .	386,947	235	14·4	1·9	114	32	2	17	22	26	15	1	.	.	.	3	.	1	1	.	13	4	7	6	7	9	.	7	6	40	1			
CITY OF CORK																																		
Cork Urban No. 1 District, .	13,455	6	7·8	3·9	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.			
Do. 2 do. .	10,399	5	15·0	5·0	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.			
Do. 3 do. .	9,793	2	16·0	5·3	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.			
Do. 4 do. .	9,139	7	11·4	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.			
Do. 5 do. .	6,250	1	41·7	.	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.			
Do. 6 do. .	11,581	1	22·5	.	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	1			
Do. 7 do. .	16,056	4	3·2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.			
Total, . . .	76,673	26	14·3	2·0	21	5	1	.	5	6	4	.	.	.	.	.	.	.	.	.	3	1	3	1	.	3	.	.	1	6	1			

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 13·5 per 1,000 and from certain epidemic diseases 2·1.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th September, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
„ „ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ „ 2, ...	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	3
„ „ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
„ „ „ 2, ...	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
„ „ „ 3, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
„ „ „ 4, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	4	.	.	.	.	2	6	.	.	.	.	.	.	.	.	.	6	18

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th September, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 18th September.			
	Aug. 28.	Sept. 4.	Sept. 11.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	24	22	8	2	.	28
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	9	14	10	3	8	.	5
Scarlet Fever, ...	25	27	34	9	5	.	38*
Diphtheria, ...	23	20	20	8	3	.	25
Pneumonia, ...	16	18	14	5	5	.	14

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3621) Wt. 200. 3. 380. 9. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 38. VOL. LVII.] WEEK ENDING SATURDAY, 25TH SEPTEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 27th September, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 15·2 and 14·1; Dublin Registration Area, 15·7 and 14·2; Dublin City, 17·7 and 15·3; Belfast, 15·4 and 15·1; Cork, 12·2 and 14·9; Londonderry, 10·7 and 10·7; Limerick, 20·3 and 14·5; and Waterford, 19·0 and 11·4.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 2·7 per 1,000. Among the 122 deaths from all causes for Belfast are 2 from enteric fever, one from scarlet fever, 2 from whooping-cough, 2 from diphtheria, and 17 from diarrhœal diseases. The 18 deaths from all causes for Cork include one from whooping-cough, 3 from diphtheria, and one from diarrhœa; and the only death recorded for Tralee is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—106 boys and 90 girls—and the deaths to 140—71 males and 69 females.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·7 per 1,000 of the population. During the thirty-eight weeks ending with Saturday last, the death-rate averaged 18·4 and was 2·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-eight weeks was 20·0 and for the corresponding period of the preceding ten years 22·6.

Included in the 125 deaths appertaining to the Area are one from enteric fever, 3 from whooping-cough, one from diphtheria, 22 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 0, 0 and 3, deaths from diarrhœa and enteritis of children under 2 years were 3, 17, and 12, and deaths from influenza 0, one, and one. No death from enteric fever or diphtheria was registered in the preceding 3 weeks.

There were 4 deaths from pneumonia, comprising 3 from broncho-pneumonia, and one from pneumonia (type not distinguished).

Tuberculous disease caused 12 deaths (including 11 from pulmonary tuberculosis, and one from tuberculous meningitis) as against 23, 16, and 13 in the three weeks preceding.

Ten deaths were caused by cancer, 6 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, one to simple meningitis, 4 to convulsions, one to broncho-pneumonia, one to pneumonia (type not distinguished), 16 to diarrhœa and enteritis, 3 to premature birth, and 2 to congenital debility.

There were 5 accidental deaths, 2 being those of children under 5 years from burns or scalds.

Forty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 34 being infants under one year, of whom 5 were under one month old, and 31 deaths were those of persons aged 65 and upwards, of whom 25 were 70 years of age or over.

Of the 125 deaths recorded, 53 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 25th September in 96 large English towns (including London in which the rate was 9·9) was equal to an average annual death rate of 10·7 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·4 per 1,000 persons living, the rate for Glasgow being 13·0, and for Edinburgh 9·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th September. From this Report it appears that of 78 cases notified, 35 were scarlet fever, 19 diphtheria, 11 pulmonary tuberculosis, 4 other forms of tuberculosis, 4 chicken-pox, 3 erysipelas, and 2 acute primary pneumonia. Among the 560 cases of infectious diseases in hospital at the close of the week were 206 of pulmonary tuberculosis, 7 other forms of tuberculosis, 179 of scarlet fever, 94 of diphtheria, 38 of venereal disease, 10 of erysipelas, 3 of chicken-pox, 2 of puerperal fever, one of enteric fever, and one of measles.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th September, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 4	2	.	.	.	.	—	6	—	3	.	—	.	—	2	.	.	1	1	.	12	27
	Sept. 11	1	.	.	.	.	—	3	—	3	2	—	.	—	3	.	.	.	.	.	8	20
	Sept. 18	4	.	.	.	.	—	2	—	6	.	—	.	—	.	.	.	.	.	.	6	18
	Sept. 25	3	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	1	.	.	.	16
Rathmines & Rathgar Urban District	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	.	.	—	1
	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 25	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	2	.	.	—	6
Pembroke Urban District	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 18	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 25	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Sept. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 18	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 25	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Sept. 4	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	—	.	.	3
	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	—	.	.	1
	Sept. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Sept. 4	6	.	.	.	.	—	58	—	2	3	—	.	—	.	.	.	.	.	.	3	72
	Sept. 11	5	.	.	.	.	—	58	—	.	.	—	.	—	.	.	.	.	.	.	12	75
	Sept. 18	5	.	.	.	.	—	33	—	6	3	—	.	—	.	.	.	1	.	.	14	62
	Sept. 25	2	.	.	.	.	—	38	—	9	3	—	.	—	.	.	.	.	.	.	18	70
City of Cork	Sept. 4	.	.	.	.	.	.	8	—	8	.	—	.	4	.	1	.	.	—	.	—	21
	Sept. 11	.	.	.	.	.	.	.	—	3	.	—	.	5	.	.	.	.	—	.	—	8
	Sept. 18	3	.	.	.	.	.	3	—	4	2	—	.	13	.	.	.	.	—	.	—	25
	Sept. 25	43	.	2	.	.	.	2	—	2	.	—	.	1	.	.	.	.	—	.	—	50
City of Londonderry	Sept. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Sept. 11	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Sept. 18	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Sept. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
City of Limerick	Sept. 4	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	1	.	.	—	2
	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 18	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Sept. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	—	—	.	3

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th September, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 3 and 29; measles one and 5; scarlet fever 12 and 41,* and diphtheria 6 and 25. Five cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th September, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 25TH SEPTEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 25TH SEPTEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	24·3	15·2	2·7	543	340	82	80	3	.	.	.	1	7	6	.	1	30	11	25	12	21	41	3	9	7	124	9	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	24·6	15·7	3·4	196	125	34	31	1	.	.	.	.	3	1	.	1	11	1	10	4	12	22	.	5	3	53	1	(d) 71·0	30·1	60·5	37·7	49·1	0·06
Urban Districts. CITY OF DUBLIN	318,200	39·0	25·7	17·7	4·1	157	108	33	25	1	.	.	.	.	3	1	.	1	9	1	10	4	10	20	.	5	3	43	1	(e) 69·0	38·4	59·7	43·4	51·6	0·05
																														(f) 73·0	33·0	61·6	39·6	50·6	0·05
RATHMINES and RATHGAR ...	40,400	23·6	15·5	11·6	.	12	9	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	32·8	5·2	3·5	19	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	11·3	11·3	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	18·4	9·2	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	64	39	58·5	43·5	51·0	0·04
Urban Districts. BELFAST	413,000	27·7	26·4	15·4	3·0	209	122	31	20	2	.	.	.	1	2	2	.	.	10	7	9	5	4	15	2	3	3	41	1	62·0	36·0	56·0	39·3	47·6	0·12
CORK	76,673	28·6	22·4	12·2	3·4	33	18	1	4	.	.	.	.	.	1	3	.	.	1	.	2	1	1	.	1	.	.	5	1	62	41	59·6	45·6	52·6	0·20
LONDONDERRY ...	44,000	17·1	30·8	10·7	1·2	26	9	2	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	5	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	28·4	20·3	1·4	21	15	3	3	.	.	.	.	.	.	.	.	.	2	1	1	.	2	1	.	.	.	5	3	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	20·9	19·0	.	11	10	4	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	3	2	.	.	.	.	.	.
GALWAY	13,255	2·5				6	5	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	63	39	59·7	41	50·4	0·27
DUNDALK ...	13,128	9·5				7	7	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LURGAN	12,553	14·7				5	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	67·6	32·6	59·9	41·9	50·9	0·22
DROGHEDA ...	12,501	8·4				2	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
LISBURN	12,388	10·9				5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	65	35	59·7	38·7	49·2	0·20
NEWRY	11,963	17·0				2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	67·6	32·6	59·9	41·9	50·9	0·22
PORTADOWN ...	11,727	15·3				6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67·6	32·6	59·9	41·9	50·9	0·22
WEXFORD ...	11,531	22·8				4	4	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
SLIGO	11,163	3·8				4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	67	30	66	42	51	0·13
KILKENNY ...	10,514	11·4				2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	70	33	61·4	38·2	49·8	0·09
TRALEE	10,300	17·4				.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·9	—	2,093	825	137	281	.	.	.	2	1	1	22	—	.	69	12	90	53	63	39	6	35	80	425	1	66	42	62·3	48·0	55·2	1·6
EDINBURGH ...	342,300	—	—	9·8	—	155	64/h	8	21	.	.	.	.	.	.	1	—	.	—	—	—	—	—	1	—	3	—	—	—	64·0	39·0	57·6	43·4	50·5	0·26
GLASGOW	1,115,500	—	—	13·0	—	571	278/h	59	58	2	.	1	1	1	3	3	—	.	—	—	—	—	—	12	—	13	—	—	—	61·7	35·8	56·6	42·5	49·5	0·10

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 38th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 25th September, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	135·4	140	6	30	10	3	2	2	4	4	8	15	15	10	15	16		125
Enteric Fever	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	.8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	1·2	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.		3
Diphtheria	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Dysentery	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	15·0	11	.	.	.	.	.	1	.	1	1	5	1	1	1	.		11
Tuberculous Meningitis	2·4	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Abdominal Tuberculosis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Venereal Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	9·8	10	.	.	.	.	.	.	.	.	.	2	4	1	3	.		10
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	1·2	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.		3
Cerebral Hæmorrhage, Apoplexy.	2·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		2
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·0	4	.	.	.	.	.	.	.	.	.	1	.	.	3	.		4
Epilepsy	·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Convulsions (non-puerperal).	2·8	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.		4
Other Diseases of Nervous System.	2·0	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.		2
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Organic Diseases of the Heart.	10·2	6	.	.	.	.	.	.	.	.	.	1	3	1	.	1		6
Embolism and Thrombosis (including Cerebral).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2		3
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	7·0	10	.	.	.	.	.	.	.	.	.	.	2	1	4	3		10
Broncho-pneumonia	1·6	3	.	1	1	.	.	.	1	.	.	.	.	.	.	.		3
Lobar pneumonia	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pneumonia (type not distinguished).	4·0	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Other Diseases of Respiratory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1

registered in the THIRTY-EIGHTH WEEK, ending Saturday, 25th September, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 38th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 25th September, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Diseases of Stomach ..	3·0	4	·	3	·	·	·	·	·	·	·	·	·	1	·	·	·	4
Diarrhœa and Enteritis of Children under 2 years.	16·0	22	2	14	6	·	·	·	·	·	·	·	·	·	·	·	·	22
Diarrhœa 2 years and upwards.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Enteritis 2 years and upwards.	1·8	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Appendicitis and Typhlitis.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Hernia and Intestinal Obstructions.	2·4	2	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·
Cirrhosis of Liver ..	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other Diseases of Liver	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Peritonitis (cause unknown).	·6	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1
Other Diseases of Digestive System.	·4	2	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Acute Nephritis ..	·4	2	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	2
Chronic Bright's Disease	3·0	3	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	3
Urinary Calculi ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Uterine Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1
Ovarian Tumour (non-cancerous).	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
Other Diseases of Genito-urinary System.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Puerperal Septicæmia, &c.	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Other causes incident to Pregnancy and Childbirth.	1·0	2	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	1
Diseases of Skin and Cellular Tissues.	1·4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1
Diseases of Locomotor System.	·4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Congenital Malformations.	·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Premature Birth ..	3·6	3	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Congenital Debility ..	4·6	4	2	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2
Old Age	6·2	6	·	·	·	·	·	·	·	·	·	·	·	·	1	5	·	6
Other Specified Diseases	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
VIOLENCE.																		
Poisons or Poisonous Vapours.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagration	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns and Scalds ..	·2	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	2
Drowning	1·0	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suffocation in Bed ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Railways	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1
Vehicles and Horses ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ships, Boats, Docks ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations ..	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Gunshot Wounds, &c. ..	1·4	6*	·	·	·	·	·	·	2	1	2	1	·	·	·	·	·	·
Other Violent Deaths ..		2	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	2
Not included in above—																		
Homicide	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Suicide	·2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Execution	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Ill-defined, &c., Causes ..	2·6	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

*Including 5 deaths of soldiers.

TABLE IV.—Showing for the WEEK ENDED 25TH SEPTEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 25TH SEPTEMBER, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.								CAUSED BY																				In Institutions.		
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	22·1	8·5	13	8	1	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	5	.	1	5	.	4	.	.
,, 1, W.	42,100	23·5	7·4	19	7	3	1	.	1	4	1	2	.	.	.	.	.	3	.	.	.	3	.	1	2	2	3	.	.	5	.	5	.	1
,, 2	28,200	18·5	3·7	10	1	2	.	1	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	6	.	1	2	.
,, 3	35,000	13·1	.	9	3	1	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	1	4	1	3	.	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	3·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	17·7	2·4	15	5	.	1	.	.	2	2	5	.	.	.	.	.	.	1	.	.	1	.	2	1	2	1	.	1	6	1	4	7	.
,, 2	18,600	19·6	2·8	7	2	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5	.	2	3	.
,, 3	44,400	10·6	1·2	9	1	1	.	.	1	.	2	4	.	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	1	2	.	2	3	.
,, 4	33,600	31·0	12·4	20	6	1	.	2	2	2	2	5	1	.	.	.	.	.	.	.	.	1	.	3	.	.	7	.	1	7	1	4	2	.
NEW KILMAINHAM	10,600	9·8	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	11·6	.	9	.	.	.	1	.	1	4	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	7	.	5	2	.
PEMBROKE	30,200	5·2	3·5	3	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
BLACKROCK †	9,200	11·3	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
KINGSTOWN	17,000	9·2	.	3	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
TOTAL CITY. North	166,900	17·2	4·1	55	19	7	2	1	2	8	10	6	.	.	.	.	.	3	.	.	1	5	1	4	3	4	10	.	2	22	1	11	2	1
TOTAL CITY. South	151,300	18·3	4·1	53	14	2	1	2	3	5	7	19	1	.	.	.	.	.	1	.	.	4	.	6	1	6	10	.	3	21	2	12	15	.
TOTAL CITY. North and South ...	318,200	17·7	4·1	108	33	9	3	3	5	13	17	25	1	.	.	.	.	3	1	.	1	9	1	10	4	10	20	.	5	43	3	26	17	1
Total Urban Districts	96,800	9·2	1·1	17	1	1	.	1	.	2	6	6	.	.	.	.	.	.	.	.	.	2	.	.	.	2	2	.	.	11	.	7	3	.
Total Registration Area ...	415,000	15·7	3·4	125	34	10	3	4	5	15	23	31	1	.	.	.	.	3	1	.	1	11	1	10	4	12	22	.	5	54	3	33	20	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				15	2	.	.	.	3	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	9	5	14	1	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th September, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH SEPTEMBER, 1920.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages.							Causes of Death.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	140	49	4	8	23	25	15	16	1	.	.	.	.	3	1	.	1	11	1	10	4	4	12	22	.	11	59	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	7·1	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS	101,798	9·2	18	2	.	1	6	2	2	5	.	.	.	.	.	.	.	.	1	1	.	.	.	1	3	2	.	.	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·0	25	8	.	2	3	6	2	4	1	.	.	.	.	.	1	.	.	3	.	3	.	.	2	3	.	1	11	.
IV.	GENERAL SERVICE CLASS	167,479	23·0	74	35	3	5	13	10	4	4	.	.	.	.	.	3	.	.	.	5	1	5	3	3	4	17	.	10	23	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	4	1	.	1	6	6	3	.	.	.	.	.	.	.	.	.	2	.	1	1	.	3	.	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.
	6. Clerks and Commercial Assistants ..	33,249	—	5	1	.	.	2	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	7	1	.	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	6	1	.	1	.	2	1	1	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	2	.
	10. Clothing Trades	20,026	—	4	.	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	11. Food Supply Trades	8,952	—	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
	12. Other Trades and Callings ranking with Trades	32,070	—	6	1	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	.	2	.
	13. Petty Shopkeepers	6,772	—	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	16	5	.	3	4	3	.	1	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	2	.	6	5	.
	15. Domestic Servants	36,041	—	6	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	2	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	50	25	2	2	9	6	4	2	.	.	.	.	.	2	.	.	.	4	.	4	2	3	3	11	.	4	17	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	21	4	1	.	1	6	6	3	.	.	.	.	.	.	.	.	.	2	.	1	1	.	3	.	.	.	14	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.
No. of weeks in Annual Series ..	26	27	28	29	30	31	32	33	34	35	36	37	38	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered	202	232	247	209	232	191	245	234	190	248	231	215	196	225	228	193	209	231	223	229	244	180	132	211	235	209
Average Births in corresponding week of previous 10 years	*219*	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*213*	*195*	*184*	*215*	*214*	*193*	*191*	*194*	*186*	*200*	*193*	*191*	*176*
Number of Deaths	106	113	125	102	107	107	104	106	122	109	112	107	125	98	104	94	92	104	98	107	68	105	97	145	114	122
Annual Death-rate per 1,000 ..	13·3	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·3	13·7	14·1	13·4	15·7	12·4	13·1	11·9	11·6	13·1	12·4	13·5	8·6	13·3	12·2	18·3	14·4	15·4
Average Deaths in corresponding week of previous 10 years	*123*	*126*	*139*	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*135*	*126*	*123*	*111*	*110*	*103*	*102*	*111*	*119*	*123*	*116*	*113*	*121*
Ages .. Under one year ..	19	17	27	19	17	18	16	17	16	13	38	26	34	22	25	21	20	20	24	15	18	22	17	34	32	31
1— 5 years ..	12	15	12	7	8	4	5	6	5	4	6	3	13	2	9	4	8	8	9	2	3	9	6	5	2	8
5—25 ,, ..	3	3	15	7	14	12	13	19	23	12	15	13	9	13	9	16	10	12	13	22	10	13	14	26	17	9
25—45 ,, ..	21	22	17	18	20	16	20	21	15	20	9	12	15	24	12	17	12	13	16	19	15	13	17	33	22	19
45—65 ,, ..	27	30	22	23	26	24	27	22	26	25	22	25	23	20	29	25	20	31	18	27	12	25	21	28	26	35
65 and upwards ..	24	26	32	28	22	33	23	21	37	35	22	28	31	17	20	11	22	20	18	22	10	23	22	19	15	20
Deaths from :—																										
Enteric Fever	.	.	.	.	.	1	.	.	1	.	.	.	1	.	1	2	.	.	1	2	.	.	1	.	1	2
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	1	1	2	3	1
Whooping-cough	2	5	4	3	3	4	.	1	2	.	.	3	3	2	2	.	1	.	1	.	1	.	.	1	.	2
Diphtheria	1	.	2	.	.	1	2	.	2	.	.	.	1	.	.	.	2	.	.	.	.	1	.	.	1	2
Dysentery	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza	1	.	.	1	2	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.
Tuberculosis {Pulmonary ..	9	11	20	9	13	13	15	23	19	18	9	12	11	21	14	14	7	17	8	15	11	13	10	16	13	10
Tuberculosis {Other Forms ..	1	10	6	3	5	3	3	4	7	5	7	1	1	4	2	4	5	5	3	7	3	2	9	5	4	7
Cancer	11	9	5	8	7	13	9	9	9	4	8	14	10	5	9	5	5	10	7	8	5	6	6	8	7	9
Diseases of Respiratory System {Pneumonia ..	16	7	8	6	6	5	6	6	2	5	7	6	4	2	5	9	7	5	8	2	4	5	3	10	6	5
Diseases of Respiratory System {Others ..	8	14	12	8	13	11	10	6	15	12	10	11	12	4	7	4	1	2	8	8	6	8	7	7	7	4
Diarrhœa & Enteritis, under 2 years	3	3	4	1	3	3	3	5	4	3	17	12	22	3	5	2	3	4	10	2	4	8	8	7	9	15
Diarrhœa, 2 years and upwards ..	1	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	.	2
Violent Deaths, ...	.	2	3	3	3	3	2	3	1	2	.	2	5	1	4	.	1	1	2	13	3	1	3	27	7	3
Number of Uncertified Deaths ..	4	1	2	1	4	1	2	2	4	6	2	3	1	4	5	1	2	5	2	.	3	2	3	7	1	1
A Mean Maximum Temperature in degs.	62·8	63·2	64·1	64·0	62·9	62·3	63·7	62·1	63·9	63·3	64·1	62·8	50·5	60·3	62·0	64·3	64·0	60·9	61·0	61·5	61·4	61·8	63·4	62·5	62·0	56·0
B Mean Minimum ,, ,,	49·1	48·2	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·1	49·3	43·1	37·7	50·2	50·2	51·5	50·7	48·3	50·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3
Mean of A and B ,, ,,	55·9	55·7	57·9	57·0	55·5	55·7	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·3	56·1	57·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9	57·4	55·0	47·6
Rainfall in inches	1·15	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·06	1·62	1·00	0·46	0·52	0·57	0·72	0·52	0·40	0·33	0·78	0·46	0·98	0.12

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th September, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																
BELFAST URBAN No. 1 DISTRICT,	15,879	6	19·7	3·3	6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1	.
Do. 2 do.	49,500	28	16·9	·	16	1	1	1	2	8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.
Do. 3 do.	50,032	36	13·5	4·2	13	3	1	.	3	2	4	.	.	.	.	.	.	.	.	.	.	1	3	1	.	4	.	.	.	5	.
Do. 4 do.	32,637	16	17·6	4·8	11	6	.	.	1	2	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.	.	1	8	.
Do 5 do.	16,112	12	22·7	·	7	5	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	4	1
Do. 6 do.	37,293	13	9·8	1·4	7	1	.	.	2	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
Do. 7 do.	2,681	1	·	·	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	8·7	8·7	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	13	6·4	2·1	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do. 10 do.	28,958	16	7·2	3·6	4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 11 do.	—	15	—	—	10	1	1	3	2	2	1	1	.	.	.	.	.	.	.	.	3	3	.	1	.	.	.	.	.	2	.
Do. 12 do.	—	19	—	—	15	3	.	2	3	4	3	.	.	.	.	.	.	.	.	.	3	2	1	.	1	1	.	1	1	5	.
Do. 13 do.	—	6	—	—	6	.	1	.	2	2	1	1	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
Do. 14 do.	175	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	39·1	13·8	17	8	2	.	1	5	1	.	.	.	.	.	.	1	.	.	.	.	1	1	2	5	.	.	.	4	.
Do. 16 do.	—	11	—	—	5	1	1	.	.	2	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	1	1	.
Total,	386,947	209	15·4	3·0	122	31	8	9	19	35	20	2	.	.	.	1	2	2	.	.	10	7	9	5	4	15	2	3	3	41	1
CITY OF CORK																																
CORK URBAN No. 1 DISTRICT,	13,455	8	3·9	·	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 2 do.	10,399	3	10·0	·	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 3 do.	9,793	7	5·3	5·3	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	1	28·5	5·7	5	.	.	1	3	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 5 do.	6,250	3	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	1	9·0	4·5	2	.	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 7 do.	16,056	10	19·5	6·5	6	.	.	1	1	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.
Total,	76,673	33	12·2	3·4	18	1	3	2	4	4	4	.	.	.	.	.	1	3	.	.	1	.	2	1	1	.	1	.	.	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 18·7 per 1,000 and from certain epidemic diseases 2·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th September, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	3
„ „ 1, West, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	4
„ „ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	3	.	.	.	.	7	4	.	1	.	.	.	.	1	.	.	.	16

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th September, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 25th September.			
	Sept. 4.	Sept. 11.	Sept. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	22	28	3	2	.	29
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	14	10	5	1	1	.	5
Scarlet Fever, ...	27	34	38	12	9	.	41*
Diphtheria, ...	20	20	25	6	5	1	25
Pneumonia, ...	18	14	14	5	3	.	16

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3654) Wt. 200. 3. 380. 9. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 39. VOL. LVII.] WEEK ENDING SATURDAY, 2ND OCTOBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 4th October, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 14·9 and 14·6; Dublin Registration Area, 17·5 and 15·2; Dublin City, 17·9 and 16·2; Belfast, 13·0 and 15·3; Cork, 15·6 and 13·9; Londonderry, 21·3 and 12·7; Limerick, 16·2 and 14·9; and Waterford, 19·0 and 14·3

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 103 deaths from all causes for Belfast are one from scarlet fever, and 5 from diarrhœa and enteritis of children under 2 years. The 23 deaths from all causes for Cork include one from diphtheria, and one from influenza, and one of the 6 deaths from all causes for Galway is from diphtheria

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—122 boys and 87 girls—and the deaths to 146—71 males and 75 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·5 per 1,000 of the population. During the thirty-nine weeks ending with Saturday last, the death-rate averaged 18·4 and was 2·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the thirty-nine weeks was 20·0 and for the corresponding period of the preceding ten years 22·5.

Included in the 139 deaths appertaining to the Area are one from whooping-cough, 16 from diarrhœa and enteritis of children under 2 years, and one from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 0, 3 and 3; deaths from diarrhœa and enteritis of children under 2 years were 17, 12, and 22; and deaths from influenza one, one, and one.

There were 10 deaths from pneumonia, comprising 6 from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 15 deaths (including 12 from pulmonary tuberculosis, one from tuberculous meningitis and 2 from other forms of tuberculous disease) as against 16, 13, and 12 in the three weeks preceding.

Seven deaths were caused by cancer, 11 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, one to disseminated tuberculosis, 4 to convulsions, 3 to bronchitis, 4 to broncho-pneumonia, 16 to diarrhœa and enteritis, 4 to premature birth, and 7 to congenital debility.

One accidental death was registered, and there was one case of homicide.

Forty-six of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 41 being infants under one year, of whom 12 were under one month old, and 33 deaths were those of persons aged 65 and upwards, of whom 26 were 70 years of age or over.

Of the 139 deaths recorded, 38 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 2nd October in 96 large English towns (including London in which the rate was 10·3) was equal to an average annual death rate of 11·0 per 1,000 of the estimated civil population.

The average death rate for 16 principal towns of Scotland was 12·1 per 1,000 persons living, the rate for Glasgow being 12·5, and for Edinburgh 11·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd October. From this Report it appears that of 78 cases notified, 32 were scarlet fever, 15 diphtheria, 12 pulmonary tuberculosis, 3 other forms of tuberculosis, 6 chicken-pox, 6 erysipelas, one puerperal fever, one ophthalmia neonatorum, one dysentery, and one acute influenzal pneumonia. Among the 559 cases of infectious diseases in hospital at the close of the week were 210 of pulmonary tuberculosis, 7 other forms of tuberculosis, 187 of scarlet fever, 80 of diphtheria, 24 of venereal disease, 11 of erysipelas, 3 of chicken-pox, 2 of puerperal fever, 2 of whooping-cough, one of enteric fever, one of ophthalmia neonatorum, and one of dysentery.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd October, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 11	1	.	.	.	.	—	3	—	3	2	—	.	—	3	.	.	.	.	.	8	20
	Sept. 18	4	.	.	.	.	—	2	—	6	1	—	.	—	.	.	.	.	.	.	6	18
	Sept. 25	3	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	1	.	.	.	16
	Oct. 2	7	.	.	.	.	—	10	—	7	2	—	.	—	.	1	.	3	.	.	8	38
Rathmines & Rathgar Urban District	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	.	.	—	1
	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 25	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	2	.	.	—	6
	Oct. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Sept. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 18	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 25	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Sept. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 18	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 25	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Sept. 11	.	.	.	.	.	—	.	—	.	1	—	.	—	.	.	.	.	.	.	.	1
	Sept. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
City of Belfast	Sept. 11	5	.	.	.	.	—	58	—	.	.	—	.	—	.	.	.	.	.	.	12	75
	Sept. 18	5	.	.	.	.	—	33	—	6	3	—	.	—	.	.	.	1	.	.	14	62
	Sept. 25	2	.	.	.	.	—	38	—	9	3	—	.	—	.	.	.	.	.	.	18	70
	Oct. 2	3	.	.	.	.	—	35	—	6	3	—	1	—	.	.	.	.	.	.	12	60
City of Cork	Sept. 11	.	.	.	.	.	.	.	—	3	.	—	.	5	.	.	.	.	—	.	—	8
	Sept. 18	3	.	.	.	.	.	3	—	4	2	—	.	13	.	.	.	.	—	.	—	25
	Sept. 25	43	.	2	.	.	.	2	—	2	.	—	.	1	.	.	.	.	—	.	—	50
	Oct. 2	108	.	1	.	.	.	3	—	9	.	—	.	4	.	.	.	.	—	.	—	125*a*
City of Londonderry	Sept. 11	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Sept. 18	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Sept. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Oct. 2	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
City of Limerick	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 18	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
City of Waterford	Sept. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 2	.	.	.	.	.	—	9	—	.	1	—	.	—	.	.	.	.	—	—	.	10

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd October, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 12 and 32; measles 2 and 5; scarlet fever 12 and 44,* and diphtheria 8 and 29. Five cases of pneumonia were admitted during the week and 17 remained under treatment at its close. Of the deaths in hospital during the week one was from each of diphtheria and pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd October, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 2ND OCTOBER, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 2ND OCTOBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS	1,167,268	20·4	26·2	14·9	1·2	587	334	76	79	.	.	.	.	1	1	2	.	2	26	11	25	22	23	23	.	13	7	102	12	°	°	°	°	°	.
DUBLIN REGISTRATION AREA	415,000	29·7	26·3	17·5	2·1	209	139	41	33	.	.	.	.	.	1	.	.	1	12	3	7	10	12	16	.	2	2	38	5	(d) 67·9	34·1	61·2	48·8	55·0	0·45
Urban Districts. CITY OF DUBLIN	318,200	39·0	29·0	17·9	2·3	177	109	35	22	.	.	.	.	.	1	.	.	1	10	3	1	9	11	13	.	2	2	32	4	(e) 66·9	42·0	60·8	52·2	56·5	1·18
																														(f) 68·0	36·0	61·2	50·1	55·6	0·42
RATHMINES and RATHGAR	40,400	23·6	10·3	16·8	.	8	13	.	7	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	3	.	.	.	.	.	.	.
PEMBROKE	30,200	19·2	22·4	12·1	3·5	13	7	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	2	1	.	.	.	.	.	.
BLACKROCK (g)	9,200	8·5	11·3	17·0	.	2	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,000	11·6	27·6	21·5	3·1	9	7	1	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	1	.	71	41	65·2	52·1	58·7	0·26
Urban Districts. BELFAST	413,000	27·7	24·9	13·0	0·8	197	103	18	22	.	.	.	.	1	.	.	.	.	9	4	10	8	6	5	.	9	5	31	1	67·0	49·0	62·5	52·6	57·4	0·81
CORK	76,673	28·6	42·8	15·6	0·7	63	23	3	5	.	.	.	.	.	.	1	.	1	1	1	.	.	2	1	.	.	.	11	1	62	45	59·9	53·9	56·9	1·26
LONDONDERRY	44,000	17·1	22·5	21·3	1·2	19	18	5	5	.	.	.	.	.	.	.	.	.	2	1	3	2	.	1	.	.	.	2	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	14·9	16·2	.	11	12	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	2	.	6	2	.	.	.	.	.	.
WATERFORD	27,464	19·1	32·3	19·0	1·9	17	10	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.	.	.	5	1	.	.	.	.	.	.
GALWAY	13,255	2·5				10	6	2	1	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	3	.	67	40	65	45·4	55·2	0·75
DUNDALK	13,128	9·5				6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	68·1	38·2	61·6	50·4	56·0	0·57
DROGHEDA	12,501	8·4				13	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
LISBURN	12,388	10·9				4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69	36	62·1	49·2	55·7	1·15
NEWRY	11,963	17·0				12	5	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	68·1	38·2	61·6	50·4	56·0	0·57
PORTADOWN	11,727	15·3				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·1	38·2	61·6	50·4	56·0	0·57
WEXFORD	11,531	22·8				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	11,381	9·3				2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
SLIGO	11,163	3·8				2	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.
KILKENNY	10,514	11·4				1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	66	38	61·7	51·4	56·5	0·52
TRALEE	10,300	17·4				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·3	—	2,165	861	142	287	2	.	.	.	11	3	18	—	.	78	17	128	51	49	33	8	33	79	441	.	69	45	66·1	50·6	58·4	0·89
EDINBURGH	342,300	—	—	11·0	—	122	72	10	30	.	.	.	.	.	.	.	—	.	—	—	—	—	—	3	—	3	—	—	—	69·0	46·0	61·1	52·1	56·6	0·33
GLASGOW	1,115,500	—	—	12·5	—	560	267(h)	54	76	.	.	2	2	1	1	7	—	.	—	—	—	—	—	10	—	9	—	—	—	64·4	50·1	61·2	53·2	57·2	0·09

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) Including 2 deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 39th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 2nd October, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	142·2	146	12	30	3	2	2	3	3	5	14	8	12	18	21	13		139
Enteric Fever	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	.4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diphtheria	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	1·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Dysentery	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	15·2	12	.	.	.	.	1	1	1	3	2	2	1	1	.	.		12
Tuberculous Meningitis	1·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Abdominal Tuberculosis	.8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Venereal Diseases	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	9·6	7	.	.	.	.	.	.	.	.	.	1	3	1	2	.		7
Tumour, situation undefined.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	·6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other General Diseases	1·6	5	.	1	1	.	.	.	.	.	.	1	.	.	1	1		4
Alcoholism	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	1·8	3	.	.	.	.	1	1	.	.	.	.	.	1	.	.		3
Cerebral Hæmorrhage, Apoplexy.	4·8	7	.	.	.	.	.	.	.	.	1	.	1	3	1	1		7
Softening of Brain	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Paralysis, without specified cause.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Epilepsy	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Convulsions (non-puerperal).	4·6	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.		4
Other Diseases of Nervous System.	1·4	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.		3
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	10·8	11	.	.	.	.	.	.	.	.	1	.	1	3	3	3		11
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	2·0	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1		3
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	7·6	10	1	2	1	.	.	.	.	.	.	1	1	1	1	2		10
Broncho-pneumonia	3·4	6	.	4	1	.	.	.	.	.	.	.	.	.	1	.		6
Lobar pneumonia	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Pneumonia (type not distinguished).	5·8	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.		3
Pleurisy	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1

registered in the THIRTY-NINTH WEEK, ending Saturday, 2nd October, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 39th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 2nd October, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	15·6	16	.	16	.	.	.	.	.	.	.	.	.	.	.	.	.	16
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	2·6	4	.	.	.	2	.	1	.	.	.	.	.	1	.	.	.	4
Appendicitis and Typhlitis.	·6	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
Hernia and Intestinal Obstructions.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Cirrhosis of Liver ..	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Liver	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Other Diseases of Digestive System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Acute Nephritis ..	·8	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2
Chronic Bright's Disease	3·6	6	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·6	4	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	3
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	2·4	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Congenital Debility ..	3·6	7	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	7
Old Age	5·4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Other Specified Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	3·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Not included in above—																		
Homicide	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 2ND OCTOBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 2ND OCTOBER, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	27·2	6·8	16	7	.	.	.	.	1	5	3	.	.	.	.	.	.	.	.	.	1	1	.	1	2	4	.	.	7	.	.	2	1
,, 1, W.	42,100	19·8	2·5	16	8	.	.	.	2	2	1	3	.	.	.	.	.	1	.	.	.	2	.	.	2	2	1	.	.	8	.	4	3	.
,, 2	28,200	18·5	1·8	10	3	2	.	.	2	.	.	3	.	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	4	.	.	1	.
,, 3	35,000	13·1	1·5	9	2	.	.	1	.	1	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	6	.	2	.	2
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	.	3	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	14·2	1·2	12	2	.	.	.	1	2	3	4	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	7	.	2	4	.
,, 2	18,600	22·4	5·6	8	3	1	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	5	.	1	4	.
,, 3	44,400	9·4	1·2	8	3	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	4	.	1	.	1
,, 4	33,600	27·9	1·6	18	5	.	.	2	.	5	1	5	.	.	.	.	.	.	.	.	1	.	.	.	2	2	1	.	1	11	1	4	3	.
NEW KILMAINHAM	10,600	29·5	4·9	6	2	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3	1	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	16.8	.	13	.	.	1	.	.	1	4	7	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	9	.	3	.	.
PEMBROKE	30,200	12·1	3·5	7	4	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	.	3	.	2	.	1
BLACKROCK †	9,200	17·0	.	3	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.
KINGSTOWN	17,000	21·5	3·1	7	1	.	.	1	.	2	1	2	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	3	.	1	.	.
TOTAL CITY. North	166,900	17·8	2·5	57	20	2	.	1	4	7	11	12	.	.	.	.	.	1	.	.	.	7	2	1	5	6	7	.	.	28	.	7	6	3
TOTAL CITY. South	151,300	17·9	2·1	52	15	1	1	3	3	9	10	10	.	.	.	.	.	.	.	.	1	3	1	.	4	5	6	.	2	30	2	8	11	1
TOTAL CITY. North and South ...	318,200	17·9	2·3	109	35	3	1	4	7	16	21	22	.	.	.	.	.	1	.	.	1	10	3	1	9	11	13	.	2	58	2	15	17	4
Total Urban Districts	96,800	16·2	1·6	30	6	.	1	1	.	5	6	11	.	.	.	.	.	.	.	.	.	2	.	6	1	1	3	.	.	17	.	6	.	1
Total Registration Area ...	415,000	17.5	2·1	139	41	3	2	5	7	21	27	33	.	.	.	.	.	1	.	.	1	12	3	7	10	12	16	.	2	75	2	21	17	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	1	.	.	.	1	1	3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	5	.	7	.	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd October, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND OCTOBER, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	146	47	5	8	22	30	21	13	.	.	.	.	1	1	.	.	1	12	3	7	4	10	12	16	.	3	76	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14·2	4	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	16·4	32	4	1	1	4	10	6	6	.	.	.	.	.	.	.	.	.	1	.	.	1	2	4	2	.	1	21	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	12	.	2	3	8	6	1	.	.	.	.	1	.	.	.	.	1	.	3	1	3	2	4	.	1	16	.
IV.	GENERAL SERVICE CLASS	167,479	19·0	61	27	4	5	11	5	6	3	.	.	.	.	.	1	.	.	1	8	2	4	2	4	4	10	.	1	24	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	17	4	.	.	3	7	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	5	.	.	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	5	1	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	6. Clerks and Commercial Assistants ..	33,249	—	11	2	.	1	3	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.	1	6	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	11	1	1	.	.	4	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	8	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	2	.
	9. Building and Furnishing Trades ..	28,823	—	5	2	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.
	10. Clothing Trades	20,026	—	6	5	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	17	5	.	2	3	3	3	1	.	.	.	.	.	.	.	.	.	1	.	2	.	2	1	2	.	1	8	.
	13. Petty Shopkeepers	6,772	—	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	1	.	.	.	.	.
	15. Domestic Servants	36,041	—	6	2	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	46	22	4	4	6	5	4	1	.	.	.	.	.	1	.	.	.	7	2	3	2	1	3	9	.	1	17	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	17	4	.	.	3	7	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.	12	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

WEEK ENDING	Dublin Registration Area.													Belfast City.											
	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
No. of weeks in Annual Series ..	27	28	29	30	31	32	33	34	35	36	37	38	39	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered	232	247	209	232	191	245	234	190	248	231	215	196	209	228	193	209	231	223	229	244	180	132	211	235	209	197
Average Births in corresponding week of previous 10 years	*204*	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*195*	*184*	*215*	*214*	*193*	*191*	*194*	*186*	*200*	*193*	*191*	*176*	*191*
Number of Deaths	113	125	102	107	107	104	106	122	109	112	107	125	139	104	94	92	104	98	107	68	105	97	145	114	122	103
Annual Death-rate per 1,000 ..	14·2	15·7	12·8	13·4	13·4	13·1	13·3	15·3	13·7	14·1	13·4	15·7	17·5	13·1	11·9	11·6	13·1	12·4	13·5	8·6	13·3	12·2	18·3	14·4	15·4	13·0
Average Deaths in corresponding week of previous 10 years	*126*	*130*	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*126*	*123*	*111*	*110*	*103*	*102*	*111*	*119*	*123*	*116*	*113*	*121*	*115*
Ages .. Under one year ..	17	27	19	17	18	16	17	16	13	38	26	34	41	25	21	20	20	24	15	18	22	17	34	32	31	18
1— 5 years ..	15	12	7	8	4	5	6	5	4	6	3	13	5	9	4	8	8	9	2	3	9	6	5	2	8	9
5—25 ,, ..	3	15	7	14	12	13	19	23	12	15	13	9	12	9	16	10	12	13	22	10	13	14	26	17	9	11
25—45 ,, ..	22	17	18	20	16	20	21	15	20	9	12	15	21	12	17	12	13	16	19	15	13	17	33	22	19	17
45—65 ,, ..	30	22	23	26	24	27	22	26	25	22	25	23	27	29	25	20	31	18	27	12	25	21	28	26	35	26
65 and upwards ..	26	32	28	22	33	23	21	37	35	22	28	31	33	20	11	22	20	18	22	10	23	22	19	15	20	22
Deaths from :—																										
Enteric Fever	.	.	.	.	1	.	.	1	.	.	.	1	.	1	2	.	.	1	2	.	.	1	.	1	2	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Scarlet Fever	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	5	4	3	3	4	.	1	2	.	.	3	3	1	2	.	1	.	1	.	1	.	.	1	1	2	1
Diphtheria	.	2	.	.	1	2	.	2	.	.	.	1	.	.	.	2	.	.	.	.	1	.	1	.	2	.
Dysentery	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Influenza	.	.	1	2	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	1	1	.	.	1	.	.
Tuberculosis {Pulmonary ..	11	20	9	13	13	15	23	19	18	9	12	11	12	14	14	7	17	8	15	11	13	10	16	13	10	9
{Other Forms ..	10	6	3	5	3	3	4	7	5	7	1	1	3	2	4	5	5	3	7	3	2	9	5	4	7	4
Cancer	9	5	8	7	13	9	9	9	4	8	14	10	7	9	5	5	10	7	8	5	6	6	8	7	9	10
Diseases of Respiratory System {Pneumonia ..	7	8	6	6	5	6	6	2	5	7	6	4	10	5	9	7	5	8	2	4	5	3	10	6	5	8
{Others ..	14	12	8	13	11	10	6	15	12	10	11	12	12	7	4	1	2	8	8	6	8	7	7	7	4	6
Diarrhœa & Enteritis, under 2 years	3	4	1	3	3	3	5	4	3	17	12	22	16	5	2	3	4	10	2	4	8	8	7	9	15	5
Diarrhœa, 2 years and upwards ..	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	.	2	.
Violent Deaths, ...	2	3	3	3	3	2	3	1	2	.	2	5	2	4	.	1	1	2	13	3	1	3	27	7	3	9
Number of Uncertified Deaths ..	1	2	1	4	1	2	2	4	6	2	3	1	5	5	1	2	5	2	.	3	2	3	7	1	1	1
A Mean Maximum Temperature in degs.	63·2	64·1	64·0	62·9	62·3	63·7	62·1	63·9	63·3	64·1	62·8	60·5	61·2	62·0	64·3	64·0	60·9	61·0	61·5	61·4	61·8	63·4	62·5	62·0	56·0	62·2
B Mean Minimum ,, ,,	48·2	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·1	49·3	43·1	37·7	48·8	50·2	51·5	50·7	48·3	50·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3	52·6
Mean of A and B ,, ,,	55·7	57·9	57·0	55·5	55·7	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·0	56·1	57·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9	57·4	55·0	47·6	57·4
Rainfall in inches	1·39	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·06	0·45	1·00	0·46	0·52	0·57	0·72	0·52	0·40	0·33	0·78	0·46	0·98	0.12	0·81

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd October, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																
Belfast Urban No. 1 District,	15,879	5	6·6	.	2	.	..	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.	49,500	21	14·7	1·1	14	5	.	.	4	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.
Do. 3 do.	50,032	25	13·5	.	13	1	.	2	1	2	7	.	.	.	.	.	.	.	.	.	1	1	2	.	3	.	.	.	.	5	.
Do. 4 do.	32,637	13	6·4	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	1	.
Do. 5 do.	16,112	10	9·7	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 6 do.	37,293	17	15·4	.	11	.	.	.	2	4	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	5	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	15	25·6	2·1	12	1	.	4	2	4	1	.	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	2	.	3	1
Do. 10 do.	28,958	19	12·6	3·6	7	2	2	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	2	.	1	1	1	.
Do. 11 do.	—	19	—	—	7	1	.	1	1	2	2	.	.	.	.	1	.	.	.	.	1	.	3	.	.	1	.	.	.	1	.
Do. 12 do.	—	17	—	—	7	3	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	2	2	.
Do. 13 do.	—	10	—	—	7	.	3	.	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	3	.	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	29·9	.	13	4	1	1	3	3	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	3	.	3	.
Do. 16 do.	—	8	—	—	3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Total,	386,947	197	13·0	0·8	103	18	9	11	17	26	22	.	.	.	.	1	.	.	.	.	9	4	10	8	6	5	.	9	5	31	1
CITY OF CORK																																
Cork Urban No. 1 District,	13,455	6	23·3	.	6	.	.	2	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
Do. 2 do.	10,399	7	15·0	.	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	.
Do. 3 do.	9,793	13	10·6	5·3	2	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	9	22·8	.	4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 5 do.	6,250	6	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	11,581	11	9·0	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 7 do.	16,056	11	16·2	.	5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Total,	76,673	63	15·6	0·7	23	3	3	2	6	4	5	.	.	.	.	.	.	1	.	1	1	1	.	.	2	.	.	.	.	11	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 12·4 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd October,, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	2	2	..	.	.	.	.	.	.	.	.	.	4
„ „ 1, West, ..	4	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	6
„ „ 2, ...	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	4
„ „ 3, ...	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	3
„ „ „ 2, ...	1	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	2	6
„ „ „ 3, ...	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.	.	.	5
„ „ „ 4, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	7	.	.	.	.	10	7	.	2	.	.	1	.	3	.	.	8	38

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd October, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 2nd October.			
	Sept. 11.	Sept. 18.	Sept. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	28	29	12	9	.	32
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	10	5	5	2	2	.	5
Scarlet Fever, ...	34	38	41	12	9	.	44*
Diphtheria, ...	20	25	25	8	3	1	29
Pneumonia, ...	14	14	16	5	3	1	17

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3697) Wt. 200. 3. 380. 10. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

1920.

Price 1*d. Net.*

VOL. LVII.] QUARTER ENDING SATURDAY, 2nd OCTOBER, 1920. [No. 39A.

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin, and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 2nd October, 1920, 2,879 births—1,447 boys and 1,432 girls—being equal to an annual rate of 27·7 in every 1,000 of the population.

The number of births recorded for the city was 2,378, equivalent to an annual rate of 29·9 in every 1,000 of the population; and for the urban districts named above, 501, equal to an annual rate of 20·7 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 25·1 per 1,000 of the population; in Glasgow the birth-rate was 26·9 per 1,000, and in Edinburgh 22·4 per 1,000.

DEATHS.—Omitting the deaths (152) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,478, were equivalent to an annual rate of 14·2 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 17·5. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,630—825 males and 805 females—affording an annual ratio of 15·7 in every 1,000 of the estimated population, as compared with 18·5 per 1,000 for the third quarter of the ten years, 1910–1919.

The number of deaths of inhabitants * of the North City districts registered last quarter was 632, representing an annual mortality of 15·1 in every 1,000 of the population; and the number in the South City districts was 561, equivalent to a rate of 14·8 per 1,000. For the urban districts the number of deaths registered was 285, being equal to an annual death-rate of 11·8 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 9·6 in every 1,000 of the civil population; in Glasgow the death-rate was 11·8 per 1,000 of the total population, and in Edinburgh the annual rate was 10·5 per 1,000.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases * registered in the Dublin Registration Area during last quarter was 156, being equal to an annual rate of 1·50 per 1,000 of the population.

ENTERIC FEVER.—There were 3 deaths from this cause, as compared with 3 in the preceding quarter. Of 74 cases of the disease under treatment in Dublin hospitals, 41 were discharged, one died, and 32 remained under treatment at the close of the quarter.

TYPHUS.—No death from typhus was recorded.

SMALL POX.—There was no mortality from this disease.

MEASLES.—Only 7 deaths from measles were registered, as compared with 86 in the preceding quarter, and an average of 8 for the third quarter of the five years, 1915–19.

SCARLET FEVER.—Two deaths were caused by this disease, as compared with an average of 5 for the third quarter of the five years preceding. The cases of scarlet fever admitted to hospital during the quarter numbered 99; the number discharged amounted to 94, there was one death, and 44 † remained under treatment at the end of the quarter, as compared with 40 at the close of the preceding quarter.

WHOOPING-COUGH.—The fatal cases of whooping-cough numbered 29, as compared with 10, 60, and 137 in the three preceding quarters and an average of 15 for the third quarter of the five years preceding.

DIPHTHERIA.—There were 10 deaths from this cause, the deaths in the three quarters preceding numbering 15, 16, and 13, respectively, the average for the third quarter of the five years, 1915–19, being 8. Of 145 cases of the disease under treatment in hospital, 103 were discharged and 29 cases remained under treatment at the close of the quarter.

DYSENTERY.—Four deaths were ascribed to this cause.

DIARRHŒAL DISEASES.—Among deaths from these diseases, 98 deaths of children under 2 years of age were attributed to diarrhœa and enteritis, as compared with an average of 180 for the third quarter of the five years preceding.

INFLUENZA.—This disease caused 8 deaths, as compared with an average of 55 for the third quarter of the 5 years, 1915-19.

CEREBRO-SPINAL FEVER.—Two deaths from this cause were recorded.

TUBERCULOSIS.—There were 265 deaths from tuberculous disease registered during the quarter, this number being equivalent to an annual rate of 2·55 per 1,000 of the estimated population. The 265 deaths are 39 under the average (304) for the third quarter of the five years preceding.

They include 198 deaths assigned to pulmonary tuberculosis, 18 to tuberculous meningitis, 12 to abdominal tuberculosis, and 37 to other forms of the disease.

The annual rate per 1,000 of the population represented by deaths from tuberculous disease appertaining to the Registration Area was 2·34, for the city the rate was 2·53 (North City districts, 2·59; and South City districts, 2·46), and for the urban districts the mortality from tuberculous disease was 1·74 per 1,000.

CANCER.—Deaths from cancer during the quarter numbered 126, affording an annual rate of 1·21 per 1,000 of the population, the corresponding rates for the three preceding quarters being 1·26, 1·14, and 1·21, respectively.

PNEUMONIA.—There were 82 deaths from pneumonia, comprising 43 from broncho-pneumonia, 8 from lobar pneumonia, and 31 from pneumonia (type not distinguished), the average for the corresponding quarter of the preceding five years being 105.

The 82 deaths are equivalent to an annual rate of 0·79 per 1,000 of the population, the respective rates for the three quarters preceding being 1·09, 2·32, and 3·09.

BRONCHITIS.—To this cause 121 deaths, affording an annual rate of 1·17 per 1,000 of the population, were attributed.

The average for the third quarter of the five years, 1915–19, was 110.

* See note (*) on page 390*d*.
† See note (*) at foot of Table I.

Diseases of Brain and Nervous System.—Assigned to this group were 180 deaths, equivalent to an annual rate of 1·73 per 1,000 of the population. These deaths are 15 above the average (165) for the third quarter of the five years preceding. The 180 deaths include 30 deaths from convulsions, all being those of children under 5 years of age.

Diseases of the Circulatory System.—Deaths under this heading, numbering 162, including 131 from organic diseases of the heart, are one under the average (163), and afford an annual rate of 1·56 per 1,000 of the estimated population of the Area.

Congenital Conditions.—Five deaths were caused by congenital malformations, 35 by premature birth, and 47 by congenital debility.

Violence.—The 48 deaths under this heading include 3 homicides and one suicide. Among the remaining deaths, 11 were caused by gunshot wounds, 9 by vehicles and horses, 5 by drowning, and 3 (children under 5 years of age) by burns or scalds.

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 2nd October, 1920.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	14	60	41	1	32
Typhus, ...	6	.	6	.	.
Small-pox, ...	.	.	.	.	.
Measles, ...	19	76	86	4	5
Scarlet Fever, ...	40	99	94	1	44*
Diphtheria, ...	50	95	103	13	29
Pneumonia, ...	19	55	53	4	17

* Exclusive of 14 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 34 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 34 cases, 15 (or 44·1 per cent.) were deaths of children under 5 years of age. Of the deaths of 92 infants under one month old registered, there were 9 (or 9·8 per cent.) regarding which the cause was uncertified.

From Table III., page 390*f* it will be seen that the annual rate represented by the mortality from the principal epidemic diseases† in the Dublin Registration Area was 1·4 per 1,000, that in the City it was 1·7, and in the urban districts 0·7, the rates for the several districts varying from 0·4 in three of the districts to 3·0 in North City No. 1 East, the 131 deaths from all causes for that district including 2 from measles, 5 from whooping cough, one from diphtheria, one from dysentery and 14 from diarrhœa and enteritis of children under 2 years of age.

Occupations.—In Table IV., page 390*g* it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 13·6 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 13·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 12·4; and in the "General Service Class" it was 15·5.

Ages.—Of the 1,630 persons whose deaths were registered in the Dublin Registration Area during the quarter, 415 were under 5 years of age, including 319 infants under one year of age, the latter representing a rate of 111 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 40·6 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 4·4 per 1,000 persons at that age-period; those between the ages of 15 and 25 were equivalent to an annual rate of 6·1 per 1,000, the total number under 25 years being equal to an annual mortality of 12·8 per 1,000 of the population at that age-period (according to the Census of 1911); for those between 25 and 45 the rate was 8·4; for those between 45 and 65 it was 25·0; among persons between 65 and 75 the rate was 53·6, and among those aged 75 and upwards the average annual death-rate was 113·0 per 1,000. The deaths of 8 persons (4 males and 4 females) aged 90 years and upwards were registered.

Public Institutions.—Of the 1,630 deaths recorded during the quarter, 753, or 46·2 per cent occurred in public institutions, viz., 497 in the various hospitals, prisons, and lunatic asylums; 253 in the Dublin Union Workhouse; and 3 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 55·3°. At Greenwich it was 59·3°; at Glasgow, 55·0°; and at Edinburgh, 54·7°.

The rainfall at Dublin during the thirteen weeks measured 7·99 inches; at Greenwich it was 8·47 inches; at Glasgow, 10·97 inches; and at Edinburgh, 9·04 inches.

† See note * on page 390*d*.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 13·6 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest :—Lurgan, 8·9 ; Tralee, 9·7 ; Ballymena, 9·8 ; Wexford, 10·1 ; Clonmel, 10·2; Dundalk, 12·2 ; Kilkenny, 12·9 ; Belfast, 13·1 ; Portadown, 13·3 ; Cork, 13·5 ; Waterford, 13·7 ; Londonderry, 13·8 ; Drogheda, 13·8 ; Sligo, 14·0 ; Dublin Registration Area, 14·2 ; Lisburn, 14·9 ; Newry, 15·0 ; Limerick, 15·7 and Galway, 18·7.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·2 per 1,000 of the population, the rates varying from 0·0 in seven of the districts to 1·5 in Limerick, the 151 deaths from all causes for that district, including 8 from measles, one from whooping cough, one from diphtheria, 4 from diarrhœa and enteritis of children under 2 years, and one from influenza. The 1,353 deaths from all causes for Belfast include 10 from enteric fever, 2 from measles, 13 from scarlet fever, 8 from whooping-cough, 6 from diphtheria, one from dysentery, 87 from diarrhœal diseases, 2 from influenza and 77 from pneumonia.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *eighteen provincial urban districts* already named, and Tables II. and V. give in detail the results of the registration for the quarter :—

Enteric Fever.—Ten deaths were recorded for Belfast and one for each of Cork and Drogheda.

Typhus.—One death appertained to Galway and one to Drogheda.

Small-Pox.—No death from this cause was reported.

Measles.—Two deaths were recorded for Belfast, 3 for Londonderry, and 8 for Limerick.

Scarlet Fever.—There were 13 deaths for Belfast and for Londonderry and Waterford one death each.

Whooping-Cough.—Of 10 deaths from this disease, 8 belonged to Belfast and one to each of Cork and Limerick.

Diphtheria.—Six deaths were recorded for Belfast, 9 for Cork, 2 for Londonderry and one for each of Limerick, Waterford and Galway.

Dysentery.—One death from this cause was returned for Belfast.

Diarrhœal Diseases.—Deaths assigned to these causes numbered 113, and include 105 deaths of children under 2 years of age from diarrhoea and enteritis. Of the later 82 appertained to Belfast, 6 to Cork, 5 to Londonderry and 4 to Limerick.

Influenza.—For each of Belfast, Cork and Newry 2 deaths were recorded, and one death each for Limerick and Drogheda.

Pulmonary Tuberculosis.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·59 per 1,000 of the estimated population ; for the Dublin Registration Area it was 1·78 per 1,000 ; for Belfast county borough 1·52 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 1·43.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II —BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 2nd October, 1920,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	POPULATION.		Annual Rate per 1,000 persons Represented by			REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 2ND OCTOBER, 1920.																							
						NUMBERS REGISTERED.																							
				DEATHS.		BIRTHS.	DEATHS.																						
										Caused by																			
	Total.*	Persons to an Acre.	BIRTHS From all Causes.	From certain Epidemic Diseases.†		TOTAL NUMBER.	TOTAL NUMBER	Under 1 year of Age	At 65 Years and upwards	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
TOTAL OF 19 TOWN DISTRICTS	1,167,268	20·4	26·6	13·6	1·2	7,749	3,970	748	927	15	2	–	20	16	41	28	3	16	463	176	290	214	298	201	11	150	153	1,394	143
DUBLIN REGISTRATION AREA :—																													
TOTAL	415,000	29·7	27·7	14·2	1·4	2,879	1,478*a*	299	371	3	–	–	7	1	29	8	2	8	185	58	112	78	146	96	3	31	35	601	34
CITY OF DUBLIN:	318,200	39·0	29·9	15·0	1·7	2,378	1,193	262	265	3	–	–	6	1	26	7	2	5	153	48	85	63	120	85	3	31	32	518	29
Urban Districts. RATHMINES AND RATHGAR	40,400	23·6	16·9	11·0	0·5	171	111	8	43	–	–	–	–	–	1	1	–	1	13	4	13	3	12	3	–	–	2	44	2
Urban Districts. PEMBROKE	30,200	19·2	22·8	12·3	1·1	172	93	21	28	–	–	–	–	–	1	–	–	2	10	4	8	5	11	7	–	–	1	30	1
Urban Districts. BLACKROCK‡	9,200	8·5	20·9	11·3	0·4	48	26	2	14	–	–	–	1	–	–	–	–	–	2	–	2	2	1	–	–	–	–	3	2
Urban Districts. KINGSTOWN	17,000	11·6	25·9	12·9	0·5	110	55	6	21	–	–	–	–	–	1	–	–	–	7	2	4	5	2	1	–	–	–	6	–
Urban Districts. BELFAST	413,000	27·7	26·4	13·1	1·2	2,721	1,353	297	244	10	–	–	2	13	8	6	1	2	157	60	95	77	75	82	5	74	84	421	33
Urban Districts. CORK	76,673	28·6	28·1	13·5	1·0	539	258	29	57	1	–	–	–	–	1	9	–	2	24	15	22	11	7	6	2	4	5	113	13
Urban Districts. LONDONDERRY	44,000	17·1	28·6	13·8	1·0	315	152	20	41	–	–	–	3	1	–	2	–	–	15	8	9	5	17	5	–	12	12	27	3
Urban Districts. LIMERICK	38,518	16·1	23·8	15·7	1·5	229	151	27	24	–	–	–	8	–	1	1	–	1	16	5	10	12	20	4	–	9	2	57	20
Urban Districts. WATERFORD	27,464	19·1	27·8	13·7	0·9	191	94	12	30	–	–	–	–	1	–	1	–	–	14	3	5	7	5	3	1	4	4	34	5
Urban Districts. GALWAY	13,255	2·5	26·3	18·7	0·9	87	62	9	13	–	1	–	–	–	–	1	–	–	10	5	5	2	2	1	–	7	3	19	6
Urban Districts. DUNDALK	13,128	9·5	27·7	12·2	0·3	91	40	8	10	–	–	–	–	–	–	–	–	–	2	1	2	5	–	1	–	3	3	7	1
Urban Districts. LURGAN	12,553	14·7	24·2	8·9	–	76	28	3	8	–	–	–	–	–	–	–	–	–	5	6	2	1	4	–	–	–	–	8	2
Urban Districts. DROGHEDA	12,501	8·4	24·6	13·8	0·6	77	43	5	18	1	1	–	–	–	–	–	–	1	2	–	5	–	2	–	–	3	3	12	–
Urban Districts. LISBURN	12,388	10·9	20·0	14·9	–	62	46	11	15	–	–	–	–	–	–	–	–	–	4	2	5	3	1	–	–	1	1	13	–
Urban Districts. NEWRY	11,963	17·0	28·8	15·0	0·7	86	45	2	20	–	–	–	–	–	–	–	–	2	4	6	2	1	7	2	–	1	1	19	–
Urban Districts. PORTADOWN	11,727	15·3	26·6	13·3	–	78	39	7	12	–	–	–	–	–	–	–	–	–	5	–	4	1	1	–	–	–	–	5	2
Urban Districts. WEXFORD	11,531	22·8	29·8	10·1	–	86	29	8	9	–	–	–	–	–	–	–	–	–	3	2	2	–	3	–	–	–	–	3	7
Urban Districts. BALLYMENA	11,381	9·3	17·6	9·8	–	50	28	3	15	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	3	7
Urban Districts. SLIGO	11,163	3·8	14·0	14·0	0·4	39	39	4	14	–	–	–	–	–	–	–	–	–	5	1	1	5	2	1	–	–	–	20	2
Urban Districts. KILKENNY	10,514	11·4	21·3	12·9	–	56	34	1	9	–	–	–	–	–	–	–	–	–	3	2	2	3	2	–	–	–	–	13	3
Urban Districts. TRALEE	10,300	17·4	14·8	9·7	0·8	38	25	2	5	–	–	–	–	–	2	–	–	–	6	–	2	3	1	–	–	1	–	8	3
Urban Districts. CLONMEL	10,209	7·8	19·2	10·2	–	49	26	1	12	–	–	–	–	–	–	–	–	–	2	2	4	–	–	–	–	–	–	11	2

* According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1920.

† See note (*) on page 390*d*.

‡ See note (†) at foot of Table III.

(*a*) Including one death from cerebro-spinal fever.

TABLE III.—Showing for the **Quarter** (13 weeks) **ended 2nd October, 1920,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.	ESTIMATED POPULATION TO MIDDLE OF 1920.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 2ND OCTOBER, 1920. DEATHS. Annual Rate of Mortality per 1000 Living represented by Deaths. From All Causes.	From certain Epidemic Diseases.*	TOTAL DEATHS.	AGES AT DEATH. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years of age and upwards.	Violence.	Other causes.	Inquest cases.	In Institutions. Hospitals, Prisons, and Lunatic Asylums.	Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1 E. ...	30,700	17·1	3·0	131	42	7	5	5	9	13	28	22	.	.	.	2	.	5	1	1	2	12	4	7	8	12	14	.	3	60	2	26	12	6
,, 1 W. ...	42,100	18·2	2·9	192	53	8	8	15	11	31	28	38	.	.	.	.	.	11	.	.	.	19	13	10	12	19	18	1	1	88	4	51	36	4
,, 2 ...	28,200	15·2	1·3	107	26	7	6	5	13	8	17	25	.	.	.	.	.	2	.	.	.	9	5	6	7	12	6	1	4	55	5	25	13	5
,, 3 ...	35,000	13·1	0·9	115	16	3	4	2	7	21	35	27	.	.	.	.	1	2	.	.	.	25	4	10	4	7	4	1	3	54	2	33	15	3
CLONTARF AND HOWTH No. 1, part of.	5,600	12·1	1·4	17	2	.	1	.	.	5	6	3	.	.	.	.	.	2	.	.	.	2	.	3	.	1	.	.	.	9	.	2	2	.
COOLOCK AND DRUMCONDRA, part of.	13,900	11·8	0·9	41	3	3	1	2	2	6	12	12	1	.	.	.	.	.	1	.	.	9	2	1	4	2	1	.	.	20	.	15	1	1
FINGLAS AND GLASNEVIN, part of.	11,400	10·2	0·4	29	1	.	.	2	1	7	10	8	.	.	.	.	.	.	1	.	.	4	.	4	.	2	.	.	3	15	3	7	.	1
South City.																																		
SOUTH CITY, No. 1	44,100	15·3	1·5	169	37	5	3	9	9	25	48	33	.	.	.	2	.	.	3	.	.	30	5	11	6	23	11	.	5	73	4	35	60	2
,, 2	18,600	15·7	1·3	73	13	2	.	4	5	8	17	24	.	.	.	.	.	.	.	.	.	7	3	8	3	7	6	.	2	37	2	17	28	3
,, 3	44,400	11·8	1·1	131	26	2	5	8	15	25	24	26	1	.	.	1	.	1	1	.	1	24	7	9	8	15	8	.	2	53	1	37	26	2
,, 4	33,600	18·5	2·6	155	36	5	3	11	7	22	31	40	1	.	.	1	.	3	.	1	2	10	4	13	7	17	16	.	6	74	7	37	32	2
NEW KILMAINHAM	10,600	12·5	0·4	33	7	1	1	1	1	7	8	7	.	.	.	.	.	.	.	.	.	2	1	3	4	3	1	.	2	17	2	4	4	.
Urban Districts.																																		
RATHMINES AND RATHGAR ...	40,400	11·0	0·5	111	8	3	2	4	11	14	26	43	.	.	.	.	.	1	1	.	1	13	4	13	3	12	3	.	.	60	2	38	6	2
PEMBROKE	30,200	12·3	1·1	93	21	3	2	3	5	14	17	28	.	.	.	.	.	1	.	.	2	10	4	8	5	11	7	.	.	45	1	25	5	1
BLACKROCK†	9,200	11·3	0·4	26	2	1	.	.	.	4	5	14	.	.	.	1	.	.	.	.	.	2	.	2	2	1	.	.	.	18	.	3	.	2
KINGSTOWN	17,000	12·9	0·5	55	6	2	.	3	5	8	10	21	.	.	.	.	.	1	.	.	.	7	2	4	5	2	1	.	.	33	.	2	4	.
Total City. North	166,900	15·1	1·8	632	143	28	25	31	43	91	136	135	1	.	.	2	1	22	3	1	2	80	28	41	35	55	43	3	14	301	16	159	79	20
Total City. South	151,300	14·8	1·5	561	119	15	12	33	37	87	128	130	2	.	.	4	.	4	4	1	3	73	20	44	28	65	42	.	17	254	16	130	150	9
Total City. North and South	318,200	15·0	1·7	1,193	262	43	37	64	80	178	264	265	3	.	.	6	1	26	7	2	5	153	48	85	63	120	85	3	31	555	32	289	229	29
Total Urban Districts	96,800	11·8	0·7	285	37	9	4	10	21	40	58	106	.	.	.	1	.	3	1	.	3	32	10	27	15	26	11	.	.	156	3	68	15	5
Total Registration Area ...	415,000	14·2	1·4	1,478	299	52	41	74	101	218	322	371	3	.	.	7	1	29	8	2	8	185	58	112	78	146	96	3	31	711	35	357	244	34
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				152	20	1	2	4	21	45	46	13	.	.	.	.	1	.	2	2	.	13	9	14	4	7	2	.	17	81	16	140	12	.

* See note (*) on page 390*d*..

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE IV.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 2nd October, 1920 ;** the Annual Death Rate represented by the Deaths Registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 2ND OCTOBER, 1920.																													
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																				
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	ALL PERSONS	397,957	.	1,620	415	78	122	262	368	226	158	3	.	.	7	2	29	10	4	8	198	67	126	30	82	153	98	3	48	762	34
	CLASSES. **Deaths in Families of the—**																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	14,658	13·6	50	.	.	1	4	19	11	15	.	.	.	.	.	.	.	1	1	3	2	5	.	2	4	.	.	2	31	.
II.	MIDDLE CLASS, ...	101,798	13·3	339	42	15	26	71	82	52	51	.	.	.	.	1	2	3	1	1	41	12	34	5	16	20	9	1	7	186	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	12·4	336	89	13	28	47	86	42	31	1	.	.	2	1	6	3	3	2	42	13	33	5	16	26	20	1	10	152	8
IV.	GENERAL SERVICE CLASS, ...	167,479	15·5	649	244	43	54	106	105	61	36	2	.	.	5	.	20	4	.	2	80	21	33	19	41	59	65	1	28	269	21
V.	INMATES OF WORKHOUSES, ...	5,602	.	256	40	7	13	35	76	60	25	.	.	..	.	.	1	.	.	2	32	19	21	1	7	44	4	.	1	124	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal and other Professions ; Naval and Military Officers and Heads of Public Departments, ..	7,868	.	38	.	.	1	3	15	9	10	.	.	.	.	.	.	.	.	1	3	2	4	.	1	3	.	.	2	22	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3 Persons of Rank and Property, not otherwise described	5,443	.	12	.	.	.	1	4	2	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	9	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, etc.	9,523	.	31	1	2	1	9	3	9	6	.	.	.	.	.	.	.	.	.	3	1	2	.	1	4	.	.	.	20	.
	5. Traders (except Petty Shopkeepers), Business Managers, etc.	25,199	.	75	12	5	3	5	22	16	12	.	.	.	.	.	1	1	.	.	4	2	6	2	6	6	3	.	2	42	1
	6. Clerks and Commercial Assistants ..	33,249	.	95	16	3	12	25	23	7	9	.	.	.	.	1	.	2	.	1	20	3	8	1	5	4	5	1	1	43	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	.	138	13	5	10	32	34	20	24	.	.	.	.	.	1	.	1	.	14	6	18	2	4	6	1	.	4	81	2
III.	ARTIZAN CLASS AND PETTY SHOPKEEPERS																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	.	41	12	3	3	6	9	3	5	.	.	.	.	.	3	2	.	.	3	3	6	.	.	2	2	.	.	20	1
	9. Building and Furnishing Trades ..	28,823	.	67	17	5	2	11	17	9	6	1	.	.	2	.	2	1	.	.	8	2	7	1	3	9	2	.	2	27	1
	10. Clothing Trades	20,026	.	44	13	.	5	10	11	4	1	.	.	.	.	1	1	.	.	.	10	.	4	2	2	5	4	.	.	15	3
	11. Food Supply Trades	8,952	.	23	10	.	1	1	6	4	1	.	.	.	.	.	.	.	.	.	2	3	1	.	1	1	2	.	.	13	1
	12. Other Trades and Callings, ranking with Trades	32,070	.	149	32	5	17	19	41	18	17	.	.	.	.	.	.	.	3	2	19	4	15	2	10	9	8	1	7	69	2
	13. Petty Shopkeepers	6,772	.	12	5	.	.	.	2	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	1	8	.
V.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, etc.	12,977	.	92	33	4	11	21	15	5	3	.	.	.	.	.	2	1	.	1	7	3	6	4	12	7	4	.	10	35	3
	15. Domestic Servants	36,041	.	54	14	3	5	9	7	6	10	.	.	.	.	.	.	.	.	.	8	2	6	2	.	4	3	.	1	28	.
	16. Coach and Car Drivers, Vanmen, etc. ..	15,380	.	42	14	2	5	6	5	6	4	.	.	.	.	.	1	1	.	.	7	3	1	.	4	2	6	.	3	14	2
	17. Hawkers, Porters, Labourers, etc. ..	103,081	.	461	183	34	33	70	78	44	19	2	.	.	5	.	17	2	.	1	58	13	20	13	25	46	52	1	14	192	16
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	.	256	40	7	13	35	76	60	25	.	.	.	.	.	1	.	.	2	32	19	21	1	7	44	4	.	1	124	.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the Quarter (13 weeks) ended 2nd October, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT	15,879	110	13·9	0·8	55	12	2	7	13	13	8	.	.	.	.	.	.	.	.	.	9	1	5	1	5	3	.	3	5	22	3
Do. 2 do. .	49,500	313	13·9	0·8	172	29	9	25	36	46	27	.	.	.	.	.	1	.	.	.	21	6	15	8	2	9	.	12	12	48	3
Do. 3 do. .	50,032	371	14·0	1·7	175	38	11	25	27	41	33	1	.	.	.	.	1	.	.	.	14	12	17	9	13	19	.	4	10	54	5
Do. 4 do. .	32,637	188	16·9	1·7	138	44	7	13	20	30	24	2	.	.	.	.	1	2	.	.	9	5	5	6	11	9	.	7	7	70	3
Do. 5 do. .	16,112	135	15·9	1·0	64	26	3	4	7	14	10	.	.	.	.	.	1	.	.	.	1	1	7	4	5	3	.	3	3	30	2
Do 6 do. .	37,293	209	10·9	0·6	102	13	1	12	19	24	33	.	.	.	.	.	.	.	.	.	13	1	7	5	4	6	.	1	4	25	2
Do. 7 do. .	2,681	16	9·0	.	6	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do. .	5,964	37	8·7	0·7	13	.	2	.	2	2	7	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	1	2	.
Do. 9 do. .	24,427	180	15·4	1·0	94	13	5	15	17	29	15	.	.	.	.	1	1	.	.	1	8	6	5	5	8	4	.	8	6	17	6
Do. 10 do. .	28,958	203	13·8	1·9	100	18	9	21	14	26	12	1	.	.	.	.	1	.	.	.	15	6	5	7	4	9	3	9	11	24	1
Do. 11 do. .	–	265	–	–	91	19	4	14	14	21	19	2	.	.	.	2	.	1	.	.	14	5	9	8	4	4	2	2	2	27	3
Do. 12 do. .	–	238	–	–	107	29	9	16	20	20	13	2	.	.	2	4	.	1	.	.	13	8	8	6	5	1	.	10	9	36	1
Do. 13 do. .	–	120	–	–	57	4	8	6	10	11	18	1	.	.	.	6	.	.	1	.	13	2	3	4	1	.	.	2	3	18	1
Do. 14 do. .	175	1	–	–	4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.
Do. 15 do. .	22,669	201	21·7	1·9	123	33	9	19	18	30	14	.	.	.	.	.	.	1	.	1	18	6	5	11	11	10	.	8	6	35	2
Do. 16 do. .	–	134	–	–	52	16	3	3	6	15	9	1	.	.	.	.	2	.	.	.	5	1	4	3	1	5	.	4	5	10	1
Total, . . .	386,947	2,721	13·1	1·2	1,353	297	82	182	225	323	244	10	.	.	2	13	8	6	1	2	157	60	95	77	75	82	5	74	84	421	33
CITY OF CORK.																															
CORK URBAN No. 1 DISTRICT, .	13,455	84	11·6	0·6	39	5	1	6	6	8	13	.	.	.	.	.	.	.	.	1	4	1	3	1	.	2	.	.	.	14	2
Do. 2 do. .	10,399	78	11·5	1·9	30	6	8	3	6	6	1	.	.	.	.	.	.	3	.	.	5	3	2	1	2	2	.	.	.	13	1
Do. 3 do. .	9,793	75	12·7	2·0	31	2	4	8	6	5	6	.	.	.	.	.	1	2	.	.	3	2	4	.	.	1	1	1	1	15	.
Do. 4 do. .	9,139	56	17·5	1·3	40	6	3	3	11	8	9	.	.	.	.	.	.	2	.	.	2	4	2	2	2	1	.	.	.	21	1
Do. 5 do. .	6,250	37	15·4	.	24	3	.	2	6	7	6	.	.	.	.	.	.	.	.	.	1	1	4	1	2	.	.	1	2	11	1
Do. 6 do. .	11,581	72	12·8	0·3	37	2	1	3	10	12	9	.	.	.	.	.	.	1	.	1	3	2	5	.	1	.	.	1	1	15	5
Do. 7 do. .	16,056	137	14·2	0·7	57	5	3	12	9	15	13	1	.	.	.	.	.	1	.	.	6	2	2	6	.	.	1	1	1	24	3
Total . . .	76,673	539	13·5	1·0	258	29	20	37	54	61	57	1	.	.	.	.	1	9	.	2	24	15	22	11	7	6	2	4	5	113	13

*The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (*) on page 390*d*.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 12·2 per 1,000 and from certain epidemic diseases 1·4.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
22nd October, 1920.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office,
By THE ATHLONE PRINTING WORKS CO., LTD.
ATHLONE.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 40. VOL. LVII.] WEEK ENDING SATURDAY, 9TH OCTOBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 11th October, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·2 and 14·2; Dublin Registration Area, 16·3 and 15·7; Dublin City, 17·5 and 16·6; Belfast, 11·7 and 13·6; Cork, 16·3 and 14·6; Londonderry, 9·5 and 13·9; Limerick, 6·8 and 13·9; and Waterford, 17·1 and 15·7

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 2·0 per 1,000. Among the 93 deaths from all causes for Belfast are 9 from diarrhœal diseases. The 24 deaths from all causes for Cork include 2 from enteric fever and one from diarrhœa and enteritis of a child under 2 years. Of the 8 deaths from all causes for Londonderry 2 are from diarrhœa and enteritis of children under 2 years, and one of the 4 deaths from all causes for Lisburn is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—116 boys and 116 girls—and the deaths to 137—74 males and 63 females.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·3 per 1,000 of the population. During the forty weeks ending with Saturday last, the death-rate averaged 18·4 and was 2·6 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty weeks was 19·9 and for the corresponding period of the preceding ten years 22·4.

Included in the 130 deaths appertaining to the Area are 3 from whooping-cough, 4 from diphtheria, and 21 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were 3, 3, and one; deaths from diphtheria 0, one, and 0; and deaths from diarrhœa and enteritis of children under 2 years 12, 22, and 16.

There were 6 deaths from pneumonia, comprising 5 from broncho-pneumonia and one from pneumonia (type not distinguished).

Tuberculous disease caused 15 deaths (including 12 from pulmonary tuberculosis, one from abdominal tuberculosis, and 2 from other forms of tuberculous disease) as against 13, 12, and 15 in the three weeks preceding.

Five deaths were caused by cancer, 13 by organic diseases of the heart, and 10 by bronchitis.

Among deaths of infants under one year old, 2 were due to whooping-cough, one to pulmonary tuberculosis, one to abdominal tuberculosis, one to venereal disease, 3 to convulsions, 2 to bronchitis, 2 to broncho-pneumonia, 18 to diarrhœa and enteritis, 6 to premature birth, and 4 to congenital debility.

Two accidental deaths were registered.

Fifty-three of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 41 being infants under one year, of whom 10 were under one month old, and 26 deaths were those of persons aged 65 and upwards, of whom 19 were 70 years of age or over.

Of the 130 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases;

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 9th October in 96 large English towns (including London in which the rate was 10·5) was equal to an average annual death rate of 10·9 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 12·8 per 1,000 persons living, the rate for Glasgow being 13·0, and for Edinburgh 13·0.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th October. From this Report it appears that of 99 cases notified, 37 were scarlet fever, 20 diphtheria, 16 chicken-pox, 12 pulmonary tuberculosis, 6 erysipelas, 3 acute primary pneumonia, one puerperal fever, one enteric fever, one ophthalmia neonatorum, one malaria, and one membranous croup. Among the 579 cases of infectious diseases in hospital at the close of the week were 207 of pulmonary tuberculosis, 7 other forms of tuberculosis, 189 of scarlet fever, 88 of diphtheria, 38 of venereal disease, 11 of erysipelas, 5 of chicken-pox. 2 of puerperal fever. 2 of enteric fever, one of whooping-cough, one of measles, one of ophthalmia neonatorum, and one of membranous croup.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th October, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 18	4	.	.	.	.	—	2	—	6	.	—	.	—	.	.	.	.	.	.	6	18
	Sept. 25	3	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	1	.	.	.	16
	Oct. 2	7	.	.	.	.	—	10	—	7	2	—	.	—	.	1	.	3	.	.	8	38
	Oct. 9	6	7	.	.	.	—	1	—	7	1	—	.	—	1	.	.	4	.	.	.	27
Rathmines & Rathgar Urban District	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Sept. 25	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	2	.	.	—	6
	Oct. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 9	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Sept. 18	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Sept. 25	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Oct. 9	.	.	.	.	.	.	1	1	1	.	.	.	—	.	.	.	.	.	.	.	3
Blackrock Urban District	Sept. 18	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Sept. 25	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 9	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Sept. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 9	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Sept. 18	5	.	.	.	.	—	33	—	6	3	—	.	—	.	.	.	1	.	.	14	62
	Sept. 25	2	.	.	.	.	—	38	—	9	3	—	.	—	.	.	.	.	.	.	18	70
	Oct. 2	3	.	.	.	.	—	35	—	6	3	—	1	—	.	.	.	.	.	.	12	60
	Oct. 9	5	.	.	.	.	—	18	—	3	3	—	2	—	.	.	.	3	.	.	20	54
City of Cork	Sept. 18	3	.	.	.	.	.	3	—	4	2	—	.	13	.	.	.	.	—	.	—	25
	Sept. 25	43	.	2	.	.	.	2	—	2	.	—	.	1	.	.	.	.	—	.	—	50
	Oct. 2	108	.	1	.	.	.	3	—	9	.	—	.	4	.	.	.	.	—	.	—	125*a*
	Oct. 9	35	.	.	.	.	.	5	—	21	.	—	.	1	.	.	.	.	—	.	—	62
City of Londonderry	Sept. 18	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Sept. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Oct. 2	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	Oct. 9	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
City of Limerick	Sept. 18	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Oct. 9	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	3
City of Waterford	Sept. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 2	.	.	.	.	.	—	9	—	.	1	—	.	—	.	.	.	.	—	—	.	10
	Oct. 9	.	.	.	.	.	—	1	—	.	1	—	.	—	.	.	.	.	—	—	.	2

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th October, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 3 and 30; typhus 10 and 10; measles 6 and 9; scarlet fever 13 and 54,* and diphtheria 6 and 27. Six cases of pneumonia were admitted during the week and 21 remained under treatment at its close. Of the deaths in hospital during the week 3 were from diphtheria.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 9th October, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 9TH OCTOBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 9TH OCTOBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	26·3	13·2	2·0	588	296	73	56	2	.	.	.	1	3	4	.	.	31	12	13	14	21	32	2	8	8	97	10	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	29·2	16·3	3·5	232	130	41	26	.	.	.	.	.	3	4	.	.	12	3	5	6	11	21	.	2	1	42	6	(d) 65·1	36·1	60·3	45·8	53·0	2·14
Urban Districts. CITY OF DUBLIN	318,200	39·0	31·1	17·5	4·1	190	107	37	16	.	.	.	.	.	3	3	.	.	12	3	3	6	10	19	.	1	1	32	5	(e) 62·8	42·1	59·4	49·6	54·5	2·52
																														(f) 63·4	39·0	59·9	48·5	54·2	2·29
RATHMINES and RATHGAR ...	40,400	23·6	15·5	9·0	.	12	7	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	27·6	19·0	5·2	16	11	3	4	.	.	.	.	.	.	1	.	.	.	.	1		1	2	.	1	.	5	1	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	22·7	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	30·7	12·3	.	10	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	62	45	58·5	50·0	54·2	2·33
BELFAST	413,000	27·7	24·6	11·7	1·1	195	93	17	15	.	.	.	.	.	.	.	.	.	13	3	4	6	5	7	2	3	4	29	.	62·0	38·0	59·8	47·7	53·7	2·63
CORK	76,673	28·6	23·8	16·3	2·0	35	24	4	5	2	.	.	.	.	.	.	.	.	2	.	2	1	1	1	.	.	.	11	1	.	.	.	.	.	.
LONDONDERRY ...	44,000	17·1	21·3	9·5	2·4	18	8	5	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	1	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	40·6	6·8	.	30	5	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	9·5	17·1	.	5	9	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.
GALWAY	13,255	2·5				6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	63	40	60·5	45·4	53·0	0·86
DUNDALK ...	13,128	9·5				3	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	2	1	.	.	.	.	.	.	.
LURGAN	12,553	14·7				13	3	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2	.	64·9	38·2	59·9	45·7	52·8	2·89
DROGHEDA ...	12,501	8·4				6	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				6	4	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
NEWRY	11,963	17·0				5	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	64·9	38·2	59·9	45·7	52·8	2·89
PORTADOWN ...	11,727	15·3				5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	64·9	38·2	59·9	45·7	52·8	2·89
WEXFORD ...	11,531	22·8				3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64	40	60	48	54	1·59
KILKENNY ...	10,514	11·4				7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	65	34	59·7	46·7	53·2	2·93
TRALEE	10,300	17·4				4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·5	—	2,207	874	138	271	2	.	.	1	3	2	17	—	—	86	24	103	58	50	59	6	34	84	461	.	73	44	69·9	53·3	61·6	0·09
EDINBURGH ...	342,300	—	—	13·0	—	153	85	4	35	.	.	.	.	.	.	1	—	.	—	—	—	—	—	—	2	—	—	—	61·0	44·0	58·3	49·0	53·6	0·52
GLASGOW	1,115,500	—	—	13·0	—	601	278	71	66	3	.	1	.	1	2	3	—	.	—	—	—	—	—	11	—	15	—	—	—	60·5	40·8	58·9	48·8	53·9	1·38

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 40th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 9th October, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	143·2	137	12	31	6	6	3	3	1	7	4	9	11	17	15	12	130
Enteric Fever	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·6	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	3
Diphtheria	1·6	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	4
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·2	12	.	1	.	.	.	.	.	5	3	2	.	1	.	.	12
Tuberculous Meningitis	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	10·0	8	.	.	.	.	.	.	.	.	.	1	4	2	1	.	5
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Anæmia, Leucocythæmia.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·6	3	.	.	.	1	.	1	.	.	.	1	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	4·2	5	.	.	.	.	.	.	.	.	.	.	2	2	1	.	5
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·0	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	1·6	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Pericarditis	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Acute Endocarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·0	13	.	.	.	.	.	.	.	.	.	.	.	6	4	3	13
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	7·4	10	.	2	.	.	.	.	.	.	.	.	.	2	3	3	10
Broncho-pneumonia	3·8	6	.	2	2	1	1	.	.	.	.	.	.	.	.	.	5
Lobar pneumonia	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	5·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pleurisy	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

registered in the FORTIETH WEEK, ending Saturday, 8th October, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 40th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 9th October, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	3·0	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1		2
Diarrhœa and Enteritis of Children under 2 years.	13·4	21	2	16	3	.	.	.	.	.	.	.	.	.	.	.		21
Diarrhœa 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	1·2	4	.	.	.	2	.	.	.	.	.	.	1	.	.	1		4
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	·8	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.		1
Cirrhosis of Liver ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·4	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.		2
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Chronic Bright's Disease	4·8	4	.	.	.	.	.	.	.	.	.	1	2	.	1	.		4
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Ovarian Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diseases of Locomotor System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	3·4	7	7	.	.	.	.	.	.	.	.	.	.	.	.	.		6
Congenital Debility ..	4·8	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.		4
Old Age	3·4	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2		3
Other Specified Diseases	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths ..		2	.	.	.	.	.	.	.	.	1	.	1	.	.	.		2
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	2·6	4	.	.	.	.	.	.	.	.	.	1	.	2	1	.		4

TABLE IV.—Showing for the WEEK ENDED 9TH OCTOBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 9TH OCTOBER, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																												
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																					
		From all causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																	
NORTH CITY, No. 1, E.	30,700	13·6	6·8	8	3	1	1	.	2	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.	1	2	1	4	1	.
,, 1, W.	42,100	12·4	5·0	10	5	1	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	4	.	.	4	.	.	1	2
,, 2	28,200	18·5	5·5	10	5	1	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.	.	4	.	.	.	.
,, 3	35,000	18·9	7·3	13	7	.	1	.	1	2	2	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1	4	.	.	5	.	2	.	1
CLONTARF AND HOWTH, No. 1, part of	5,600	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	18·8	.	5	.	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City.																																	
SOUTH CITY, No. 1	44,100	28·4	3·5	24	4	1	1	3	1	3	6	5	.	.	.	.	.	.	2	.	.	1	2	.	3	3	1	.	.	12	.	4	6	.
,, 2	18,600	11·2	.	4	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	2	1	.
,, 3†	44,400	23·5	3·5	20	7	2	1	.	1	5	3	1	.	.	.	.	.	1	.	.	.	5	.	1	2	.	2	.	.	9	.	5	2	2
,, 4	33,600	14·0	1·6	9	4	.	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	5	.	2	1	.
NEW KILMAINHAM	10,600	19·7	9·8	4	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.
Urban Districts.																																	
RATHMINES AND RATHGAR	40,400	9·0	.	7	1	.	1	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	2	.	.
PEMBROKE	30,200	19·0	5·2	11	3	.	.	1	.	1	2	4	.	.	.	.	.	.	1	.	.	.	.	1	.	1	2	.	1	5	.	3	2	1
BLACKROCK †	9,200	5·7	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
KINGSTOWN	17,000	12·3	.	4	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	1	1	.
TOTAL CITY. North	166,900	14·4	5·0	46	20	3	2	.	5	3	7	6	.	.	.	.	.	2	1	.	.	6	.	.	1	4	13	.	1	18	1	7	2	3
TOTAL CITY. South	151,300	21·0	3·1	61	17	3	3	4	3	9	12	10	.	.	.	.	.	1	2	.	.	6	3	3	5	6	6	.	.	29	.	13	10	2
TOTAL CITY. North and South ...	318,200	17·5	4·1	107	37	6	5	4	8	12	19	16	.	.	.	.	.	3	3	.	.	12	3	3	6	10	19	.	1	47	1	20	12	5
Total Urban Districts	96,800	12·4	1·6	23	4	.	1	1	.	1	6	10	.	.	.	.	.	.	1	.	.	.	.	2	.	1	2	.	1	16	.	7	3	1
Total Registration Area ...	415,000	16·3	3·5	130	41	6	6	5	8	13	25	26	.	.	.	.	.	3	4	.	.	12	3	5	6	11	21	.	2	63	1	27	15	6
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				7	2	.	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	3	.	7	.	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th October, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH OCTOBER, 1920.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			Number of Uncertified Deaths.
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	137	55	6	8	13	28	15	12	.	.	.	.	.	3	4	.	.	12	3	8	3	7	11	21	.	2	63	6
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS	101,798	16·9	33	13	.	2	2	8	5	3	.	.	.	.	.	.	.	.	.	3	2	3	.	2	1	5	.	1	16	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	10·1	21	8	1	1	2	5	4	.	.	.	.	.	.	.	1	.	.	.	.	3	.	2	2	4	.	.	9	1
IV.	GENERAL SERVICE CLASS	167,479	20·2	65	32	4	4	8	12	3	2	.	.	.	.	.	2	3	.	.	8	.	2	3	3	4	12	.	1	27	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	15	2	1	1	1	2	3	5	.	.	.	.	.	1	.	.	.	1	1	.	.	.	4	.	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	14	6	.	.	1	2	3	2	.	.	.	.	.	.	.	.	.	.	1	1	.	2	1	1	.	.	8	1
	6. Clerks and Commercial Assistants ..	33,249	—	6	4	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	12	3	.	2	1	3	2	1	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1	6	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	9. Building and Furnishing Trades ..	28,823	—	7	2	1	.	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.	.	3	.
	10. Clothing Trades	20,026	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	8,952	—	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1
	12. Other Trades and Callings ranking with Trades	32,070	—	8	2	.	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	3	.
	13. Petty Shopkeepers	6,772	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	10	5	1	1	1	1	1	.	.	.	.	.	.	1	1	.	.	2	.	1	1	1	.	.	.	.	3	.
	15. Domestic Servants	36,041	—	10	3	.	2	2	2	.	1	.	.	.	.	.	.	.	.	.	2	.	1	1	.	2	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	42	22	3	1	4	9	2	1	.	.	.	.	.	1	2	.	.	3	.	.	1	2	2	12	.	1	18	3
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	15	2	1	1	1	2	3	5	.	.	.	.	.	1	.	.	.	1	1	.	.	.	4	.	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

WEEK ENDING	Dublin Registration Area													Belfast City.											
	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.
No. of weeks in Annual Series ..	28	29	30	31	32	33	34	35	36	37	38	39	40	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered	247	209	232	191	245	234	190	248	231	215	196	209	232	193	209	231	223	229	244	180	132	211	235	209	197	195
Average Births in corresponding week of previous 10 years	*208*	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*184*	*215*	*214*	*193*	*191*	*194*	*186*	*200*	*193*	*191*	*176*	*191*	*194*
Number of Deaths	125	102	107	107	104	106	122	109	112	107	125	139	130	94	92	104	98	107	68	105	97	145	114	122	103	93
Annual Death-rate per 1,000 ..	15·7	12·8	13·4	13·4	13·1	13·3	15·3	13·7	14·1	13·4	15·7	17·5	16·3	11·9	11·6	13·1	12·4	13·5	8·6	13·3	12·2	18·3	14·4	15·4	13·0	11·7
Average Deaths in corresponding week of previous 10 years	*139*	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*123*	*111*	*110*	*103*	*102*	*111*	*119*	*123*	*116*	*113*	*121*	*115*	*105*
Ages .. Under one year ..	27	19	17	18	16	17	16	13	38	26	34	41	41	21	20	20	24	15	18	22	17	34	32	31	18	17
1— 5 years ..	12	7	8	4	5	6	5	4	6	3	13	5	12	4	8	8	9	2	3	9	6	5	2	8	9	2
5—25 „ ..	15	7	14	12	13	19	23	12	15	13	9	12	13	16	10	12	13	22	10	13	14	26	17	9	11	11
25—45 „ ..	17	18	20	16	20	21	15	20	9	12	15	21	13	17	12	13	16	19	15	13	17	33	22	19	17	22
45—65 „ ..	22	23	26	24	27	22	26	25	22	25	23	27	25	25	20	31	18	27	12	25	21	28	26	35	26	26
65 and upwards ..	32	28	22	33	23	21	37	35	22	28	31	33	26	11	22	20	18	22	10	23	22	19	15	20	22	15
Deaths from :—																										
Enteric Fever	.	.	.	1	.	.	1	.	.	.	1	.	.	2	.	.	1	2	.	.	1	.	1	2	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	1	1	2	3	1	1	.
Whooping-cough	4	3	3	4	.	1	2	.	.	3	3	1	3	.	1	.	1	.	1	.	.	1	.	2	.	.
Diphtheria	2	.	.	1	2	.	2	.	.	.	1	.	4	.	2	.	.	.	.	1	.	.	1	2	.	.
Dysentery	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Influenza	.	1	2	.	1	.	.	.	1	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Tuberculosis {Pulmonary	20	9	13	13	15	23	19	18	9	12	11	12	12	14	7	17	8	15	11	13	10	16	13	10	9	13
Tuberculosis {Other Forms ..	6	3	5	3	3	4	7	5	7	1	1	3	3	4	5	5	3	7	3	2	9	5	4	7	4	3
Cancer	5	8	7	13	9	9	9	4	8	14	10	7	5	5	5	10	7	8	5	6	6	8	7	9	10	4
Diseases of Respiratory System {Pneumonia ..	8	6	6	5	6	6	2	5	7	6	4	10	6	9	7	5	8	2	4	5	3	10	6	5	8	6
Diseases of Respiratory System {Others ..	12	8	13	11	10	6	15	12	10	11	12	12	11	4	1	2	8	8	6	8	7	7	7	4	6	5
Diarrhœa & Enteritis, under 2 years	4	1	3	3	3	5	4	3	17	12	22	16	21	2	3	4	10	2	4	8	8	7	9	15	5	7
Diarrhœa, 2 years and upwards ..	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	2
Violent Deaths, ...	3	3	3	3	2	3	1	2	.	2	5	2	2	.	1	1	2	13	3	1	3	27	7	3	9	3
Number of Uncertified Deaths ..	2	1	4	1	2	2	4	6	2	3	1	5	6	1	2	5	2	.	3	2	3	7	1	1	1	.
A Mean Maximum Temperature in degs.	64·1	64·0	62·9	62·3	63·7	62·1	63·9	63·3	64·1	62·8	60·5	61·2	60·3	64·3	64·0	60·9	61·0	61·5	61·4	61·8	63·4	62·5	62·0	56·0	62·2	59·8
B Mean Minimum „ „	51·7	50·1	48·1	49·0	50·3	47·9	46·1	49·1	49·3	43·1	37·7	48·8	45·8	51·5	50·7	48·3	50·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7
Mean of A and B „ „	57·9	57·0	55·5	55·7	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·0	53·0	57·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9	57·4	55·0	47·6	57·4	53·7
Rainfall in inches	0·41	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·06	0·45	2·14	0·46	0·52	0·57	0·72	0·52	0 40	0·33	0·78	0·46	0·98	0.12	0·81	2·63

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th October, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.		
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)		
CITY OF BELFAST.																																	
BELFAST URBAN No. 1 DISTRICT,	15,879	12	9·9	·	3	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·		
Do. 2 do.	49,500	19	12·6	1·1	12	1	·	2	3	2	4	·	·	·	·	·	·	·	·	·	2	1	·	2	·	1	·	·	·	2	·		
Do. 3 do.	50,032	19	9·4	1·0	9	2	·	1	3	3	·	·	·	·	·	·	·	·	·	·	3	·	1	·	·	1	·	1	1	1	·		
Do. 4 do.	32,637	24	14·4	·	9	3	·	·	2	1	3	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	8	·		
Do. 5 do.	16,112	7	19·4	·	6	1	·	·	3	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	4	·		
Do. 6 do.	37,293	14	12·6	·	9	1	1	1	·	3	3	·	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	·	2	·		
Do. 7 do.	2,681	2	19·4	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·		
Do. 8 do.	5,964	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 9 do.	24,427	9	12·8	·	6	2	·	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·		
Do. 10 do.	28,958	8	9·0	1·8	5	·	·	3	1	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	1	1	2	·		
Do. 11 do.	—	24	—	—	4	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·		
Do. 12 do.	—	14	—	—	6	·	·	·	3	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·		
Do. 13 do.	—	15	—	—	7	1	·	·	1	4	1	·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	·	·	·	1	·		
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 15 do.	22,669	12	16·1	4·6	7	2	1	1	1	1	1	·	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	1	1	1	·		
Do. 16 do.	—	14	—	—	9	2	·	2	1	4	·	·	·	·	·	·	·	·	·	·	2	1	·	1	·	2	·	·	·	2	·		
Total,	386,947	195	11·7	1·1	93	17	2	11	22	26	15	·	·	·	·	·	·	·	·	·	13	3	4	6	5	7	2	3	4	29	·		
CITY OF CORK																																	
CORK URBAN No. 1 DISTRICT,	13,455	4	19·4	3·9	5	1	·	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·		
Do. 2 do.	10,399	9	30·1	5·0	6	1	1	1	2	1	·	1	·	·	·	·	·	·	·	·	1	·	·	1	1	·	·	·	·	3	1		
Do. 3 do.	9,793	1	10·6	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	2	·		
Do. 4 do.	9,139	8	34·2	5·7	6	1	1	·	1	1	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	4	·		
Do. 5 do.	6,250	2	25·0	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Do. 6 do.	11,581	2	4·5	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·		
Do. 7 do.	16,056	9	3·2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
Total,	76,673	35	16·3	2·0	24	4	2	3	3	7	5	2	·	·	·	·	·	·	·	·	2	·	2	1	1	1	·	·	·	11	1		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 13·5 per 1,000 and from certain epidemic diseases 2·1.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th October, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ..	1	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	9
„ „ 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
„ „ 3, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	3
„ „ „ 2, ...	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	4
„ „ „ 3, ...	1	.	.	.	.	.	3	.	.	.	.	.	.	2	.	.	.	6
„ „ „ 4, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	6	7	.	.	.	1	7	.	1	.	1	.	.	4	.	.	.	27

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th October, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 9th October.			
	Sept. 18.	Sept. 25.	Oct. 2.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	28	29	32	3	5	.	30
Typhus, ...	.	.	.	10	.	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	5	5	6	2	.	9
Scarlet Fever, ...	38	41	44	13	3	.	54*
Diphtheria, ...	25	25	29	6	5	3	27
Pneumonia, ...	14	16	17	6	2	.	21

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3756) Wt. 200. 3. 380. 10. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 41. Vol. LVII.] Week ending Saturday, 16th October, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 18th October, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·7 and 14·3; Dublin Registration Area, 15·7 and 16·3; Dublin City, 15·6 and 17·2; Belfast, 12·9 and 13·3; Cork, 15·0 and 14·8; Londonderry, 5·9 and 11·9; Limerick 14·9 and 14·5; and Waterford, 15·2 and 17·6.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·8 per 1,000. Among the 102 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever and 4 from diarrhœal diseases. The 22 deaths from all causes for Cork include 3 from enteric fever and 2 from scarlet fever, and 2 of the 8 deaths from all causes for Waterford are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 224—135 boys and 89 girls—and the deaths to 145—82 males and 63 females.

The deaths registered, omitting the deaths (numbering 20) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·7 per 1,000 of the population. During the forty-one weeks ending with Saturday last, the death-rate averaged 18·3 and was 2·7 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-one weeks was 19·9 and for the corresponding period of the preceding ten years 22·4.

Included in the 125 deaths appertaining to the Area are 2 from whooping-cough, 2 from diphtheria, one from influenza and 19 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were 3, one, and 3; deaths from diphtheria one, 0, and 4; deaths from influenza one, one, and 0, and deaths from diarrhœa and enteritis of children under 2 years 22, 16, and 21.

There were 6 deaths from pneumonia, comprising one from broncho-pneumonia, 2 from lobar pneumonia and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 14 deaths (including 10 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from other forms of tuberculous disease) as against 12, 15, and 15 in the three weeks preceding.

Twelve deaths were caused by cancer, 8 by organic diseases of the heart, and 11 by bronchitis.

Among deaths of infants under one year old, one was due to pulmonary tuberculosis, one to simple meningitis, one to convulsions, one to bronchitis, 16 to diarrhœa and enteritis, 8 to premature birth, and one to congenital debility.

One accidental death by drowning was registered.

Forty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 32 being infants under one year, of whom 9 were under one month old, and 33 deaths were those of persons aged 65 and upwards, of whom 20 were 70 years of age or over.

Of the 125 deaths recorded, 35 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases;

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 16th October in 96 large English towns (including London in which the rate was 9·8) was equal to an average annual death rate of 10·7 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 11·5 per 1,000 persons living, the rate for Glasgow being 13·2, and for Edinburgh 9·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th October. From this Report it appears that of 102 cases notified, 29 were diphtheria, 25 scarlet fever, 13 chicken-pox, 11 pulmonary tuberculosis, 7 other forms of tuberculosis, 8 erysipelas, 6 small-pox, 2 acute primary pneumonia, and one enteric fever. Among the 613 cases of infectious diseases in hospital at the close of the week were 212 of pulmonary tuberculosis, 7 other forms of tuberculosis, 193 of scarlet fever, 105 of diphtheria, 37 of venereal disease, 18 of erysipelas, 6 of small-pox, 6 of chicken-pox, 2 of puerperal fever, one of enteric fever, one of whooping-cough, one of measles, and one of membranous croup.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th October, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Sept. 25	3	.	.	.	.	—	7	—	4	1	—	.	—	.	.	.	1	.	.	.	16
	Oct. 2	7	.	.	.	.	—	10	—	7	2	—	.	—	.	1	.	3	.	.	8	38
	Oct. 9	6	7	.	.	.	—	1	—	7	1	—	.	—	1	.	.	4	.	.	.	27
	Oct. 16	.	6	.	.	.	—	7	—	3	2	—	.	—	.	.	.	2	.	.	4	24
Rathmines & Rathgar Urban District	Sept. 25	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	2	.	.	—	6
	Oct. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 9	.	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	.	—	6
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Sept. 25	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Oct. 9	.	.	.	.	.	.	1	1	1	.	.	.	—	.	.	.	.	.	.	.	3
	Oct. 16	.	.	.	.	.	.	1	.	.	1	.	.	—	.	.	.	.	.	.	.	2
Blackrock Urban District	Sept. 25	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 9	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 16	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Oct. 9	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Oct. 16	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
City of Belfast	Sept. 25	2	.	.	.	.	—	38	—	9	3	—	.	—	.	.	.	.	.	.	18	70
	Oct. 2	3	.	.	.	.	—	35	—	6	3	—	1	—	.	.	.	.	.	.	12	60
	Oct. 9	5	.	.	.	.	—	18	—	3	3	—	2	—	.	.	.	3	.	.	20	54
	Oct. 16	6	.	.	.	.	—	38	—	15	1	—	.	—	.	.	.	1	.	.	22	83
City of Cork	Sept. 25	43	.	2	.	.	.	2	—	2	.	—	.	1	.	.	.	.	—	.	—	50
	Oct. 2	108	.	1	.	.	.	3	—	9	.	—	.	4	.	.	.	.	—	.	—	125*a*
	Oct. 9	35	.	.	.	.	.	5	—	21	.	—	.	1	.	.	.	.	—	.	—	62
	Oct. 16	21	.	.	.	.	.	3	—	15	.	—	.	.	.	2	.	.	—	.	—	41
City of Londonderry	Sept. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Oct. 2	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	Oct. 9	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	Oct. 16	1	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	—	—	7
City of Limerick	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Oct. 9	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	3
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Sept. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 2	.	.	.	.	.	—	9	—	.	1	—	.	—	.	.	.	.	—	—	.	10
	Oct. 9	.	.	.	.	.	—	1	—	.	1	—	.	—	.	.	.	.	—	—	.	2
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th October, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 3 and 26; typhus 7 and 17; measles 4 and 11; scarlet fever 10 and 47,* and diphtheria 8 and 27. Four cases of pneumonia were admitted during the week and 17 remained under treatment at its close. Of the deaths in hospital during the week one was from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 16th October, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 16TH OCTOBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 16TH OCTOBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	26·0	13·7	1·8	581	307	69	81	4	.	.	.	4	2	2	.	1	32	10	31	13	27	26	2	9	9	82	12	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	28·1	15·7	2·9	224	125	32	33	.	.	.	.	.	2	2	.	1	10	4	12	6	14	19	.	1	1	35	1	(d) 63·0	42·4	59·5	48·3	53·9	1·11
Urban Districts. CITY OF DUBLIN	318,200	39·0	31·5	15·6	2·8	192	95	26	23	.	.	.	.	.	2	1	.	.	7	4	10	4	13	14	.	.	.	29	1	(e) 61·8	50·2	59·3	52·1	55·7	0·95
																														(f) 61·6	48·0	58·9	51·1	55·0	0·80
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	18·1	14·2	3·9	14	11	2	4	.	.	.	.	.	.	1	.	.	1	.	1	.	.	2	.	1	1	3	.	.	.	.	.	.	.
Urban Districts. PEMBROKE ...	30,200	19·2	20·7	17·3	1·7	12	10	2	2	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. BLACKROCK (g) ...	9,200	8·5	11·3	22·7	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	12·3	15·3	6·1	4	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	66	50	60·8	52·1	56·5	0·65
Urban Districts. BELFAST	413,000	27·7	22·7	12·9	0·9	180	102	23	21	1	.	.	.	2	.	.	.	.	14	4	12	6	9	2	2	5	5	24	1	60·8	50·0	59·0	52·2	55·6	0·75
Urban Districts. CORK	76,673	28·6	19·6	15·0	3·4	28	22	.	7	3	.	.	.	2	.	.	.	.	3	.	1	.	1	.	.	1	.	11	.	62	50	60·1	53·1	56·6	1·02
Urban Districts. LONDONDERRY (i) ...	44,000	17·1	5·9	5·9	.	5	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.
Urban Districts. LIMERICK	38,518	16·1	29·8	14·9	.	22	11	3	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	2	4	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	30·4	15·2	3·8	16	8	3	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.	.	1	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	62	43	60·4	47	53·7	0·09
Urban Districts. DUNDALK ...	13,128	9·5				12	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				13	7	.	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	2	4	.	61·6	42·4	57·0	48·1	52·5	0·82
Urban Districts. DROGHEDA ...	12,501	8·4				2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LISBURN	12,388	10·9				8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	62	46	57·4	49·3	53·3	1·26
Urban Districts. NEWRY	11,963	17·0				9	5	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	61·6	42·4	57·0	48·1	52·5	0·82
Urban Districts. PORTADOWN ...	11,727	15·3				7	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	61·6	42·4	57·0	48·1	52·5	0·82
Urban Districts. WEXFORD ...	11,531	22·8				3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				34	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	63	42	61	50	55·5	0·20
Urban Districts. KILKENNY ...	10,514	11·4				3	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	65	40	60·2	47·8	54·0	1·24
Urban Districts. TRALEE	10,300	17·4				10	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
LONDON	4,358,309	—	—	9·8	—	2,036	815	124	265	.	.	.	4	2	4	14	—	—	73	12	92	34	50	35	11	46	90	423	1	66	40	63·4	47·1	55·3	0·09
EDINBURGH ...	342,300	—	—	9·6	—	147	63	7	27	.	.	.	.	1	.	.	—	.	—	—	—	—	—	.	—	1	—	—	—	57·0	43·0	54·7	46·4	50·6	0·10
GLASGOW	1,115,500	—	—	13·2	—	610	281h	76	60	1	.	1	1	.	2	1	—	.	—	—	—	—	—	11	—	12	—	—	—	58·5	43·7	55·5	47·7	51·6	0·11

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) Including one death from cerebro-spinal meningitis. (i) The return for Londonderry Urban No. 2 Registrar's District has not been received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 41st Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 16th October, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	152·2	145	9	23	7	6	1	1	2	1	12	7	21	19	24	12	125
Enteric Fever	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	·6	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·4	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	6·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Dysentery	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·0	11	.	1	.	1	.	.	1	.	4	1	1	2	.	.	10
Tuberculous Meningitis	1·8	3	.	.	1	1	.	.	.	.	1	.	.	.	.	.	2
Abdominal Tuberculosis	2·0	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Tuberculosis of the Spinal Column.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·8	18	.	.	.	.	.	.	.	.	1	1	5	5	6	.	12
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·6	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	2·2	4	.	1	.	1	.	.	.	.	.	.	2	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	5·0	6	.	.	.	.	.	.	.	.	.	.	2	.	1	3	6
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Convulsions (non-puerperal).	3·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	3·0	4	.	.	.	.	.	.	.	.	.	.	2	.	2	.	4
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	12·0	9	.	.	.	.	.	.	.	.	1	1	.	3	2	2	8
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	12·0	12	.	1	.	.	.	.	.	.	.	.	1	5	4	1	11
Broncho-pneumonia	3·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Lobar pneumonia	3·2	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2
Pneumonia (type not distinguished).	4·6	3	.	.	.	1	.	.	.	.	.	.	1	.	1	.	3
Pleurisy	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·4	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Other Diseases of Respiratory System.	1·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

registered in the FORTY-FIRST WEEK, ending Saturday, 16th October, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 41st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 16th October, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Diseases of Stomach ..	2·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Diarrhœa and Enteritis of Children under 2 years.	9·8	19	.	16	3	.	.	.	.	.	.	.	.	.	.	.		19
Diarrhœa 2 years and upwards.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	1·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		1
Cirrhosis of Liver ..	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.		2
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	2	.	.	.	.	1	.	.	.	1	.	.	.	.	.		1
Other Diseases of Digestive System.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	3·6	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.		1
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·4	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.		1
Puerperal Septicæmia, &c.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	1·0	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	3·0	8	7	1	.	.	.	.	.	.	.	.	.	.	.	.		8
Congenital Debility ..	2·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Old Age	4·8	7	.	.	.	.	.	.	.	.	.	.	.	.	3	4		7
Other Specified Diseases	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	1·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1

TABLE IV.—Showing for the WEEK ENDED 16TH OCTOBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases* ; with the mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 16TH OCTOBER, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	27·2	3·4	16	6	.	.	.	1	1	5	3	.	.	.	.	.	1	1	.	.	.	1	1	1	3	2	.	.	9	.	5	.	1
,, 1, W.	42,100	9·9	2·5	8	2	2	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	3	.	4	1	.
,, 2	28,200	9·2	.	5	2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.	.	.	.
,, 3	35,000	10·2	.	7	2	.	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	4	.	1	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	.	4	1	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
South City.																																		
SOUTH CITY, No. 1	44,100	21·3	5·9	18	5	1	.	.	.	1	5	6	.	.	.	.	.	1	.	.	.	.	1	4	.	1	4	.	.	7	.	2	5	.
,, 2	18,600	16·8	.	6	.	.	2	.	.	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	1	.	.	2	.
,, 3	44,400	18·8	3·5	16	2	2	2	.	1	2	2	5	.	.	.	.	.	.	.	.	.	1	.	1	3	1	3	.	.	7	.	2	3	.
,, 4	33,600	14·0	6·2	9	5	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	4	.	.	2	.	1	.	.
NEW KILMAINHAM	10,600	19·7	4·9	4	1	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	14·2	3·9	11	2	.	1	.	.	2	2	4	.	.	.	.	.	.	1	.	.	1	.	1	.	.	2	.	1	5	1	2	1	.
PEMBROKE	30,200	17·3	1·7	10	2	.	.	.	.	1	5	2	.	.	.	.	.	.	.	.	1	2	.	.	2	.	1	.	.	4	.	2	.	.
BLACKROCK †	9,200	22·7	.	4	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	1	.	.
KINGSTOWN	17,000	15·3	6·1	5	2	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.
TOTAL CITY. North	166,900	13·1	1·2	42	13	2	1	.	1	7	10	8	.	.	.	.	.	1	1	.	.	2	1	5	1	6	2	.	.	23	.	11	3	1
TOTAL CITY. South	151,300	18·3	4·5	53	13	4	4	.	1	7	9	15	.	.	.	.	.	1	.	.	.	5	3	5	3	7	12	.	.	17	.	5	10	.
TOTAL CITY. North and South ...	318,200	15·6	2·8	95	26	6	5	.	2	14	19	23	.	.	.	.	.	2	1	.	.	7	4	10	4	13	14	.	.	40	.	16	13	1
Total Urban Districts	96,800	16·2	3·2	30	6	.	1	.	.	3	10	10	.	.	.	.	.	.	1	.	1	3	.	2	2	1	5	.	1	14	1	5	1	.
Total Registration Area ...	415,000	15·7	2·9	125	32	6	6	.	2	17	29	33	.	.	.	.	.	2	2	.	1	10	4	12	6	14	19	.	1	54	1	21	14	1
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				20	.	1	.	2	1	2	11	3	.	.	.	.	.	.	.	.	.	1	1	6	.	2	.	.	.	10	1	18	2	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th October, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH OCTOBER, 1920.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	145	45	2	3	19	40	24	12	.	.	.	.	.	2	2	.	1	11	5	18	1	6	16	19	.	1	63	1
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	32·0	9	1	.	.	.	4	3	1	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS	101,798	12·3	24	4	2	1	4	7	4	2	.	.	.	.	.	.	.	.	.	1	1	4	.	2	1	3	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·8	35	14	.	1	5	6	6	3	.	.	.	.	.	2	1	.	.	4	1	2	1	.	5	6	.	.	13	1
IV.	GENERAL SERVICE CLASS	167,479	19·0	61	26	.	1	7	18	3	6	.	.	.	.	.	.	1	.	.	3	3	7	.	3	6	10	.	1	27	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	16	.	.	.	3	5	8	.	.	.	.	.	.	.	.	.	.	2	.	3	.	1	4	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	7	1	.	.	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	4	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	7	1	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	3	.
	6. Clerks and Commercial Assistants ..	33,249	—	6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	7	1	2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
	9. Building and Furnishing Trades ..	28,823	—	6	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.
	10. Clothing Trades	20,026	—	3	2	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	12. Other Trades and Callings ranking with Trades	32,070	—	15	5	.	.	2	3	3	2	.	.	.	.	.	.	1	.	.	2	.	1	.	.	4	2	.	.	5	.
	13. Petty Shopkeepers	6,772	—	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	2	.
	15. Domestic Servants	36,041	—	11	2	.	1	1	4	1	2	.	.	.	.	.	.	.	.	.	1	.	3	.	1	.	2	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	41	19	.	.	5	12	2	3	.	.	.	.	.	.	1	.	.	2	3	2	.	1	6	6	.	1	19	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	16	.	.	.	3	5	8	.	.	.	.	.	.	.	.	.	.	2	.	3	.	1	4	.	.	.	6	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.
No. of weeks in Annual Series ..	29	30	31	32	33	34	35	36	37	38	39	40	41	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered	209	232	191	245	234	190	248	231	215	196	209	232	224	209	231	223	229	244	180	132	211	235	209	197	195	180
Average Births in corresponding week of previous 10 years	*212*	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*215*	*214*	*193*	*191*	*194*	*186*	*200*	*193*	*191*	*176*	*191*	*194*	*202*
Number of Deaths	102	107	107	104	106	122	109	112	107	125	139	130	125	92	104	98	107	68	105	97	145	114	122	103	93	102
Annual Death-rate per 1,000 ..	12·8	13·4	13·4	13·1	13·3	15·3	13·7	14·1	13·4	15·7	17·5	16·3	15·7	11·6	13·1	12·4	13·5	8·6	13·3	12·2	18·3	14·4	15·4	13·0	11·7	12·9
Average Deaths in corresponding week of previous 10 years	*128*	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*111*	*110*	*103*	*102*	*111*	*119*	*123*	*116*	*113*	*121*	*115*	*105*	*111*
Ages .. Under one year ..	19	17	18	16	17	16	13	38	26	34	41	41	32	20	20	24	15	18	22	17	34	32	31	18	17	23
1— 5 years ..	7	8	4	5	6	5	4	6	3	13	5	12	12	8	8	9	2	3	9	6	5	2	8	9	2	5
5—25 „ ..	7	14	12	13	19	23	12	15	13	9	12	13	2	10	12	13	22	10	13	14	26	17	9	11	11	9
25—45 „ ..	18	20	16	20	21	15	20	9	12	15	21	13	17	12	13	16	19	15	13	17	33	22	19	17	22	18
45—65 „ ..	23	26	24	27	22	26	25	22	25	23	27	25	29	20	31	18	27	12	25	21	28	26	35	26	26	26
65 and upwards ..	28	22	33	23	21	37	35	22	28	31	33	26	33	22	20	18	22	10	23	22	19	15	20	22	15	21
Deaths from :—																										
Enteric Fever	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	1	2	.	.	1	.	1	2	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	2	3	1	1	.	2
Whooping-cough	3	3	4	.	1	2	.	.	3	3	1	3	2	1	.	1	.	1	.	.	1	.	2	.	.	.
Diphtheria	.	.	1	2	.	2	.	.	.	1	.	4	2	2	.	.	.	.	1	.	.	1	2	.	.	.
Dysentery	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Influenza	1	2	.	1	.	.	.	1	1	1	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.
Tuberculosis {Pulmonary ..	9	13	13	15	23	19	18	9	12	11	12	12	10	7	17	8	15	11	13	10	16	13	10	9	13	14
Tuberculosis {Other Forms ..	3	5	3	3	4	7	5	7	1	1	3	3	4	5	5	3	7	3	2	9	5	4	7	4	3	4
Cancer	8	7	13	9	9	9	4	8	14	10	7	5	12	5	10	7	8	5	6	6	8	7	9	10	4	12
Diseases of Respiratory System {Pneumonia ..	6	6	5	6	6	2	5	7	6	4	10	6	6	7	5	8	2	4	5	3	10	6	5	8	6	6
Diseases of Respiratory System {Others ..	8	13	11	10	6	15	12	10	11	12	12	11	14	1	2	8	8	6	8	7	7	7	4	6	5	9
Diarrhœa & Enteritis, under 2 years	1	3	3	3	5	4	3	17	12	22	16	21	19	3	4	10	2	4	8	8	7	9	15	5	7	2
Diarrhœa, 2 years and upwards ..	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	2	2
Violent Deaths, ...	3	3	3	2	3	1	2	.	2	5	2	2	1	1	1	2	13	3	1	3	27	7	3	9	3	5
Number of Uncertified Deaths ..	1	4	1	2	2	4	6	2	3	1	5	6	1	2	5	2	.	3	2	3	7	1	1	1	.	1
A Mean Maximum Temperature in degs.	64·0	62·9	62·3	63·7	62·1	63·9	63·3	64·1	62·8	60·5	61·2	60·3	59·5	64·0	60·9	61·0	61·5	61·4	61·8	63·4	62·5	62·0	56·0	62·2	59·8	59·0
B Mean Minimum „ „	50·1	48·1	49·0	50·3	47·9	46·1	49·1	49·3	43·1	37·7	48·8	45·8	48·3	50·7	48·3	50·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7	52·2
Mean of A and B „ „	57·0	55·5	55·7	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·0	53·0	53·9	57·4	54·6	55·6	56·7	56·8	55·1	56·9	57·4	55·0	47·6	57·4	53·7	55·6
Rainfall in inches	0·74	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·52	0·57	0·72	0·52	0·40	0·33	0·78	0·46	0·98	0.12	0·81	2·63	0·75

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th October, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	6	23·0	·	7	2	·	·	2	3	·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	·	·	1	1	1	·
Do. 2 do.	49,500	26	15·8	·	15	5	1	1	2	4	2	·	·	·	·	·	·	·	·	·	·	2	2	1	1	·	·	·	1	1	·
Do. 3 do.	50,032	26	21·9	·	21	2	1	2	4	6	6	·	·	·	·	·	·	·	·	·	3	·	3	·	3	·	·	2	1	8	·
Do. 4 do.	32,637	15	9·6	1·6	6	·	1	·	1	2	2	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	1	·	·	1	1
Do. 5 do.	16,112	12	12·9	·	4	1	·	·	3	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·
Do. 6 do.	37,293	9	11·2	·	8	·	·	1	2	1	4	·	·	·	·	·	·	·	·	·	2	·	2	·	·	·	·	·	1	·	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	1	17·5	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	16	17·1	2·1	8	1	·	2	2	3	·	·	·	·	·	·	·	·	·	·	3	·	2	·	·	1	·	1	·	·	·
Do. 10 do.	28,958	12	7·2	·	4	1	·	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·
Do. 11 do.	—	14	—	—	4	1	·	·	1	1	1	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	·	1	·
Do. 12 do.	—	17	—	—	3	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·
Do. 13 do.	—	6	—	—	7	2	1	2	·	·	2	1	·	·	·	2	·	·	·	·	·	·	1	1	·	·	·	·	·	3	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	10	13·8	·	6	4	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	1	·
Do. 16 do.	—	9	—	—	7	3	1	·	·	3	·	·	·	·	·	·	·	·	·	·	1	·	2	1	·	1	·	·	·	3	·
Total,	386,947	180	12·9	0·9	102	23	5	9	18	26	21	1	·	·	·	2	·	·	·	·	14	4	12	6	9	2	2	5	5	24	1
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	1	11·6	·	3	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	10,399	4	10·0	5·0	2	·	·	1	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	8	26·6	10·6	5	·	·	2	1	1	1	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do. 4 do.	9,139	5	17·1	·	3	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	1	·	1	·
Do. 5 do.	6,250	2	8·3	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	2	9·0	·	2	·	·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 7 do.	16,056	6	19·5	6·5	6	·	·	1	2	·	3	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Total,	76,673	28	15·0	3·4	22	·	·	5	6	4	7	3	·	·	·	2	·	·	·	·	3	·	1	·	1	·	·	1	·	11	·

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 10·9 per 1,000 and from certain epidemic diseases 2·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th October, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ..	.	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	8
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	3
„ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	5
„ „ „ 2, ...	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2
„ „ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2
„ „ „ 4, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	.	.	.	7	3	.	2	.	.	.	.	2	.	.	4	24

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th October, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 16th October.			
	Sept. 25.	Oct. 2.	Oct. 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	29	32	30	3	7	.	26
Typhus, ...	.	.	10	7	.	.	17
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	5	9	4	2	.	11
Scarlet Fever, ...	41	44	54	10	17	.	47*
Diphtheria, ...	25	29	27	8	7	1	27
Pneumonia, ...	16	17	21	4	8	.	17

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3798) Wt. 200. 3. 380. 10. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 42. VOL. LVII.] WEEK ENDING SATURDAY, 23RD OCTOBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 25th October, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 13·9 and 14·0; Dublin Registration Area, 15·1 and 16·1; Dublin City, 15·1 and 16·5; Belfast, 13·4 and 12·8; Cork, 16·3 and 15·8; Londonderry, 10·7 and 13·4; Limerick 9·5 and 11·9; and Waterford, 11·4 and 15·7.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·7 per 1,000. Among the 106 deaths from all causes for Belfast are 2 from scarlet fever, 4 from diphtheria, one from influenza, and 7 from diarrhœal diseases. The 24 deaths from all causes for Cork include 3 from enteric fever, one from scarlet fever and 2 from diphtheria. Two of the 9 deaths from all causes for Londonderry are from diarrhœa and enteritis of children under 2 years, and of the 6 deaths from all causes for Ballymena one is from enteric fever and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 184—96 boys and 88 girls—and the deaths to 129—67 males and 62 females.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·1 per 1,000 of the population. During the forty-two weeks ending with Saturday last, the death-rate averaged 18·2 and was 2·8 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-two weeks was 19·8 and for the corresponding period of the preceding ten years 22·4.

Included in the 120 deaths appertaining to the Area are 2 from typhus, one from scarlet fever, 2 from whooping-cough, one from diphtheria, one from influenza and 8 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from whooping-cough were one, 3, and 2; deaths from diphtheria 0, 4, and 2; deaths from influenza one, 0, and one, and deaths from diarrhœa and enteritis of children under 2 years 16, 21, and 19. There were no deaths from typhus or scarlet fever registered in the 3 preceding weeks.

There were 6 deaths from pneumonia, comprising 5 from broncho-pneumonia and one from pneumonia (type not distinguished).

Tuberculous disease caused 15 deaths (including 10 from pulmonary tuberculosis, 3 from tuberculous meningitis, and 2 from other forms of tuberculous disease) as against 15, 15, and 14 in the three weeks preceding.

Six deaths were caused by cancer, 16 by organic diseases of the heart, and 16 by bronchitis.

Among deaths of infants under one year old, one was due to simple meningitis, 4 to convulsions, one to bronchitis, 2 to broncho-pneumonia, 6 to diarrhœa and enteritis, one to congenital malformation, 4 to premature birth, and 4 to congenital debility.

One accidental death was registered.

Thirty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 23 being infants under one year, of whom 8 were under one month old, and 28 deaths were those of persons aged 65 and upwards, of whom 19 were 70 years of age or over.

Of the 120 deaths recorded, 37 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 23rd October in 96 large English towns (including London in which the rate was 10·2) was equal to an average annual death rate of 10·9 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 12·1 per 1,000 persons living, the rate for Glasgow being 12·7, and for Edinburgh 10·8.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd October. From this Report it appears that of 114 cases notified, 55 were scarlet fever, 22 diphtheria, 15 chicken-pox, 7 pulmonary tuberculosis, 4 other forms of tuberculosis, 5 erysipelas, 2 malaria, 2 acute primary pneumonia, one ophthalmia neonatorum, and one enteric fever. Among the 623 cases of infectious diseases in hospital at the close of the week were 210 of scarlet fever, 208 of pulmonary tuberculosis, 7 other forms of tuberculosis, 110 of diphtheria, 36 of venereal disease, 12 of erysipelas, 6 of small-pox, 6 of chicken-pox, one of enteric fever, one of whooping-cough, and one of membranous croup.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 23rd October, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin*	Oct. 2	7	.	.	.	.	—	10	—	7	2	—	.	—	.	1	.	3	.	.	8	38
	Oct. 9	6	7	.	.	.	—	1	—	7	1	—	.	—	1	.	.	4	.	.	.	27
	Oct. 16	.	6	.	.	.	—	7	—	3	2	—	.	—	.	.	.	2	.	.	4	24
	Oct. 23	3	2	.	.	.	—	4	—	10	3	—	.	—	.	.	.	2	.	.	2	26
Rathmines & Rathgar Urban District	Oct. 2	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 9	.	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	.	—	6
	Oct. 16	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Oct. 23	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
Pembroke Urban District	Oct. 2	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Oct. 9	.	.	.	.	.	.	1	1	1	.	.	.	—	.	.	.	.	.	.	.	3
	Oct. 16	.	.	.	.	.	.	1	.	.	1	.	.	—	.	.	.	.	.	.	.	2
	Oct. 23	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	1	1
Blackrock Urban District	Oct. 2	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 9	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 16	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 23	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 9	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 16	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Oct. 2	3	.	.	.	.	—	35	—	6	3	—	1	—	.	.	.	.	.	.	12	60
	Oct. 9	5	.	.	.	.	—	18	—	3	3	—	2	—	.	.	.	3	.	.	20	54
	Oct. 16	6	.	.	.	.	—	38	—	15	1	—	.	—	.	.	.	1	.	.	22	83
	Oct. 23	9	.	.	.	.	—	38	—	8	.	—	1	—	.	.	.	1	.	.	12	69
City of Cork	Oct. 2	108	.	1	.	.	.	3	—	9	.	—	.	4	.	.	.	.	—	.	—	125[a]
	Oct. 9	35	.	.	.	.	.	5	—	21	.	—	.	1	.	.	.	.	—	.	—	62
	Oct. 16	20	.	.	.	.	.	3	—	15	.	—	.	.	.	2	.	.	—	.	—	40
	Oct. 23	7	.	.	.	.	1	2	—	20	.	—	1	.	.	.	.	.	—	.	—	31
City of Londonderry	Oct. 2	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	Oct. 9	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	.	—	—	4
	Oct. 16	1	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	—	—	7
	Oct. 23	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	Oct. 2	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1
	Oct. 9	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	3
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 23	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
City of Waterford	Oct. 2	.	.	.	.	.	—	9	—	.	1	—	.	—	.	.	.	.	—	—	.	10
	Oct. 9	.	.	.	.	.	—	1	—	.	1	—	.	—	.	.	.	.	—	—	.	2
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

* The Medical Commissioner, Local Government Board, has favoured the Registrar General with the information that a case of Plague has occurred in Dublin.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd October, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 2 and 22; typhus nil and 15; measles 7 and 17; scarlet fever 10 and 46,* and diphtheria 10 and 28. Five cases of pneumonia were admitted during the week and 14 remained under treatment at its close. Of the deaths in hospital during the week 2 were from typhus, and there was one from each of scarlet fever and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 23rd October, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 15 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 23RD OCTOBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 23RD OCTOBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	24·3	13·9	1·7	543	311	50	85	4	2	.	.	4	2	7	.	2	24	10	19	13	35	16	3	5	6	98	9	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	23·1	15·1	1·8	184	120	23	28	.	2	.	.	1	2	1	.	1	10	5	6	6	17	8	.	1	1	37	4	(d) 64·2	34·9	57·8	44·1	50·9	0·83
Urban Districts. CITY OF DUBLIN	318,200	39·0	25·6	15·1	2·1	156	92	18	14	.	2	.	.	1	2	1	.	1	8	4	3	6	13	7	.	1	1	32	4	(e) 61·2 (f) 63·6	43·4 44·0	56·9 57·8	48·4 47·2	52·7 52·5	1·19 0·96
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	11·6	12·9	.	9	10	2	5	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. PEMBROKE ...	30,200	19·2	17·3	19·0	1·7	10	11	2	5	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. BLACKROCK (g) ...	9,200	8·5	17·0	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	18·4	21·5	.	6	7	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	63	46	57·7	49·1	53·4	0·61
Urban Districts. BELFAST	413,000	27·7	25·6	13·4	1·6	203	106	18	32	.	.	.	.	2	.	4	.	1	9	1	4	4	16	6	1	2	3	36	2	62·0	42·0	57·1	45·7	51·4	0·91
Urban Districts. CORK	76,673	28·6	21·1	16·3	4·1	31	24	1	4	3	.	.	.	1	.	2	.	.	2	.	1	.	2	.	.	.	.	10	2	60	48	57·9	52·4	55·2	1·18
Urban Districts. LONDONDERRY ...	44,000	17·1	36·8	10·7	2·4	26	9	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	2	2	1	.	.	.	.	.	.	.
Urban Districts. LIMERICK ...	38,518	16·1	14·9	9·5	1·4	11	7	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	4	.	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	15·2	11·4	.	8	6	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				5	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. DUNDALK ...	13,128	9·5				14	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. DROGHEDA ...	12,501	8·4				3	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	39	57·7	42·4	50	0·73
Urban Districts. LISBURN	12,388	10·9				4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. NEWRY	11,963	17·0				12	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. PORTADOWN ...	11,727	15·3				8	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. WEXFORD ...	11,531	22·8				13	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				1	6	.	3	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				11	6	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.	63	38	57	46	51·5	0·06
Urban Districts. KILKENNY ...	10,514	11·4				1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62	35	57·0	45 0	51·0	0·44
Urban Districts. TRALEE	10,300	17·4				2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
LONDON	4,358,309	—	—	10·2	—	2,142	851	142	267	.	.	.	.	6	2	14	—	—	97	21	92	48	41	36	9	40	84	427	1	61	34	55·9	41·3	48·6	0·27
EDINBURGH ...	342,300	—	—	10·8	—	159	71	7	21	.	.	.	.	.	1	3	—	3	—	—	—	—	—	.	—	3	—	—	—	60·0	38·0	52·4	43·3	47·9	0·03
GLASGOW	1,115,500	—	—	12·7	—	589	270h	65	51	1	.	.	1	.	.	3	—	2	—	—	—	—	—	9	—	14	—	—	—	58·0	36·8	52·9	45·4	49·2	0·18

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 42nd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 23rd October, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		Ages at Death.																
		All Ages.	0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	185·2	129	8	15	6	3	4	1	1	4	8	11	16	24	17	11		120
Enteric Fever	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.		2
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Whooping-cough	1·2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.		2
Diphtheria	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	20·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	14·2	10	.	.	.	.	.	.	.	1	3	3	2	1	.	.		10
Tuberculous Meningitis	1·0	4	.	.	1	1	.	.	1	.	.	1	.	.	.	.		3
Abdominal Tuberculosis	1·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Venereal Diseases	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	11·2	6	.	.	.	.	.	.	.	1	.	.	1	2	2	.		6
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Other General Diseases	1·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Alcoholism	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	·8	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.		2
Cerebral Hæmorrhage, Apoplexy.	3·0	5	.	.	.	.	.	.	.	.	.	.	2	1	2	.		5
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	1·2	4	.	.	.	.	.	.	.	.	1	.	1	1	.	1		3
Epilepsy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	4·2	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.		4
Other Diseases of Nervous System.	3·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	13·4	16	.	.	.	.	.	.	.	1	.	1	4	6	2	2		16
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Other Diseases of Circulatory System.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		2
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	14·6	16	.	1	.	1	.	.	.	.	.	1	1	5	3	4		16
Broncho-pneumonia	4·0	5	.	2	.	.	1	.	.	.	.	.	.	1	.	1		5
Lobar pneumonia	3·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pneumonia (type not distinguished).	12·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.
Pleurisy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1

registered in the FORTY-SECOND WEEK, ending Saturday, 23rd October, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 42nd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 23rd October, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	11·4	8	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	8
Diarrhœa 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·6	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·8	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2
Cirrhosis of Liver ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Peritonitis (cause unknown).	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Digestive System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Acute Nephritis ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Chronic Bright's Disease	4·0	5	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	5
Urinary Calculi ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	5·2	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Congenital Debility ..	3·2	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Old Age	5·8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
Other Specified Diseases	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	4·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other Violent Deaths ..		2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
Not included in above—																		
Homicide	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Suicide	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·0	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 23RD OCTOBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 23RD OCTOBER, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																						In Institutions.		
		From all causes	From certain Epidemic Diseases*									Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	
North City.																																			
NORTH CITY, No. 1, E.	30,700	18·7	3·4	11	5	.	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	1	.	.	2	2	2	.	1	3	1	1	2	.	
,, 1, W.	42,100	28·5	2·5	23	3	2	1	2	1	3	9	2	.	1	.	.	.	.	.	.	.	1	1	2	.	5	1	.	.	12	.	5	4	.	
,, 2	28,200	12·9	3·7	7	1	2	.	1	.	.	3	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	.	3	.	2	1	.	
,, 3	35,000	10·2	.	7	2	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	6	.	.	2	.	
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
COOLOCK AND DRUMCONDRA, part of ...	13,900	7·5	.	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	
FINGLAS AND GLASNEVIN, part of ...	11,400	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
South City.																																			
SOUTH CITY, No. 1	44,100	16·6	5·9	14	2	.	1	1	.	1	3	6	.	1	.	.	1	.	1	.	1	.	.	.	1	2	2	.	.	5	.	3	1	.	
,, 2	18,600	14·0	.	5	1	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	2	.	.	.	.	
,, 3	44,400	15·3	1·2	13	2	2	.	.	.	1	6	2	.	.	.	.	.	.	.	.	.	2	2	.	1	2	1	.	.	5	.	2	4	2	
,, 4	33,600	9·3	.	6	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	.	3	.	1	
NEW KILMAINHAM	10,600	14·8	4·9	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	1	
Urban Districts.																																			
RATHMINES AND RATHGAR	40,400	12·9	.	10	2	.	.	.	.	1	2	5	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	6	.	2	1	.	
PEMBROKE	30,200	19·0	1·7	11	2	.	.	.	1	1	2	5	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	7	.	1	.	.	
BLACKROCK †	9,200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
KINGSTOWN	17,000	21·5	.	7	1	.	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	4	.	.	1	.	
TOTAL CITY, North	166,900	15·9	1·9	51	11	4	1	3	2	4	20	6	.	1	.	.	.	2	.	.	.	3	2	2	4	8	3	.	1	25	1	9	9	.	
TOTAL CITY, South	151,300	14·1	2·4	41	7	2	1	1	2	5	15	8	.	1	.	.	1	.	1	.	1	5	2	1	2	5	4	.	.	18	.	9	5	4	
TOTAL CITY, North and South ...	318,200	15·1	2·1	92	18	6	2	4	4	9	35	14	.	2	.	.	1	2	1	.	1	8	4	3	6	13	7	.	1	43	1	18	14	4	
Total Urban Districts	96,800	15·1	0·5	28	5	.	.	.	1	3	5	14	.	.	.	.	.	.	.	.	.	2	1	3	.	4	1	.	.	17	.	3	2	.	
Total Registration Area ...	415,000	15·1	1·8	120	23	6	2	4	5	12	40	28	.	2	.	.	1	2	1	.	1	10	5	6	6	17	8	.	1	60	1	21	16	4	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				9	.	.	1	1	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	4	1	9	.	.	

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd October, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD OCTOBER, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis		Cancer.	Convulsions.	Diseases of the Respiratory System.		Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
																				Pulmonary.	Other Forms.			Pneumonia.	Other.					
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	129	32	5	5	19	40	17	11	.	2	.	.	1	2	1	.	1	10	6	6	4	6	17	8	.	5	60	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	28·5	8	.	.	.	3	2	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	2	3	.
II.	MIDDLE CLASS	101,798	10·8	21	1	1	1	5	3	3	7	.	1	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	2	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	6	2	1	4	9	3	2	.	.	.	.	.	.	.	.	1	2	2	2	.	3	2	1	.	1	13	1
IV.	GENERAL SERVICE CLASS	167,479	17·7	57	25	2	3	5	15	6	1	.	1	.	.	1	2	1	.	.	5	1	1	4	2	6	7	.	.	26	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	16	.	.	.	2	11	3	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	7	.	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	6	.	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	2	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants ..	33,249	—	7	1	.	1	2	1	1	1	.	1	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	11	.	1	.	3	1	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades ..	28,823	—	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.
	10. Clothing Trades	20,026	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	17	3	2	.	3	6	2	1	.	.	.	.	.	.	.	.	1	1	2	1	.	1	1	.	.	1	9	1
	13. Petty Shopkeepers	6,772	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	2	.	.	.	4	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	2	1
	15. Domestic Servants	36,041	—	5	.	.	3	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	1	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	40	22	2	.	5	6	5	.	.	.	.	.	1	2	1	.	.	3	.	.	3	1	3	7	.	.	19	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	16	.	.	.	2	11	3	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	7	.	.	.	5	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.
No. of weeks in Annual Series ..	30	31	32	33	34	35	36	37	38	39	40	41	42	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered	232	191	245	234	190	248	231	215	196	209	232	224	184	231	223	229	244	180	132	211	235	209	197	195	180	203
Average Births in corresponding week of previous 10 years	*208*	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*214*	*193*	*191*	*194*	*186*	*200*	*193*	*191*	*176*	*191*	*194*	*202*	*200*
Number of Deaths	107	107	104	106	122	109	112	107	125	139	130	125	120	104	98	107	68	105	97	145	114	122	103	93	102	106
Annual Death-rate per 1,000 ..	13·4	13·4	13·1	13·3	15·3	13·7	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·1	12·4	13·5	8·6	13·3	12·2	18·3	14·4	15·4	13·0	11·7	12·9	13·4
Average Deaths in corresponding week of previous 10 years	*125*	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*110*	*103*	*102*	*111*	*119*	*123*	*116*	*113*	*121*	*115*	*105*	*111*	*109*
Ages .. Under one year ..	17	18	16	17	16	13	38	26	34	41	41	32	23	20	24	15	18	22	17	34	32	31	18	17	23	18
1— 5 years ..	8	4	5	6	5	4	6	3	13	5	12	12	8	8	9	2	3	9	6	5	2	8	9	2	5	6
5—25 „ ..	14	12	13	19	23	12	15	13	9	12	13	2	9	12	13	22	10	13	14	26	17	9	11	11	9	16
25—45 „ ..	20	16	20	21	15	20	9	12	15	21	13	17	12	13	16	19	15	13	17	33	22	19	17	22	18	14
45—65 „ ..	26	24	27	22	26	25	22	25	23	27	25	29	40	31	18	27	12	25	21	28	26	35	26	26	26	20
65 and upwards ..	22	33	23	21	37	35	22	28	31	33	26	33	28	20	18	22	10	23	22	19	15	20	22	15	21	32
Deaths from :—																										
Enteric Fever	.	1	.	.	1	.	.	.	1	.	.	.	.	.	1	2	.	.	1	.	1	2	.	.	1	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	2	3	1	1	.	2	2
Whooping-cough	3	4	.	1	2	.	.	3	3	1	3	2	2	.	1	.	1	.	.	1	.	2	.	.	.	.
Diphtheria	.	1	2	.	2	.	.	.	1	.	4	2	1	.	.	.	.	1	.	.	1	2	.	.	.	4
Dysentery	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Influenza	2	.	1	.	.	.	1	1	1	1	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.	1
Tuberculosis {Pulmonary ..	13	13	15	23	19	18	9	12	11	12	12	10	10	17	8	15	11	13	10	16	13	10	9	13	14	9
Tuberculosis {Other Forms ..	5	3	3	4	7	5	7	1	1	3	3	4	5	5	3	7	3	2	9	5	4	7	4	3	4	1
Cancer	7	13	9	9	9	4	8	14	10	7	5	12	6	10	7	8	5	6	6	8	7	9	10	4	12	4
Diseases of Respiratory System {Pneumonia ..	6	5	6	6	2	5	7	6	4	10	6	6	6	5	8	2	4	5	3	10	6	5	8	6	6	4
Diseases of Respiratory System {Others ..	13	11	10	6	15	12	10	11	12	12	11	14	17	2	8	8	6	8	7	7	7	4	6	5	9	16
Diarrhœa & Enteritis, under 2 years	3	3	3	5	4	3	17	12	22	16	21	19	8	4	10	2	4	8	8	7	9	15	5	7	2	6
Diarrhœa, 2 years and upwards ..	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	2	2	1
Violent Deaths, ...	3	3	2	3	1	2	.	2	5	2	2	1	1	1	2	13	3	1	3	27	7	3	9	3	5	2
Number of Uncertified Deaths ..	4	1	2	2	4	6	2	3	1	5	6	1	4	5	2	.	3	2	3	7	1	1	1	.	1	2
A Mean Maximum Temperature in degs.	62·9	62·3	63·7	62·1	63·9	63·3	64·1	62·8	60·5	61·2	60·3	59·5	57·8	60·9	61·0	61·5	61·4	61·8	63·4	62·5	62·0	56·0	62·2	59·8	59·0	57·1
B Mean Minimum „ „	48·1	49·0	50·3	47·9	46·1	49·1	49·3	43·1	37·7	48·8	45·8	48·3	44·1	48·3	50·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7	52·2	45·7
Mean of A and B „ „	55·5	55·7	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·0	53·0	53·9	50·9	54·6	55·6	56·7	56·8	55·1	56·9	57·4	55·0	47·6	57·4	53·7	55·6	51·4
Rainfall in inches	1·85	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·57	0·72	0·52	0·40	0·33	0·78	0·46	0·98	0.12	0·81	2·63	0·75	0·91

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd October, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	·	5	·	1	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	·	·	1	2	·
Do. 2 do.	49,500	26	15·8	1·1	15	2	1	2	2	3	5	·	·	·	·	·	·	1	·	·	·	·	1	·	2	·	·	1	·	6	·
Do. 3 do.	50,032	37	9·4	2·1	9	5	2	1	·	·	1	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·	·	1	1	4	1
Do. 4 do.	32,637	17	16·0	·	10	1	·	1	2	2	4	·	·	·	·	·	·	·	·	·	2	·	1	·	3	·	·	·	·	5	·
Do. 5 do.	16,112	4	19·4	3·2	6	3	·	1	·	·	2	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·	1	2	·
Do. 6 do.	37,293	13	8·4	·	6	·	·	1	1	1	3	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·
Do. 7 do.	2,681	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	8·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 9 do.	24,427	14	21·3	4·3	10	2	1	1	2	2	2	·	·	·	·	·	·	1	·	·	2	1	·	·	3	1	·	·	·	2	1
Do. 10 do.	28,958	19	10·8	·	6	·	·	·	·	2	4	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 11 do.	—	22	—	—	8	1	·	1	3	1	2	·	·	·	·	·	·	·	·	1	2	·	·	·	1	1	·	·	·	2	·
Do. 12 do.	—	14	—	—	9	1	·	1	·	5	2	·	·	·	·	1	·	·	·	·	·	·	1	·	2	1	·	·	·	4	·
Do. 13 do.	—	9	—	—	7	1	·	2	2	1	1	·	·	·	·	1	·	·	·	·	1	·	1	·	·	1	1	·	·	2	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	11	20·7	·	9	1	1	2	·	1	4	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	2	·
Do. 16 do.	—	8	—	—	5	1	·	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	2	·
Total,	386,947	203	13·4	1·6	106	18	6	16	14	20	32	·	·	·	·	2	·	4	·	1	9	1	4	4	16	6	1	2	3	36	2
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	3	19·4	7·8	5	·	·	·	·	3	2	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	3	·
Do. 2 do.	10,399	4	20·1	5·0	4	·	·	2	1	1	·	·	·	·	·	1	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	5	10·6	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 4 do.	9,139	2	5·7	5·7	1	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 5 do.	6,250	2	16·7	·	2	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·
Do. 6 do.	11,581	5	13·5	·	3	·	·	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 7 do.	16,056	10	22·7	6·5	7	1	1	2	1	1	1	·	·	·	·	·	·	2	·	·	·	·	·	·	1	·	·	·	·	4	2
Total,	76,673	31	16·3	4·1	24	1	1	5	5	8	4	3	·	·	·	1	·	2	·	·	2	·	1	·	2	·	·	·	·	10	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 15·0 per 1,000 and from certain epidemic diseases 3·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd October, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	3
„ „ 1, West, ..	1	2	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	6
„ „ 2, ...	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	5
„ „ 3, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	3
„ „ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2
„ „ „ 3, ...	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	1	5
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	3	2	.	.	.	4	10	.	3	.	.	.	.	2	.	.	2	26

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd October, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 23rd October.			
	Oct. 2.	Oct. 9.	Oct. 16.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	32	30	26	2	6	.	22
Typhus, ...	.	10	17	.	.	2	15
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	9	11	7	1	.	17
Scarlet Fever, ...	44	54	47	10	10	1	46*
Diphtheria, ...	29	27	27	10	8	1	28
Pneumonia, ...	17	21	17	5	8	.	14

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3843) Wt. 200. 3. 380. 10. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 43. Vol. LVII.] Week ending Saturday, 30th October, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 1st November, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 12·6 and 13·4; Dublin Registration Area, 13·9 and 15·2; Dublin City, 14·7 and 15·7; Belfast, 11·2 and 12·3; Cork, 9·5 and 14·3; Londonderry, 8·3 and 10·1; Limerick, 16·2 and 11·9; and Waterford, 17·1 and 15·2.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·3 per 1,000. Among the 89 deaths from all causes for Belfast are 2 from typhus, one from whooping-cough, and 5 from diarrhœal diseases. The 14 deaths from all causes for Cork include one from diphtheria; one of the 12 deaths from all causes for Limerick was also due to this disease, and 2 of the 9 deaths from all causes for Waterford are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 213—122 boys and 91 girls—and the deaths to 132—74 males and 58 females.

The deaths registered, omitting the deaths (numbering 21) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·9 per 1,000 of the population. During the forty-three weeks ending with Saturday last, the death-rate averaged 18·1 and was 2·9 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-three weeks was 19·7 and for the corresponding period of the preceding ten years 22·3.

Included in the 111 deaths appertaining to the Area are one from enteric fever, one from typhus, 3 from whooping-cough, one from diphtheria, and 8 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from typhus were 0, 0, and 2; deaths from whooping-cough 3, 2, and 2; deaths from diphtheria 4, 2, and one; and deaths from diarrhœa and enteritis of children under 2 years 21, 19, and 8. There were no deaths from enteric fever registered in the 3 preceding weeks.

There were 5 deaths from pneumonia, comprising 3 from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia (type not distinguished).

Tuberculous disease caused 18 deaths (including 15 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from tuberculous adenitis) as against 15, 14, and 15 in the three weeks preceding.

Five deaths were caused by cancer, 7 by organic diseases of the heart, and 7 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, one to pulmonary tuberculosis, one to simple meningitis, 3 to convulsions, one to bronchitis, 2 to broncho-pneumonia, 7 to diarrhœa and enteritis, one to congenital malformation, 7 to premature birth, and 4 to congenital debility.

One death from gunshot wounds ascribed to accident was registered and there were six cases of homicide.

Thirty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 29 being infants under one year, of whom 12 were under one month old, and 27 deaths were those of persons aged 65 and upwards, of whom 20 were 70 years of age or over.

Of the 111 deaths recorded, 43 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases;

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 30th October in 96 large English towns (including London in which the rate was 11·8) was equal to an average annual death rate of 11·7 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 13·9 per 1,000 persons living, the rate for Glasgow being 16·2, and for Edinburgh 10·5.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th October. From this Report it appears that of 138 cases notified, 53 were scarlet fever, 28 diphtheria, 20 chicken-pox, 13 pulmonary tuberculosis, 6 other forms of tuberculosis, 11 erysipelas, 5 acute primary pneumonia, one malaria, and one dysentery. Among the 651 cases of infectious diseases in hospital at the close of the week were 237 of scarlet fever, 203 of pulmonary tuberculosis, 7 other forms of tuberculosis, 111 of diphtheria, 30 of venereal disease, 13 of erysipelas, 6 of small-pox, 3 of chicken-pox, 2 of whooping-cough, one of dysentery, and one of membranous croup.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th October, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 9	6	7	.	.	.	—	1	—	7	1	—	.	—	1	.	.	4	.	.	.	27
	Oct. 16	.	6	.	.	.	—	7	—	3	2	—	.	—	.	.	.	2	.	.	4	24
	Oct. 23	3	2	.	.	.	—	4	—	10	3	—	.	—	.	.	.	2	.	.	2	26
	Oct. 30	1	2	.	.	.	—	9	—	7	5	—	.	—	1	.	.	4	.	.	6	35
Rathmines & Rathgar Urban District	Oct. 9	.	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	.	—	6
	Oct. 16	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Oct. 23	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Oct. 30	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
Pembroke Urban District	Oct. 9	.	.	.	.	.	.	1	1	1	.	.	.	—	.	.	.	.	.	.	.	3
	Oct. 16	.	.	.	.	.	.	1	.	.	1	.	.	—	.	.	.	.	.	.	.	2
	Oct. 23	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	1	1
	Oct. 30	.	.	.	.	.	.	2	.	2	.	.	.	—	.	.	.	2	.	.	.	6
Blackrock Urban District	Oct. 9	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 16	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 23	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 30	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Oct. 9	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 16	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Oct. 9	5	.	.	.	.	—	18	—	3	3	—	2	—	.	.	.	3	.	.	20	54
	Oct. 16	6	.	.	.	.	—	38	—	15	1	—	.	—	.	.	.	1	.	.	22	83
	Oct. 23	9	.	.	.	.	—	38	—	8	.	—	1	—	.	.	.	1	.	.	12	69
	Oct. 30	4	.	.	.	.	—	34	—	11	3	—	.	—	.	.	.	1	.	.	22	75
City of Cork	Oct. 9	35	.	.	.	.	.	5	—	21	.	—	.	1	.	.	.	.	—	.	—	62
	Oct. 16	20	.	.	.	.	.	3	—	15	.	—	.	.	.	2	.	.	—	.	—	40
	Oct. 23	7	.	.	.	.	1	2	—	20	.	—	1	.	.	.	.	.	—	.	—	31
	Oct. 30	6	.	.	.	.	.	6	—	25	1	—	.	.	.	1	.	.	—	.	—	39*a*
City of Londonderry	Oct. 9	.	.	.	.	.	—	4	—	.	.	—	.	—	.	.	.	.	—	—	—	4
	Oct. 16	1	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	—	—	7
	Oct. 23	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Oct. 30	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
City of Limerick	Oct. 9	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	3
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 23	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Oct. 9	.	.	.	.	.	—	1	—	.	1	—	.	—	.	.	.	.	—	—	.	2
	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th October, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows : Enteric fever 2 and 21 ; typhus 3 and 17 ; measles one and 7; scarlet fever 15 and 47,* and diphtheria 14 and 32. Seven cases of pneumonia were admitted during the week and 16 remained under treatment at its close. Of the deaths in hospital during the week one was from each of enteric fever and typhus, and 2 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 30th October, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 30TH OCTOBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS Total Number.	NUMBERS REGISTERED. DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 30TH OCTOBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	24·6	12·6	1·3	551	283	64	76	1	3	.	.	.	4	3	.	1	24	6	20	10	23	16	1	17	12	93	15	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	26·8	13·9	1·8	213	111	29	27	1	1	.	.	.	3	1	.	.	15	3	5	5	10	8	.	7	2	43	4	(d) 57·8	27·0	56·2	33·9	45·1	0·52
Urban Districts. CITY OF DUBLIN	318,200	39·0	28·3	14·7	2·3	173	90	26	17	1	1	.	.	.	3	1	.	.	12	3	3	5	8	8	.	7	2	34	4	(e) 57·2 (f) 58·6	36·0 31·8	54·8 56·1	42·2 37·0	48·5 46·6	0·59 0·61
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	16·8	9·0	.	13	7	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. PEMBROKE ...	30,200	19·2	27·6	13·8	.	16	8	1	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. BLACKROCK (g) ...	9,200	8·5	28·3	22·7	.	5	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	18·4	6·1	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	63	38	59·7	43·8	51·7	0·73
Urban Districts. BELFAST	413,000	27·7	24·4	11·2	1·0	193	89	22	18	.	2	.	.	.	1	.	.	.	4	1	7	4	3	4	1	7	7	25	2	59·2	37·0	55·7	47·3	51·5	0·01
Urban Districts. CORK	76,673	28·6	17·0	9·5	0·7	25	14	1	7	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	1	5	1	58	46	56·4	50·9	53·7	0·75
Urban Districts. LONDONDERRY (i) ...	44,000	17·1	34·4	8·3	1·2	29	7	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	1	1	.	1	.	.	.	.	.	.
Urban Districts. LIMERICK	38,518	16·1	17·6	16·2	1·4	13	12	2	3	.	.	.	.	.	.	1	.	.	1	.	1	.	2	2	.	.	.	7	2	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	15·2	17·1	3·8	8	9	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Urban Districts. DUNDALK ...	13,128	9·5				8	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				5	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. DROGHEDA ...	12,501	8·4				7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. LISBURN	12,388	10·9				7	6	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	3	.	57	38	56	40·4	48·2	1·27
Urban Districts. NEWRY	11,963	17·0				5	6	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.
Urban Districts. PORTADOWN ...	11,727	15·3				4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
Urban Districts. WEXFORD ...	11,531	22·8				7	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	59	32	56	40	48	0·46
Urban Districts. SLIGO	11,163	3·8				1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	59	32	56·1	38·8	47·4	1·17
Urban Districts. KILKENNY ...	10,514	11·4				8	5	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	2	1	.	.	.	.	.	.
Urban Districts. TRALEE	10,300	17·4				7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				3	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	11·8	—	2,284	983	151	330	1	.	.	1	3	4	18	—	—	103	24	116	60	71	34	6	36	84	481	4	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	10·5	—	152	69	8	27	.	.	.	.	1	.	3	—	2	—	—	—	—	—	1	—	2	—	—	—	53·0	32·0	49·0	36·1	42·6	0·03
GLASGOW	1,115,500	—	—	16·2	—	557	345h	102	81	.	.	1	1	1	4	3	—	2	—	—	—	—	—	12	—	21	—	—	—	55·0	31·6	48·5	36·5	42·5	0·00

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) Including one death from cerebro-spinal meningitis. (i) The return for Waterside Registrar's District has not been received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 43rd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 30th October, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	189·0	132	12	17	2	5	2	3	5	5	14	13	14	12	15	13	111
Enteric Fever	1·0	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
Typhus	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·2	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	3
Diphtheria	1·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	35·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·8	18	.	1	.	.	.	1	3	3	2	3	3	1	1	.	15
Tuberculous Meningitis	1·6	2	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2
Abdominal Tuberculosis	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·4	9	.	.	.	.	.	.	.	.	.	2	4	1	2	.	5
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Diabetes	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases	1·0	2	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1
Alcoholism	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·6	4	.	.	.	.	.	.	.	.	.	.	.	.	3	1	4
Softening of Brain	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Paralysis, without specified cause.	3·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Epilepsy	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·8	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	2·8	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	9·6	7	.	.	.	.	1	.	.	.	.	.	.	3	2	1	7
Embolism and Thrombosis (including Cerebral).	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
Other Diseases of Circulatory System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	12·8	7	.	1	.	.	.	.	.	.	.	2	.	1	1	2	7
Broncho-pneumonia	5·6	3	.	2	.	.	.	.	.	.	.	1	.	.	.	.	3
Lobar pneumonia	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pneumonia (type not distinguished).	14·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Pleurisy	·4	3	.	.	.	.	.	.	.	1	.	.	.	1	.	1	2
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1

registered in the FORTY-THIRD WEEK, ending Saturday, 30th October, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 43rd Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 30th October, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Diseases of Stomach ..	1·6	4	.	.	.	.	.	.	.	.	1	.	.	2	.	1		3
Diarrhœa and Enteritis of Children under 2 years.	6·8	8	.	7	1	.	.	.	.	.	.	.	.	.	.	.		8
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Hernia and Intestinal Obstructions.	1·0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Cirrhosis of Liver ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·6	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.		2
Acute Nephritis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	4·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1		2
Puerperal Septicæmia, &c.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Premature Birth ..	2·2	7	6	1	.	.	.	.	.	.	.	.	.	.	.	.		7
Congenital Debility ..	4·8	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.		4
Old Age	5·4	5	.	.	.	.	.	.	.	.	.	.	.	.	2	3		5
Other Specified Diseases	1·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	3·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	5·4	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.		1
Other Violent Deaths ..		2	.	.	.	.	.	.	.	1	1	.	.	.	.	.		.
Not included in above—																		
Homicide	·2	9	.	.	.	.	.	.	.	.	6	1	1	1	.	.		6
Suicide	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	3·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.

TABLE IV.—Showing for the WEEK ENDED 30TH OCTOBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 30TH OCTOBER, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	27·2	3·4	16	7	1	.	2	1	1	3	1	.	.	.	.	.	1	.	.	.	3	.	1	.	1	1	.	1	8	.	4	1	.
,, 1, W.	42,100	9·9	3·7	8	2	.	.	.	.	2	3	1	.	1	.	.	.	1	.	.	.	.	.	.	1	1	1	.	.	3	.	2	1	1
,, 2	28,200	14·8	1·8	8	.	.	1	1	1	4	.	1	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	.	1	2	.	2	1	.
,, 3	35,000	13·1	1·5	9	1	.	1	.	.	1	2	4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	4	.	1	2	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	.	3	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	13·7	.	3	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	1
South City.																																		
SOUTH CITY, No. 1	44,100	14·2	3·5	12	6	.	.	.	1	3	.	2	1	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	1	4	1	4	1	1
,, 2	18,600	28·0	8·4	10	3	.	1	.	2	2	1	1	.	.	.	.	.	1	.	.	.	2	1	.	.	1	2	.	.	3	.	1	3	.
,, 3	44,400	14·1	1·2	12	5	1	.	.	.	.	5	1	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	7	1	4	1	1
,, 4	33,600	9·3	.	6	1	.	.	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	3	.	4	1	.
NEW KILMAINHAM	10,600	9·8	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	9·0	.	7	.	.	.	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	4	.	2	1	.
PEMBROKE	30,200	13·8	.	8	1	.	.	.	1	.	1	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	6	.	1	2	.
BLACKROCK †	9,200	22·7	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	2	.	.
KINGSTOWN	17,000	6·1	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
TOTAL CITY. North	166,900	15·0	2·2	48	10	1	2	5	2	9	8	11	.	1	.	.	.	2	1	.	.	6	2	1	3	5	3	.	5	19	.	10	5	2
TOTAL CITY. South	151,300	14·5	2·4	42	16	1	1	.	5	7	6	6	1	.	.	.	.	1	.	.	.	6	1	2	2	3	5	.	2	19	2	13	6	2
TOTAL CITY. North and South ...	318,200	14·7	2·3	90	26	2	3	5	7	16	14	17	1	1	.	.	.	3	1	.	.	12	3	3	5	8	8	.	7	38	2	23	11	4
Total Urban Districts	96,800	11·3	.	21	3	.	.	.	1	3	4	10	.	.	.	.	.	.	.	.	.	3	.	2	.	2	.	.	.	14	.	6	3	.
Total Registration Area ...	415,000	13·9	1·8	111	29	2	3	5	8	19	18	27	1	1	.	.	.	3	1	.	.	15	3	5	5	10	8	.	7	52	2	29	14	4
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				21	.	.	2	.	2	8	8	1	.	.	.	.	.	.	.	.	.	3	1	4	.	1	.	.	7	5	2	19	2	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th October, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH OCTOBER, 1920.

Class.	Occupation or Social Position. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	132	36	5	10	27	26	15	13	1	1	.	.	.	3	1	.	.	18	4	9	3	5	11	8	.	14	54	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	21·3	6	.	.	.	1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
II.	MIDDLE CLASS	101,798	16·4	32	4	1	2	6	11	3	5	.	.	.	.	.	.	.	.	.	5	.	3	1	3	4	.	.	4	12	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420	15·9	33	9	2	3	5	7	4	3	1	.	.	.	.	1	.	.	.	5	1	2	.	.	3	.	.	4	13	1
IV.	GENERAL SERVICE CLASS	167,479	14·0	45	22	2	3	11	3	4	.	.	1	.	.	.	2	1	.	.	3	1	2	2	2	3	5	.	5	18	1
V.	INMATES OF WORKHOUSES, ...	5,602	—	16	1	.	2	4	5	.	4	.	.	.	.	.	.	.	.	.	5	2	1	.	.	1	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	3	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	8	1	.	.	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	1	2	2
	6. Clerks and Commercial Assistants ..	33,249	—	10	3	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	.	2	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	11	.	.	.	2	6	1	2	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	1	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	9. Building and Furnishing Trades ..	28,823	—	8	2	.	1	2	1	1	1	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	.	3	.
	10. Clothing Trades	20,026	—	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.
	11. Food Supply Trades	8,952	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	16	3	2	1	3	4	1	2	.	.	.	.	.	1	.	.	.	1	.	2	.	.	1	.	.	3	9	1
	13. Petty Shopkeepers	6,772	—	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	5	2	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	3	1
	15. Domestic Servants	36,041	—	4	4	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	34	16	1	3	9	2	3	.	.	.	.	.	.	2	.	.	.	3	1	2	2	2	2	2	.	5	13	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	16	1	.	2	4	5	.	4	.	.	.	.	.	.	.	.	.	5	2	1	.	.	1	.	.	.	7	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.
No. of weeks in Annual Series ..	31	32	33	34	35	36	37	38	39	40	41	42	43	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered	191	245	234	190	248	231	215	196	209	232	224	184	213	223	229	244	180	132	211	235	209	197	195	180	203	193
Average Births in corresponding week of previous 10 years	*204*	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*193*	*191*	*194*	*186*	*200*	*193*	*191*	*176*	*191*	*194*	*202*	*200*	*179*
Number of Deaths	107	104	106	122	109	112	107	125	139	130	125	120	111	98	107	68	105	97	145	114	122	103	93	102	106	89
Annual Death-rate per 1,000 ..	13·4	13·1	13·3	15·3	13·7	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·9	12·4	13·5	8·6	13·3	12·2	18·3	14·4	15·4	13·0	11·7	12·9	13·4	11·2
Average Deaths in corresponding week of previous 10 years	*124*	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*103*	*102*	*111*	*119*	*123*	*116*	*113*	*121*	*115*	*105*	*111*	*109*	*117*
Ages .. Under one year ..	18	16	17	16	13	38	26	34	41	41	32	23	29	24	15	18	22	17	34	32	31	18	17	23	18	22
1— 5 years ..	4	5	6	5	4	6	3	13	5	12	12	8	5	9	2	3	9	6	5	2	8	9	2	5	6	2
5—25 ,, ..	12	13	19	23	12	15	13	9	12	13	2	9	13	13	22	10	13	14	26	17	9	11	11	9	16	8
25—45 ,, ..	16	20	21	15	20	9	12	15	21	13	17	12	19	16	19	15	13	17	33	22	19	17	22	18	14	13
45—65 ,, ..	24	27	22	26	25	22	25	23	27	25	29	40	18	18	27	12	25	21	28	26	35	26	26	26	20	26
65 and upwards ..	33	23	21	37	35	22	28	31	33	26	33	28	27	18	22	10	23	22	19	15	20	22	15	21	32	18
Deaths from :—																										
Enteric Fever	1	.	.	1	.	.	.	1	.	.	.	.	1	1	2	.	.	1	.	1	2	.	.	1	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	1	2	3	1	1	.	2	2	.
Whooping-cough	4	.	1	2	.	.	3	3	1	3	2	2	3	1	.	1	.	.	1	.	2	.	.	.	.	1
Diphtheria	1	2	.	2	.	.	.	1	.	4	2	1	1	.	.	.	1	.	.	1	2	.	.	.	4	.
Dysentery	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Influenza	.	1	.	.	.	1	1	1	1	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.	1	.
Tuberculosis {Pulmonary ..	13	15	23	19	18	9	12	11	12	12	10	10	15	8	15	11	13	10	16	13	10	9	13	14	9	4
Tuberculosis {Other Forms ..	3	3	4	7	5	7	1	1	3	3	4	5	3	3	7	3	2	9	5	4	7	4	3	4	1	1
Cancer	13	9	9	9	4	8	14	10	7	5	12	6	5	7	8	5	6	6	8	7	9	10	4	12	4	7
Diseases of Respiratory System {Pneumonia ..	5	6	6	2	5	7	6	4	10	6	6	6	5	8	2	4	5	3	10	6	5	8	6	6	4	4
Diseases of Respiratory System {Others ..	11	10	6	15	12	10	11	12	12	11	14	17	10	8	8	6	8	7	7	7	4	6	5	9	16	3
Diarrhœa & Enteritis, under 2 years	3	3	5	4	3	17	12	22	16	21	19	8	8	10	2	4	8	8	7	9	15	5	7	2	6	4
Diarrhœa, 2 years and upwards ..	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	2	2	1	1
Violent Deaths, ...	3	2	3	1	2	.	2	5	2	2	1	1	7	2	13	3	1	3	27	7	3	9	3	5	2	7
Number of Uncertified Deaths ..	1	2	2	4	6	2	3	1	5	6	1	4	4	2	.	3	2	3	7	1	1	1	.	1	2	2
A Mean Maximum Temperature in degs.	62·3	63·7	62·1	63·9	63·3	64·1	62·8	60·5	61·2	60·3	59·5	57·8	56·2	61·0	61·5	61·4	61·8	63·4	62·5	62·0	56·0	62·2	59·8	59·0	57·1	55·7
B Mean Minimum ,, ,,	49·0	50·3	47·9	46·1	49·1	49·3	43·1	37·7	48·8	45·8	48·3	44·1	33·9	50·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7	52·2	45·7	47·3
Mean of A and B ,, ,,	55·7	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·0	53·0	53·9	50·9	45·1	55·6	56·7	56·8	55·1	56·9	57·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5
Rainfall in inches	1·18	0·21	0·32	0·17	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·72	0·52	0·40	0·33	0·78	0·46	0·98	0.12	0·81	2·63	0·75	0·91	0·01

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th October, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
Belfast Urban No. 1 District,	15,879	6	16·4	3.3	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1
Do. 2 do.	49,500	23	9·5	3·2	9	2	.	.	2	2	3	.	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	2	2	3	.
Do. 3 do.	50,032	19	11·5	.	11	1	.	1	2	4	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	4	.
Do. 4 do.	32,637	14	17·6	1·6	11	4	.	2	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.
Do. 5 do.	16,112	11	25·9	3·2	8	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	20	11·2	1·4	8	1	1	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.
Do. 7 do.	2,681	3	19·4	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2	.
Do. 9 do.	24,427	7	14·9	.	7	1	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do. 10 do.	28,958	17	5·4	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	2	2	.
Do. 11 do.	—	21	—	—	8	3	1	.	1	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 12 do.	—	10	—	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 13 do.	—	11	—	—	7	2	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 15 do.	22,669	11	6·9	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	2	1
Do. 16 do.	—	12	—	—	6	.	.	.	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	386,947	193	11·2	1·0	89	22	2	8	13	26	18	.	2	.	.	.	1	.	.	.	4	1	7	4	3	4	1	7	7	25	2
CITY OF CORK																															
Cork Urban No. 1 District,	13,455	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 2 do.	10,399	5	10·0	.	2	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 3 do.	9,793	4	16·0	.	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.	9,139	1	5·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.	6,250	3	16·7	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	11,581	3	4·5	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Do. 7 do.	16,056	7	16·2	3·2	5	1	.	.	1	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
Total,	76,673	25	9·5	0·7	14	1	.	.	2	4	7	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.	.	.	.	5	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620: death-rate from all causes 11·9 per 1,000 and from certain epidemic diseases 0·5.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th October, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
„ „ 1, West, ..	.	1	.	.	.	4	2	.	1	.	.	.	.	.	.	.	1	9
„ „ 2, ...	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
„ „ 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	3
„ „ „ 2, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	2	6
„ „ „ 3, ...	.	.	.	.	.	1	.	.	1	.	1	.	.	1	.	.	2	6
„ „ „ 4, ...	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	2	.	.	.	9	7	.	5	.	1	.	.	4	.	.	6	35

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th October, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 30th October.			
	Oct. 9.	Oct. 16.	Oct. 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	26	22	2	2	1	21
Typhus, ...	10	17	15	3	.	1	17
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	9	11	17	1	11	.	7
Scarlet Fever, ...	54	47	46	15	14	.	47*
Diphtheria, ...	27	27	28	14	8	2	32
Pneumonia, ...	21	17	14	7	5	.	16

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3866) Wt. 7941/36 3. 380. 10. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 44. VOL. LVII.] WEEK ENDING SATURDAY, 6TH NOVEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,

Dublin, 8th November, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 13·7 and 13·6; Dublin Registration Area, 14·7 and 14·8; Dublin City, 16·4 and 15·4; Belfast, 12·6 and 12·5; Cork, 18·4 and 14·8; Londonderry, 16·6 and 12·8; Limerick, 16·2 and 14·2; and Waterford, 9·5 and 13·3.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 100 deaths from all causes for Belfast are 2 from scarlet fever, 2 from diphtheria, and 4 from diarrhœa and enteritis of children under 2 years. The 27 deaths from all causes for Cork include 3 from enteric fever and 4 from diphtheria; of the 14 deaths from all causes for Londonderry 2 are from scarlet fever and 2 from diarrhœa and enteritis of children under two years. One of the 12 deaths from all causes for Limerick is from diphtheria, and of the 5 deaths from all causes for Waterford one is from whooping-cough. One of the 5 deaths from all causes recorded for Dundalk was due to enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—97 boys and 80 girls—and the deaths to 127—66 males and 61 females.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·7 per 1,000 of the population. During the forty-four weeks ending with Saturday last, the death-rate averaged 18·1 and was 2·9 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-four weeks was 19·6 and for the corresponding period of the preceding ten years 22·4.

Included in the 117 deaths appertaining to the Area are one from enteric fever, 2 from whooping-cough, 2 from diphtheria, and 5 from diarrhœal diseases.

In the 3 preceding weeks, deaths from enteric fever were 0, 0, and one; deaths from whooping-cough 2, 2, and 3; deaths from diphtheria 2, one, and one; and deaths from diarrhœal diseases 19, 8, and 8.

There were 11 deaths from pneumonia, comprising 8 from broncho-pneumonia, and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 13 deaths (including 9 from pulmonary tuberculosis, and 4 from abdominal tuberculosis) as against 14, 15, and 18 in the three weeks preceding.

Six deaths were caused by cancer, 11 by organic diseases of the heart, and 14 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, 3 to convulsions, 2 to bronchitis, 4 to broncho-pneumonia, 3 to diarrhœa and enteritis, 3 to premature birth, and 2 to congenital debility.

One death from burns was registered and there were 2 cases of homicide and one of execution.

Thirty-two of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 19 being infants under one year, of whom 8 were under one month old, and 24 deaths were those of persons aged 65 and upwards, of whom 18 were 70 years of age or over.

Of the 117 deaths recorded, 38 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 6th November in 96 large English towns (including London in which the rate was 11·7) was equal to an average annual death rate of 11·8 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 14·7 per 1,000 persons living, the rate for Glasgow being 16·3, and for Edinburgh 13·6.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th November. From this Report it appears that of 120 cases notified, 45 were scarlet fever, 22 pulmonary tuberculosis, 10 other forms of tuberculosis, 16 diphtheria, 13 chicken-pox, 5 erysipelas, 4 acute primary pneumonia, 4 malaria, and one puerperal fever. Among the 654 cases of infectious diseases in hospital at the close of the week were 263 of scarlet fever, 191 of pulmonary tuberculosis, 7 other forms of tuberculosis, 115 of diphtheria, 33 of venereal disease, 13 of erysipelas, 6 of small-pox, 3 of whooping-cough, one of enteric fever, one of measles, one of chicken-pox, one of malaria, and one of membranous croup.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th November, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 16	.	6	.	.	.	—	7	—	3	2	—	.	—	.	.	.	2	.	.	4	24
	Oct. 23	3	2	.	.	.	—	4	—	10	3	—	.	—	.	.	.	2	.	.	2	26
	Oct. 30	1	2	.	.	.	—	9	—	7	5	—	.	—	1	.	.	4	.	.	6	35
	Nov. 6	2	1	.	.	.	—	4	—	8	2	—	.	—	4	.	.	6	.	.	2	29
Rathmines & Rathgar Urban District	Oct. 16	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Oct. 23	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Oct. 30	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 6	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	.	—	3
Pembroke Urban District	Oct. 16	.	.	.	.	.	.	1	.	.	1	.	.	—	.	.	.	.	.	.	.	2
	Oct. 23	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	1	1
	Oct. 30	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	2	.	.	.	6
	Nov. 6	.	.	.	.	.	.	3	.	2	.	.	.	—	.	.	.	.	.	.	.	5
Blackrock Urban District	Oct. 16	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 23	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 30	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 6	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Oct. 16	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Nov. 6	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	2
City of Belfast	Oct. 16	6	.	.	.	.	—	38	—	15	1	—	.	—	.	.	.	1	.	.	22	83
	Oct. 23	9	.	.	.	.	—	38	—	8	.	—	1	—	.	.	.	1	.	.	12	69
	Oct. 30	4	.	.	.	.	—	34	—	11	3	—	.	—	.	.	.	1	.	.	22	75
	Nov. 6	2	4	.	.	.	—	32	—	14	1	—	.	—	.	.	.	.	.	.	16	69
City of Cork	Oct. 16	20	.	.	.	.	.	3	—	15	.	—	.	.	.	2	.	.	—	.	—	40
	Oct. 23	7	.	.	.	.	1	2	—	20	.	—	1	.	.	.	.	.	—	.	—	31
	Oct. 30	5	.	.	.	.	.	6	—	26	1	—	.	.	.	1	.	.	—	.	—	39*a*
	Nov. 6	5	.	.	.	.	.	2	—	23	.	—	.	.	.	.	.	.	—	.	—	30*a*
City of Londonderry	Oct. 16	1	.	.	.	.	—	4	—	1	1	—	.	—	.	.	.	.	.	—	—	7
	Oct. 23	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Oct. 30	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
City of Limerick	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Oct. 23	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Oct. 16	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th November, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 4 and 18; typhus 3 and 10; measles 2 and 3; scarlet fever 8 and 45,* and diphtheria 12 and 36. Fourteen cases of pneumonia were admitted during the week and 20 remained under treatment at its close. Of the deaths in hospital during the week 3 were from diphtheria and 3 from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th November, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 6TH NOVEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	BIRTHS Total Number	DEATHS. Numbers Registered. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 6th November, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	23·5	13·7	1·4	526	307	54	61	5	.	.	.	4	3	9	.	.	30	7	13	23	34	10	1	11	8	104	6	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	22·2	14·7	1·3	177	117	19	24	1	.	.	.	.	2	2	.	.	9	4	6	11	16	4	1	4	2	38	4	(d) 55·2	31·8	52·5	41·3	46·9	0·13
Urban Districts. CITY OF DUBLIN	318,200	39·0	22·5	16·4	1·6	137	100	19	22	1	.	.	.	.	2	2	.	.	7	2	6	11	15	4	1	3	1	34	4	(e) 54·8	38·8	52·7	44·2	48·4	0·14
																														(f) 56·4	38·2	53·1	42·1	47·6	0·17
RATHMINES and RATHGAR ...	40,400	23·6	19·4	10·3	.	15	8	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	1	3	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	24·2	12·1	.	14	7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	34·0	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	56	39	52·1	44·3	48·2	0·11
KINGSTOWN (h) ...	17,000	11·6	15·3	6·1	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. BELFAST	413,000	27·7	25·0	12·6	1·0	198	160	19	19	.	.	.	.	2	.	2	.	.	12	.	4	9	10	4	.	5	5	30	.	57·0	37·0	50·8	42·5	46·7	2·90
CORK	76,673	28·6	32·6	18·4	4·8	48	27	2	4	3	.	.	.	.	.	4	.	.	5	1	1	1	.	.	.	1	1	16	.	57	41	54·3	45·6	50·0	0·59
LONDONDERRY ...	44,000	17·1	28·4	16·6	4·7	24	14	6	2	.	.	.	.	2	.	.	.	.	.	1	.	.	2	2	.	.	.	2	.	.	.	.	.	.	.
LIMERICK	38,518	16·1	16·2	16·2	1·4	12	12	1	3	.	.	.	.	.	.	1	.	.	2	.	.	.	3	.	.	.	.	7	1	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	20·9	9·5	1·9	11	5	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.	.	.	.	.	.
GALWAY	13,255	2·5				1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				9	5	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.
LURGAN	12,553	14·7				6	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA ...	12,501	8·4				9	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	32	49·4	40·4	44·9	1·91
LISBURN	12,388	10·9				3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY	11,963	17·0				9	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN ...	11,727	15·3				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD ...	11,531	22·8				2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				1	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	54	35	52	42	47	0·40
SLIGO	11,163	3·8				3	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	55	36	51·7	42·1	46·9	0·17
KILKENNY ...	10,514	11·4				2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE	10,300	17·4				1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				6	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
			The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.																																
LONDON	4,358,309	—	—	11·7	—	1,927	982	127	336	.	.	.	2	3	2	25	—	—	100	18	109	59	90	26	8	31	85	454	2	57	28	48·0	33·0	40·5	0·19
EDINBURGH ...	342,300	—	—	13·6	—	121	89	15	30	1	.	.	1	.	.	2	—	2	—	—	—	—	—	1	—	4	—	—	—	52·0	37·0	47·7	40·6	44·1	0·07
GLASGOW	1,115,500	—	—	16·3	—	599	348	93	83	2	.	2	3	3	.	3	—	3	—	—	—	—	—	11	—	17	—	—	—	51·9	38·6	48·5	43·1	45·8	0·22

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The return for Kingstown No. 2 District was not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 44th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 6th November, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	220·0	127	9	11	8	6	4	7	3	4	4	15	16	13	14	13	117
Enteric Fever	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Diphtheria	1·0	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2
Croup	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Influenza	57·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·2	9	.	.	.	.	.	2	1	2	.	2	1	1	.	.	9
Tuberculous Meningitis	1·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis	1·8	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	4
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	11·0	6	.	.	.	.	.	.	.	.	.	1	2	2	.	1	6
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Diabetes	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Anæmia, Leucocythæmia.	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Alcoholism	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·2	3	.	.	1	.	.	1	.	.	.	1	.	.	.	.	2
Cerebral Hæmorrhage, Apoplexy.	3·8	6	.	.	.	.	.	.	.	.	.	1	1	1	1	2	6
Softening of Brain	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Epilepsy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	4·6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	1·8	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	3
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·4	11	.	.	.	.	.	1	.	.	.	2	2	3	1	2	11
Embolism and Thrombosis (including Cerebral).	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Other Diseases of Circulatory System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	19·8	14	.	2	.	.	.	.	.	.	.	.	2	2	6	2	14
Broncho-pneumonia	8·0	9	.	4	3	1	.	.	.	.	1	.	.	.	.	.	8
Lobar pneumonia	3·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	14·4	4	.	.	.	2	.	.	.	1	.	1	.	.	.	.	3
Pleurisy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Other Diseases of Respiratory System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

registered in the FORTY-FOURTH WEEK, ending Saturday, 6th November, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 44th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 6th November, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	3·0	4	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.	4
Diarrhœa and Enteritis of Children under 2 years.	4·0	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	4
Diarrhœa 2 years and upwards.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Enteritis 2 years and upwards.	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis.	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	1·2	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2
Chronic Bright's Disease	2·6	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2
Urinary Calculi ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Diseases of Skin and Cellular Tissues.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Diseases of Locomotor System.	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Congenital Malformations.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	3·6	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	4·2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	6·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	4
Other Specified Diseases	·6	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Drowning	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	3·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
Suicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Ill-defined, &c., Causes ..	1·8	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	3

TABLE IV.—Showing for the WEEK ENDED 6TH NOVEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 6TH NOVEMBER, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																						In Institutions.			
		From all causes	From certain Epidemic Diseases*									Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																			
NORTH CITY, No. 1, E.	30,700	17·0	6·8	10	1	1	1	.	1	2	3	1	.	.	.	.	.	1	1	.	.	1	.	2	.	1	2	.	2	.	2	.	1		
,, 1, W.	42,100	24·8	3·7	20	5	1	.	2	2	2	4	4	.	.	.	.	.	.	.	.	.	2	1	.	3	4	2	1	1	6	1	3	4	.	
,, 2	28,200	11·1	1·8	6	.	.	.	1	1	1	.	3	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.	.	.	2	.	2	2		
,, 3	35,000	14·6	.	10	2	2	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	6	.	1	1	2	
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
COOLOCK AND DRUMCONDRA, part of ...	13,900	7·5	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	
South City.																																			
SOUTH CITY, No. 1	44,100	22·5	1·2	19	3	.	.	1	1	4	6	4	1	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	11	.	3	2	.	
,, 2	18,600	14·0	.	5	2	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	2	.	.	3	.	
,, 3	44,400	18·8	1·2	16	5	.	2	1	.	2	4	2	.	.	.	.	.	1	.	.	.	.	.	2	3	1	.	.	.	9	.	2	2	1	
,, 4	33,600	9·3	.	6	1	.	2	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	4	.	4	.	.	
NEW KILMAINHAM	10,600	14·8	.	3	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	2	.	.	
Urban Districts.																																			
RATHMINES AND RATHGAR	40,400	10·3	.	8	.	1	1	.	1	.	5	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	1	3	1	2	1	.	
PEMBROKE	30,200	12·1	.	7	.	1	.	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	1	.	.	
BLACKROCK † —	9,200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
KINGSTOWN	17,000	6·1	.	2	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
TOTAL CITY. North	166,900	15·9	2·5	51	8	5	1	3	4	8	9	13	.	.	.	.	.	1	2	.	.	4	2	3	5	8	4	1	2	19	1	9	7	3	
TOTAL CITY. South	151,300	16·9	0·7	49	11	.	4	3	2	7	13	9	1	.	.	.	.	1	.	.	.	3	.	3	6	7	.	.	1	27	.	11	7	1	
TOTAL CITY. North and South ...	318,200	16·4	1·6	100	19	5	5	6	6	15	22	22	1	.	.	.	.	2	2	.	.	7	2	6	11	15	4	1	3	46	1	20	14	4	
Total Urban Districts	96,800	9·2	.	17	.	2	1	2	1	2	7	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	1	11	1	3	1	.	
Total Registration Area ...	415,000	14·7	1·3	117	19	7	6	8	7	17	29	24	1	.	.	.	.	2	2	.	.	9	4	6	11	16	4	1	4	57	2	23	15	4	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				10	1	1	.	3	.	2	.	3	.	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	1	4	.	9	1	.	

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th November, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH NOVEMBER, 1920.																												
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	127	34	11	7	19	29	14	13	1	.	.	.	.	2	2	.	.	9	6	6	3	13	16	5	1	5	58	4
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	7·1	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS	101,798	11·3	22	1	1	3	6	6	3	2	1	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	3	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·0	27	8	1	2	3	9	2	2	.	.	.	.	.	1	1	.	.	3	.	1	.	2	4	2	1	1	11	1
IV.	GENERAL SERVICE CLASS	167,479	18·7	60	24	8	2	8	9	5	4	.	.	.	.	.	1	1	.	.	3	5	2	3	8	5	3	.	1	28	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	16	1	1	.	2	5	4	3	.	.	.	.	.	.	.	.	.	1	.	3	.	2	5	.	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants ..	33,249	—	6	.	.	1	2	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	9	.	1	1	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	9. Building and Furnishing Trades ..	28,823	—	6	2	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
	10. Clothing Trades	20,026	—	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	11	4	1	1	2	1	1	1	.	.	.	.	.	1	1	.	.	1	.	.	1	1	2	1	.	1	3	1
	13. Petty Shopkeepers	6,772	—	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	8	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	1	3	.
	15. Domestic Servants	36,041	—	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	2	1	1	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	42	16	6	1	6	7	3	3	.	.	.	.	.	1	.	.	.	3	3	2	2	5	4	2	.	.	20	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	16	1	1	.	2	5	4	3	.	.	.	.	.	.	.	.	.	1	.	3	.	2	5	.	.	.	5	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.
No. of weeks in Annual Series ..	32	33	34	35	36	37	38	39	40	41	42	43	44	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered	245	234	190	248	231	215	196	209	232	224	184	213	177	229	244	180	132	211	235	209	197	195	180	203	193	198
Average Births in corresponding week of previous 10 years	*188*	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*188*	*191*	*194*	*186*	*200*	*193*	*191*	*176*	*191*	*194*	*202*	*200*	*179*	*183*
Number of Deaths	104	106	122	109	112	107	125	139	130	125	120	111	117	107	68	105	97	145	114	122	103	93	102	106	89	100
Annual Death-rate per 1,000 ..	13·1	13·3	15·3	13·7	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·9	14·7	13·5	8·6	13·3	12·2	18·3	14·4	15·4	13·0	11·7	12·9	13·4	11·2	12·6
Average Deaths in corresponding week of previous 10 years	*128*	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*102*	*111*	*119*	*123*	*116*	*113*	*121*	*115*	*105*	*111*	*109*	*117*	*114*
Ages .. Under one year ..	16	17	16	13	38	26	34	41	41	32	23	29	19	15	18	22	17	34	32	31	18	17	23	18	22	19
1— 5 years ..	5	6	5	4	6	3	13	5	12	12	8	5	13	2	3	9	6	5	2	8	9	2	5	6	2	6
5—25 „ ..	13	19	23	12	15	13	9	12	13	2	9	13	15	22	10	13	14	26	17	9	11	11	9	16	8	16
25—45 „ ..	20	21	15	20	9	12	15	21	13	17	12	19	17	19	15	13	17	33	22	19	17	22	18	14	13	11
45—65 „ ..	27	22	26	25	22	25	23	27	25	29	40	18	29	27	12	25	21	28	26	35	26	26	26	20	26	29
65 and upwards ..	23	21	37	35	22	28	31	33	26	33	28	27	24	22	10	23	22	19	15	20	22	15	21	32	18	19
Deaths from :—																										
Enteric Fever	.	.	1	.	.	.	1	.	.	.	.	1	1	2	.	.	1	.	1	2	.	.	1	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	2	3	1	1	.	2	2	.	2
Whooping-cough	.	1	2	.	.	3	3	1	3	2	2	3	2	.	1	.	.	1	.	2	.	.	.	.	1	.
Diphtheria	2	.	2	.	.	.	1	.	4	2	1	1	2	.	.	1	.	.	1	2	.	.	.	4	.	2
Dysentery	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Influenza	1	.	.	.	1	1	1	1	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis {Pulmonary ..	15	23	19	18	9	12	11	12	12	10	10	15	9	15	11	13	10	16	13	10	9	13	14	9	4	12
Tuberculosis {Other Forms ..	3	4	7	5	7	1	1	3	3	4	5	3	4	7	3	2	9	5	4	7	4	3	4	1	1	.
Cancer	9	9	9	4	8	14	10	7	5	12	6	5	6	8	5	6	6	8	7	9	10	4	12	4	7	4
Diseases of Respi- {Pneumonia ..	6	6	2	5	7	6	4	10	6	6	6	5	11	2	4	5	3	10	6	5	8	6	6	4	4	9
ratory System {Others ..	10	6	15	12	10	11	12	12	11	14	17	10	16	8	6	8	7	7	7	4	6	5	9	16	3	10
Diarrhœa & Enteritis, under 2 years	3	5	4	3	17	12	22	16	21	19	8	8	4	2	4	8	8	7	9	15	5	7	2	6	4	4
Diarrhœa, 2 years and upwards ..	.	.	1	.	1	.	.	.	.	.	.	.	1	1	.	1	.	.	.	2	.	2	2	1	1	.
Violent Deaths, ...	2	3	1	2	.	2	5	2	2	1	1	7	4	13	3	1	3	27	7	3	9	3	5	2	7	5
Number of Uncertified Deaths ..	2	2	4	6	2	3	1	5	6	1	4	4	4	.	3	2	3	7	1	1	1	.	1	2	2	.
A Mean Maximum Temperature in degs.	63·7	62·1	63·9	63·3	64·1	62·8	60·5	61·2	60·3	59·5	57·8	56·2	52·5	61·5	61·4	61·8	63·4	62·5	62·0	56·0	62·2	59·8	59·0	57·1	55·7	50·8
B Mean Minimum „ „	50·3	47·9	46·1	49·1	49·3	43·1	37·7	48·8	45·8	48·3	44·1	33·9	41·3	52·0	52·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7	52·2	45·7	47·3	42·5
Mean of A and B „ „	57·0	55·0	55·0	56·2	56·7	53·0	49·1	55·0	53·0	53·9	50·9	45·1	46·9	56·7	56·8	55·1	56·9	57·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7
Rainfall in inches	0·21	0·32	0·17	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·52	0·40	0·33	0·78	0·46	0·98	0.12	0·81	2·63	0·75	0·91	0·01	2·90

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th November, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.				
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)				
CITY OF BELFAST.																																			
BELFAST URBAN No. 1 DISTRICT,	15,879	10	16·4	·	5	2	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	1	·				
Do. 2 do.	49,500	15	12·6	3·2	12	2	1	3	1	3	2	·	·	·	·	·	·	2	·	·	1	·	·	1	3	1	·	·	·	3	·				
Do. 3 do.	50,032	26	14·6	·	14	2	1	3	1	3	4	·	·	·	·	·	·	·	·	·	1	·	1	3	3	·	·	·	·	4	·				
Do. 4 do.	32,637	18	20·8	1·6	13	3	1	1	·	6	2	·	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	5	·				
Do. 5 do.	16,112	6	19·4	·	6	3	1	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	2	·				
Do. 6 do.	37,293	15	15·4	1·4	11	2	1	1	2	2	3	·	·	·	·	1	·	·	·	·	3	·	1	·	1	·	·	·	·	3	·				
Do. 7 do.	2,681	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·				
Do. 8 do.	5,964	3	8·7	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·				
Do. 9 do.	24,427	12	17·1	2·1	8	1	·	1	1	2	3	·	·	·	·	·	·	·	·	·	·	·	·	1	2	1	·	·	·	·	·				
Do. 10 do.	28,958	23	12·6	·	7	1	·	1	1	2	2	·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	·	·	·	3	·				
Do. 11 do.	—	19	—	—	5	2	·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·				
Do. 12 do.	—	13	—	—	7	·	1	1	·	4	1	·	·	·	·	1	·	·	·	·	1	·	1	1	·	·	·	2	2	4	·				
Do. 13 do.	—	10	—	—	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·				
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·				
Do. 15 do.	22,669	11	11·5	·	5	·	·	1	2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	1	2	·				
Do. 16 do.	—	17	—	—	5	1	·	1	2	1	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	1	1	·				
Total,	386,947	198	12·6	1·0	100	19	6	16	11	29	19	·	·	·	·	2	·	2	·	·	12	·	4	9	10	4	·	5	5	30	·				
CITY OF CORK																																			
CORK URBAN No. 1 DISTRICT,	13,455	6	3·9	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·				
Do. 2 do.	10,399	7	15·0	10·0	3	·	·	1	2	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·				
Do. 3 do.	9,793	3	31·9	·	6	·	·	2	2	1	1	·	·	·	·	·	·	·	·	·	2	1	·	1	·	·	·	·	·	4	·				
Do. 4 do.	9,139	13	17·1	5·7	3	1	1	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·				
Do. 5 do.	6,250	3	16·7	8·3	2	·	·	1	·	·	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·				
Do. 6 do.	11,581	5	13·5	·	3	·	·	1	1	·	1	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·	·	1	·				
Do. 7 do.	16,056	11	29·2	9·7	9	1	1	2	3	1	1	1	·	·	·	·	·	2	·	·	1	·	·	·	·	·	·	1	1	5	·				
Total,	76,673	48	18·4	4·8	27	2	2	8	9	2	4	3	·	·	·	·	·	4	·	·	5	1	1	1	·	·	·	1	1	16	·				

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 9·3 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th November, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total
North City No. 1, East, ..	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	
„ „ 1, West, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
„ „ 2, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	1	
„ „ 3, ...	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
South City No. 1, ...	1	.	.	.	.	.	1	.	.	.	2	.	.	3	.	.	.	
„ „ „ 2, ...	.	.	.	.	.	2	2	.	.	.	1	.	.	.	.	.	.	
„ „ „ 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	
„ „ „ 4, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total, ...	2	1	.	.	.	4	8	.	2	.	4	.	.	6	.	.	2	2

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th November, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 6th November.			
	Oct. 16.	Oct. 23.	Oct. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	26	22	21	4	7	.	18
Typhus, ...	17	15	17	3	10	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	17	7	2	6	.	3
Scarlet Fever, ...	47	46	47	8	10	.	45*
Diphtheria, ...	27	28	32	12	5	3	36
Pneumonia, ...	17	14	16	14	7	3	20

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3902) Wt. 7941/36 3. 380. 11. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 45. VOL. LVII.] WEEK ENDING SATURDAY, 13TH NOVEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 15th November, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 15·5 and 14·0; Dublin Registration Area, 16·8 and 15·1; Dublin City, 19·0 and 16·3; Belfast, 14·1 and 12·8; Cork, 9·5 and 13·4; Londonderry, 20·1 and 14·8; Limerick, 8·1 and 12·5; and Waterford, 15·2 and 13·3.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 112 deaths from all causes for Belfast are 2 from scarlet fever, 3 from diphtheria, 6 from diarrhœal diseases and one from influenza. Four of the 14 deaths from all causes for Cork are from diphtheria. Of the 17 deaths from all causes for Londonderry one is from scarlet fever. The 6 deaths from all causes for Galway include one from diphtheria, and 2 of the 9 deaths from all causes for Sligo are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—115 boys and 130 girls—and the deaths to 153—71 males and 82 females.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·8 per 1,000 of the population. During the forty-five weeks ending with Saturday last, the death-rate averaged 18·0 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-five weeks was 19·6 and for the corresponding period of the preceding ten years 22·4.

Included in the 134 deaths appertaining to the Area are one from whooping-cough, 2 from diphtheria, 3 from diarrhœa and enteritis of children under 2 years, one from influenza, and one from cerebro-spinal meningitis.

In the 3 preceding weeks, deaths from whooping-cough were 2, 3, and 2; deaths from diphtheria one, one, and 2; deaths from diarrhœa and enteritis of children under 2 years 8, 8, and 4; and deaths from influenza one, 0, and 0.

There were 13 deaths from pneumonia, comprising 12 from broncho-pneumonia, and one from pneumonia (type not distinguished).

Tuberculous disease caused 28 deaths (including 22 from pulmonary tuberculosis, 3 from tuberculous meningitis and 3 from other forms of tuberculous disease) as against 15, 18, and 13 in the three weeks preceding.

Six deaths were caused by cancer, 4 by simple meningitis, 12 by organic diseases of the heart, and 17 by bronchitis.

Among deaths of infants under one year old, one was due to whooping-cough, one to diphtheria, one to simple meningitis, one to convulsions, 3 to bronchitis, 8 to broncho-pneumonia, 3 to diarrhœa and enteritis, 5 to premature birth, and 2 to congenital debility.

There were 4 accidental deaths, including 2 of children under 5 years from burns, and there was one case of homicide and one of suicide.

Thirty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 28 being infants under one year, of whom 8 were under one month old, and 30 deaths were those of persons aged 65 and upwards, of whom 25 were 70 years of age or over.

Of the 134 deaths recorded, 58 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 13th November in 96 large English towns (including London in which the rate was 14·9) was equal to an average annual death rate of 13·4 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 14·3 per 1,000 persons living, the rate for Glasgow being 15·0, and for Edinburgh 15·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th November. From this Report it appears that of 121 cases notified, 48 were scarlet fever, 21 diphtheria, 14 chicken-pox, 7 pulmonary tuberculosis, 17 other forms of tuberculosis, 6 erysipelas, 6 acute primary pneumonia, one cerebro-spinal fever, and one ophthalmia neonatorum. Among the 674 cases of infectious diseases in hospital at the close of the week were 287 of scarlet fever, 187 of pulmonary tuberculosis, 7 other forms of tuberculosis, 119 of diphtheria, 29 of venereal disease, 11 of erysipelas, 6 of small-pox, 4 of whooping-cough, 2 of measles, 2 of chicken-pox, one of malaria, one of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th November, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 23	3	2	.	.	.	—	4	—	10	3	—	.	—	.	.	.	2	.	.	2	26
	Oct. 30	1	2	.	.	.	—	9	—	7	5	—	.	—	1	.	.	4	.	.	6	35
	Nov. 6	2	1	.	.	.	—	4	—	8	2	—	.	—	4	.	.	6	.	.	2	29
	Nov. 13	5	10	.	.	.	—	8	—	4	4	—	.	—	.	.	.	5	2	.	8	46
Rathmines & Rathgar Urban District	Oct. 23	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	.	.	—	2
	Oct. 30	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 6	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	.	—	3
	Nov. 13	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	3	.	.	—	7
Pembroke Urban District	Oct. 23	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	1	1
	Oct. 30	.	.	.	.	.	.	2	.	2	.	.	.	—	.	.	.	2	.	.	.	6
	Nov. 6	.	.	.	.	.	.	3	.	2	.	.	.	—	.	.	.	.	.	.	.	5
	Nov. 13	.	.	.	.	.	1	3	.	.	.	.	.	—	.	.	.	.	.	.	.	4
Blackrock Urban District	Oct. 23	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Oct. 30	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 6	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 13	.	.	.	.	.	.	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Nov. 6	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Oct. 23	9	.	.	.	.	—	38	—	8	.	—	1	—	.	.	.	1	.	.	12	69
	Oct. 30	4	.	.	.	.	—	34	—	11	3	—	.	—	.	.	.	1	.	.	22	75
	Nov. 6	2	4	.	.	.	—	32	—	14	1	—	.	—	.	.	.	.	.	.	16	69
	Nov. 13	2	.	.	.	.	—	28	—	3	6	—	.	—	.	.	.	1	.	.	33	73
City of Cork	Oct. 23	7	.	.	.	.	1	2	—	20	.	—	1	.	.	.	.	.	—	.	—	31
	Oct. 30	5	.	.	.	.	.	6	—	26	1	—	.	.	.	1	.	.	—	.	—	39[a]
	Nov. 6	5	.	.	.	.	.	2	—	23	.	—	.	.	.	.	.	.	—	.	—	30[a]
	Nov. 13	6	.	.	.	.	.	8	—	29	1	—	.	.	.	.	.	.	—	.	—	44[b]
City of Londonderry	Oct. 23	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Oct. 30	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Nov. 13	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	—	—	3
City of Limerick	Oct. 23	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Oct. 23	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Oct. 30	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Nov. 6	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	.	1
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella. (*b*) Not including 3 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th November, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 5 and 19; typhus 8 and 16; measles 2 and 3; scarlet fever 16 and 50,* and diphtheria 3 and 34. Nine cases of pneumonia were admitted during the week and 24 remained under treatment at its close. Of the deaths in hospital during the week one was from scarlet fever and 2 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 13th November, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 13TH NOVEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 13TH NOVEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	29·5	15·5	1·2	661	346	64	82	.	.	.	.	3	1	10	.	2	51	10	10	25	38	11	1	12	12	117	12	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	30·8	16·8	0·8	245	134	28	30	.	.	.	.	.	1	2	.	1	22	6	6	13	19	3	.	6	4	58	5	(d) 58·6	39·0	55·6	45·9	50·8	0·44
Urban Districts. CITY OF DUBLIN	318,200	39·0	32·4	19·0	1·0	198	116	27	22	.	.	.	.	.	1	2	.	1	18	6	3	13	16	3	.	6	4	51	5	(e) 59·0	42·2	55·6	47·8	51·7	0·33
																														(f) 58·8	40·8	56·4	46·6	51·5	0·30
RATHMINES and RATHGAR ...	40,400	23·6	20·7	15·5	.	16	12	1	6	.	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	.	4	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	44·9	5·2	.	26	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	17·0	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	6·1	9·2	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	58	43	55·1	47·8	51·4	0·32
Urban Districts. BELFAST	413,000	27·7	32·3	14·1	1·4	256	112	24	21	.	.	.	.	2	.	3	.	1	16	2	1	8	15	5	1	1	3	25	3	57·0	38·0	54·3	47·7	51·0	0·26
CORK	76,673	28·6	23·8	9·5	2·7	35	14	2	4	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	1	2	8	1	58	40	55·7	46·7	51·2	0·47
LONDONDERRY ...	44,000	17·1	19·0	20·1	1·2	16	17	2	4	.	.	.	.	1	.	.	.	.	3	2	.	.	.	.	.	1	1	4	.	.	.	.	.	.	.
LIMERICK (h) ...	38,518	16·1	14·9	8.1	.	11	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	24·7	15·2	.	13	8	.	4	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	1	.	5	.	.	.	.	.	.	.
GALWAY	13,255	2·5				3	6	.	3	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	4	1	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				10	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA ...	12,501	8·4				10	5	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				4	7	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	56	33	53·4	41·6	47·5	0·39
NEWRY	11,963	17·0				7	6	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
PORTADOWN ...	11,727	15·3				10	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
WEXFORD ...	11,531	22·8				13	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				2	9	2	3	.	.	.	.	.	.	.	.	.	2	.	.	1	.	2	.	.	.	2	.	58	34	55	44	49·5	0·95
KILKENNY ...	10,514	11·4				7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	59	35	54·8	45·4	50·1	0·57
TRALEE	10,300	17·4				4	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.
LONDON	4,358,309	—	—	14·9	—	2,057	1,244	130	486	.	.	.	2	7	2	26	—	—	124	18	129	88	184	29	8	43	98	530	2	57	29	54·4	38·4	46·8	0·02
EDINBURGH ...	342,300	—	—	15·3	—	137	100	11	41	.	.	.	.	1	1	1	—	.	—	—	—	—	—	.	—	2	—	—	—	58·0	40·0	54·0	46·0	50·0	0·65
GLASGOW	1,115,500	—	—	15·0	—	553	319	74	74	.	.	.	1	2	3	7	—	2	—	—	—	—	—	7	—	9	—	—	—	55·0	40·6	52·9	46·5	49·7	1·38

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The return for Limerick No. 2 District was not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 45th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 13th November, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	221·6	153	11	20	2	9	10	2	4	7	12	19	12	13	16	16	134
Enteric Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	1·4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	45·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	15·6	23	.	.	.	.	.	.	3	4	5	7	2	2	.	.	22
Tuberculous Meningitis	1·8	3	.	.	.	.	2	.	.	1	.	.	.	.	.	.	3
Abdominal Tuberculosis	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Venereal Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	10·0	9	.	.	.	1	.	.	.	.	.	1	2	1	4	.	6
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia.	1·4	2	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Simple Meningitis	1·4	4	.	1	.	.	1	1	.	.	1	.	.	.	.	.	4
Cerebral Hæmorrhage, Apoplexy.	6·4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	2·8	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Epilepsy	1·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Convulsions (non-puerperal).	3·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Nervous System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pericarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·8	14	.	.	.	.	.	.	.	.	1	.	2	3	2	6	12
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Diseases of the Larynx	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	20·8	17	.	3	1	1	.	.	.	.	1	1	.	3	3	4	17
Broncho-pneumonia	8·6	12	1	7	1	1	.	.	.	.	.	.	2	.	.	.	12
Lobar pneumonia	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	15·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pleurisy	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	·8	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2

registered in the FORTY-FIFTH WEEK, ending Saturday, 13th November, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 45th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 13th November, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2
Diarrhœa and Enteritis of Children under 2 years.	5·2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Appendicitis and Typhlitis.	·8	4	.	.	.	.	2	.	.	1	.	.	1	.	.	.	1
Hernia and Intestinal Obstructions.	2·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	·8	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1
Other Diseases of Digestive System.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Acute Nephritis ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease	5·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·4	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Other causes incident to Pregnancy and Childbirth.	·2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Diseases of Skin and Cellular Tissues.	1·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	·2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1
Congenital Malformations.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	4·0	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	5
Congenital Debility ..	4·8	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2
Old Age	7·8	7	.	.	.	.	.	.	.	.	.	.	.	.	3	4	7
Other Specified Diseases	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·0	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Not included in above—																	
Homicide	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Suicide	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·2	3	.	.	.	.	1	.	.	.	.	.	1	1	.	.	2

TABLE IV.—Showing for the WEEK ENDED 13TH NOVEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 13TH NOVEMBER, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	28·9	1·7	17	2	.	2	.	.	6	5	2	.	.	.	.	.	.	.	.	.	1	.	.	2	3	1	.	2	8	2	4	4	.
,, 1, W.	42,100	18·6	3·7	15	4	1	1	1	.	2	2	4	.	.	.	.	.	1	.	.	.	2	1	.	1	1	2	.	1	6	.	3	3	.
,, 2	28,200	16·6	.	9	2	1	.	1	1	2	.	2	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	5	.	3	2	1
,, 3	35,000	18·9	.	13	3	.	1	1	2	2	3	1	.	.	.	.	.	.	.	.	.	4	.	.	2	2	.	.	.	5	.	2	2	.
CLONTARF AND HOWTH, No. 1, part of	5,600	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	3·8	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	18·3	.	4	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	1	.	1	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	27·2	.	23	4	.	2	1	1	5	4	6	.	.	.	.	.	.	.	.	.	4	2	1	2	6	.	.	1	7	.	5	5	.
,, 2	18,600	14·0	2·8	5	1	.	1	.	1	.	2	2	.	.	.	.	.	.	1	.	.	1	.	.	1	1	.	.	.	1	.	2	.	2
,, 3	44,400	21·1	1·2	18	6	.	.	3	3	2	2	2	.	.	.	.	.	.	1	.	.	1	3	.	2	1	.	.	1	9	2	8	2	.
,, 4	33,600	14·0	.	9	4	.	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	4	.	4	1	2
NEW KILMAINHAM	10,600	9·8	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	15·5	.	12	1	.	.	.	1	2	2	6	.	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	5	.	3	1	.
PEMBROKE	30,200	5·2	.	3	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	2	.	.
BLACKROCK †	9,200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,000	9·2	.	3	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	1	.
TOTAL CITY. North	166,900	18·4	1·2	59	12	2	4	3	4	14	10	10	.	.	.	.	.	1	.	.	1	11	1	1	7	6	3	.	3	25	2	13	11	1
TOTAL CITY. South	151,300	19·6	0·7	57	15	.	4	4	5	10	7	12	.	.	.	.	.	.	2	.	.	7	5	2	6	10	.	.	3	22	2	19	8	4
TOTAL CITY. North and South ...	318,200	19·0	1·0	116	27	2	8	7	9	24	17	22	.	.	.	.	.	1	2	.	1	18	6	3	13	16	3	.	6	47	4	32	19	5
Total Urban Districts	96,800	9·7	.	18	1	.	.	.	1	6	2	8	.	.	.	.	.	.	.	.	.	4	.	3	.	3	.	.	.	8	.	5	2	.
Total Registration Area ...	415,000	16·8	0·8	134	28	2	8	7	10	30	19	30	.	.	.	.	.	1	2	.	1	22	6	6	13	19	3	.	6	55	4	37	21	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				19	3	.	1	5	1	1	6	2	.	.	.	.	1	.	.	.	.	1	.	3	.	.	.	.	.	14	.	19	.	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th November, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH NOVEMBER, 1920.																													
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	153	42	12	11	31	25	16	16	.	.	.	.	1	1	2	.	1	23	6	9	1	13	19	3	.	6	68	5
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	21·3	6	.	1	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.
II.	MIDDLE CLASS	101,798	11·8	23	3	1	2	6	4	3	4	.	.	.	.	.	.	.	.	1	3	1	1	.	2	3	1	.	1	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	7	4	3	7	5	5	1	.	.	.	.	1	.	.	.	.	7	1	4	.	3	3	2	.	1	10	1
IV.	GENERAL SERVICE CLASS	167,479	22·1	71	31	4	5	12	10	3	6	.	.	.	.	.	1	2	.	.	9	2	4	1	7	7	.	.	3	35	4
V.	INMATES OF WORKHOUSES,	5,602	—	21	1	2	1	4	6	4	3	.	.	.	.	.	.	.	.	.	4	2	.	.	1	6	.	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	5	.	1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	—	8	1	.	.	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	1	3	.
	6. Clerks and Commercial Assistants	33,249	—	5	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	8	2	.	1	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	6	1	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	.	1	1
	9. Building and Furnishing Trades	28,823	—	6	.	3	.	2	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
	10. Clothing Trades	20,026	—	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	16	4	1	2	3	3	2	1	.	.	.	.	.	.	.	.	.	4	1	1	.	2	1	1	.	.	6	.
	13. Petty Shopkeepers	6,772	—	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	11	2	.	.	3	3	.	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	.	.	1	6	1
	15. Domestic Servants	36,041	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	5	3	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c.	103,081	—	53	25	4	5	8	7	2	2	.	.	.	.	.	.	1	.	.	7	2	3	1	6	5	.	.	2	26	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	21	1	2	1	4	6	4	3	.	.	.	.	.	.	.	.	.	4	2	.	.	1	6	.	.	.	8	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.
No. of weeks in Annual Series ..	33	34	35	36	37	38	39	40	41	42	43	44	45	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered	234	190	248	231	215	196	209	232	224	184	213	177	245	244	180	132	211	235	209	197	195	180	203	193	198	256
Average Births in corresponding week of previous 10 years	*210*	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*188*	*197*	*194*	*186*	*200*	*193*	*191*	*176*	*191*	*194*	*202*	*200*	*179*	*183*	*189*
Number of Deaths	106	122	109	112	107	125	139	130	125	120	111	117	134	68	105	97	145	114	122	103	93	102	106	89	100	112
Annual Death-rate per 1,000 ..	13·3	15·3	13·7	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·9	14·7	16·8	8·6	13·3	12·2	18·3	14·4	15·4	13·0	11·7	12·9	13·4	11·2	12·6	14·1
Average Deaths in corresponding week of previous 10 years	*135*	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*111*	*119*	*123*	*116*	*113*	*121*	*115*	*105*	*111*	*109*	*117*	*114*	*140*
Ages .. Under one year ..	17	16	13	38	26	34	41	41	32	23	29	19	28	18	22	17	34	32	31	18	17	23	18	22	19	24
1— 5 years ..	6	5	4	6	3	13	5	12	12	8	5	13	10	3	9	6	5	2	8	9	2	5	6	2	6	9
5—25 „ ..	19	23	12	15	13	9	12	13	2	9	13	15	17	10	13	14	26	17	9	11	11	9	16	8	16	15
25—45 „ ..	21	15	20	9	12	15	21	13	17	12	19	17	30	15	13	17	33	22	19	17	22	18	14	13	11	15
45—65 „ ..	22	26	25	22	25	23	27	25	29	40	18	29	19	12	25	21	28	26	35	26	26	26	20	26	29	28
65 and upwards ..	21	37	35	22	28	31	33	26	33	28	27	24	30	10	23	22	19	15	20	22	15	21	32	18	19	21
Deaths from :—																										
Enteric Fever	.	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	.	1	2	.	.	1	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	2	3	1	1	.	2	2	.	2	2
Whooping-cough	1	2	.	.	3	3	1	3	2	2	3	2	1	1	.	.	1	.	2	.	.	.	.	1	.	.
Diphtheria	.	2	.	.	.	1	.	4	2	1	1	2	2	.	1	.	.	1	2	.	.	.	4	.	2	3
Dysentery	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Influenza	.	.	.	1	1	1	1	.	1	1	.	.	1	1	1	.	.	.	.	.	.	.	1	.	.	1
Tuberculosis {Pulmonary ..	23	19	18	9	12	11	12	12	10	10	15	9	22	11	13	10	16	13	10	9	13	14	9	4	12	16
Tuberculosis {Other Forms ..	4	7	5	7	1	1	3	3	4	5	3	4	6	3	2	9	5	4	7	4	3	4	1	1	.	2
Cancer	9	9	4	8	14	10	7	5	12	6	5	6	6	5	6	6	8	7	9	10	4	12	4	7	4	1
Diseases of Respiratory System {Pneumonia ..	6	2	5	7	6	4	10	6	6	6	5	11	13	4	5	3	10	6	5	8	6	6	4	4	9	8
Diseases of Respiratory System {Others ..	6	15	12	10	11	12	12	11	14	17	10	16	19	6	8	7	7	7	4	6	5	9	16	3	10	15
Diarrhœa & Enteritis, under 2 years	5	4	3	17	12	22	16	21	19	8	8	4	3	4	8	8	7	9	15	5	7	2	6	4	4	5
Diarrhœa, 2 years and upwards ..	.	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	2	2	1	1	.	1
Violent Deaths, ...	3	1	2	.	2	5	2	2	1	1	7	4	6	3	1	3	27	7	3	9	3	5	2	7	5	1
Number of Uncertified Deaths ..	2	4	6	2	3	1	5	6	1	4	4	4	5	3	2	3	7	1	1	1	.	1	2	2	.	3
A Mean Maximum Temperature in degs.	62·1	63·9	63·3	64·1	62·8	60·5	61·2	60·3	59·5	57·8	56·2	52·5	55·6	61·4	61·8	63·4	62·5	62·0	56·0	62·2	59·8	59·0	57·1	55·7	50·8	54·3
B Mean Minimum „ „	47·9	46·1	49·1	49·3	43·1	37·7	48·8	45·8	48·3	44·1	33·9	41·3	45·9	52·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7	52·2	45·7	47·3	42·5	47·7
Mean of A and B „ „	55·0	55·0	56·2	56·7	53·0	49·1	55·0	53·0	53·9	50·9	45·1	46·9	50·8	56·8	55·1	56·9	57·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7	51·0
Rainfall in inches	0·32	0·17	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·40	0·33	0·78	0·46	0·98	0·12	0·81	2·63	0·75	0·91	0·01	2·90	0·26

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th November, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted* ; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases ; Number of the Deaths at certain AGE PERIODS ; the Number of Deaths from the Principal CAUSES ; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.			
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)			
CITY OF BELFAST.																																
BELFAST URBAN No. 1 DISTRICT,	15,879	24	16·4	3·3	5	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	1	.		
Do. 2 do. .	49,500	23	19·0	2·1	18	3	1	2	4	3	5	.	.	.	.	1	.	1	.	.	2	.	.	.	3	.	.	.	.	6	.		
Do. 3 do. .	50,032	42	14·6	2·1	14	4	1	2	1	4	2	.	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	.	3	1		
Do. 4 do. .	32,637	19	8·0	.	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.		
Do. 5 do. .	16,112	18	16·2	.	5	1	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	4	.		
Do. 6 do. .	37,293	14	2·8	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		
Do. 7 do. .	2,681	.	19·4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
Do. 8 do. .	5,964	4	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Do. 9 do. .	24,427	10	14·9	2·1	7	.	2	.	2	2	1	.	.	.	.	.	.	.	.	.	2	1	.	1	1	1	1	.	.	1	.		
Do. 10 do. .	28,958	17	19·8	3·6	11	1	.	3	2	3	2	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1	.		
Do. 11 do. .	—	23	—	—	15	3	.	3	.	4	5	.	.	.	.	.	.	.	.	.	3	1	.	1	3	.	.	.	1	1	1		
Do. 12 do. .	—	18	—	—	5	1	2	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.		
Do. 13 do. .	—	8	—	—	5	3	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	1	.		
Do. 14 do. .	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Do. 15 do. .	22,669	24	29·9	2·3	13	4	2	1	1	4	1	.	.	.	.	.	.	1	.	.	3	.	.	1	2	.	.	.	.	1	.		
Do. 16 do. .	—	12	—	—	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	.		
Total, . .	386,947	256	14·1	1·4	112	24	9	15	15	28	21	.	.	.	.	2	.	3	.	1	16	2	1	8	15	5	1	1	3	25	3		
CITY OF CORK																																
CORK URBAN No. 1 DISTRICT, .	13,455	3	3·8	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.		
Do. 2 do. .	10,399	5	5·0	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Do. 3 do. .	9,793	3	5·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.		
Do. 4 do. .	9,139	3	11·4	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.		
Do. 5 do. .	6,250	2	25·0	16·7	3	.	2	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1		
Do. 6 do. .	11,581	7	9·0	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Do. 7 do. .	16,056	12	13·0	6·5	4	1	1	.	.	1	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.		
Total, . . .	76,673	35	9·5	2·7	14	2	3	.	1	4	4	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	1	2	8	1		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620 ; death-rate from all causes 15·0 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th November, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	3	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	6
„ „ 1, West, ..	.	6	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1	10
„ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	.	4	1	.	.	.	.	.	.	1	.	.	2	8
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3
„ „ „ 2, ...	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	4
„ „ „ 3, ...	1	.	.	.	.	1	1	.	.	.	.	.	.	3	2	.	2	10
„ „ „ 4, ...	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	5	10	.	.	.	8	4	.	4	.	.	.	.	5	2	.	8	46

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th November, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 13th November.			
	Oct. 23.	Oct. 30.	Nov. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	21	18	5	4	.	19
Typhus, ...	15	17	10	8	2	.	16
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	17	7	3	2	2	.	3
Scarlet Fever, ...	46	47	45	16	10	1	50*
Diphtheria, ...	28	32	36	3	3	2	34
Pneumonia, ...	14	16	20	9	5	.	24

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3935) Wt. 7941/36 3. 380. 11. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 46. VOL. LVII.] WEEK ENDING SATURDAY, 20TH NOVEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 24th November, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 16·1 and 14·5; Dublin Registration Area, 19·1 and 16·1; Dublin City, 20·0 and 17·5; Belfast, 13·1 and 12·8; Cork, 14·3 and 12·9; Londonderry, 16·6 and 16·3; Limerick, 23·0 and 15·9; and Waterford, 17·1 and 14·7.

The deaths * from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·0 per 1,000. Among the 104 deaths from all causes for Belfast are one from each of enteric fever, scarlet fever, and whooping-cough and one from diarrhœa and enteritis of a child under 2 years. Two of the 21 deaths from all causes for Cork are from diphtheria. The 14 deaths from all causes for Londonderry include 2 from diphtheria, and 2 from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 188—100 boys and 88 girls—and the deaths to 168—87 males and 81 females.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·1 per 1,000 of the population. During the forty-six weeks ending with Saturday last, the death-rate averaged 18·0 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-six weeks was 19·7 and for the corresponding period of the preceding ten years 22·5.

Included in the 152 deaths appertaining to the Area are one from measles, one from diphtheria, and 9 from diarrhœa and enteritis of children under 2 years.

In the 3 preceding weeks, deaths from diphtheria, were one, 2, and 2; and deaths from diarrhœa and enteritis of children under 2 years 8, 4, and 3. There were no deaths registered from measles in the three preceding weeks.

There were 17 deaths from pneumonia, comprising 7 from broncho-pneumonia, 2 from lobar pneumonia and 8 from pneumonia (type not distinguished).

Tuberculous disease caused 23 deaths (including 18 from pulmonary tuberculosis, one from abdominal tuberculosis, and 4 from other forms of tuberculous disease) as against 18, 13, and 28 in the three weeks preceding.

Five deaths were caused by cancer, 20 by organic diseases of the heart, and 16 by bronchitis.

There were 2 deaths by violence, one of which was caused by gunshot wounds.

Among deaths of infants under one year old, 3 were due to convulsions, 2 to bronchitis, 4 to broncho-pneumonia, 2 to lobar pneumonia, one to pneumonia (type not distinguished), 8 to diarrhœa and enteritis, 8 to premature birth, and 3 to congenital debility.

Forty-four of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 36 being infants under one year, of whom 14 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 32 were 70 years of age or over.

Of the 152 deaths recorded, 54 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 20th November in 96 large English towns (including London in which the rate was 13·6) was equal to an average annual death rate of 12·8 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 13·6 per 1,000 persons living, the rate for Glasgow being 15·1, and for Edinburgh 10·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th November. From this Report it appears that of 116 cases notified, 44 were scarlet fever, 30 diphtheria, 20 chicken-pox, 9 pulmonary tuberculosis, 5 other forms of tuberculosis, 6 erysipelas, one acute primary pneumonia, and one puerperal fever. Among the 687 cases of infectious diseases in hospital at the close of the week were 289 of scarlet fever, 187 of pulmonary tuberculosis, 8 other forms of tuberculosis, 125 of diphtheria, 37 of venereal disease, 16 of erysipelas, 5 of measles, one of whooping-cough, one of acute primary pneumonia, one of puerperal fever, one of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th November, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Oct. 30	1	2	.	.	.	—	9	—	7	5	—	.	—	1	.	.	4	.	.	6	35
	Nov. 6	2	1	.	.	.	—	4	—	8	2	—	.	—	4	.	.	6	.	.	2	29
	Nov. 13	5	10	.	.	.	—	8	—	4	4	—	.	—	.	.	.	5	2	.	8	46
	Nov. 20	1	2	.	.	.	—	5	—	4	2	—	.	—	.	.	.	9	.	.	1	24
Rathmines & Rathgar Urban District	Oct. 30	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	.	—	1
	Nov. 6	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	.	—	3
	Nov. 13	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	3	.	.	—	7
	Nov. 20	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
Pembroke Urban District	Oct. 30	.	.	.	.	.	.	2	.	2	.	.	.	—	.	.	.	2	.	.	.	6
	Nov. 6	.	.	.	.	.	.	3	.	2	.	.	.	—	.	.	.	.	.	.	.	5
	Nov. 13	.	.	.	.	.	1	3	.	.	.	.	.	—	.	.	.	.	.	.	.	4
	Nov. 20	.	.	.	.	.	.	.	1	.	.	.	.	—	.	.	.	.	.	.	1	2
Blackrock Urban District	Oct. 30	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 6	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 13	.	.	.	.	.	.	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Nov. 20	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Nov. 6	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Oct. 30	4	.	.	.	.	—	34	—	11	3	—	.	—	.	.	.	1	.	.	22	75
	Nov. 6	2	4	.	.	.	—	32	—	14	1	—	.	—	.	.	.	.	.	.	16	69
	Nov. 13	2	.	.	.	.	—	28	—	3	6	—	.	—	.	.	.	1	.	.	33	73
	Nov. 20	1	.	.	.	.	—	30	—	18	1	—	1	—	.	.	.	2	.	.	21	74
City of Cork	Oct. 30	5	.	.	.	.	.	6	—	26	1	—	.	.	.	1	.	.	—	.	—	39[a]
	Nov. 6	5	.	.	.	.	.	2	—	23	.	—	.	.	.	.	.	.	—	.	—	30[a]
	Nov. 13	6	.	.	.	.	.	8	—	29	1	—	.	.	.	.	.	.	—	.	—	44[b]
	Nov. 20	2	.	1	.	.	.	2	—	21	.	—	.	.	.	.	.	.	—	.	—	26
City of Londonderry	Oct. 30	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Nov. 13	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	—	—	3
	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	Oct. 30	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 20	.	.	.	.	.	—	.	—	5	.	—	.	—	.	.	.	.	.	.	—	5
City of Waterford	Oct. 30	.	.	.	.	.	—	2	—	.	.	—	.	—	.	.	.	.	—	—	.	2
	Nov. 6	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	.	1
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 20	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	—	—	.	4

(*a*) Not including one case of varicella. (*b*) Not including 3 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th November, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 4 and 21; typhus 3 and 17; measles 2 and 5; scarlet fever 9 and 49,* and diphtheria 8 and 38. Ten cases of pneumonia were admitted during the week and 27 remained under treatment at its close. Of the deaths in hospital during the week one was from each of enteric fever and diphtheria and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 20th November, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	Population. Total (a)	Population. Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 20TH NOVEMBER, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	Numbers Registered. BIRTHS. Total Number	Numbers Registered. DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) Week ending 20th November, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	23·1	16·1	1·0	518	360	77	91	1	.	.	1	1	1	5	.	.	37	14	21	25	39	14	.	6	5	109	14	° .	° .	° .	° .	▪ .	.
DUBLIN REGISTRATION AREA	415,000	29·7	23·6	19·1	1·4	188	152	36	36	.	.	.	1	.	.	1	.	.	18	5	5	17	19	9	.	2	2	54	5	(d) 60·1 .	34·5 .	55·9 .	44·3 .	50·1 .	0·21 .
Urban Districts. CITY OF DUBLIN	318,200	39·0	26·1	20·0	1·5	159	122	28	28	.	.	.	1	.	.	1	.	.	17	4	5	13	16	7	.	2	2	45	4	(e) 60·2	38·7	55 8	46·1	51·0	0·18
Urban Districts. RATHMINES and RATHGAR ...	40,400	23·6	11·6	10·3	.	9	8	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	4	.	(f) 60·1 .	35·0 .	56·1 .	45·9 .	51·0 .	0·18 .
Urban Districts. PEMBROKE ...	30,200	19·2	24·2	17·3	1·7	14	10	5	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	.	3	.	.	.	.	.	.	.
Urban Districts. BLACKROCK (g) ...	9,200	8·5	5·7	11·3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. KINGSTOWN ...	17,000	11·6	15·3	30·7	3·1	5	10	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	1	61	39	54·4	46·5	50·5	0·21
Urban Districts. BELFAST	413,000	27·7	24·6	13·1	0·5	195	104	22	26	1	.	.	.	1	1	.	.	.	9	2	7	7	10	1	.	4	3	25	3	59·0	34·0	54·2	40·5	47·3	0·28
Urban Districts. CORK	76,673	28·6	22·4	14·3	1·4	33	21	1	6	.	.	.	.	.	.	2	.	.	2	1	1	.	3	.	.	.	.	10	1	58	35	55·0	45·1	50·0	0·51
Urban Districts. LONDONDERRY ...	44,000	17·1	20·1	16·6	4·7	17	14	3	2	.	.	.	.	.	.	2	.	.	2	2	.	.	2	2	.	.	.	2	1	.	.	.	.	.	.
Urban Districts. LIMERICK ...	38,518	16·1	23·0	23·0	.	17	17	4	1	.	.	.	.	.	.	.	.	.	2	1	1	.	4	.	.	.	.	3	1	.	.	.	.	.	.
Urban Districts. WATERFORD ...	27,464	19·1	28·5	17·1	.	15	9	2	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.	.	.	.	.	.	.
Urban Districts. GALWAY	13,255	2·5				10	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. DUNDALK ...	13,128	9·5				4	4	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.
Urban Districts. LURGAN	12,553	14·7				1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. DROGHEDA ...	12,501	8·4				3	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. LISBURN	12,388	10·9				7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	58	30	53·6	40·7	47·2	0·32
Urban Districts. NEWRY	11,963	17·0				4	5	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. PORTADOWN ...	11,727	15·3				5	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Urban Districts. WEXFORD ...	11,531	22·8				4	7	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.
Urban Districts. BALLYMENA ...	11,381	9·3				2	5	.	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Urban Districts. SLIGO	11,163	3·8				4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	59	33	55	42	48·5	1·97
Urban Districts. KILKENNY ...	10,514	11·4				.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	60	29	54·2	42·0	48·1	0·49
Urban Districts. TRALEE	10,300	17·4				5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. CLONMEL	10,209	7·8				4	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	13·6	—	2,011	1,138	160	443	1	.	.	2	7	2	20	—	—	94	14	117	111	156	24	2	38	87	536	3	59	31	52·7	40·7	46·7	0·24
EDINBURGH ...	342,300	—	—	10·7	—	144	70	13	20	.	.	.	1	.	2	.	—	.	—	—	—	—	—	3	—	3	—	—	—	59·0	36·0	52·0	40·6	46·3	0·87
GLASGOW	1,115,500	—	—	15·1	—	544	323h	82	64	1	.	.	.	1	8	3	—	2	—	—	—	—	—	5	—	15	—	—	—	56·0	35·7	51·8	43·0	47·4	1·49

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) Including three deaths from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 46th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 20th November, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	194·2	168	15	22	4	5	7	5	4	3	9	14	19	19	17	25	152	
Enteric Fever	·8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
Typhus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Scarlet Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Croup	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza	30·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																		
Pulmonary Tuberculosis	18·4	19	.	.	1	.	.	.	2	.	4	5	2	4	.	1	18	
Tuberculous Meningitis	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Abdominal Tuberculosis	·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	
Tuberculosis of the Spinal Column.	·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis.	1·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	
Venereal Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cancer	8·2	7	.	.	.	.	.	.	.	.	.	1	3	.	1	2	5	
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anæmia, Leucocythæmia.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other General Diseases	1·2	3	1	.	.	.	.	.	.	.	.	.	1	.	.	1	3	
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis	1·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	
Cerebral Hæmorrhage, Apoplexy.	5·6	5	.	.	.	.	.	.	.	.	.	.	.	2	2	1	4	
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paralysis, without specified cause.	1·6	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	
Epilepsy	1·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
Convulsions (non-puerperal).	2·6	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	
Other Diseases of Nervous System.	2·6	3	.	.	.	.	.	.	.	.	.	1	1	.	.	1	3	
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Organic Diseases of the Heart.	14·2	20	.	.	.	.	.	.	.	1	2	2	2	4	4	5	20	
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Circulatory System.	1·2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis	19·4	16	.	2	.	1	.	.	.	1	.	1	2	2	3	4	16	
Broncho-pneumonia	9·0	8	.	4	.	1	.	1	.	.	.	.	1	.	1	.	7	
Lobar pneumonia	2·0	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	
Pneumonia (type not distinguished).	12·0	9	.	1	1	.	2	.	.	.	.	.	3	1	.	1	8	
Pleurisy	·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Pulmonary Congestion, Pulmonary Apoplexy.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Other Diseases of Respiratory System.	2·0	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	

registered in the FORTY-SIXTH WEEK, ending Saturday, 20th November, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 46th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 20th November, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month	1 month and under 1 year	1—2.	2—5.											
Diseases of the Pharynx, Tonsillitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	3·0	4	.	2	.	.	1	.	.	.	.	.	.	.	1	.	4
Diarrhœa and Enteritis of Children under 2 years.	4·6	9	.	8	1	.	.	.	.	.	.	.	.	.	.	.	9
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver ..	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Peritonitis (cause unknown).	1·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Other Diseases of Digestive System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Acute Nephritis ..	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease	3·8	10	.	.	.	.	.	.	.	.	2	1	2	.	2	3	9
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Diseases of Locomotor System.	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Congenital Malformations.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth ..	4·6	9	9	.	.	.	.	.	.	.	.	.	.	.	.	.	8
Congenital Debility ..	4·2	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	8·0	4	.	.	.	.	.	.	.	.	.	.	.	.	1	3	4
Other Specified Diseases	·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
VIOLENCE.																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Other Violent Deaths ..		1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Not included in above—																	
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·2	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2

TABLE IV.—Showing for the WEEK ENDED 20TH NOVEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 20TH NOVEMBER, 1920.																																
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																					In Institutions.		
		From all causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis. Pulmonary.	Tubercolosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	23·8	3·4	14	5	1	.	.	2	.	3	3	.	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	.	8	.	1	.	2
,, 1, W.	42,100	23·5	1·2	19	6	.	1	2	1	4	3	2	.	.	.	1	.	.	.	.	.	3	1	.	2	3	.	.	.	9	.	3	2	.
,, 2	28,200	16·6	.	9	2	.	.	2	.	2	2	1	.	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	1	2	1	2	1	.
,, 3	35,000	14·6	1·5	10	2	.	.	3	1	.	1	3	.	.	.	.	.	.	.	.	.	2	1	.	2	1	1	.	.	3	.	3	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	15·0	.	4	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1	1
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	16·6	1·2	14	4	.	.	.	1	3	3	3	.	.	.	.	.	.	.	.	.	3	.	.	1	3	1	.	.	6	.	2	4	.
,, 2	18,600	30·8	.	11	2	.	1	.	.	2	3	3	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	6	1	3	4	.
,, 3	44,400	27·0	1·2	23	2	1	.	2	.	7	4	7	.	.	.	.	.	.	.	.	.	4	.	3	1	1	1	.	1	12	.	8	2	1
,, 4	33,600	20·2	3·1	13	4	.	2	1	.	1	3	2	.	.	.	.	.	.	1	.	.	.	1	.	4	2	1	.	.	4	.	5	1	.
NEW KILMAINHAM	10,600	14·8	4·9	3	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	10·3	.	8	.	.	.	1	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	5	.	3	1	.
PEMBROKE	30,200	17·3	1·7	10	5	.	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	6	.	3	.	.
BLACKROCK †	9,200	11·3	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.
KINGSTOWN	17,000	30·7	3·1	10	3	1	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	7	.	1	.	1
TOTAL CITY. North	166,900	18·1	1·2	58	15	1	1	7	4	6	12	12	.	.	.	1	.	.	.	.	.	8	3	2	7	7	3	.	1	26	1	10	5	3
TOTAL CITY. South	151,300	22·1	1·7	64	13	1	3	3	1	13	14	16	.	.	.	.	.	.	1	.	.	9	1	3	6	9	4	.	1	30	1	18	12	1
TOTAL CITY. North and South ...	318,200	20·0	1·5	122	28	2	4	10	5	19	26	28	.	.	.	1	.	.	1	.	.	17	4	5	13	16	7	.	2	56	2	28	17	4
Total Urban Districts	96,800	16·2	1·1	30	8	1	1	1	.	3	8	8	.	.	.	.	.	.	.	.	.	1	1	.	4	3	2	.	.	19	.	8	1	1
Total Registration Area ...	415,000	19·1	1·4	152	36	3	5	11	5	22	34	36	.	.	.	1	.	.	1	.	.	18	5	5	17	19	9	.	2	75	2	36	18	5
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				16	1	1	.	1	2	1	4	6	1	.	.	.	.	.	.	.	.	1	.	2	2	1	.	.	1	8	1	14	2	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th November, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH NOVEMBER, 1920.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	168	46	12	7	23	38	17	25	1	.	.	1	.	.	1	.	.	19	5	7	3	19	20	9	.	3	80	5
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	10·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	1	.	1	24	1
II.	MIDDLE CLASS	101,798	21·0	41	4	2	1	6	15	7	6	.	.	.	.	.	.	1	.	.	4	2	2	.	3	3	1	.	1	24	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·5	24	9	2	2	4	3	1	3	.	.	.	1	.	.	.	.	.	4	1	.	1	3	1	2	.	.	11	2
IV.	GENERAL SERVICE CLASS	167,479	24·9	80	33	8	2	10	15	5	7	1	.	.	.	.	.	.	.	.	8	2	4	2	12	10	6	.	2	33	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	20	.	.	2	3	5	3	7	.	.	.	.	.	.	.	.	.	3	.	1	.	1	6	.	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	5	1	.	.	.	3	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	3	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	9	1	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	7	.
	6. Clerks and Commercial Assistants ..	33,249	—	9	1	.	1	3	4	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	18	1	2	.	2	5	5	3	.	.	.	.	.	.	.	.	.	1	2	1	.	2	1	.	.	1	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	6	2	1	.	1	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
	10. Clothing Trades	20,026	—	4	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	1
	11. Food Supply Trades	8,952	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	8	3	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	5	1
	13. Petty Shopkeepers	6,772	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	16	4	1	.	6	4	1	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1	1	.	.	.	9	.
	15. Domestic Servants	36,041	—	11	3	1	1	.	4	.	2	1	.	.	.	.	.	.	.	.	1	.	2	.	1	3	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	47	23	5	1	4	7	3	4	.	.	.	.	.	.	.	.	.	2	1	2	2	10	5	6	.	2	17	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	20	.	.	2	3	5	3	7	.	.	.	.	.	.	.	.	.	3	.	1	.	1	6	.	.	.	9	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.
No. of weeks in Annual Series ..	34	35	36	37	38	39	40	41	42	43	44	45	46	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered	190	248	231	215	196	209	232	224	184	213	177	245	188	180	132	211	235	209	197	195	180	203	193	198	256	195
Average Births in corresponding week of previous 10 years	*205*	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*188*	*197*	*200*	*186*	*200*	*193*	*191*	*176*	*191*	*194*	*202*	*200*	*179*	*183*	*189*	*171*
Number of Deaths	122	109	112	107	125	139	130	125	120	111	117	134	152	105	97	145	114	122	103	93	102	106	89	100	112	104
Annual Death-rate per 1,000 ..	15·3	13·7	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·9	14·7	16·8	19·1	13·3	12·2	18·3	14·4	15·4	13·0	11·7	12·9	13·4	11·2	12·6	14·1	13·1
Average Deaths in corresponding week of previous 10 years	*134*	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*119*	*123*	*116*	*113*	*121*	*115*	*105*	*111*	*109*	*117*	*114*	*140*	*156*
Ages .. Under one year ..	16	13	38	26	34	41	41	32	23	29	19	28	36	22	17	34	32	31	18	17	23	18	22	19	24	22
1— 5 years ..	5	4	6	3	13	5	12	12	8	5	13	10	8	9	6	5	2	8	9	2	5	6	2	6	9	5
5—25 „ ..	23	12	15	13	9	12	13	2	9	13	15	17	16	13	14	26	17	9	11	11	9	16	8	16	15	11
25—45 „ ..	15	20	9	12	15	21	13	17	12	19	17	30	22	13	17	33	22	19	17	22	18	14	13	11	15	21
45—65 „ ..	26	25	22	25	23	27	25	29	40	18	29	19	34	25	21	28	26	35	26	26	26	20	26	29	28	19
65 and upwards ..	37	35	22	28	31	33	26	33	28	27	24	30	36	23	22	19	15	20	22	15	21	32	18	19	21	26
Deaths from :—																										
Enteric Fever	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	.	1	2	.	.	1	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	2	3	1	1	.	2	2	.	2	2	1
Whooping-cough	2	.	.	3	3	1	3	2	2	3	2	1	.	.	.	1	.	2	.	.	.	.	1	.	.	1
Diphtheria	2	.	.	.	1	.	4	2	1	1	2	2	1	1	.	.	1	2	.	.	.	4	.	2	3	.
Dysentery	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Influenza	.	.	1	1	1	1	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.
Tuberculosis {Pulmonary ..	19	18	9	12	11	12	12	10	10	15	9	22	18	13	10	16	13	10	9	13	14	9	4	12	16	9
Tuberculosis {Other Forms ..	7	5	7	1	1	3	3	4	5	3	4	6	5	2	9	5	4	7	4	3	4	1	1	.	2	2
Cancer	9	4	8	14	10	7	5	12	6	5	6	6	5	6	6	8	7	9	10	4	12	4	7	4	1	7
Diseases of Respiratory System {Pneumonia ..	2	5	7	6	4	10	6	6	6	5	11	13	17	5	3	10	6	5	8	6	6	4	4	9	8	7
Diseases of Respiratory System {Others ..	15	12	10	11	12	12	11	14	17	10	16	19	19	8	7	7	7	4	6	5	9	16	3	10	15	10
Diarrhœa & Enteritis, under 2 years	4	3	17	12	22	16	21	19	8	8	4	3	9	8	8	7	9	15	5	7	2	6	4	4	5	1
Diarrhœa, 2 years and upwards ..	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	2	2	1	1	.	1	.
Violent Deaths, ...	1	2	.	2	5	2	2	1	1	7	4	6	2	1	3	27	7	3	9	3	5	2	7	5	1	4
Number of Uncertified Deaths ..	4	6	2	3	1	5	6	1	4	4	4	5	5	2	3	7	1	1	1	.	1	2	2	.	3	3
A Mean Maximum Temperature in degs.	63·9	63·3	64·1	62·8	60·5	61·2	60·3	59·5	57·8	56·2	52·5	55·6	55·9	61·8	63·4	62·5	62·0	56·0	62·2	59·8	59·0	57·1	55·7	50·8	54·3	54·2
B Mean Minimum „ „	46·1	49·1	49·3	43·1	37·7	48·8	45·8	48·3	44·1	33·9	41·3	45·9	44·3	48·3	50·4	52·3	48·0	39.3	52·6	47·7	52·2	45·7	47·3	42·5	47·7	40·5
Mean of A and B „ „	55·0	56·2	56·7	53·0	49·1	55·0	53·0	53·9	50·9	45·1	46·9	50·8	50·1	55·1	56·9	57·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7	51·0	47·3
Rainfall in inches	0·17	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·21	0·33	0·78	0·46	0·98	0·12	0·81	2·63	0·75	0·91	0·01	2·90	0·26	0·28

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th November, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	13	19·7	·	6	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	1	1	2	.
Do. 2 do. .	49,500	25	9·5	·	9	2	.	1	2	1	3	.	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	2	.
Do. 3 do. .	50,032	29	18·8	1·0	18	2	3	1	5	5	2	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	5	1
Do. 4 do. .	32,637	13	16·0	.	10	3	.	.	3	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do. 5 do. .	16,112	12	6·5	·	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	1	.
Do. 6 do. .	37,293	11	14·0	·	10	1	.	.	3	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do. .	2,681	3	.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do. .	5,964	3	8·7	·	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	1	.
Do. 9 do. .	24,427	10	12·8	·	6	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	.	2	1
Do. 10 do. .	28,958	16	19·8	·	11	4	.	3	2	1	1	.	.	.	.	1	.	.	.	.	1	.	1	2	.	.	.	1	1	5	.
Do. 11 do. .	—	17	—	—	14	2	.	3	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.
Do. 12 do. .	—	11	—	—	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 13 do. .	—	8	—	—	5	1	.	.	1	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 14 do. .	175	.	.	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 15 do. .	22,669	9	4·6	·	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Do. 16 do. .	—	15	—	—	8	5	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Total, . .	386,947	195	13·1	0·5	104	22	5	11	21	19	26	1	·	·	·	1	1	·	·	·	9	2	7	7	10	1	·	4	3	25	3
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	3	7·8	·	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 2 do. .	10,399	6	10·0	·	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 3 do. .	9,793	8	5·3	·	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 4 do. .	9,139	.	17·1	5·7	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 5 do. .	6,250	1	8·3	·	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 6 do. .	11,581	6	13·5	·	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	5	.
Do. 7 do. .	16,056	9	29·2	3·2	9	.	1	2	1	2	3	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	5	.
Total, . . .	76,673	33	14·3	1·4	21	1	2	3	2	7	6	.	.	.	.	.	.	2	.	.	2	1	1	.	3	.	.	.	.	10	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 15·0 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20TH November, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	4
„ „ 1, West, ..	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	3
„ „ 2, ...	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	3
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 2, ...	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
„ „ „ 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	1	5
„ „ „ 4, ...	.	.	.	.	.	2	1	.	.	.	.	.	.	2	.	.	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	2	.	.	.	5	4	.	2	.	.	.	.	9	.	.	1	24

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th November, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 20th November.			
	Oct. 30.	Nov. 6.	Nov. 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	18	19	4	1	1	21
Typhus, ...	17	10	16	3	2	.	17
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	7	3	3	2	.	.	5
Scarlet Fever, ...	47	45	50	9	10	.	49*
Diphtheria, ...	32	36	34	8	3	1	38
Pneumonia, ...	16	20	24	10	5	2	27

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.3973) Wt. 7941/36 3. 380. 11. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 47. Vol. LVII.] WEEK ENDING SATURDAY, 27TH NOVEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 29th November, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Dublin Registration Area, 15·7 and 16·6; Dublin City, 17·7 and 18·3; Belfast, 14·0 and 13·5; Cork, 20·4 and 15·6; Londonderry, 8·3 and 15·4; and Waterford, 17·1 and 14·7.

Among the 111 deaths from all causes for Belfast are one from enteric fever, one from scarlet fever, 2 from diphtheria, 6 from diarrhœal diseases, and one from influenza. The 30 deaths from all causes for Cork include one from scarlet fever, and 4 from diphtheria. Two of the 7 deaths from all causes for Londonderry are from diphtheria; of the 9 deaths from all causes for Waterford one is from whooping-cough, and one of the 3 deaths from all causes for Wexford is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—105 boys and 118 girls—and the deaths to 136—70 males and 66 females.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·7 per 1,000 of the population. During the forty-seven weeks ending with Saturday last, the death-rate averaged 18·0 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-seven weeks was 17·1 and for the corresponding period of the preceding ten years 22·4.

Included in the 125 deaths appertaining to the Area are 2 from typhus, one from whooping-cough, one from diphtheria, 6 from diarrhœa and enteritis of children under 2 years and one from influenza.

In the 3 preceding weeks, deaths from whooping-cough were 2, one, and 0; deaths from diphtheria, 2, 2, and one; deaths from diarrhœa and enteritis of children under 2 years 4, 3, and 9; and deaths from influenza 0, one, and 0. There were no deaths registered from typhus in the three preceding weeks.

There were 8 deaths from pneumonia, comprising 4 from broncho-pneumonia, one from lobar pneumonia and 3 from pneumonia (type not distinguished).

Tuberculous disease caused 12 deaths (including 7 from pulmonary tuberculosis, one from tuberculous meningitis, one from abdominal tuberculosis, and 3 from other forms of tuberculous disease) as against 13, 28, and 23 in the three weeks preceding.

Eleven deaths were caused by cancer, 12 by organic diseases of the heart, and 10 by bronchitis.

Four deaths attributed to accidental violence were registered, 2 of these being caused by burns or scalds and 2 by drowning, and there were 2 cases of homicide.

Among deaths of infants under one year old, one was due to tuberculous meningitis, one to venereal disease, 6 to convulsions, 2 to broncho-pneumonia, 6 to diarrhœa and enteritis, one to congenital malformation, 3 to premature birth, and one to congenital debility.

Thirty-five of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 25 being infants under one year, of whom 9 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 24 were 70 years of age or over.

Of the 125 deaths recorded, 42 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

NOTE.—The principal epidemic diseases are:—enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 27th November in 96 large English towns (including London in which the rate was 14·1) was equal to an average annual death rate of 13·5 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 14·3 per 1,000 persons living, the rate for Glasgow being 14·3, and for Edinburgh 14·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th November. From this Report it appears that of 118 cases notified, 37 were scarlet fever, 27 diphtheria, 18 chicken-pox, 14 erysipelas, 11 pulmonary tuberculosis, 3 other forms of tuberculosis, 2 ophthalmia neonatorum, 2 malaria, 2 acute primary pneumonia, one acute influenzal pneumonia, and one dysentery. Among the 679 cases of infectious diseases in hospital at the close of the week were 287 of scarlet fever, 186 of pulmonary tuberculosis, 8 other forms of tuberculosis, 122 of diphtheria, 33 of venereal disease, 19 of erysipelas, 5 of measles, one of acute influenzal pneumonia, one of puerperal fever, one of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 27th November, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 6	2	1	.	.	.	—	4	—	8	2	—	.	—	4	.	.	6	.	.	2	29
	Nov. 13	5	10	.	.	.	—	8	—	4	4	—	.	—	.	.	.	5	2	.	8	46
	Nov. 20	1	2	.	.	.	—	5	—	4	2	—	.	—	.	.	.	9	.	.	1	24
	Nov. 27	2	1	.	.	.	—	2	—	3	1	—	.	—	.	.	.	3	.	.	7	19
Rathmines & Rathgar Urban District	Nov. 6	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	.	—	3
	Nov. 13	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	3	.	.	—	7
	Nov. 20	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Nov. 6	.	.	.	.	.	.	3	.	2	.	.	.	—	.	.	.	.	.	.	.	5
	Nov. 13	.	.	.	.	.	1	3	.	.	.	.	.	—	.	.	.	.	.	.	.	4
	Nov. 20	.	.	.	.	.	.	.	1	.	.	.	.	—	.	.	.	.	.	.	1	2
	Nov. 27	.	.	.	.	.	1	2	.	3	.	.	.	—	.	.	.	.	1	.	.	7
Blackrock Urban District	Nov. 6	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 13	.	.	.	.	.	.	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Nov. 20	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 27	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Nov. 6	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	.	.	2
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	3	3
City of Belfast	Nov. 6	2	4	.	.	.	—	32	—	14	1	—	.	—	.	.	.	.	.	.	16	69
	Nov. 13	2	.	.	.	.	—	28	—	3	6	—	.	—	.	.	.	1	.	.	33	73
	Nov. 20	1	.	.	.	.	—	30	—	18	1	—	1	—	.	.	.	2	.	.	21	74
	Nov. 27	2	.	.	.	.	—	40	—	9	3	—	.	—	.	.	.	.	.	.	21	75
City of Cork	Nov. 6	5	.	.	.	.	.	2	—	23	.	—	.	.	.	.	.	.	—	.	—	30*a*
	Nov. 13	6	.	.	.	.	.	8	—	29	1	—	.	.	.	.	.	.	—	.	—	44*b*
	Nov. 20	2	.	1	.	.	.	2	—	21	.	—	.	.	.	.	.	.	—	.	—	26
	Nov. 27	1	.	.	.	.	3	1	—	14	1	—	.	.	.	.	.	.	—	.	—	20
City of Londonderry	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	—	—	.
	Nov. 13	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	—	—	3
	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	Nov. 27	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	—	—	4
City of Limerick	Nov. 6	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 20	.	.	.	.	.	—	.	—	5	.	—	.	—	.	.	.	.	.	.	—	5
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Nov. 6	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	—	—	.	1
	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 20	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	—	—	.	4
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella. (*b*) Not including 3 cases of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th November, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 4 and 21; typhus 4 and 17; measles one and 6; scarlet fever 11 and 55,* and diphtheria 11 and 31. Five cases of pneumonia were admitted during the week and 28 remained under treatment at its close. Of the deaths in hospital during the week one was from enteric fever and 2 were from each of typhus and diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th November, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 27TH NOVEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (*a*)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	From certain Epidemic Diseases. (*b*)	NUMBERS REGISTERED. BIRTHS.	DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (*c*) WEEK ENDING 27TH NOVEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	—	—	—	525	317	64	82	1	2	.	.	2	2	10	.	2	31	8	24	21	28	11	1	10	7	99	8	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	28·0	15·7	1·3	223	125	25	36	.	2	.	.	.	1	1	.	1	7	5	11	8	11	6	.	6	3	42	3	(*d*) 53·0	27·9	50·3	32·1	41·2	1·43
Urban Districts. CITY OF DUBLIN	318,200	39·0	30·0	17·7	1·6	183	108	23	33	.	2	.	.	.	1	1	.	.	5	4	8	7	10	6	.	5	2	37	3	(*e*) 53·3	35·8	50·7	42·3	46·5	1·22
																														(*f*) 55·6	27·0	52·0	39·8	45·9	1·23
RATHMINES and RATHGAR ...	40,400	23·6	12·9	7·7	.	10	6	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	1	1	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	29·4	12·1	.	17	7	.	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.
BLACKROCK (*g*) ...	9,200	8·5	17·0	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	30·7	12·3	.	10	4	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	57	33	52·8	43·7	48·2	1·03
Urban Districts. BELFAST	413,000	27·7	25·4	14·0	1·3	201	111	28	24	1	.	.	.	1	.	2	.	1	14	2	8	9	11	5	1	.	2	32	2	56·5	31·4	51·5	40·9	46·2	0·22
CORK	76,673	28·6	19·0	20·4	3·4	28	30	5	6	.	.	.	.	1	.	4	.	.	6	.	1	.	2	.	.	1	1	11	3	54	37	52·4	47·3	49·9	1·10
LONDONDERRY ...	44,000	17·1	19·0	8·3	2·4	16	7	1	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LIMERICK (*i*) ...	38,518	16·1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	26·6	17·1	1·9	14	9	2	1	.	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	3	.	.	.	.	.	.	.
GALWAY	13,255	2·5				6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
DUNDALK (*i*) ...	13,128	9·5				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	51·9	29·1	49·6	37·6	43·6	1·18
DROGHEDA ...	12,501	8·4				5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	34	49·4	39·6	44·5	1·26
NEWRY	11,963	17·0				6	7	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	1	.	51·9	29·1	49·6	37·6	43·6	1·18
PORTADOWN ...	11,727	15·3				6	6	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	2	.	51·9	29·1	49·6	37·6	43·6	1·18
WEXFORD ...	11,531	22·8				1	3	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	34	50	39	44·5	1·02
KILKENNY ...	10,514	11·4				1	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	54	34	50·4	41·7	46·1	0·89
TRALEE (*i*) ...	10,300	17·4				2	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	14·1	—	1,900	1,128	142	425	2	.	.	4	7	3	21	—	—	119	19	99	104	173	16	7	44	108	550	3	55	23	48·6	31·4	40·0	0·07
EDINBURGH ...	342,300	—	—	14·7	—	139	96	11	36	.	.	.	.	1	.	.	—	.	—	—	—	—	—	2	—	4	—	—	—	55·0	29·0	46·7	36·6	41·6	0·04
GLASGOW	1,115,500	—	—	14·3	—	546	305	67	80	1	.	1	.	.	3	1	—	5	—	—	—	—	—	5	—	10	—	—	—	50·5	26·0	46·2	38·2	42·2	0·59

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(*a*) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (*b*) See note at foot of first page. (*c*) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (*d*) Observations at Ordnance Survey Office, Phœnix Park. (*e*) Observations by Sir John Moore, taken at Fitzwilliam Square. (*f*) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (*g*) See note (†) at foot of Table IV. (*h*) Including 2 deaths from cerebro-spinal meningitis. (*i*) The returns for Limerick, Dundalk and Tralee No. 1 were not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 47th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 27th November, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	180·4	136	12	16	3	7	2	1	4	1	5	14	14	19	22	16	125	
Enteric Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough	·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Diphtheria	·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza	17·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases	.4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																		
Pulmonary Tuberculosis	17·2	9	.	.	.	.	.	.	1	1	1	3	1	.	1	1	7	
Tuberculous Meningitis	2·2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Abdominal Tuberculosis	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis.	·4	3	.	.	.	1	.	.	1	.	.	1	.	.	.	.	3	
Venereal Diseases	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Cancer	10·8	11	.	.	.	.	.	.	.	.	.	1	5	1	3	1	11	
Tumour, situation undefined.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Anæmia, Leucocythæmia.	·4	3	.	.	.	.	.	.	.	.	.	1	.	.	2	.	3	
Other General Diseases	1·0	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebral Hæmorrhage, Apoplexy.	6·6	6	.	.	.	.	.	.	.	.	.	.	.	4	2	.	6	
Softening of Brain	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Paralysis, without specified cause.	1·4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	
Epilepsy	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal).	4·8	7	1	5	.	1	.	.	.	.	.	.	.	.	.	.	7	
Other Diseases of Nervous System.	2·0	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Organic Diseases of the Heart.	13·4	12	.	.	.	.	1	.	.	.	.	2	.	3	4	2	12	
Embolism and Thrombosis (including Cerebral).	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Other Diseases of Circulatory System.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis	22·8	10	.	.	1	.	.	.	.	.	.	.	.	2	6	1	10	
Broncho-pneumonia	8·0	5	1	1	.	1	.	.	.	.	.	.	1	.	1	.	4	
Lobar pneumonia	2·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Pneumonia (type not distinguished).	7·8	4	.	.	.	.	.	.	.	.	1	1	1	1	.	.	3	
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Other Diseases of Respiratory System.	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

registered in the FORTY-SEVENTH WEEK, ending Saturday, 27th November, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 47th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 27th November, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	1·6	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diarrhœa and Enteritis of Children under 2 years.	5·6	6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	6
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards.	1·0	3	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	3
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	1·6	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Cirrhosis of Liver ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	5·8	7	.	.	.	.	.	.	.	.	.	2	.	4	1	.	.	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	2·2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Puerperal Septicæmia, &c.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·2	2	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2
Diseases of Locomotor System.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2
Congenital Malformations.	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·6	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Congenital Debility ..	4·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Old Age	7·4	5	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	5
Other Specified Diseases	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	·6	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Drowning	·6	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Not included in above—																		
Homicide	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2
Suicide	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

TABLE IV.—Showing for the WEEK ENDED 27TH NOVEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 27TH NOVEMBER, 1920. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals Prisons and Lunatic Asylums.	In Institutions. In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	22·1	5·1	13	2	1	1	.	1	2	4	2	.	.	.	.	.	1	.	.	.	.	3	.	1	2	.	.	6	.	2	.	1
,, 1, W.	42,100	31·0	6·2	25	4	1	5	.	.	1	5	9	.	2	.	.	.	.	1	.	.	.	2	1	1	2	2	.	1	13	1	8	4	.
,, 2	28,200	14·8	.	8	2	.	1	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	5	.	4	.	.
,, 3	35,000	8·7	.	6	1	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	3	.	.	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	22·9	.	5	.	.	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	1	.	1
South City.																																		
SOUTH CITY, No. 1	44,100	17·7	1·2	15	3	.	.	2	2	2	2	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	1	.	1	9	.	1	4	1
,, 2	18,600	19·6	.	7	1	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	4	.	1	3	.
,, 3	44,400	20·0	.	17	9	1	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	11	.	4	1	.
,, 4	33,600	9·3	.	6	.	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	2	1	2	.	.
NEW KILMAINHAM	10,600	19·7	4·9	4	1	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	.	.	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	7·7	.	6	1	.	.	.	.	.	4	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	2	1	1	.	.
PEMBROKE	30,200	12·1	.	7	.	.	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	4	.	4	.	.
BLACKROCK †	9,200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,000	12·3	.	4	1	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	.	.	.
TOTAL CITY, North	166,900	18·4	2·5	59	9	2	7	1	1	5	16	18	.	2	.	.	.	1	1	.	.	1	2	6	4	3	4	.	3	32	1	16	5	2
TOTAL CITY, South	151,300	16·9	0·7	49	14	1	.	2	3	7	7	15	.	.	.	.	.	.	.	.	.	4	2	2	3	7	2	.	2	27	1	8	8	1
TOTAL CITY, North and South ...	318,200	17·7	1·6	108	23	3	7	3	4	12	23	33	.	2	.	.	.	1	1	.	.	5	4	8	7	10	6	.	5	59	2	24	13	3
Total Urban Districts	96,800	9·2	.	17	2	.	.	.	.	5	7	3	.	.	.	.	.	.	.	.	1	2	1	3	1	1	.	.	1	7	1	5	.	.
Total Registration Area ...	415,000	15·7	1·3	125	25	3	7	3	4	17	30	36	.	2	.	.	.	1	1	.	1	7	5	11	8	11	6	.	6	66	3	29	13	3
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				11	3	.	.	.	1	2	3	2	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	7	.	10	1	.

* See note at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th November, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH NOVEMBER, 1920.																											
					AGES.							CAUSES OF DEATH.																		
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	136	38	3	5	19	33	22	16	.	2	.	.	.	1	1	.	1	9	5	11	7	10	11	6	.	6	66	3
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14·2	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	2	.	3	.	3	2	.	.	.	4	.
II.	MIDDLE CLASS	101,798	11·8	23	2	.	.	3	10	4	4	.	.	.	.	.	.	.	.	.	3	1	3	.	1	3	1	.	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	13·5	28	10	.	1	4	8	2	3	.	1	.	.	.	.	.	.	1	3	1	3	.	1	3	1	.	1	13	1
IV.	GENERAL SERVICE CLASS	167,479	20·9	67	23	3	2	9	11	14	5	.	1	.	.	.	1	1	.	.	2	2	4	7	6	4	5	.	5	29	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	14	2	.	2	2	3	2	3	.	.	.	.	.	.	.	.	.	2	2	1	.	.	2	.	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	6	1	.	.	2	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	5	.	.	.	.	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.
	6. Clerks and Commercial Assistants ..	33,249	—	7	1	.	.	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	5	.	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.	.	3	.
	9. Building and Furnishing Trades ..	28,823	—	6	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2	1	.	.	1	.
	10. Clothing Trades	20,026	—	6	1	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	—	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	9	2	.	.	3	3	.	1	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	5	1
	13. Petty Shopkeepers	6,772	—	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	2	.
	15. Domestic Servants	36,041	—	7	1	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	2	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	48	17	3	2	4	9	11	2	.	1	.	.	.	1	1	.	.	2	.	3	6	1	3	5	.	5	20	2
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	14	2	.	2	2	3	2	3	.	.	.	.	.	.	.	.	.	2	2	1	.	.	2	.	.	.	7	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

WEEK ENDING	Dublin Registration Area.													Belfast City.											
	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27
No. of weeks in Annual Series ..	35	36	37	38	39	40	41	42	43	44	45	46	47	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered	248	231	215	196	209	232	224	184	213	177	245	188	223	132	211	235	209	197	195	180	203	193	198	256	195	201
Average Births in corresponding week of previous 10 years	*204*	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*188*	*197*	*200*	*183*	*200*	*193*	*191*	*176*	*191*	*194*	*202*	*200*	*179*	*183*	*189*	*171*	*179*
Number of Deaths	109	112	107	125	139	130	125	120	111	117	134	152	125	97	145	114	122	103	93	102	106	89	100	112	104	111
Annual Death-rate per 1,000 ..	13·7	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·9	14·7	16·8	19·1	15·7	12·2	18·3	14·4	15·4	13·0	11·7	12·9	13·4	11·2	12·6	14·1	13·1	14·0
Average Deaths in corresponding week of previous 10 years	*142*	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*162*	*123*	*116*	*113*	*121*	*115*	*105*	*111*	*109*	*117*	*114*	*140*	*156*	*170*
Ages .. Under one year ..	13	38	26	34	41	41	32	23	29	19	28	36	25	17	34	32	31	18	17	23	18	22	19	24	22	28
1— 5 years ..	4	6	3	13	5	12	12	8	5	13	10	8	10	6	5	2	8	9	2	5	6	2	6	9	5	7
5—25 „ ..	12	15	13	9	12	13	2	9	13	15	17	16	7	14	26	17	9	11	11	9	16	8	16	15	11	11
25—45 „ ..	20	9	12	15	21	13	17	12	19	17	30	22	17	17	33	22	19	17	22	18	14	13	11	15	21	18
45—65 „ ..	25	22	25	23	27	25	29	40	18	29	19	34	30	21	28	26	35	26	26	26	20	26	29	28	19	23
65 and upwards ..	35	22	28	31	33	26	33	28	27	24	30	36	36	22	19	15	20	22	15	21	32	18	19	21	26	24
Deaths from :—																										
Enteric Fever	.	.	.	1	.	.	.	.	1	1	.	.	.	1	.	1	2	.	.	1	.	.	.	.	1	1
Typhus	.	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.	.	.	.	2	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	3	1	1	.	2	2	.	2	2	1	1
Whooping-cough	.	.	3	3	1	3	2	2	3	2	1	.	1	.	1	.	2	.	.	.	.	1	.	.	1	.
Diphtheria	.	.	.	1	.	4	2	1	1	2	2	1	1	.	.	1	2	.	.	.	4	.	2	3	.	2
Dysentery	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Influenza	.	1	1	1	1	.	1	1	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.	1
Tuberculosis {Pulmonary ..	18	9	12	11	12	12	10	10	15	9	22	18	7	10	16	13	10	9	13	14	9	4	12	16	9	14
Tuberculosis {Other Forms ..	5	7	1	1	3	3	4	5	3	4	6	5	5	9	5	4	7	4	3	4	1	1	.	2	2	2
Cancer	4	8	14	10	7	5	12	6	5	6	6	5	11	6	8	7	9	10	4	12	4	7	4	1	7	8
Diseases of Respiratory System {Pneumonia ..	5	7	6	4	10	6	6	6	5	11	13	17	8	3	10	6	5	8	6	6	4	4	9	8	7	9
Diseases of Respiratory System {Others ..	12	10	11	12	12	11	14	17	10	16	19	19	11	7	7	7	4	6	5	9	16	3	10	15	10	11
Diarrhœa & Enteritis, under 2 years	3	17	12	22	16	21	19	8	8	4	3	9	6	8	7	9	15	5	7	2	6	4	4	5	1	5
Diarrhœa, 2 years and upwards ..	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	1	.	1
Violent Deaths, ...	2	.	2	5	2	2	1	1	7	4	6	2	6	3	27	7	3	9	3	5	2	7	5	1	4	.
Number of Uncertified Deaths ..	6	2	3	1	5	6	1	4	4	4	5	5	3	3	7	1	1	1	.	1	2	2	.	3	3	2
A Mean Maximum Temperature in degs.	63·3	64·1	62·8	60·5	61·2	60·3	59·5	57·8	56·2	52·5	55·6	55·9	50·3	63·4	62·5	62·0	56·0	62·2	59·8	59·0	57·1	55·7	50·8	54·3	54·2	51·5
B Mean Minimum „ „	49·1	49·3	43·1	37·7	48·8	45·8	48·3	44·1	33·9	41·3	45·9	44·3	32·1	50·4	52·3	48·0	39.3	52·6	47·7	52·2	45·7	47·3	42·5	47·7	40·5	40·9
Mean of A and B „ „	56·2	56·7	53·0	49·1	55·0	53·0	53·9	50·9	45·1	46·9	50·8	50·1	41·2	56·9	57·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7	51·0	47·3	46·2
Rainfall in inches	0·27	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·21	1·43	0·78	0·46	0·98	0·12	0·81	2·63	0·75	0·91	0·01	2·90	0·26	0·28	0·22

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th November, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	12	6·6	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·
Do. 2 do.	49,500	25	15·8	3·2	15	3	1	3	5	2	1	·	·	·	·	·	·	1	·	·	4	·	1	2	1	2	·	·	·	3	1
Do. 3 do.	50,032	22	10·4	·	10	3	·	2	2	2	1	·	·	·	·	·	·	·	·	·	1	·	1	3	1	·	·	·	·	5	·
Do. 4 do.	32,637	19	19·2	1·6	12	2	·	1	4	3	2	·	·	·	·	·	·	·	·	·	1	·	1	·	2	1	·	·	·	3	·
Do. 5 do.	16,112	8	12·9	·	4	2	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	1	·
Do. 6 do.	37,293	14	14·0	1·4	10	3	1	·	1	1	4	·	·	·	·	·	·	·	·	·	·	·	1	·	2	1	·	·	1	2	·
Do. 7 do.	2,681	4	77·8	·	4	1	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 8 do.	5,964	1	8·7	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1
Do. 9 do.	24,427	12	12·8	·	6	3	·	·	1	2	·	·	·	·	·	·	·	1	·	·	1	2	·	1	1	·	1	·	·	5	·
Do. 10 do.	28,958	17	27·0	3·6	15	3	·	1	3	5	3	·	·	·	·	1	·	·	·	·	1	·	·	1	1	·	·	·	·	4	·
Do. 11 do.	—	13	—	—	11	1	2	·	1	1	6	1	·	·	·	·	·	·	·	·	1	·	·	1	1	1	·	·	·	3	·
Do. 12 do.	—	19	—	—	6	2	1	2	·	·	1	·	·	·	·	·	·	·	·	·	2	·	1	·	·	·	·	·	·	1	·
Do. 13 do.	—	8	—	—	6	3	·	1	·	2	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 14 do.	175	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·
Do. 15 do.	22,669	14	6·9	·	3	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	2	·	·	·	1	·	·	·	1	·	·
Do. 16 do.	—	13	—	—	5	1	1	·	·	2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total,	386,947	201	14·0	1·3	111	28	7	11	18	23	24	1	·	·	·	1	·	2	·	1	14	2	8	9	11	5	1	·	2	32	2
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	6	34·9	7·8	9	1	1	2	1	2	2	·	·	·	·	1	·	1	·	·	2	·	·	·	2	·	·	·	·	4	1
Do. 2 do.	10,399	3	15·0	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	1	·
Do. 3 do.	9,793	·	5·3	5·3	1	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 4 do.	9,139	6	11·4	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·
Do. 5 do.	6,250	2	8·3	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 6 do.	11,581	3	18·0	·	4	·	·	·	1	2	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	5	2
Do. 7 do.	16,056	8	32·5	6·5	10	3	1	3	2	1	·	·	·	·	·	·	·	2	·	·	3	·	·	·	·	·	·	1	1	11	3
Total,	76,673	28	20·4	3·4	30	5	3	5	5	6	6	·	·	·	·	1	·	4	·	·	6	·	1	·	2	·	·	1	1	11	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 14·5 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27TH November, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3
„ „ 1, West, ..	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	3
„ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ „ 2, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	2	5
„ „ „ 4, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	2	1	.	.	.	2	3	.	1	.	.	.	.	3	.	.	7	19

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th November, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 27th November.			
	Nov. 6.	Nov. 13.	Nov. 20.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	18	19	21	4	3	1	21
Typhus, ...	10	16	17	4	2	2	17
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	3	5	1	.	.	6
Scarlet Fever, ...	45	50	49	11	5	.	55*
Diphtheria, ...	36	34	38	11	16	2	31
Pneumonia, ...	20	24	27	5	4	.	28

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.4004) Wt. 7941/36 3. 380. 11. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 48. Vol. LVII.] WEEK ENDING SATURDAY, 4TH DECEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 6th December, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts† of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Dublin Registration Area, 14·6 and 16·5; Dublin City, 13·3 and 17·5; Belfast, 13·3 and 13·6; Cork, 19·0 and 15·8; Londonderry, 17·8 and 15·7; and Waterford, 19·0 and 17·1.

Among the 105 deaths from all causes for Belfast are one from measles, 3 from whooping-cough, 2 from diphtheria, 7 from diarrhœal diseases, and 2 from influenza. Included in the 28 deaths from all causes for Cork are 4 from diphtheria, and one from diarrhœa and enteritis of a child under 2 years; and of the 15 deaths from all causes for Londonderry, 2 are from diarrhœa and enteritis of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 162—77 boys and 85 girls—and the deaths to 136—68 males and 68 females.

The deaths registered, omitting the deaths (numbering 20) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·6 per 1,000 of the population. During the forty-eight weeks ending with Saturday last, the death-rate averaged 17·9 and was 3·1 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-eight weeks was 19·6 and for the corresponding period of the preceding ten years 22·4.

Included in the 116 deaths appertaining to the Area are one from whooping-cough, 3 from diphtheria, 4 from diarrhœa and enteritis of children under 2 years and one from influenza.

In the 3 preceding weeks, deaths from whooping-cough were one, 0, and one; deaths from diphtheria, 2, one, and one; deaths from diarrhœa and enteritis of children under 2 years 3, 9, and 6; and deaths from influenza one, 0, and one.

There were 9 deaths from pneumonia, comprising 8 from broncho-pneumonia, and one from lobar pneumonia.

Tuberculous disease caused 13 deaths (including 9 from pulmonary tuberculosis, one from abdominal tuberculosis, and 3 from other forms of tuberculosis), as against 28, 23, and 12 in the three weeks preceding.

Seven deaths were caused by cancer, 14 by organic diseases of the heart, and 15 by bronchitis.

Four deaths appertaining to residents of the Dublin Registration Area were attributed to homicide.

Among deaths of infants under one year old, one was due to diphtheria, one to influenza, 3 to convulsions, 4 to bronchitis, 5 to broncho-pneumonia, 4 to diarrhœa and enteritis, 3 to premature birth, and one to congenital debility.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 24 being infants under one year, of whom 6 were under one month old, and 36 deaths were those of persons aged 65 and upwards, of whom 26 were 70 years of age or over.

Of the 116 deaths recorded, 35 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† See note (*h*) to Table II.
NOTE.—The principal epidemic diseases are:—enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 4th December in 96 large English towns (including London in which the rate was 13·1) was equal to an average annual death rate of 13·2 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th December. From this Report it appears that of 98 cases notified, 26 were scarlet fever, 26 diphtheria, 13 pulmonary tuberculosis, 6 other forms of tuberculosis, 12 chicken-pox, 8 erysipelas, 4 acute primary pneumonia, and 3 malaria. Among the 669 cases of infectious diseases in hospital at the close of the week were 267 of scarlet fever, 186 of pulmonary tuberculosis, 7 other forms of tuberculosis, 118 of diphtheria, 40 of venereal disease, 19 of erysipelas, 6 of measles, 4 of chicken-pox, one of acute influenzal pneumonia, one of puerperal fever, one of cerebro-spinal fever, and one of enteric fever.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th December, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 13	5	10	.	.	.	—	8	—	4	4	—	.	—	.	.	.	5	2	.	8	46
	Nov. 20	1	2	.	.	.	—	5	—	4	2	—	.	—	.	.	.	9	.	.	1	24
	Nov. 27	2	1	.	.	.	—	2	—	3	1	—	.	—	.	.	.	3	.	.	7	19
	Dec. 4	2	2	.	.	.	—	10	—	3	.	—	.	—	1	.	.	4	.	.	6	28
Rathmines & Rathgar Urban District	Nov. 13	.	.	.	.	.	—	2	—	2	.	—	.	—	.	.	.	3	.	.	—	7
	Nov. 20	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	Nov. 27	.	.	.	.	.	—	4	—	2	.	—	.	—	.	.	.	.	.	.	—	6
	Dec. 4	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	1	.	.	—	3
Pembroke Urban District	Nov. 13	.	.	.	.	.	1	3	.	.	.	.	.	—	.	.	.	.	.	.	.	4
	Nov. 20	.	.	.	.	.	.	.	1	.	.	.	.	—	.	.	.	.	.	.	1	2
	Nov. 27	.	.	.	.	.	1	2	.	3	.	.	.	—	.	.	.	.	1	.	.	7
	Dec. 4	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Nov. 13	.	.	.	.	.	.	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
	Nov. 20	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 27	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	3	3
	Dec. 4	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
City of Belfast	Nov. 13	2	.	.	.	.	—	28	—	3	6	—	.	—	.	.	.	1	.	.	33	73
	Nov. 20	1	.	.	.	.	—	30	—	18	1	—	1	—	.	.	.	2	.	.	21	74
	Nov. 27	2	.	.	.	.	—	40	—	9	3	—	.	—	.	.	.	.	.	.	21	75
	Dec. 4	3	.	1	.	.	—	40	—	8	1	—	.	—	.	.	.	.	.	.	18	71
City of Cork	Nov. 13	6	.	.	.	.	.	8	—	29	1	—	.	.	.	.	.	.	—	.	—	44[a]
	Nov. 20	2	.	1	.	.	.	2	—	21	.	—	.	.	.	.	.	.	—	.	—	26
	Nov. 27	1	.	.	.	.	3	1	—	14	1	—	.	.	.	.	.	.	—	.	—	20
	Dec. 4	2	.	.	.	.	1	2	—	11	.	—	.	.	1	2	.	.	—	.	—	19[b]
City of London-derry	Nov. 13	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	—	—	3
	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	Nov. 27	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	—	—	4
	Dec. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
City of Limerick	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Nov. 20	.	.	.	.	.	—	.	—	5	.	—	.	—	.	.	.	.	.	.	—	5
	Nov. 27	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Nov. 13	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Nov. 20	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	—	—	.	4
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 4	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including 3 cases of varicella. (*b*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th December, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 7 and 24; typhus 2 and 17; measles nil and 3; scarlet fever 15 and 54,* and diphtheria 3 and 24. Six cases of pneumonia were admitted during the week and 25 remained under treatment at its close. Of the deaths in hospital during the week one was from each of enteric fever, typhus and scarlet fever, and 2 were from diphtheria.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 4th December, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	REGISTRATION—WEEK ENDING SATURDAY, 4TH DECEMBER, 1920. NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 4TH DECEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	18·8	13·7	1·3	421	306	56	86	.	.	.	1	.	4	9	.	3	27	15	18	18	38	13	1	7	10	85	7	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	20·4	14·6	1·0	162	116	24	36	.	.	.	.	.	1	3	.	1	9	4	7	9	18	4	.	4	3	35	3	(d) 57·0	30·2	51·3	36·9	44·1	0·60
Urban Districts. CITY OF DUBLIN	318,200	39·0	21·1	13·3	0·8	129	81	19	23	.	.	.	.	.	1	1	.	.	8	3	5	8	13	3	.	3	1	25	3	(e) 58·0	37·0	51·0	40·6	45·8	0·73
																														(f) 59·0	32·6	52·0	38·2	45·1	0·69
RATHMINES and RATHGAR ...	40,400	23·6	11·6	14·2	.	9	11	3	6	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	1	1	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	24·2	24·2	5·2	14	14	1	6	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	1	1	6	.	.	.	.	.	.	.
																												2							
BLACKROCK (g) ...	9,200	8·5	22·7	22·7	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	18·4	18·4	.	6	6	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	1	.	52	38	47·2	43·6	45·4	0·98
Urban Districts. BELFAST	413,000	27·7	19·2	13·3	1·6	152	105	22	25	.	.	.	1	.	3	2	.	2	10	5	8	6	13	6	1	1	4	24	1	56·0	34·0	52·1	39·4	45·7	2·14
CORK	76,673	28·6	10·9	19·0	3·4	16	28	3	9	.	.	.	.	.	.	4	.	.	3	.	.	.	1	1	.	.	1	8	3	55	37	51·4	42·9	47·2	1·93
LONDONDERRY ...	44,000	17·1	26·1	17·8	2·4	22	15	6	1	.	.	.	.	.	.	.	.	.	3	1	1	1	2	2	.	.	.	6	.	.	.	.	.	.	.
LIMERICK (h) ...	38,518	16·1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	5	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	22·8	19·0	.	12	10	.	5	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY	13,255	2·5				2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				6	5	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	1	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	55·3	30·2	48·4	37·4	42·9	0·96
DROGHEDA ...	12,501	8·4				11	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	33	50·1	37·1	43·6	1·80
NEWRY	11,963	17·0				5	5	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	55·3	30·2	48·4	37·4	42·9	0·96
PORTADOWN ...	11,727	15·3				4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·3	30·2	48·4	37·4	42·9	0·96
WEXFORD ...	11,531	22·8				6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56	27	50	35	42·5	1·93
KILKENNY ...	10,514	11·4				1	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.	57	28	50·1	35·2	42·7	0·95
TRALEE ...	10,300	17·4				7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LONDON	4,358,309	—	--	13·1	—	1,921	1,091	159	410	.	.	.	.	4	3	22	—	—	103	7	—	106	167	13	8	34	95	491	2	57	37	51·7	40·6	46·2	0·70
EDINBURGH ...	342,300	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The returns for Limerick were not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 48th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 4th December, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.															
			Under 1 month.	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
ALL CAUSES.	167·0	136	6	18	1	2	1	5	3	6	13	12	11	20	18	20		116
Enteric Fever	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Typhus	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Diphtheria	·8	3	.	1	.	.	.	1	.	1	.	.	.	.	.	.		3
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	11·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	16·6	10	.	.	.	.	1	2	2	2	.	2	1	.	.	.		9
Tuberculous Meningitis	1·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Abdominal Tuberculosis	1·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Tuberculosis of the Spinal Column.	·4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		1
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	·4	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.		2
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Venereal Diseases	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	9·6	8	.	.	.	.	.	.	.	.	.	.	2	4	2	.		7
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diabetes	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Anæmia, Leucocythæmia.	1·0	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other General Diseases	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Alcoholism	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	1·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Cerebral Hæmorrhage, Apoplexy.	3·8	8	.	.	.	.	.	.	.	.	.	.	2	2	2	2		8
Softening of Brain	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	3·4	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.		2
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Convulsions (non-puerperal).	3·4	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.		3
Other Diseases of Nervous System.	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	12·8	16	.	.	.	.	.	.	.	.	2	1	1	5	3	4		14
Embolism and Thrombosis (including Cerebral).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1		3
Diseases of the Larynx	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	23·0	15	.	4	.	.	.	.	.	.	.	.	.	2	5	4		15
Broncho-pneumonia	4·8	8	.	5	1	.	.	.	.	.	1	.	.	1	.	.		8
Lobar pneumonia	1·8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Pneumonia (type not distinguished).	7·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Other Diseases of Respiratory System.	1·2	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.		2

registered in the FORTY-EIGHTH WEEK, ending Saturday, 4th December, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 48th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 4th December, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Diarrhœa and Enteritis of Children under 2 years.	3·2	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.		4
Diarrhœa 2 years and upwards.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Appendicitis and Typhlitis.	·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Hernia and Intestinal Obstructions.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Cirrhosis of Liver ..	·4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		.
Acute Nephritis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	4·2	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.		3
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·6	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	·4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Congenital Malformations.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	3·8	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.		3
Congenital Debility ..	5·0	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Old Age	6·6	6	.	.	.	.	.	.	.	.	.	.	.	.	1	5		6
Other Specified Diseases	1·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.		2
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide	.	15	.	.	.	.	.	1	.	1	3	7	3	.	.	.		4
Suicide	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	1·4	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1		3

TABLE IV.—Showing for the WEEK ENDED 4TH DECEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 4TH DECEMBER, 1920.																																
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																					In Institutions.		
		From all causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	22·1	1·7	13	2	.	.	1	.	5	1	4	.	.	.	.	.	.	.	.	.	1	.	.	2	2	1	.	3	4	1	1	.	2
,, 1, W.	42,100	11·1	.	9	1	.	.	.	1	1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	4	.	3	.	.
,, 2	28,200	11·1	.	6	2	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	3	.	1	1	.
,, 3	35,000	11·7	.	8	2	.	1	.	1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	3	.	2	1	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	11·3	3·8	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	4·6	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	9·5	1·2	8	2	.	.	.	.	2	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	5	.	3	2	.
,, 2	18,600	5·6	2·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, 3	44,400	25·8	1·2	22	7	1	1	1	.	1	5	6	.	.	.	.	.	1	.	.	.	2	.	1	2	6	.	.	10	.	2	3	1
,, 4	33,600	6·2	.	4	1	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.	1	2	.
NEW KILMAINHAM	10,600	14·8	.	3	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	1	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	14·2	.	11	3	.	.	.	.	1	1	6	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	6	1	1	.	.
PEMBROKE	30,200	24·2	5·2	14	1	.	.	1	1	.	5	6	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	1	9	1	5	1	.
BLACKROCK †	9,200	22·7	.	4	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	1	1	.
KINGSTOWN	17,000	18·4	.	6	1	.	.	1	2	.	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	3	.	1	.	.
TOTAL CITY. North	166,900	13·1	0·6	42	8	.	1	1	2	8	8	14	.	.	.	.	.	.	.	.	.	3	2	2	5	7	2	.	3	18	1	9	2	2
TOTAL CITY. South	151,300	13·4	1·0	39	11	1	1	3	1	4	9	9	.	.	.	.	.	1	1	.	.	5	1	3	3	6	1	.	.	18	.	7	7	1
TOTAL CITY. North and South ...	318,200	13·3	0·8	81	19	1	2	4	3	12	17	23	.	.	.	.	.	1	1	.	.	8	3	5	8	13	3	.	3	36	1	16	9	3
Total Urban Districts	96,800	18·9	1·6	35	5	.	.	2	4	1	10	13	.	.	.	.	.	.	2	.	1	1	1	2	1	5	1	.	1	20	2	8	2	.
Total Registration Area ...	415,000	14·6	1·0	116	24	1	2	6	7	13	27	36	.	.	.	.	.	1	3	.	1	9	4	7	9	18	4	.	4	56	3	24	11	3
Deaths relating to residents of localities situated outside the Registration Area (not included in above).				20	.	.	.	.	2	12	4	2	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	12	4	12	8	1	.

* See note at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th December, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH DECEMBER, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																				
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	136	27	6	9	25	31	18	20	1	1	.	.	.	1	3	.	1	10	4	8	3	9	18	4	.	16	57	3
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	39·1	11	1	.	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	6	3	.
II.	MIDDLE CLASS	101,798	25·1	49	7	1	5	9	9	7	11	.	1	.	.	.	.	1	.	.	3	1	2	1	1	7	2	.	9	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	11·5	24	3	1	2	5	7	5	1	.	.	.	.	.	.	.	.	.	3	1	3	.	1	3	.	.	1	12	2
IV.	GENERAL SERVICE CLASS	167,479	12·5	40	15	3	2	6	7	3	4	1	.	.	.	.	1	2	.	1	3	1	1	1	6	6	2	.	.	15	.
V.	INMATES OF WORKHOUSES, ...	5,602	—	12	1	1	.	1	4	3	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	11	1	.	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	6	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	16	1	.	3	5	3	2	2	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1	.	.	4	7	.
	6. Clerks and Commercial Assistants ..	33,249	—	16	5	1	1	1	4	2	2	.	1	.	.	.	.	.	.	.	2	.	1	1	1	1	1	.	1	7	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	14	.	.	1	3	2	3	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	4	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	4	.	.	.	2	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	10. Clothing Trades	20,026	—	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
	11. Food Supply Trades	8,952	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	9	1	1	.	1	5	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	5	1
	13. Petty Shopkeepers	6,772	—	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	1
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	7	4	1	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	.	1	.	.	2	.
	15. Domestic Servants	36,041	—	6	2	.	.	1	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	23	8	2	2	3	4	1	3	.	.	.	.	.	1	.	.	.	3	.	1	1	5	3	1	.	.	8	.
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	12	1	1	.	1	4	3	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.	6	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27	Dec. 4.
No. of weeks in Annual Series ..	36	37	38	39	40	41	42	43	44	45	46	47	48	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered	231	215	196	209	232	224	184	213	177	245	188	223	162	211	235	209	197	195	180	203	193	198	256	195	201	152
Average Births in corresponding week of previous 10 years	*213*	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*188*	*197*	*200*	*183*	*191*	*193*	*191*	*176*	*191*	*194*	*202*	*200*	*179*	*183*	*189*	*171*	*179*	*182*
Number of Deaths	112	107	125	139	130	125	120	111	117	134	152	125	116	145	114	122	103	93	102	106	89	100	112	104	111	105
Annual Death-rate per 1,000 ..	14·1	13·4	15·7	17·5	16·3	15·7	15·1	13·9	14·7	16·8	19·1	15·7	14·6	18·3	14·4	15·4	13·0	11·7	12·9	13·4	11·2	12·6	14·1	13·1	14·0	13·3
Average Deaths in corresponding week of previous 10 years	*145*	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*162*	*160*	*116*	*113*	*121*	*115*	*105*	*111*	*109*	*117*	*114*	*140*	*156*	*170*	*161*
Ages .. Under one year ..	38	26	34	41	41	32	23	29	19	28	36	25	24	34	32	31	18	17	23	18	22	19	24	22	28	22
1— 5 years ..	6	3	13	5	12	12	8	5	13	10	8	10	3	5	2	8	9	2	5	6	2	6	9	5	7	6
5—25 „ ..	15	13	9	12	13	2	9	13	15	17	16	7	13	26	17	9	11	11	9	16	8	16	15	11	11	16
25—45 „ ..	9	12	15	21	13	17	12	19	17	30	22	17	13	33	22	19	17	22	18	14	13	11	15	21	18	13
45—65 „ ..	22	25	23	27	25	29	40	18	29	19	34	30	27	28	26	35	23	26	26	20	26	29	28	19	23	23
65 and upwards ..	22	28	31	33	26	33	28	27	24	30	36	36	36	19	15	20	22	15	21	32	18	19	21	26	24	25
Deaths from :—																										
Enteric Fever	.	.	1	.	.	.	.	1	1	.	.	.	.	.	1	2	.	.	1	.	.	.	.	1	1	.
Typhus	.	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever	.	.	.	.	.	.	1	.	.	.	.	.	.	2	3	1	1	.	2	2	.	2	2	1	1	.
Whooping-cough	.	3	3	1	3	2	2	3	2	1	.	1	1	1	.	2	.	.	.	.	1	.	.	1	.	3
Diphtheria	.	.	1	.	4	2	1	1	2	2	1	1	3	.	1	2	.	.	.	4	.	2	3	.	2	2
Dysentery	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	1	1	1	.	1	1	.	.	1	.	1	1	.	.	.	.	.	.	1	.	.	1	.	1	2
Tuberculosis (Pulmonary ..	9	12	11	12	12	10	10	15	9	22	18	7	9	16	13	10	9	13	14	9	4	12	16	9	14	10
Tuberculosis (Other Forms ..	7	1	1	3	3	4	5	3	4	6	5	5	4	5	4	7	4	3	4	1	1	.	2	2	2	5
Cancer	8	14	10	7	5	12	6	5	6	6	5	11	7	8	7	9	10	4	12	4	7	4	1	7	8	8
Diseases of Respiratory System (Pneumonia ..	7	6	4	10	6	6	6	5	11	13	17	8	9	10	6	5	8	6	6	4	4	9	8	7	9	6
Diseases of Respiratory System (Others ..	10	11	12	12	11	14	17	10	16	19	19	11	18	7	7	4	6	5	9	16	3	10	15	10	11	13
Diarrhœa & Enteritis, under 2 years	17	12	22	16	21	19	8	8	4	3	9	6	4	7	9	15	5	7	2	6	4	4	5	1	5	6
Diarrhœa, 2 years and upwards ..	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	1	.	1	1
Violent Deaths, ...	.	2	5	2	2	1	1	7	4	6	2	6	4	27	7	3	9	3	5	2	7	5	1	4	.	1
Number of Uncertified Deaths ..	2	3	1	5	6	1	4	4	4	5	5	3	3	7	1	1	1	.	1	2	2	.	3	3	2	1
A Mean Maximum Temperature in degs.	64·1	62·8	60·5	61·2	60·3	59·5	57·8	56·2	52·5	55·6	55·9	50·3	51·3	62·5	62·0	56·0	62·2	59·8	59·0	57·1	55·7	50·8	54·3	54·2	51·5	52·1
B Mean Minimum „ „	4 9·3	43·1	37·7	48·8	45·8	48·3	44·1	33·9	41·3	45·9	44·3	32·1	36·9	52·3	48·0	39.3	52·6	47·7	52·2	45·7	47·3	42·5	47·7	40·5	40·9	39·4
Mean of A and B „ „	56·7	53·0	49·1	55·0	53·0	53·9	50·9	45·1	46·9	50·8	50·1	41·2	44·1	57·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7	51·0	47·3	46·2	45·7
Rainfall in inches	0·38	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·21	1·43	0·60	0·46	0·98	0·12	0·81	2·63	0·75	0·91	0·01	2·90	0·26	0·28	0·22	2.14

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th December, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	6	36·1	3·3	11	3	.	.	2	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	2	3	.
Do. 2 do.	49,500	19	20·0	3·2	19	3	1	4	.	6	5	.	.	.	1	.	.	.	.	1	1	2	.	1	3	2	.	1	1	2	.
Do. 3 do.	50,032	20	7·3	2·1	7	2	.	1	1	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	1	.
Do. 4 do.	32,637	8	9·6	3·2	6	1	2	.	2	.	1	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 5 do.	16,112	8	3·2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	10	8·4	.	6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	1	.
Do. 7 do.	2,681	2	38·9	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 8 do.	5,964	1	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	11	14·9	.	7	.	.	.	4	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	1	.
Do. 10 do.	28,958	15	9·0	1·8	5	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	1	.
Do. 11 do.	—	8	—	—	10	.	1	2	2	4	1	.	.	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.	4	.
Do. 12 do.	—	14	—	—	8	4	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	1
Do. 13 do.	—	7	—	—	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	11	20·7	2·3	9	5	1	2	.	.	1	.	.	.	.	.	1	.	.	.	1	1	.	1	2	.	.	.	1	1	.
Do. 16 do.	—	12	—	—	10	3	.	3	1	.	3	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.	1	.	.	2	.
Total,	386,947	152	13·3	1·6	105	22	6	16	13	23	25	.	.	.	1	.	3	2	.	2	10	5	8	6	13	6	1	1	4	24	1
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	1	11·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	10,399	2	15·0	5·0	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 3 do.	9,793	1	5·3	5·3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 4 do.	9,139	3	28·5	.	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.
Do. 5 do.	6,250	5	25·0	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2
Do. 6 do.	11,581	2	9·0	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.	16,056	2	35·7	9·7	11	.	3	2	.	2	4	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	3	1
Total,	76,673	16	19·0	3·4	28	3	6	4	2	4	9	.	.	.	.	.	.	4	.	.	3	.	.	.	1	1	.	.	1	8	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 16·6 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4TH December, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	4
„ „ „ 2, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ „ 3, ...	.	.	.	.	.	4	1	.	.	.	1	.	.	3	.	.	2	11
„ „ „ 4, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total, ...	2	2	.	.	.	10	3	.	.	.	1	.	.	4	.	.	6	28

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th December, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 4th December.			
	Nov. 13.	Nov. 20.	Nov. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	21	21	7	3	1	24
Typhus, ...	16	17	17	2	1	1	17
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	5	6	.	3	.	3
Scarlet Fever, ...	50	49	55	15	15	1	54*
Diphtheria, ...	34	38	31	3	8	2	24
Pneumonia, ...	24	27	28	6	9	.	25

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.4025) Wt. 7941/36 3. 380. 11. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 49. VOL. LVII.] WEEK ENDING SATURDAY, 11TH DECEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 13th December, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts† of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Dublin Registration Area, 18·1 and 16·9; Dublin City, 19·5 and 17·6; Belfast, 14·9 and 13·8; Cork, 19·0 and 18·2; Londonderry, 17·8 and 15·1; and Waterford 19·0 and 18·0.

Among the 118 deaths from all causes for Belfast, are one from enteric fever, 3 from scarlet fever, one from whooping-cough, 3 from diphtheria, 3 from diarrhœa and enteritis of children under 2 years, and one from influenza. The 28 deaths from all causes for Cork include one from enteric fever, one from measles, and 2 from diphtheria. Of the 15 deaths from all causes for Londonderry, one is from typhus, and one from diarrhœa and enteritis of a child under 2 years; among the 10 deaths from all causes for Waterford one is from whooping-cough, and one of the 4 deaths from all causes for Newry is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—91 boys and 103 girls—and the deaths to 159—76 males and 83 females.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population. During the forty-nine weeks ending with Saturday last, the death-rate averaged 17·9 and was 3·1 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the forty-nine weeks was 19·6 and for the corresponding period of the preceding ten years 22·4.

Included in the 144 deaths appertaining to the Area are one from scarlet fever, 4 from diarrhœa and enteritis of children under 2 years and 2 from influenza.

In the 3 preceding weeks, deaths from diarrhœa and enteritis of children under 2 years were 9, 6, and 4; and deaths from influenza 0, one, and one. There were no deaths registered from scarlet fever in the three preceding weeks.

There were 10 deaths from pneumonia, comprising 4 from broncho-pneumonia, one from lobar pneumonia and 5 from pneumonia (type not distinguished).

Tuberculous disease caused 27 deaths (including 22 from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from tuberculosis of other organs) as against 23, 12, and 13, in the three weeks preceding.

Six deaths were caused by cancer, 11 by organic diseases of the heart, and 22 by bronchitis.

Three deaths attributed to accidental violence were registered, one of these having been caused by burns and 2 by gunshot wounds, and there were three cases of homicide.

Among deaths of infants under one year old, one was due to influenza, one to venereal disease, 2 to convulsions, 4 to bronchitis, 2 to broncho-pneumonia, 4 to diarrhœa and enteritis, 3 to premature birth, and 3 to congenital debility.

Twenty-seven of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 21 being infants under one year, of whom 9 were under one month old, and 41 deaths were those of persons aged 65 and upwards, of whom 34 were 70 years of age or over.

Of the 144 deaths recorded, 57 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† See note (*h*) to Table II.
NOTE.—The principal epidemic diseases are :—Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 11th December in 96 large English towns (including London in which the rate was 12·9) was equal to an average annual death rate of 12·9 per 1,000 of the estimated civil population.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th December. From this Report it appears that of 124 cases notified, 49 were scarlet fever, 28 diphtheria, 18 pulmonary tuberculosis, one other form of tuberculosis, 18 chicken-pox, 6 erysipelas, 3 acute primary pneumonia, and one acute influenzal pneumonia. Among the 672 cases of infectious diseases in hospital at the close of the week were 254 of scarlet fever, 189 of pulmonary tuberculosis, 7 other forms of tuberculosis, 124 of diphtheria, 44 of venereal disease, 17 of erysipelas, 7 of measles, 4 of chicken-pox, 2 of acute influenzal pneumonia, one of cerebro-spinal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th December, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 20	1	2	.	.	.	—	5	—	4	2	—	.	—	.	.	.	9	.	.	1	24
	Nov. 27	2	1	.	.	.	—	2	—	3	1	—	.	—	.	.	.	3	.	.	7	19
	Dec. 4	2	2	.	.	.	—	10	—	3	.	—	.	—	1	.	.	4	.	.	6	28
	Dec. 11	1	1	.	.	.	—	4	—	2	.	—	.	—	3	.	.	6	.	.	.	17
Rathmines & Rathgar Urban District	Nov. 20	.	.	.	.	.	—	2	—	1	.	—	.	—	.	.	.	.	.	.	—	3
	Nov. 27	.	.	.	.	.	—	4	—	2	.	—	.	—	.	.	.	.	.	.	—	6
	Dec. 4	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	1	.	.	—	3
	Dec. 11	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
Pembroke Urban District	Nov. 20	.	.	.	.	.	.	.	1	.	.	.	.	—	.	.	.	.	.	.	1	2
	Nov. 27	.	.	.	.	.	1	2	.	3	.	.	.	—	.	.	.	.	1	.	.	7
	Dec. 4	.	.	.	.	.	.	1	.	1	.	.	.	—	.	.	.	.	.	.	.	2
	Dec. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Nov. 20	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Nov. 27	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	3	3
	Dec. 4	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
	Dec. 11	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Nov. 20	1	.	.	.	.	—	30	—	18	1	—	1	—	.	.	.	2	.	.	21	74
	Nov. 27	2	.	.	.	.	—	40	—	9	3	—	.	—	.	.	.	.	.	.	21	75
	Dec. 4	3	.	1	.	.	—	40	—	8	1	—	.	—	.	.	.	.	.	.	18	71
	Dec. 11	1	3	1	.	.	—	16	—	10	2	—	.	—	.	.	.	2	.	.	22	57
City of Cork	Nov. 20	2	.	1	.	.	.	2	—	21	.	—	.	.	.	.	.	.	—	.	—	26
	Nov. 27	1	.	.	.	.	3	1	—	14	1	—	.	.	.	.	.	.	—	.	—	20
	Dec. 4	2	.	.	.	.	1	1	—	11	.	—	.	.	1	2	.	.	—	.	—	18*a*
	Dec. 11	.	.	.	.	.	.	.	—	11	1	—	.	.	.	.	.	.	—	.	—	12
City of Londonderry	Nov. 20	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	—	—	1
	Nov. 27	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	—	—	4
	Dec. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Dec. 11	.	1	.	.	.	—	3	—	2	.	—	.	—	.	.	.	.	.	—	—	6
City of Limerick	Nov. 20	.	.	.	.	.	—	.	—	5	.	—	.	—	.	.	.	.	.	.	—	5
	Nov. 27	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 4	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Nov. 20	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	—	—	.	4
	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 4	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	—	—	.	2
	Dec. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th December, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows: Enteric fever 2 and 21; typhus one and 11; scarlet fever 9 and 55,* and diphtheria 3 and 23. Eight cases of pneumonia were admitted during the week and 26 remained under treatment at its close. Of the deaths in hospital during the week 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th December, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 11TH DECEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	DEATHS. Caused by. Under 1 year of Age.	At 65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 11TH DECEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	—	—	—	541	346	53	92	3	1	.	1	4	2	5	.	3	45	11	24	25	41	9	.	15	16	115	13	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	24·4	18·1	0·6	194	144	21	41	.	.	.	.	1	.	.	.	2	22	5	6	10	24	4	.	6	5	57	8	(d) 47·0	26·0	43·1	29·7	36·4	0·18
Urban Districts. CITY OF DUBLIN	318,200	39·0	28·2	19·5	0·5	172	119	18	31	.	.	.	.	.	.	.	.	1	18	4	6	7	22	3	.	5	4	51	8	(e) 45·9	31·8	42·7	34·7	38·7	0·22
																														(f) 45·4	28·0	43·2	32·2	37·7	0·24
RATHMINES and RATHGAR ...	40,400	23·6	10·3	11·6	1·3	8	9	1	3	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	1	1	4	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	15·5	8·6	.	9	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	11·3	45·3	5·7	2	8	1	2	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	9·2	9·2	.	3	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	48	32	45·7	40·0	42·9	0·11
Urban Districts. BELFAST	413,000	27·7	21·6	14·9	1·4	179	118	23	28	1	.	.	.	3	1	3	.	1	16	2	10	11	12	3	.	6	9	34	1	48·0	27·0	42·7	33·4	38·1	1·13
CORK	76,673	28·6	36·0	19·0	2·7	53	28	1	11	1	.	.	1	.	.	2	.	.	.	1	3	2	2	.	.	1	1	10	2	50	31	47·3	36·4	41·9	0·16
LONDONDERRY ...	44,000	17·1	30·8	17·8	2·4	26	15	4	2	.	1	.	.	.	.	.	.	.	3	1	.	2	2	1	.	.	.	4	.	.	.	.	.	.	.
LIMERICK (h) ...	38,518	16·1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	17·1	19·0	1·9	9	10	.	2	.	.	.	.	.	1	.	.	.	2	.	1	.	.	.	.	1	1	3	1	.	.	.	.	.	.
GALWAY	13,255	2·5				9	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				11	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
DROGHEDA ...	12,501	8·4				1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LISBURN	12,388	10·9				7	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	42	23	40	27·6	33·8	0·27
NEWRY	11,963	17·0				3	4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN ...	11,727	15·3				7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.
WEXFORD ...	11,531	22·8				5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				20	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	11,163	3·8				4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	28	43	30	36·5	0·10
KILKENNY ...	10,514	11·4				7	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	45	24	42·1	30·1	36·1	0·06
TRALEE ...	10,300	17·4				3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LONDON	4,358,309	—	—	12·9	—	1,902	1,078	170	385	.	.	.	3	6	3	22	—	—	81	19	106	116	130	16	6	39	92	518	1	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The returns for Limerick were not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 49th Week of the 5 years, 1916-1919.	Deaths registered during week ending Saturday, 11th December, 1920. All Ages.	Ages at Death. 0—5. Under 1 month.	1 month and under 1 year	1—2.	2—5.	5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	Deaths of Residents of Dublin Registration Area (included in the foregoing)
ALL CAUSES.	168·8	159	12	12	2	4	4	2	6	8	16	14	20	16	21	22	144
Enteric Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	3·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Whooping-cough	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	11·2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
TUBERCULOSIS.																	
Pulmonary Tuberculosis	16·8	23	.	.	.	.	.	.	2	4	7	5	2	3	.	.	22
Tuberculous Meningitis	1·0	4	.	.	.	.	2	1	.	.	.	1	.	.	.	.	4
Abdominal Tuberculosis	2·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·8	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	10·4	8	.	.	.	.	.	.	.	.	.	1	3	2	1	1	6
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2
Anæmia, Leucocythæmia.	·8	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Other General Diseases	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	3·8	9	.	.	.	.	.	.	.	.	.	.	1	2	2	4	9
Softening of Brain	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	·6	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epilepsy	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal).	2·6	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	3
Other Diseases of Nervous System.	3·2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	15·2	11	.	.	.	.	.	.	.	.	.	1	5	2	2	1	11
Embolism and Thrombosis (including Cerebral).	·8	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Other Diseases of Circulatory System.	2·0	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	20·2	22	.	4	1	1	.	.	.	.	.	1	3	1	4	7	22
Broncho-pneumonia	6·8	4	.	2	.	.	.	.	.	.	.	.	.	1	.	1	4
Lobar pneumonia	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Pneumonia (type not distinguished).	7·0	6	.	.	1	1	.	.	.	1	2	1	.	.	.	.	5
Pleurisy	·4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1

registered in the FORTY-NINTH WEEK, ending Saturday, 11th December, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 49th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 11th December, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Stomach ..	2·2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		1
Diarrhœa and Enteritis of Children under 2 years.	3·6	4	2	2	.	.	.	.	.	.	.	.	.	.	.	.		4
Diarrhœa 2 years and upwards.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	·8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Appendicitis and Typhlitis.	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·8	3	.	.	.	.	.	.	.	.	.	.	.	1	2	.		3
Cirrhosis of Liver ..	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		1
Peritonitis (cause unknown).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Nephritis ..	·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Chronic Bright's Disease	2·8	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		2
Urinary Calculi ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·2	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.		2
Diseases of Skin and Cellular Tissues.	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Diseases of Locomotor System.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Congenital Malformations.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	4·0	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.		3
Congenital Debility ..	6·2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.		3
Old Age	8·8	7	.	.	.	.	.	.	.	.	.	.	.	.	2	5		7
Other Specified Diseases	·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	1·2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·0	3	.	.	.	.	.	.	2	.	1	.	.	.	.	.		2
Other Violent Deaths ..		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Not included in above—																		
Homicide	·2	8	.	.	.	.	.	.	.	3	4	1	.	.	.	.		3
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	2·0	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2

TABLE IV.—Showing for the WEEK ENDED 11TH DECEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 11TH DECEMBER, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																													
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																				In Institutions.		
		From all causes	From certain Epidemic Diseases*																		Tuberculosis.			Diseases of Respiratory System.											
													Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	17·0	.	10	2	.	1	.	.	.	4	3	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	6	.	2	.	1
,, 1, W.	42,100	24·8	2·5	20	5	1	1	1	1	2	5	4	.	.	.	.	.	.	.	.	.	2	1	1	.	4	2	.	1	9	1	4	5	1
,, 2	28,200	24·0	.	13	.	.	.	1	1	5	3	3	.	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	8	.	4	1	.
,, 3	35,000	21·8	.	15	1	1	2	.	2	2	3	4	.	.	.	.	.	.	.	.	.	4	1	.	2	2	.	.	.	6	.	3	3	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	.	2	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	3·8	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	14·2	.	12	.	.	.	.	1	2	4	5	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	1	7	1	1	2	.
,, 2	18,600	22·4	2·8	8	2	.	.	1	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.	.	3	.	1	3	.
,, 3	44,400	22·3	.	19	6	.	.	2	2	3	2	4	.	.	.	.	.	.	.	.	.	4	1	1	2	6	.	.	.	5	.	4	4	3
,, 4	33,600	21·7	.	14	2	.	.	.	2	3	2	5	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	.	2	7	1	9	2	2
NEW KILMAINHAM	10,600	14·8	.	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.	1
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	11·6	1·3	9	1	.	.	1	1	1	2	3	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	1	5	1	3	1	.
PEMBROKE	30,200	8·6	.	5	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	1	.	.
BLACKROCK †	9,200	45·3	5·7	8	1	.	.	.	.	3	2	2	.	.	.	.	.	.	.	.	.	3	1	.	1	.	1	.	.	2	.	1	.	.
KINGSTOWN	17,000	9·2	.	3	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.
TOTAL CITY. North	166,900	19·7	0·6	63	8	2	4	2	5	10	16	16	.	.	.	.	.	.	.	.	.	10	2	2	4	11	2	.	2	30	2	16	9	2
TOTAL CITY. South	151,300	19·3	0·3	56	10	.	.	3	6	10	12	15	.	.	.	.	.	.	.	.	1	8	2	4	3	11	1	.	3	23	2	15	11	6
TOTAL CITY. North and South ...	318,200	19·5	0·5	119	18	2	4	5	11	20	28	31	.	.	.	.	.	.	.	.	1	18	4	6	7	22	3	.	5	53	4	31	20	8
Total Urban Districts ...	96,800	13·5	1·1	25	3	.	.	1	1	4	6	10	.	.	.	.	1	.	.	.	1	4	1	.	3	2	1	.	1	11	1	5	1	.
Total Registration Area ...	415,000	18·1	0·6	141	21	2	4	6	12	24	34	41	.	.	.	.	1	.	.	.	2	22	5	6	10	24	4	.	6	64	5	36	21	8
Deaths relating to residents of localities situated outside the Registration Area (not included in above).				15	3	.	.	.	2	6	2	2	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	6	5	6	10	.	.

* See note at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th December, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH DECEMBER, 1920. Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	159	30	6	14	30	36	21	22	.	.	.	.	1	.	.	.	2	23	5	8	3	11	24	4	.	12	66	8
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	35·6	10	.	.	1	3	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	4	.
II.	MIDDLE CLASS	101,798	19·0	37	5	1	3	5	8	6	9	.	.	.	.	.	.	.	.	1	7	1	1	.	2	5	.	.	1	19	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	15·4	32	7	3	2	9	6	4	1	.	.	.	.	1	.	.	.	.	4	2	3	.	2	4	1	.	3	12	. .
IV.	GENERAL SERVICE CLASS	167,479	18·4	59	16	1	8	10	13	5	6	.	.	.	.	.	.	.	.	1	9	1	1	3	5	12	3	.	4	20	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	21	2	1	.	3	5	4	5	.	.	.	.	.	.	.	.	.	3	1	2	.	1	3	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	7	.	.	1	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	7	.	.	1	1	1	3	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	3	1
	6. Clerks and Commercial Assistants ..	33,249	—	13	.	1	1	3	5	2	1	.	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.	6	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	13	4	.	1	1	1	.	6	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	.	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	9. Building and Furnishing Trades ..	28,823	—	10	3	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	6	.
	10. Clothing Trades	20,026	—	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	8,952	—	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	14	2	2	2	4	3	1	.	.	.	.	.	1	.	.	.	.	2	.	1	.	1	.	1	.	3	5	.
	13. Petty Shopkeepers	6,772	—	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	7	1	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	3	2	.
	15. Domestic Servants	36,041	—	7	.	.	2	2	1	.	2	.	.	.	.	.	.	.	.	1	3	.	.	.	2	.	.	.	.	1	. .
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	40	14	1	4	3	10	4	4	.	.	.	.	.	.	.	.	.	5	1	1	3	2	11	3	.	1	13	5
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	21	2	1	.	3	6	4	5	.	.	.	.	.	.	.	.	.	3	1	2	.	1	3	.	.	.	11	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27	Dec. 4.	Dec. 11.
No. of weeks in Annual Series ..	37	38	39	40	41	42	43	44	45	46	47	48	49	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered	215	196	209	232	224	184	213	177	245	188	223	162	194	235	209	197	195	180	203	193	198	256	195	201	152	179
Average Births in corresponding week of previous 10 years	*194*	*214*	*205*	*201*	*196*	*194*	*185*	*188*	*197*	*200*	*183*	*191*	*178*	*191*	*176*	*191*	*194*	*202*	*200*	*179*	*183*	*189*	*171*	*179*	*182*	*178*
Number of Deaths	107	125	139	130	125	120	111	117	134	152	125	116	144	114	122	103	93	102	106	89	100	112	104	111	105	118
Annual Death-rate per 1,000 ..	13·4	15·7	17·5	16·3	15·7	15·1	13·9	14·7	16·8	19·1	15·7	14·6	18·1	14·4	15·4	13·0	11·7	12·9	13·4	11·2	12·6	14·1	13·1	14·0	13·3	14·9
Average Deaths in corresponding week of previous 10 years	*145*	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*162*	*160*	*166*	*113*	*121*	*115*	*105*	*111*	*109*	*117*	*114*	*140*	*156*	*170*	*161*	*159*
Ages .. Under one year ..	26	34	41	41	32	23	29	19	28	36	25	24	21	32	31	18	17	23	18	22	19	24	22	28	22	23
1— 5 years ..	3	13	5	12	12	8	5	13	10	8	10	3	6	2	8	9	2	5	6	2	6	9	5	7	6	7
5—25 ,, ..	13	9	12	13	2	9	13	15	17	16	7	13	18	17	9	11	11	9	16	8	16	15	11	11	16	17
25—45 ,, ..	12	15	21	13	17	12	19	17	30	22	17	13	24	22	19	17	22	18	14	13	11	15	21	18	13	19
45—65 ,, ..	25	23	27	25	29	40	18	29	19	34	30	27	34	26	35	26	26	26	20	26	29	28	19	23	23	24
65 and upwards ..	28	31	33	26	33	28	27	24	30	36	36	36	41	15	20	22	15	21	32	18	19	21	26	24	25	28
Deaths from :—																										
Enteric Fever	.	1	.	.	.	.	1	1	.	.	.	.	.	1	2	.	.	1	.	.	.	.	1	1	.	1
Typhus	.	.	.	.	.	2	1	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever	.	.	.	.	.	1	.	.	.	.	.	.	1	3	1	1	.	2	2	.	2	2	1	1	.	3
Whooping-cough	3	3	1	3	2	2	3	2	1	.	1	1	.	.	2	.	.	.	.	1	.	.	1	.	3	1
Diphtheria	.	1	.	4	2	1	1	2	2	1	1	3	.	1	2	.	.	.	4	.	2	3	.	2	2	3
Dysentery	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	1	1	.	1	1	.	.	1	.	1	1	2	.	.	.	.	.	1	.	.	1	.	1	2	1
Tuberculosis (Pulmonary ..	12	11	12	12	10	10	15	9	22	18	7	9	22	13	10	9	13	14	9	4	12	16	9	14	10	16
Tuberculosis (Other Forms ..	1	1	3	3	4	5	3	4	6	5	5	4	5	4	7	4	3	4	1	1	.	2	2	2	5	2
Cancer	14	10	7	5	12	6	5	6	6	5	11	7	6	7	9	10	4	12	4	7	4	1	7	8	8	10
Diseases of Respiratory System (Pneumonia ..	6	4	10	6	6	6	5	11	13	17	8	9	10	6	5	8	6	6	4	4	9	8	7	9	6	11
Diseases of Respiratory System (Others ..	11	12	12	11	14	17	10	16	19	19	11	18	24	7	4	6	5	9	16	3	10	15	10	11	13	12
Diarrhœa & Enteritis, under 2 years	12	22	16	21	19	8	8	4	3	9	6	4	4	9	15	5	7	2	6	4	4	5	1	5	6	3
Diarrhœa, 2 years and upwards ..	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	2	2	1	1	.	1	.	1	1	.
Violent Deaths, ...	2	5	2	2	1	1	7	4	6	2	6	4	6	7	3	9	3	5	2	7	5	1	4	.	1	6
Number of Uncertified Deaths ..	3	1	5	6	1	4	4	4	5	5	3	3	8	1	1	1	.	1	2	2	.	3	3	2	1	1
A Mean Maximum Temperature in degs.	62·8	60·5	61·2	60·3	59·5	57·8	56·2	52·5	55·6	55·9	50·3	51·3	43·1	62·0	56·0	62·2	59·8	59·0	57·1	55·7	50·8	54·3	54·2	51·5	52·1	42·7
B Mean Minimum ,, ,,	43·1	37·7	48·8	45·8	48·3	44·1	33·9	41·3	45·9	44·3	32·1	36·9	29·7	48·0	39.3	52·6	47·7	52·2	45·7	47·3	42·5	47·7	40·5	40·9	39·4	33·4
Mean of A and B ,, ,,	53·0	49·1	55·0	53·0	53·9	50·9	45·1	46·9	50·8	50·1	41·2	44·1	36·4	55·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7	51·0	47·3	46·2	15·7	38·1
Rainfall in inches	0·56	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·21	1·43	0·60	0·18	0·98	0·12	0·81	2·63	0·75	0·91	0·01	2·90	0·26	0·28	0·22	2.14	1·13

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th December, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted* ; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases ; Number of the Deaths at certain AGE PERIODS ; the Number of Deaths from the Principal CAUSES ; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																												
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																			
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis, Pulmonary.	Tuberculosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	5	19·7	·	6	·	·	1	·	2	3	·	·	·	·	·	·	·	·	·	·	1	3	·	1	·	·	1	1	3	·
Do. 2 do.	49,500	26	14·7	·	14	4	·	1	3	3	3	·	·	·	·	·	·	·	·	·	2	1	1	1	·	·	·	·	·	4	·
Do. 3 do.	50,032	25	12·5	5·2	12	4	·	3	1	1	3	1	·	·	·	·	1	2	·	·	2	·	·	·	1	1	·	·	·	2	1
Do. 4 do.	32,637	10	16·0	1·6	10	2	1	2	2	1	2	·	·	·	·	1	·	·	·	·	2	·	1	2	1	·	·	·	1	5	·
Do 5 do.	16,112	6	19·4	3·2	6	1	1	1	1	1	1	·	·	·	·	1	·	·	·	·	2	·	·	·	·	·	·	·	·	3	·
Do. 6 do.	37,293	11	9·8	1·4	7	·	1	1	2	2	1	·	·	·	·	·	·	1	·	1	·	·	1	1	·	·	·	·	·	3	·
Do. 7 do.	2,681	2	19·4	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 8 do.	5,964	2	17·5	·	2	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
Do. 9 do.	24,427	13	17·1	4·3	8	2	1	·	·	4	1	·	·	·	·	1	·	·	·	·	1	·	·	1	·	1	·	·	·	2	·
Do. 10 do.	28,958	16	36·0	·	20	3	1	3	·	6	7	·	·	·	·	·	·	·	·	·	1	·	·	3	6	·	·	4	5	2	·
Do. 11 do.	—	11	—	—	7	·	1	1	3	·	2	·	·	·	·	·	·	·	·	·	3	·	·	·	1	·	·	·	·	3	·
Do. 12 do.	—	13	—	—	7	3	·	·	2	2	·	·	·	·	·	·	·	·	·	·	1	·	1	3	·	1	·	·	·	1	·
Do. 13 do.	—	12	—	—	7	·	·	3	·	·	4	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	·	3	·
Do. 14 do.	175	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	15	18·4	·	8	2	·	·	4	1	1	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	1	2	1	·
Do. 16 do.	—	11	—	—	3	2	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total, . . .	386,947	179	14·9	1·4	118	23	7	17	19	24	28	1	·	·	·	3	1	3	·	1	16	2	10	11	12	3	·	6	9	34	1
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	5	11·6	3·9	3	·	1	·	1	·	1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do. 2 do. .	10,399	6	15·0	·	3	·	·	·	·	1	2	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	1
Do. 3 do. .	9,793	9	37·3	5·3	7	·	1	2	1	·	3	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	·
Do. 4 do. .	9,139	10	22·8	·	4	·	·	·	2	1	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	2	·
Do. 5 do. .	6,250	3	16·7	·	2	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·
Do. 6 do. .	11,581	9	9·0	·	2	1	·	1	·	·	·	·	·	·	·	·	·	2	·	·	·	·	2	·	·	·	·	1	·	4	1
Do. 7 do. .	16,056	11	22·7	6·5	7	·	1	1	1	1	3	·	·	·	·	·	·	2	·	·	·	1	3	2	2	·	·	1	1	10	2
Total, . . .	76,673	53	19·0	2·7	28	1	3	4	5	4	11	1	·	·	1	·	·	2	·	·	·	1	3	2	2	·	·	1	1	10	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620 ; death-rate from all causes 12·4 per 1,000 and from certain epidemic diseases 0·5.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11TH December, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ..	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	4
„ „ „ 2, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
„ „ „ 3, ...	.	1	.	.	.	.	1	.	.	.	.	.	.	3	.	.	.	5
„ „ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	1	.	.	.	4	2	.	.	.	3	.	.	6	.	.	.	17

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th December, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 11th December.			
	Nov. 20.	Nov. 27.	Dec. 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	21	24	2	5	.	21
Typhus, ...	17	17	17	1	7	.	11
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	3	3	.	3	.	.
Scarlet Fever, ...	49	55	54	9	8	.	55*
Diphtheria, ...	38	31	24	3	4	.	23
Pneumonia, ...	27	28	25	8	5	2	26

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.4059) Wt. 7941/36 3. 380. 12. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 50. VOL. LVII.] WEEK ENDING SATURDAY, 18TH DECEMBER, 1920. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 20th December, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 17·8 and 15·7; Dublin Registration Area, 20·2 and 17·1; Dublin City, 21·3 and 17·9; Belfast, 15·9 and 14·5; Cork, 22·4 and 20·2; Londonderry, 16·6 and 15·1; Limerick 12·2 and 15·6; and Waterford 22·8 and 19·5.

The deaths* from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·4 per 1,000. Among the 126 deaths from all causes for Belfast, are 2 from scarlet fever, one from diphtheria, 3 from diarrhœal diseases, and one from influenza; the 33 deaths from all causes for Cork include one from measles, one from scarlet fever, and 4 from diphtheria; of the 9 deaths from all causes for Limerick one is from diphtheria, and the 3 deaths recorded for Wexford include one from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 153—96 boys and 57 girls—and the deaths to 179—87 males and 92 females.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·2 per 1,000 of the population. During the fifty weeks ending with Saturday last, the death-rate averaged 18·0 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the fifty weeks was 19·6 and for the corresponding period of the preceding ten years 22·4.

Included in the 161 deaths appertaining to the Area are 2 from typhus, one from scarlet fever, 4 from whooping-cough, one from diphtheria, 8 from diarrhœal diseases, and 5 from influenza.

In the 3 preceding weeks, deaths from typhus were 2, 0, and 0; deaths from scarlet fever, 0, 0, and one; deaths from whooping-cough, one, one, and 0; deaths from diphtheria, one, 3, and 0; deaths from diarrhœal diseases 6, 4, and 4; and deaths from influenza one, one, and 2,

There were 16 deaths from pneumonia, comprising 12 from broncho-pneumonia, and 4 from pneumonia (type not distinguished).

Tuberculous disease caused 13 deaths (including 9 from pulmonary tuberculosis, one from tuberculous meningitis, and 3 from other forms of tuberculous disease) as against 12, 13, and 27, in the three weeks preceding.

Five deaths were caused by cancer, 15 by organic diseases of the heart, and 26 by bronchitis.

Among deaths of infants under one year old, 3 were due to whooping-cough, one to venereal disease, one to simple meningitis, 4 to convulsions, 3 to bronchitis, 3 to broncho-pneumonia, one to pneumonia (type not distinguished), 6 to diarrhœa and enteritis, one to congenital malformation, 2 to premature birth, and 3 to congenital debility.

Four deaths from accidental violence were registered, 2 of which were caused by burns and scalds. Two deaths were attributed to homicide.

Forty-one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 28 being infants under one year, of whom 7 were under one month old, and 47 deaths were those of persons aged 65 and upwards, of whom 37 were 70 years of age or over.

Of the 161 deaths recorded, 64 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.
† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th December. From this Report it appears that of 97 cases notified, 50 were scarlet fever, 23 diphtheria, 9 pulmonary tuberculosis, 2 other form of tuberculosis, 6 erysipelas, 5 chicken-pox and 2 acute primary pneumonia. Among the 655 cases of infectious diseases in hospital at the close of the week were 249 of scarlet fever, 187 of pulmonary tuberculosis, 7 other forms of tuberculosis, 127 of diphtheria, 36 of venereal disease, 11 of erysipelas, 11 of measles, 3 of chicken-pox, one of acute influenzal pneumonia, one of cerebro-spinal fever, one of enteric fever, and one of whooping-cough.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th December, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Nov. 27	2	1	.	.	.	—	2	—	3	1	—	.	—	.	.	.	3	.	.	7	19
	Dec. 4	2	2	.	.	.	—	10	—	3	.	—	.	—	1	.	.	4	.	.	6	28
	Dec. 11	1	1	.	.	.	—	4	—	2	.	—	.	—	3	.	.	6	.	.	.	17
	Dec. 18	.	1	.	.	.	—	4	—	8	1	—	.	—	1	.	.	3	.	.	8	26
Rathmines & Rathgar Urban District	Nov. 27	.	.	.	.	.	—	4	—	2	.	—	.	—	.	.	.	.	.	.	—	6
	Dec. 4	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	1	.	.	—	3
	Dec. 11	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
	Dec. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Nov. 27	.	.	.	.	.	1	2	.	3	.	.	.	—	.	.	.	.	1	.	.	7
	Dec. 4	.	.	.	.	.	.	1	.	1	.	.	.	—	.	.	.	.	.	.	.	2
	Dec. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Dec. 18	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	.	.	.	.	2
Blackrock Urban District	Nov. 27	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 18	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	3	3
	Dec. 4	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
	Dec. 11	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Dec. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
City of Belfast	Nov. 27	2	.	.	.	.	—	40	—	9	3	—	.	—	.	.	.	.	.	.	21	75
	Dec. 4	3	.	1	.	.	—	40	—	8	1	—	.	—	.	.	.	.	.	.	18	71
	Dec. 11	1	3	1	.	.	—	16	—	10	2	—	.	—	.	.	.	2	.	.	22	57
	Dec. 18	1	.	.	.	.	—	29	—	5	2	—	.	—	.	.	.	1	.	.	14	52
City of Cork	Nov. 27	1	.	.	.	.	3	1	—	14	1	—	.	.	.	.	.	.	—	.	—	20
	Dec. 4	2	.	.	.	.	1	1	—	11	.	—	.	.	1	2	.	.	—	.	—	18[a]
	Dec. 11	.	.	.	.	.	.	.	—	11	1	—	.	.	.	.	.	.	—	.	—	12
	Dec. 18	.	.	.	.	.	.	2	—	19	.	—	.	.	.	.	.	.	—	.	—	21[b]
City of Londonderry	Nov. 27	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	—	—	4
	Dec. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Dec. 11	.	1	.	.	.	—	3	—	2	.	—	.	—	.	.	.	.	.	—	—	6
	Dec. 18	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
City of Limerick	Nov. 27	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 4	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Dec. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1[c]
City of Waterford	Nov. 27	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 4	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	—	—	.	2
	Dec. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella. (*b*) Not including 2 cases of varicella. (*c*) One case of measles was also notified.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th December, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever one and 17; typhus one and 5; measles one and one; scarlet fever 14 and 61,* and diphtheria 10 and 29. Eight cases of pneumonia were admitted during the week and 25 remained under treatment at its close. Of the deaths in hospital during the week 2 were from typhus, one was from scarlet fever, and 2 were from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th December, 1920, in the DUBLIN REGISTRATION AREA, and in each of the other Towns included in URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 18TH DECEMBER, 1920.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by BIRTHS.	Annual Rate per 1,000 Persons Represented by DEATHS. From all Causes.	Annual Rate per 1,000 Persons Represented by DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number	DEATHS. Under 1 year of Age.	DEATHS. At 65 years and upwards.	DEATHS. Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 18TH DECEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	21·2	17·8	1·4	475	399	55	115	.	2	.	1	5	4	7	.	6	40	13	16	24	54	10	2	13	10	148	9	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	19·2	20·2	2·0	153	161	28	47	.	2	.	.	1	4	1	.	5	9	4	5	16	28	7	1	6	5	64	5	(d) 40·1	24·3	38·2	27·8	33·0	0·39
Urban Districts. CITY OF DUBLIN	318,200	39·0	21·0	21·3	2·6	128	130	25	34	.	2	.	.	1	4	1	.	1	9	4	3	15	26	7	1	5	5	53	5	(e) 41·0	30·2	39·0	32·2	35·6	0·18
																														(f) 40·6	26·6	39·0	29·8	34·4	0·31
RATHMINES and RATHGAR ...	40,400	23·6	16·8	18·1	.	13	14	1	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	4	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	8·6	10·4	.	5	6	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	3	.	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	17·0	22·7	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	12·3	21·5	.	4	7	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3	.	43	31	41·1	33·7	37·4	0·26
Urban Districts. BELFAST	413,000	27·7	26·1	15·9	0·8	207	126	20	37	.	.	.	.	2	.	1	.	1	10	4	6	7	14	2	1	1	3	37	2	43·5	29·0	40·5	33·1	36·8	0·38
CORK	76,673	28·6	17·0	22·4	4·1	25	33	2	4	.	.	.	1	1	.	4	.	.	2	.	2	.	4	.	.	4	1	17	1	45	27	40·6	33·0	36·8	0·08
LONDONDERRY ...	44,000	17·1	23·7	16·6	.	20	14	.	6	.	.	.	.	.	.	.	.	.	3	2	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.
LIMERICK (h) ...	38,518	16·1	9·5	12·2	1·4	7	9	1	3	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.	.	5	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	13·3	22·8	.	7	12	1	6	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	8	.	.	.	.	.	.	.
GALWAY	13,255	2·5				5	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				3	8	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	4	.	.	.	.	.	.	.
LURGAN	12,553	14·7				5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	40·1	23·5	37·7	28·5	33·1	0·32
DROGHEDA ...	12,501	8·4				9	5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.
LISBURN	12,388	10·9				8	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	41	25	38	29·7	33	0·30
NEWRY	11,963	17·0				6	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	40·1	23·5	37·7	28·5	33·1	0·32
PORTADOWN ...	11,727	15·3				9	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.	40·1	23·5	37·7	28·5	33·1	0·32
WEXFORD ...	11,531	22·8				2	3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
SLIGO	11,163	3·8				2	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	41	21	38	26	32	0·01
KILKENNY ...	10,514	11·4				2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	39	23	36·8	27·0	31·9	0·14
TRALEE ...	10,300	17·4				2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,309	—	--	.	—	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.
EDINBURGH ...	342,300	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.
GLASGOW	1,115,500	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.	—	.	—	—	—	.	.	.	.	.	.

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The return for Limerick No. 2 was not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 50th Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 18th December, 1920.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	180·6	179	10	22	6	7	2	2	5	6	14	14	17	24	28	22	161
Enteric Fever	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	1·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough	1·6	4	.	3	.	1	.	.	.	.	.	.	.	.	.	.	4
Diphtheria	·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	7·0	5	.	.	.	.	.	.	1	.	.	.	.	1	3	.	5
Dysentery	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·0	11	.	.	.	.	.	.	2	3	3	2	1	.	.	.	9
Tuberculous Meningitis	1·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	2·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculosis of the Spinal Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·8	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2
Venereal Diseases	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer	11·6	7	.	.	.	.	.	.	.	.	.	2	3	2	.	.	5
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia.	1·2	3	.	.	.	.	.	1	.	.	.	1	.	1	.	.	3
Other General Diseases	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1
Cerebral Hæmorrhage, Apoplexy.	5·4	4	.	.	.	.	.	.	.	.	.	.	1	.	3	.	4
Softening of Brain	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Paralysis, without specified cause.	2·2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Epilepsy	1·0	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
Convulsions (non-puerperal).	3·4	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	4
Other Diseases of Nervous System.	1·8	5	.	.	.	.	.	.	.	.	2	.	2	.	1	.	5
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	16·2	15	.	.	.	.	.	.	.	.	2	3	2	3	3	2	15
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.	1·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	25·0	28	.	3	2	.	.	.	.	.	1	1	4	5	6	6	26
Broncho-pneumonia	8·6	13	1	2	2	2	.	.	.	.	1	.	1	2	.	2	12
Lobar pneumonia	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished).	4·2	4	1	.	.	1	.	.	.	.	1	1	.	.	.	.	4
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	1·6	4	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2

registered in the FIFTIETH WEEK, ending Saturday, 18th December, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 50th Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 18th December, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach ..	2·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Diarrhœa and Enteritis of Children under 2 years.	4·2	7	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	7
Diarrhœa 2 years and upwards.	·4	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Enteritis 2 years and upwards.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	2·2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Cirrhosis of Liver ..	·4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Other Diseases of Liver	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	1·0	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Digestive System.	1·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Acute Nephritis ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease	5·2	6	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	6
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other causes incident to Pregnancy and Childbirth.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations.	·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Premature Birth ..	4·4	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Congenital Debility ..	4·4	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Old Age	6·6	12	.	.	.	.	.	.	.	.	.	.	.	.	5	7	.	12
Other Specified Diseases	1·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE.																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds ..	1·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Drowning	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gunshot Wounds, &c. ..	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths ..		1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Not included in above—																		
Homicide	·2	5	.	.	.	.	.	.	1	1	2	1	.	.	.	.	.	2
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes ..	2·8	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2

TABLE IV.—Showing for the WEEK ENDED 18TH DECEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

WEEK ENDED SATURDAY, 18TH DECEMBER, 1920.

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																													
		From all causes	From certain Epidemic Diseases*		Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																				In Institutions.			
													Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercular Phthisis. Pulmonary.	Tubercular Phthisis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	23·8	5·1	14	2	3	.	1	1	1	2	4	.	.	.	.	.	1	.	.	.	1	1	.	2	2	2	.	.	5	.	1	1	.
,, 1, W.	42,100	19·8	.	16	2	.	.	.	1	3	5	5	.	.	.	.	.	.	.	.	1	1	1	.	1	2	.	.	.	10	.	2	3	1
,, 2	28,200	11·1	1·8	6	2	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.	2	.	1
,, 3	35,000	21·8	.	15	2	.	1	.	1	3	3	5	.	.	.	.	.	.	.	.	.	2	.	.	2	5	.	.	1	5	1	5	2	1
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	1	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	7·5	.	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.
South City.																																		
SOUTH CITY, No. 1	44,100	27·2	4·7	23	6	.	2	1	2	2	4	6	.	1	.	.	.	2	.	.	.	2	.	.	3	5	1	.	.	9	.	7	4	.
,, 2	18,600	30·8	5·6	11	1	1	1	.	2	2	2	2	.	.	.	.	.	.	1	.	.	1	.	1	.	2	.	1	1	4	1	2	4	.
,, 3	44,400	27·0	3·5	23	4	.	3	.	1	4	8	3	.	1	.	.	1	1	.	.	.	1	1	1	5	4	.	.	2	7	2	10	3	1
,, 4	33,600	21·7	1·6	14	3	2	.	.	1	1	2	5	.	.	.	.	.	.	.	.	.	1	.	1	1	3	1	.	1	6	1	2	2	1
NEW KILMAINHAM	10,600	14·8	9·8	3	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	18·1	.	14	1	.	.	1	.	1	5	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	11	.	4	.	.
PEMBROKE	30,200	10·4	.	6	1	.	.	1	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	3	.	1	2	.
BLACKROCK †	9,200	22·7	.	4	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	1	.	.
KINGSTOWN	17,000	21·5	.	7	1	.	.	.	1	.	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.	.	3	.
TOTAL CITY. North	166,900	17·5	1·2	56	9	3	1	1	3	10	12	17	.	.	.	.	.	1	.	.	1	4	3	1	6	11	3	.	1	25	1	10	8	3
TOTAL CITY. South	151,300	25·5	4·1	74	16	3	6	1	6	9	16	17	.	2	.	.	1	3	1	.	.	5	1	2	9	15	4	1	4	26	4	22	13	2
TOTAL CITY. North and South ...	318,200	21·3	2·6	130	25	6	7	2	9	19	28	34	.	2	.	.	1	4	1	.	1	9	4	3	15	26	7	1	5	51	5	32	21	5
Total Urban Districts	96,800	16·7	.	31	3	.	.	2	1	2	10	13	.	.	.	.	.	.	.	.	4	.	.	2	1	2	.	.	1	21	.	6	5	.
Total Registration Area ...	415,000	20·2	2·0	161	28	6	7	4	10	21	38	47	.	2	.	.	1	4	1	.	5	9	4	5	16	28	7	1	6	72	5	38	26	5
Deaths relating to residents of localities situated outside the Registration Area (not included in above).				18	4	.	.	.	1	7	3	3	.	.	.	.	.	.	.	.	.	2	.	2	1	4	.	.	3	6	3	12	4	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th December, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH DECEMBER, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	179	45	4	11	28	41	28	22	.	2	.	.	1	4	1	.	5	11	4	7	5	17	32	7	1	9	75	5
	CLASSES.																														
	DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	21·3	6	.	1	1	.	1	1	2	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	13·3	26	2	1	.	5	7	4	7	.	.	.	.	.	1	.	.	3	.	.	.	.	.	2	.	.	3	17	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	19·2	40	8	1	1	8	15	6	1	.	.	.	.	.	1	.	.	.	4	.	4	.	6	7	2	.	2	14	2
IV.	GENERAL SERVICE CLASS	167,479	24·0	77	34	1	8	10	12	5	7	.	2	.	.	1	2	1	.	.	4	3	3	5	10	14	5	1	4	22	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	1	.	1	5	6	12	5	.	.	.	.	.	.	.	.	.	3	.	.	.	.	9	.	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c. ..	9,523	—	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	7	.	.	.	1	3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	4	.
	6. Clerks and Commercial Assistants .	33,249	—	5	1	1	.	1	.	2	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	10	1	.	.	3	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	9	2	1	1	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1	5	.
	9. Building and Furnishing Trades ..	28,823	—	10	1	.	.	1	7	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	1	2	.
	10. Clothing Trades	20,026	—	5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	2	1
	11. Food Supply Trades	8,952	—	2	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades	32,070	—	10	1	.	.	4	3	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	3	1	.	.	2	1
	13. Petty Shopkeepers	6,772	—	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	11	7	.	2	.	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	1	2	2	1	.	1	2	1
	15. Domestic Servants	36,041	—	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	2	.	1	2	.	.	1	.	.	.	.	.	2	1	.	.	3	2	3	4	6	10	2	1	3	17	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	56	21	1	5	8	11	5	5	.	2	.	.	.	2	1	.	.	3	2	3	4	6	10	2	1	3	17	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	30	1	.	1	5	6	12	5	.	.	.	.	.	.	.	.	.	3	.	.	.	.	9	.	.	.	18	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

WEEK ENDING	Dublin Registration Area													Belfast City.											
	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27	Dec. 4.	Dec. 11.	Dec. 18.
No. of weeks in Annual Series ..	38	39	40	41	42	43	44	45	46	47	48	49	50	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered	196	209	232	224	184	213	177	245	188	223	162	194	153	209	197	195	180	203	193	198	256	195	201	152	179	207
Average Births in corresponding week of previous 10 years	*214*	*205*	*201*	*196*	*194*	*155*	*188*	*197*	*200*	*183*	*191*	*178*	*201*	*176*	*191*	*194*	*202*	*200*	*179*	*183*	*189*	*171*	*179*	*182*	*178*	*179*
Number of Deaths	125	139	130	125	120	111	117	134	152	125	116	144	161	122	103	93	102	106	89	100	112	104	111	105	118	126
Annual Death-rate per 1,000 ..	15·7	17·5	16·3	15·7	15·1	13·9	14·7	16·8	19·1	15·7	14·6	18·1	20·2	15·4	13·0	11·7	12·9	13·4	11·2	12·6	14·1	13·1	14·0	13·3	14·9	15·9
Average Deaths in corresponding week of previous 10 years	*140*	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*162*	*160*	*166*	*164*	*121*	*115*	*105*	*111*	*109*	*117*	*114*	*140*	*156*	*170*	*161*	*159*	*149*
Ages .. Under one year ..	34	41	41	32	23	29	19	28	36	25	24	21	28	31	18	17	23	18	22	19	24	22	28	22	23	20
1— 5 years ..	13	5	12	12	8	5	13	10	8	10	3	6	13	8	9	2	5	6	2	6	9	5	7	6	7	7
5—25 „ ..	9	12	13	2	9	13	15	17	16	7	13	18	14	9	11	11	9	16	8	16	15	11	11	16	17	13
25—45 „ ..	15	21	13	17	12	19	17	30	22	17	13	24	21	19	17	22	18	14	13	11	15	21	18	13	19	20
45—65 „ ..	23	27	25	29	40	18	29	19	34	30	27	34	38	35	26	26	26	20	26	29	28	19	23	23	24	29
65 and upwards ..	31	33	26	33	28	27	24	30	36	36	36	41	47	20	22	15	21	32	18	19	21	26	24	25	28	37
Deaths from :—																										
Enteric Fever	1	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	1	.	1	.
Typhus	.	.	.	.	2	1	.	.	.	2	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Scarlet Fever	.	.	.	.	1	.	.	.	.	.	.	1	1	1	1	.	2	2	.	2	2	1	1	.	3	2
Whooping-cough	3	1	3	2	2	3	2	1	.	1	1	.	4	2	.	.	.	.	1	.	.	1	.	3	1	.
Diphtheria	1	.	4	2	1	1	2	2	1	1	3	.	1	2	.	.	.	4	.	2	3	.	2	2	3	1
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	1	.	1	1	.	.	1	.	1	1	2	5	.	.	.	.	1	.	.	1	.	1	2	1	1
Tuberculosis {Pulmonary ..	11	12	12	10	10	15	9	22	18	7	9	22	9	10	9	13	14	9	4	12	16	9	14	10	16	20
Tuberculosis {Other Forms ..	1	3	3	4	5	3	4	6	5	5	4	5	4	7	4	3	4	1	1	.	2	2	2	5	2	4
Cancer	10	7	5	12	6	5	6	6	5	11	7	6	5	9	10	4	12	4	7	4	1	7	8	8	10	6
Diseases of Respiratory System {Pneumonia ..	4	10	6	6	6	5	11	13	17	8	9	10	16	5	8	6	6	4	4	9	8	7	9	6	11	7
Diseases of Respiratory System {Others ..	12	12	11	14	17	10	16	19	19	11	18	24	28	4	6	5	9	16	3	10	15	10	11	13	12	14
Diarrhœa & Enteritis, under 2 years	22	16	21	19	8	8	4	3	9	6	4	4	7	15	5	7	2	6	4	4	5	1	5	6	3	2
Diarrhœa, 2 years and upwards ..	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	2	2	1	1	.	1	.	1	1	.	1
Violent Deaths, ...	5	2	2	1	1	7	4	6	2	6	4	6	6	3	9	3	5	2	7	5	1	4	.	1	6	1
Number of Uncertified Deaths ..	1	5	6	1	4	4	4	5	5	3	3	8	5	1	1	.	1	2	2	.	3	3	2	1	1·	2
A Mean Maximum Temperature in degs.	60·5	61·2	60·3	59·5	57·8	56·2	52·5	55·6	55·9	50·3	51·3	43·1	38·2	56·0	62·2	59·8	59·0	57·1	55·7	50·8	54·3	54·2	51·5	52·1	42·7	40·5
B Mean Minimum „ „	37·7	48·8	45·8	48·3	44·1	33·9	41·3	45·9	44·3	32·1	36·9	29·7	27·8	39.3	52·6	47·7	52·2	45·7	47·3	42·5	47·7	40·5	40·9	39·4	33·4	33·1
Mean of A and B „ „	49·1	55·0	53·0	53·9	50·9	45·1	46·9	50·8	50·1	41·2	44·1	36·4	33·0	47·6	57·4	53·7	55·6	51·4	51·5	46·7	51·0	47·3	46·2	45·7	38·1	36·8
Rainfall in inches	0·06	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·21	1·43	0·60	0·.8	0·39	0·12	0·81	2·63	0·75	0·91	0·01	2·90	0·26	0·28	0·22	2.14	1·13	0·38

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th December, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS. DEATHS FROM																				
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																																
Belfast Urban No. 1 District,		15,879	11	9·9	·	3	·	·	·	·	3	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	1	·
Do.	2 do.	49,500	20	19·0	·	18	1	·	·	3	7	7	·	·	·	·	·	·	·	1	3	·	·	·	3	·	·	1	1	4	1
Do.	3 do.	50,032	31	15·6	1·0	15	4	·	1	3	3	4	·	·	·	·	·	·	1	·	2	1	·	1	5	·	·	·	·	3	·
Do.	4 do.	32,637	19	19·2	3·2	12	4	1	2	3	1	1	·	·	·	·	1	·	·	·	2	1	2	·	·	1	·	·	·	4	·
Do.	5 do.	16,112	8	22·7	·	7	2	1	2	·	·	2	·	·	·	·	·	·	·	·	2	·	·	1	·	·	·	·	·	4	·
Do.	6 do.	37,293	17	16·8	·	12	·	1	2	2	5	2	·	·	·	·	·	·	·	·	1	1	2	·	·	·	·	·	·	3	·
Do.	7 do.	2,681	·	19·4	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·
Do.	8 do.	5,964	1	8·7	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·
Do.	9 do.	24,427	13	19·2	2·1	9	1	1	·	1	1	5	·	·	·	·	1	·	·	·	1	·	1	2	2	·	·	·	·	·	·
Do.	10 do.	28,958	14	14·4	1·8	8	1	1	1	1	3	1	·	·	·	·	·	·	·	·	1	·	·	1	·	·	1	·	1	3	·
Do.	11 do.	—	27	—	—	11	2	·	1	3	2	3	·	·	·	·	·	·	·	·	4	·	·	·	·	·	·	·	·	3	1
Do.	12 do.	—	12	—	—	8	1	·	1	2	1	3	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	4	·
Do.	13 do.	—	9	—	—	5	·	1	1	1	·	2	·	·	·	·	·	·	·	·	1	·	1	1	·	·	·	·	·	1	·
Do.	14 do.	175	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
Do.	15 do.	22,669	10	25·3	2·3	11	3	1	·	1	1	5	·	·	·	·	·	·	·	·	·	·	·	1	3	1	·	·	1	5	·
Do.	16 do.	—	5	—	—	4	·	·	1	·	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total,		386,947	207	15·9	0·8	126	20	7	13	20	29	37	·	·	·	·	2	·	1	·	1	20	4	6	7	14	2	1	1	3	37	2
CITY OF CORK																																
Cork Urban No. 1 District,		13,455	3	15·5	3·9	4	·	·	1	2	·	1	·	·	·	1	·	·	·	·	·	1	·	·	·	2	·	·	·	·	2	·
Do.	2 do.	10,399	6	25·1	5·0	5	·	·	2	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do.	3 do.	9,793	5	10·6	5·3	2	·	1	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	·
Do.	4 do.	9,139	3	5·7	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	2	·
Do.	5 do.	6,250	1	25·0	8·3	3	·	·	1	1	1	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	1	·	3	1
Do.	6 do.	11,581	3	36·0	·	8	·	·	1	2	4	1	·	·	·	·	·	·	2	·	·	·	·	2	·	2	·	·	1	·	6	·
Do.	7 do.	16,056	4	32·5	6·5	10	2	2	·	1	4	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4	1	17	1
Total,		76,673	25	22·4	4·1	33	2	4	5	6	12	4	·	·	·	1	1	·	4	·	·	2	·	2	·	4	·	·	4	1	17	1

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 14·5 per 1,000 and from certain epidemic diseases 0·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18TH December, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ..	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 2, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	3
„ „ 3, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	4
„ „ „ 2, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	3
„ „ „ 3, ...	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	3
„ „ „ 4, ...	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	1	.	.	.	4	8	.	1	.	1	.	.	3	.	.	8	26

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th December, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 18th December.			
	Nov. 27.	Dec. 4.	Dec. 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	24	21	1	5	.	17
Typhus, ...	17	17	11	1	5	2	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	3	.	1	.	.	1
Scarlet Fever, ...	55	54	55	14	7	1	61*
Diphtheria, ...	31	24	23	10	4	.	29
Pneumonia, ...	28	25	26	8	7	2	25

* Exclusive of 6 patients in [illegible]n," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.4093) Wt. 641/36 3. 380. 12. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin;
or from H. M. STATIONERY OFFICE at the following addresses:
Imperial House, Kingsway, London, W.C. 2, and 28, Abingdon Street, London, S.W. 1.;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
23, Forth Street, Edinburgh.

No. 51. Vol. LVII.] Week ending Saturday, 25th December, 1920. [Price 1½*d.* net.

General Register Office, Charlemont House,
Dublin, 28th December, 1920.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population :—

Nineteen Town Districts, 17·1 and 16·3; Dublin Registration Area, 17·7 and 17·6; Dublin City, 19·3 and 18·3; Belfast, 17·2 and 15·3; Cork, 17·7 and 19·5; Londonderry, 13·0 and 16·3; Limerick 8·1 and 15·2; and Waterford 11·4 and 18·0.

The deaths* from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 0·8 per 1,000. Among the 136 deaths from all causes for Belfast, are one from scarlet fever, 2 from diphtheria, 3 from diarrhœal diseases, and one from influenza. Of the 6 deaths from all causes for Limerick one is from diphtheria; of the 2 deaths recorded for Lisburn one is from diphtheria; included in the 8 deaths from all causes for Wexford is one from each of scarlet fever and whooping-cough, and of the 8 deaths from all causes for Kilkenny one is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 154—80 boys and 74 girls—and the deaths to 160—75 males and 85 females.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·7 per 1,000 of the population. During the fifty-one weeks ending with Saturday last, the death-rate averaged 18·0 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the fifty-one weeks was 19·6 and for the corresponding period of the preceding ten years 22·4.

Included in the 141 deaths appertaining to the Area are 6 from diarrhœa and enteritis of children under two years.

In the 3 preceding weeks, deaths from diarrhœa and enteritis of children under two years were 4, 4, and 7.

There were 12 deaths from pneumonia, comprising 8 from broncho-pneumonia, 2 from lobar pneumonia and 2 from pneumonia (type not distinguished).

Tuberculous disease caused 16 deaths (including 13 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from disseminated tuberculosis) as against 13, 27, and 13, in the three weeks preceding.

Five deaths were caused by cancer, 11 by organic diseases of the heart, and 27 by bronchitis.

Among deaths of infants under one year old, 2 were due to bronchitis, 3 to broncho-pneumonia, one to convulsions, 6 to diarrhœa and enteritis, one to congenital malformation, 5 to premature birth, and 2 to congenital debility.

Three deaths from accidental violence were registered, 2 of which were caused by burns and scalds.

Twenty-eight of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 22 being infants under one year, of whom 10 were under one month old, and 55 deaths were those of persons aged 65 and upwards, of whom 42 were 70 years of age or over.

Of the 141 deaths recorded, 65 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 25th December in 96 large English towns (including London in which the rate was 15·3) was equal to an average annual death rate of 15·1 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 16·2 per 1,000 persons living, the rate for Glasgow being 15·8, and for Edinburgh 17·7.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th December. From this Report it appears that of 87 cases notified, 36 were scarlet fever, 14 diphtheria, 10 erysipelas, 8 pulmonary tuberculosis, 11 other form of tuberculosis, 4 chicken-pox, 2 acute influenzal pneumonia, one acute primary pneumonia, and one ophthalmia neonatorum. Among the 655 cases of infectious diseases in hospital at the close of the week were 244 of scarlet fever, 188 of pulmonary tuberculosis, 7 other forms of tuberculosis, 126 of diphtheria, 34 of venereal disease, 13 of measles, 12 of erysipelas, 3 of acute influenzal pneumonia, 2 of chicken-pox, 2 of whooping-cough and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz. :—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th December, 1920, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Diseases.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Dec. 4	2	2	.	.	.	—	10	—	3	.	—	.	—	1	.	.	4	.	.	6	28
	Dec. 11	1	1	.	.	.	—	4	—	2	.	—	.	—	3	.	.	6	.	.	.	17
	Dec. 18	.	1	.	.	.	—	4	—	8	1	—	.	—	1	.	.	3	.	.	8	26
	Dec. 25	1	1	.	.	.	—	5	—	8	1	—	.	—	.	.	.	3	.	.	1	20
Rathmines & Rathgar Urban District	Dec. 4	1	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	1	.	.	—	3
	Dec. 11	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
	Dec. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
Pembroke Urban District	Dec. 4	.	.	.	.	.	.	1	.	1	.	.	.	—	.	.	.	.	.	.	.	2
	Dec. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Dec. 18	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	Dec. 25	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Dec. 4	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 18	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Dec. 25	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
Kingstown Urban District	Dec. 4	.	.	.	.	.	—	1	—	1	.	—	.	—	.	.	.	.	—	.	.	2
	Dec. 11	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Dec. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	1	1
City of Belfast	Dec. 4	3	.	1	.	.	—	40	—	8	1	—	.	—	.	.	.	.	.	.	18	71
	Dec. 11	1	3	1	.	.	—	16	—	10	2	—	.	—	.	.	.	2	.	.	22	57
	Dec. 18	1	.	.	.	.	—	29	—	5	2	—	.	—	.	.	.	1	.	.	14	52
	Dec. 25	2	10	3	.	.	—	25	—	11	4	—	1	—	.	.	.	.	.	.	10	66
City of Cork	Dec. 4	2	.	.	.	.	1	1	—	11	.	—	.	.	1	2	.	.	—	.	—	18[a]
	Dec. 11	.	.	.	.	.	.	.	—	11	1	—	.	.	.	.	.	.	—	.	—	12
	Dec. 18	.	.	.	.	.	.	2	—	19	.	—	.	.	.	.	.	.	—	.	—	21[b]
	Dec. 25	.	.	.	.	.	.	1	—	14	.	—	.	.	.	.	.	.	—	.	—	15[a]
City of Londonderry	Dec. 4	.	.	.	.	.	—	1	—	.	.	—	.	—	.	.	.	.	.	—	—	1
	Dec. 11	.	1	.	.	.	—	3	—	2	.	—	.	—	.	.	.	.	.	—	—	6
	Dec. 18	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
	Dec. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
City of Limerick	Dec. 4	.	.	.	.	.	—	.	—	2	.	—	.	—	.	.	.	.	.	.	—	2
	Dec. 11	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1[c]
	Dec. 18	.	.	.	.	.	—	.	—	6	.	—	.	—	.	.	.	.	.	.	—	6
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Dec. 4	.	.	.	.	.	—	.	—	1	1	—	.	—	.	.	.	.	—	—	.	2
	Dec. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.

(*a*) Not including one case of varicella. (*b*) Not including 2 cases of varicella. (*c*) One case of measles was also notified

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th December, 1920, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows :—Enteric fever 2 and 15; typhus one and 5; measles nil and one; scarlet fever 12 and 62,* and diphtheria 9 and 31. Eleven cases of pneumonia were admitted during the week and 29 remained under treatment at its close. Of the deaths in hospital during the week one was from pneumonia.

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th December, 1920, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 25TH DECEMBER, 1920. Annual Rate per 1,000 Persons Represented by BIRTHS	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 25TH DECEMBER, 1920. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·4	19·5	17·1	0·8	436	383	67	127	.	.	.	.	2	1	5	.	1	26	12	18	24	66	10	.	7	4	140	18	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	19·4	17·7	0·8	154	141	22	55	.	.	.	.	.	.	.	.	.	13	3	5	12	29	6	.	3	1	65	2	(d) 57·4	24·6	48·5	37·0	42·7	0·48
Urban Districts. CITY OF DUBLIN	318,200	39·0	22·1	19·3	1·0	135	118	19	43	.	.	.	.	.	.	.	.	.	13	3	5	8	26	6	.	3	1	53	2	(e) 56·9	31·8	48·8	39·8	44·3	0·55
																														(f) 57·6	27·6	47·7	38·5	43·1	0·46
RATHMINES and RATHGAR ...	40,400	23·6	18·1	9·0	.	14	7	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	3·5	15·5	.	2	9	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	6	.	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	11·3	17·0	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	3·1	12·3	.	1	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	55·0	31·0	45·4	40·4	42·9	0·42
Urban Districts. BELFAST	413,000	27·7	22·7	17·2	0·8	180	136	29	36	.	.	.	.	1	.	2	.	1	9	2	9	10	21	3	.	2	2	39	5	.	.	.	.	.	.
CORK	76,673	28·6	17·0	17·7	.	25	26	4	9	.	.	.	.	.	.	.	.	.	1	1	.	1	5	.	.	1	.	11	2	53	36	49·6	41·3	45·5	1·97
LONDONDERRY ...	44,000	17·1	13·0	13·0	1·2	11	11	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	1	4	1	.	.	.	.	.	.
LIMERICK (h) ...	38,518	16·1	12·2	8·1	1·4	9	6	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
WATERFORD ...	27,464	19·1	13·3	11·4	.	7	6	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
GALWAY	13,255	2·5				5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LURGAN	12,553	14·7				2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	54·6	24·4	47·1	35·9	41·5	0·58
DROGHEDA ...	12,501	8·4				2	6	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
LISBURN	12,388	10·9				3	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	53	21	47·6	31·7	39·6	0·83
NEWRY	11,963	17·0				3	5	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	2	.	54·6	24·4	47·1	35·9	41·5	0·58
PORTADOWN ...	11,727	15·3				11	7	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1	54·6	24·4	47·1	35·9	41·5	0·58
WEXFORD ...	11,531	22·8				6	8	1	3	.	.	.	.	1	1	.	.	.	1	1	.	.	.	.	.	.	.	4	2	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				2	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.
SLIGO	11,163	3·8				5	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	57	22	47	34	40·5	1·20
KILKENNY ...	10,514	11·4				4	8	1	3	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.	.	5	2	55·0	33·0	50·4	38·5	44·5	1·02
TRALEE ...	10,300	17·4				2	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
CLONMEL	10,209	7·8				3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LONDON	4,358,209	—	--	15·3	—	1733	1279	170	498	1	—	.	4	5	2	27	—	—	101	14	111	165	189	17	7	42	122	556	2	56	34	48·0	38·4	43·2	0·75
EDINBURGH ...	342,300	—	—	17·7	—	140	116	13	47	.	.	.	4	.	.	2	—	3	—	—	—	—	—	—	—	4	—	—	—	52·0	28·0	45·7	35·6	40·6	0·51
GLASGOW	1,115,500	—	—	15·8	—	521	338i	57	101	1	.	1	.	4	7	5	—	2	—	—	—	—	—	—	—	13	—	—	—	51·3	26·6	41·8	36·1	40·5	0·96

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The return for Limerick No. 2 Registrar's district was not received in time for press. (i) Including one death from cerebro-spinal meningitis.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each Cause from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 51st Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 25th December, 1920.																Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.															
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month.	1 month and under 1 year	1—2.	2—5.												
ALL CAUSES.	159·2	160	12	12	1	5	3	3	3	3	15	8	16	20	37	22		141
Enteric Fever	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Measles	3·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scarlet Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Whooping-cough	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diphtheria	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Croup	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Influenza	4·0	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.		.
Dysentery	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pyæmia and Septicæmia (non-puerperal).	·2	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.		1
Tetanus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
TUBERCULOSIS.																		
Pulmonary Tuberculosis	16·4	14	.	.	.	.	.	1	2	1	5	4	.	.	1	.		13
Tuberculous Meningitis	1·6	·3	.	.	.	.	1	1	.	.	1	.	.	.	.	.		2
Abdominal Tuberculosis	1·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.		.
Tuberculosis of the Spinal Column.	.4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of Joints	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Tuberculosis of other Organs.	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Disseminated Tuberculosis.	1·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Venereal Diseases	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cancer	8·8	5	.	.	.	.	.	.	.	.	1	.	3	.	1	.		5
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Rheumatic Fever	·4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.		1
Diabetes	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Anæmia, Leucocythæmia.	·8	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.		2
Other General Diseases	1·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Simple Meningitis	1·0	4	.	.	1	.	1	.	.	.	1	.	1	.	.	.		4
Cerebral Hæmorrhage, Apoplexy.	4·0	8	.	.	.	.	.	.	.	.	.	.	1	1	5	1		8
Softening of Brain	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Paralysis, without specified cause.	2·6	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.		3
Epilepsy	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.		1
Convulsions (non-puerperal).	2·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Other Diseases of Nervous System.	2·0	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2		3
Pericarditis	.6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Acute Endocarditis	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Organic Diseases of the Heart.	13·2	14	.	.	.	.	.	.	.	.		1	.	4	4	5		11
Embolism and Thrombosis (including Cerebral).	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Circulatory System.	1·8	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1		2
Diseases of the Larynx	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Bronchitis	22·8	27	1	1	.	.	.	.	.	.	.	1	3	5	14	2		27
Broncho-pneumonia	6·8	8	.	3	.	1	.	.	.	1	.	.	.	2	1	.		8
Lobar pneumonia	1·2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.		2
Pneumonia (type not distinguished).	4·4	2	.	.	.	.	.	.	.	.	.		1	1	.	.		2
Pleurisy	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Pulmonary Congestion, Pulmonary Apoplexy.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Respiratory System.	1·2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.		2

registered in the FIFTY-FIRST WEEK, ending Saturday, 25th December, 1920, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 51st Week of the 5 years, 1915-1919.	Deaths registered during week ending Saturday, 25th December, 1920.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.		1
Diseases of Stomach ..	1·4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.		1
Diarrhœa and Enteritis of Children under 2 years.	4·0	6	3	3	.	.	.	.	.	.	.	.	.	.	.	.		6
Diarrhœa 2 years and upwards.	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	1·0	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.		2
Appendicitis and Typhlitis.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.
Cirrhosis of Liver ..	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		1
Other Diseases of Liver	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Digestive System.	2·0	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.		1
Acute Nephritis ..	·8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		.
Chronic Bright's Disease	4·4	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.		2
Urinary Calculi ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		2
Puerperal Septicæmia, &c.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Other causes incident to Pregnancy and Childbirth.	·6	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.		1
Diseases of Skin and Cellular Tissues.	2·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Locomotor System.	·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.		1
Congenital Malformations.	·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Premature Birth ..	2·6	6	5	1	.	.	.	.	.	.	.	.	.	.	.	.		5
Congenital Debility ..	4·4	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.		2
Old Age	8·4	11	.	.	.	.	.	.	.	.	.	.	.	.	1	10		11
Other Specified Diseases	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	1·2	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.		2
Drowning	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Other Violent Deaths ..		2	.	.	.	.	.	.	.	.	.	1	1	.	.	.		1
Not included in above—																		
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.

TABLE IV.—Showing for the WEEK ENDED 25TH DECEMBER, 1920, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 25TH DECEMBER, 1920.																																
		Annual Rate of Mortality per 1,000 Living represented by Deaths.		Total Deaths.	DEATHS.																														
					Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY																			In Institutions.			
		From all causes	From certain Epidemic Diseases*										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	25·5	5·1	15	7	.	1	.	.	1	1	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	1	9	.	3	1	1
,, 1, W.	42,100	16.1	.	13	2	.	.	1	1	1	3	5	.	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	7	.	2	3	1
,, 2	28,200	25·9	.	14	2	.	2	1	1	1	2	5	.	.	.	.	.	.	.	.	.	2	2	.	1	4	.	.	1	4	.	1	1	.
,, 3	35,000	18·9	.	13	.	.	.	.	.	5	2	6	.	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	8	.	4	4	.
CLONTARF AND HOWTH, No. 1, part of	5,600	9·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	11.3	.	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	1	.	.
FINGLAS AND GLASNEVIN, part of ...	11,400	32·0	.	7	.	.	.	.	.	.	2	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	5	.	2	.	.
South City.																																		
SOUTH CITY, No. 1	44,100	20·1	2·4	17	4	.	1	1	.	.	5	6	.	.	.	.	.	.	.	.	.	1	.	.	2	6	2	.	1	5	1	2	7	.
,, 2	18,600	5·6	.	2	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.
,, 3	44,400	18·8	.	16	2	.	.	.	1	2	5	6	.	.	.	.	.	.	.	.	.	3	.	.	1	5	.	.	.	7	.	6	4	.
,, 4	33,600	21·7	.	14	1	.	1	1	.	3	4	4	.	.	.	.	.	.	.	.	.	3	.	1	2	4	.	.	.	4	.	4	3	.
NEW KILMAINHAM	10,600	14·8	4·9	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	1	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	9·0	.	7	2	1	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	5	.	2	.	.
PEMBROKE	30,200	15·5	.	9	.	.	.	.	1	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	5	.	4	2	.
BLACKROCK †	9,200	17·0	.	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	.
KINGSTOWN	17,000	12·3	.	4	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.
TOTAL CITY, North	166,900	20·6	0·9	66	11	.	3	2	2	10	12	26	.	.	.	.	.	.	.	.	.	6	2	4	3	10	3	.	2	36	.	14	9	2
TOTAL CITY, South	151,300	17·9	1·0	52	8	.	2	4	1	5	15	17	.	.	.	.	.	.	.	.	.	7	1	1	5	16	3	.	1	18	1	14	16	.
TOTAL CITY, North and South ...	318,200	19·3	1·0	118	19	.	5	6	3	15	27	43	.	.	.	.	.	.	.	.	.	13	3	5	8	26	6	.	3	54	1	28	25	2
Total Urban Districts	96,800	12·4	.	23	3	1	.	.	1	1	5	12	.	.	.	.	.	.	.	.	.	.	.	.	4	3	.	.	.	16	.	10	2	.
Total Registration Area ...	415,000	17·7	0·8	141	22	1	5	6	4	16	32	55	.	.	.	.	.	.	.	.	.	13	3	5	12	29	6	.	3	70	1	38	27	2
Deaths relating to residents of localities situated outside the Registration Area (not included in above).				19	2	.	.	.	2	7	4	4	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	3	12	2	16	3	.

* See note (†) at foot of first page.

† The Acting Town Clerk of Blackrock stated, in a letter dated 16th September, that the population of the Urban District was found to be 9,730, as the result of a recent house to house census.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OR SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th December, 1920; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH DECEMBER, 1920.

CLASS.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	160	30	6	6	23	36	37	22	.	.	.	.	.	.	.	.	1	14	5	5	1	12	29	6	.	6	81	2
	CLASSES. DEATHS IN THE FAMILIES OF THE—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14·2	4	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
II.	MIDDLE CLASS	101,798	16·4	32	5	.	1	3	10	5	8	.	.	.	.	.	.	.	.	.	1	1	2	.	3	3	1	.	.	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	16·8	35	9	2	3	5	4	10	2	.	.	.	.	.	.	.	.	1	4	1	1	.	4	6	1	.	2	15	.
IV.	GENERAL SERVICE CLASS	167,479	18·4	59	12	3	2	12	16	10	4	.	.	.	.	.	.	.	.	.	6	3	2	1	5	11	2	.	3	26	2
V.	INMATES OF WORKHOUSES, ...	5,602	—	30	4	.	.	3	5	11	7	.	.	.	.	.	.	.	.	.	3	.	.	.	.	9	2	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	4	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	7	2	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	6	.
	6. Clerks and Commercial Assistants ..	33,249	—	16	2	.	.	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	3	1	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	13	1	.	1	3	3	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	9	3	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	7	.
	10. Clothing Trades	20,026	—	4	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	8,952	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	17	4	1	1	3	2	5	1	.	.	.	.	.	.	.	.	1	1	.	1	.	2	4	1	.	2	5	.
	13. Petty Shopkeepers	6,772	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	6	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	1	.	.	2	.
	15. Domestic Servants	36,041	—	6	.	.	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	41	8	3	2	9	11	6	2	.	.	.	.	.	.	.	.	.	5	2	1	1	3	9	1	.	2	17	1
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	—	30	4	.	.	3	5	11	7	.	.	.	.	.	.	.	.	.	3	.	.	.	.	9	2	.	.	16	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.
No. of weeks in Annual Series ..	39	40	41	42	43	44	45	46	47	48	49	50	51	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered	209	232	224	184	213	177	245	188	223	162	194	153	154	197	195	180	203	193	198	256	195	201	152	179	207	180
Average Births in corresponding week of previous 10 years	*205*	*201*	*196*	*194*	*185*	*188*	*197*	*200*	*183*	*191*	*178*	*201*	*168*	*191*	*194*	*202*	*200*	*179*	*183*	*189*	*171*	*179*	*182*	*178*	*179*	*173*
Number of Deaths	139	130	125	120	111	117	134	152	125	116	144	161	141	103	93	102	106	89	100	112	104	111	105	118	126	136
Annual Death-rate per 1,000 ..	17·5	16·3	15·7	15·1	13·9	14·7	16·8	19·1	15·7	14·6	18·1	20·2	17·7	13·0	11·7	12·9	13·4	11·2	12·6	14·1	13·1	14·0	13·3	14·9	15·9	17·2
Average Deaths in corresponding week of previous 10 years	*146*	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*162*	*160*	*166*	*164*	*162*	*115*	*105*	*111*	*109*	*117*	*114*	*140*	*156*	*170*	*161*	*159*	*149*	*148*
Ages .. Under one year ..	41	41	32	23	29	19	28	36	25	24	21	28	22	18	17	23	18	22	19	24	22	28	22	23	20	29
1— 5 years ..	5	12	12	8	5	13	10	8	10	3	6	13	6	9	2	5	6	2	6	9	5	7	6	7	7	12
5—25 „ ..	12	13	2	9	13	15	17	16	7	13	18	14	10	11	11	9	16	8	16	15	11	11	16	17	13	10
25—45 „ ..	21	13	17	12	19	17	30	22	17	13	24	21	16	17	22	18	14	13	11	15	21	18	13	19	20	13
45—65 „ ..	27	25	29	40	18	29	19	34	30	27	34	38	32	26	26	26	20	26	29	28	19	23	23	24	29	36
65 and upwards ..	33	26	33	28	27	24	30	36	36	36	41	47	55	22	15	21	32	18	19	21	26	24	25	28	37	36
Deaths from :—																										
Enteric Fever	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.
Typhus	.	.	.	2	1	.	.	.	2	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Measles	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	.	.	.	1	.	.	.	.	.	.	1	1	.	1	.	2	2	.	2	2	1	1	.	3	2	1
Whooping-cough	1	3	2	2	3	2	1	.	1	1	.	4	.	.	.	.	.	1	.	.	1	.	3	1	.	.
Diphtheria	.	4	2	1	1	2	2	1	1	3	.	1	.	.	.	.	4	.	2	3	.	2	2	3	1	2
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	1	.	1	1	.	.	1	.	1	1	2	5	.	.	.	.	1	.	1	1	.	1	2	1	1	1
Tuberculosis (Pulmonary ..	12	12	10	10	15	9	22	18	7	9	22	9	13	9	13	14	9	4	12	16	9	14	10	16	20	9
Tuberculosis (Other Forms ..	3	3	4	5	3	4	6	5	5	4	5	4	3	4	3	4	1	1	.	2	2	2	5	2	4	2
Cancer	7	5	12	6	5	6	6	5	11	7	6	5	5	10	4	12	4	7	4	1	7	8	8	10	6	9
Diseases of Respiratory System (Pneumonia ..	10	6	6	6	5	11	13	17	8	9	10	16	12	8	6	6	4	4	9	8	7	9	6	11	7	10
Diseases of Respiratory System (Others ..	12	11	14	17	10	16	19	19	11	18	24	28	29	6	5	9	16	3	10	15	10	11	13	12	14	21
Diarrhœa & Enteritis, under 2 years	16	21	19	8	8	4	3	9	6	4	4	7	6	5	7	2	6	4	4	5	1	5	6	3	2	3
Diarrhœa, 2 years and upwards ..	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	2	1	1	.	1	.	1	1	.	1	.
Violent Deaths, ...	2	2	1	1	7	4	6	2	6	4	6	6	3	9	3	5	2	7	5	1	4	.	1	6	1	2
Number of Uncertified Deaths ..	5	6	1	4	4	4	5	5	3	3	8	5	2	1	.	1	2	2	.	3	3	2	1	1	2	5
A Mean Maximum Temperature in degs.	61·2	60·3	59·5	57·8	56·2	52·5	55·6	55·9	50·3	51·3	43·1	38·2	48·5	62·2	59·8	59·0	57·1	55·7	50·8	54·3	54·2	51·5	52·1	42·7	40·5	.
B Mean Minimum „ „	48·8	45·8	48·3	44·1	33·9	41·3	45·9	44·3	32·1	36·9	29·7	27·8	37·0	52·6	47·7	52·2	45·7	47·3	42·5	47·7	40·5	40·9	39·4	33·4	33·1	.
Mean of A and B „ „	55·0	53·0	53·9	50·9	45·1	46·9	50·8	50·1	41·2	44·1	36·4	33·0	42.7	57·4	53·7	55·6	51·4	51·5	46·7	51·0	47·3	46·2	45·7	38·1	36·8	.
Rainfall in inches	0·45	2·14	1·11	0·83	0·52	0·13	0·44	0·21	1·43	0·60	0·18	0·39	0·48	0·81	2·63	0·75	0·91	0·01	2·90	0·26	0·28	0·22	2.14	1·13	0·38	.

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th December, 1920, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS.																													
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																					
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System, Pneumonia.	Diseases of the Respiratory System, Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	6	9·9	·	3	·	1	·	·	1	1	·	·	·	·	·	·	·	·	·	2	·	2	1	·	·	·	·	·	·	1
Do. 2 do.	49,500	27	23·2	·	22	5	1	2	3	3	8	·	·	·	·	·	·	·	·	1	1	·	1	2	2	·	·	·	·	3	2
Do. 3 do.	50,032	18	13·5	·	13	1	1	1	1	5	4	·	·	·	·	·	·	·	·	·	1	·	1	1	2	·	·	·	·	3	1
Do. 4 do.	32,637	19	22·4	·	14	4	·	1	2	2	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6	·
Do. 5 do.	16,112	8	9·7	3·2	3	·	2	·	·	·	1	·	·	·	·	1	·	·	·	·	·	·	1	·	1	·	·	·	·	1	·
Do. 6 do.	37,293	7	9·8	1.4	7	2	·	2	·	3	·	·	·	·	·	·	·	1	·	·	·	·	2	·	1	·	·	·	·	3	·
Do. 7 do.	2,681	·	19·4	·	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·
Do. 8 do.	5,964	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6	·	·	·	·	2	1
Do. 9 do.	24,427	12	21·3	·	10	1	·	·	·	3	6	·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	·	1	1	1	·
Do. 10 do.	28,958	14	16.2	1·8	9	3	1	·	·	1	4	·	·	·	·	·	·	·	·	·	1	·	·	·	1	·	·	·	·	4	·
Do. 11 do.	—	27	—	—	12	4	1	2	1	4	·	·	·	·	·	·	·	·	·	·	3	·	1	1	1	·	·	1	1	4	·
Do. 12 do.	—	12	—	—	12	3	1	2	3	1	2	·	·	·	·	·	·	·	·	·	·	1	1	1	1	·	·	·	·	2	·
Do. 13 do.	—	5	—	—	6	1	·	·	·	4	1	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·
Do. 14 do.	175	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Do. 15 do.	22,669	11	34·5	·	15	3	3	·	2	5	2	·	·	·	·	·	·	1	·	·	2	1	·	1	4	·	·	·	·	7	·
Do. 16 do.	—	11	—	—	9	2	1	·	1	3	2	·	·	·	·	·	·	1	·	·	·	·	·	1	1	1	·	·	·	3	·
Total, . .	386,947	180	17·2	0·8	136	29	12	10	13	36	36	·	·	·	·	1	·	2	·	1	9	2	9	10	21	3	·	2	2	39	5
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT, .	13,455	6	23·3	·	6	·	·	1	1	1	3	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	2	1
Do. 2 do. .	10,399	2	25·1	·	5	1	·	1	·	2	1	·	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	1	·
Do. 3 do. .	9,793	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 4 do. .	9,139	2	11·4	·	2	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·
Do. 5 do. .	6,250	2	16·7	·	2	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	2	·	·	1	·	3	1
Do. 6 do. .	11,581	3	31·5	·	7	1	·	1	2	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	·
Do. 7 do. .	16,056	8	13·0	·	4	·	·	·	1	1	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Total, . . .	76,673	25	17·7	·	26	4	·	3	5	5	9	·	·	·	·	·	·	·	·	·	1	1	·	1	5	·	·	1	·	11	2

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 20·2 per 1,000 and from certain epidemic diseases 1·6.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25TH December, 1920.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2
„ „ 1, West, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of)	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	4
„ „ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ „ 3, ...	.	.	.	.	.	3	1	.	.	.	.	.	.	1	.	.	.	5
„ „ „ 4, ...	.	.	.	.	.	.	3	.	.	.	.	.	.	2	.	.	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	1	1	.	.	.	5	8	.	1	.	.	.	.	3	.	.	1	20

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th December, 1920, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 25th December.			
	Dec. 4.	Dec. 11.	Dec. 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	21	17	2	4	.	15
Typhus, ...	17	11	5	1	1	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	.	1	.	.	.	1
Scarlet Fever, ...	54	55	61	12	11	.	62*
Diphtheria, ...	24	23	29	9	7	.	31
Pneumonia, ...	25	26	25	11	6	1	29

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

(S.4116) Wt. 7941/36 3. 380. 12. 1920. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

EIGHTEEN of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1.;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH.

No. 52. Vol. LVII.] WEEK ENDING SATURDAY, 1st JANUARY, 1921. [PRICE 1½*d.* NET.

General Register Office, Charlemont House,
Dublin, 3rd January, 1921.

NINETEEN TOWN DISTRICTS.

The Births and Deaths * registered in the Dublin Registration Area and in the eighteen principal provincial Urban Districts of Ireland, with the annual rates per 1,000 of the population represented thereby, which, for the purposes of these Returns, is estimated at 1,167,268, are given in Table II. The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were equal to the following annual rates per 1,000 of the population:—

Nineteen Town Districts, 24·5 and 19·0; Dublin Registration Area, 26·9 and 20·7; Dublin City, 27·4 and 21·9; Belfast, 21·0 and 17·3; Cork, 32·0 and 22·8; Londonderry, 24·9 and 18·1; Limerick, 16·2 and 17·6; and Waterford 39·9 and 23·3.

The deaths* from certain epidemic diseases † registered in the 19 town districts during last week were equal to an annual rate of 1·2 per 1,000. Among the 166 deaths from all causes for Belfast are 5 from typhus, 2 from scarlet fever, 2 from whooping-cough, 2 from diarrhœa and enteritis of children under 2 years, and 2 from influenza. Of the 47 deaths from all causes for Cork, 4 are from diphtheria, and one from influenza. One of the 21 deaths from all causes for Londonderry is from scarlet fever. Of the 12 deaths from all causes for Limerick one is from diphtheria; two of the 8 deaths from all causes for Lisburn are from diphtheria; and the 11 deaths from all causes for Sligo include one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 162—81 boys and 81 girls—and the deaths to 226—116 males and 110 females.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·9 per 1,000 of the population. During the fifty-two weeks ending with Saturday last, the death-rate averaged 18·1 and was 3·0 below the mean rate for the corresponding portions of the ten years, 1910-19. The rate for all deaths registered during the fifty-two weeks was 19·8 and for the corresponding period of the preceding ten years 22·4.

Included in the 214 deaths appertaining to the Area are one from enteric fever, one from whooping-cough, one from diphtheria, 2 from diarrhœa and enteritis of children under two years, 4 from influenza and one from encephalitis lethargica.

In the 3 preceding weeks, deaths from whooping-cough were 0, 4, and 0; deaths from diphtheria 0, one, and 0; deaths from diarrhœa and enteritis of children under two years 4, 7, and 6; and deaths from influenza 2, 5, and 0. No deaths from enteric fever were registered during the 3 preceding weeks.

There were 27 deaths from pneumonia, comprising 14 from broncho-pneumonia, 2 from lobar pneumonia, and 11 from pneumonia (type not distinguished).

Tuberculous disease caused 20 deaths (including 18 from pulmonary tuberculosis, one from tuberculous meningitis, and one from tuberculous osteomyelitis) as against 27, 13, and 16, in the three weeks preceding.

Fifteen deaths were caused by cancer, 16 by organic diseases of the heart, and 28 by bronchitis.

Three deaths from accidental violence were registered, one of which was caused by arsenical poisoning and one by scalds, and 5 deaths were attributed to homicide.

Among deaths of infants under one year old, one was due to whooping-cough, 2 to simple meningitis, 6 to convulsions, 4 to bronchitis, 3 to broncho-pneumonia, one to diarrhœa and enteritis, 7 to premature birth, and 2 to congenital debility.

Forty one of the deaths registered during the week appertaining to the Area were those of children under 5 years of age, 31 being infants under one year, of whom 13 were under one month old, and 64 deaths were those of persons aged 65 and upwards, of whom 50 were 70 years of age or over.

Of the 214 deaths recorded, 83 occurred in hospitals and other public institutions.

Details regarding deaths by diseases and ages in the Dublin Registration Area and its component parts will be found in Tables III. and IV.

* Exclusive of the deaths of persons admitted into public Institutions from without the respective Districts.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

ENGLAND AND SCOTLAND.

The mortality among civilians for the week ended 1st January, in 96 large English towns (including London in which the rate was 16·5) was equal to an average annual death rate of 16·6 per 1,000 of the estimated civil population.

The average death-rate for 16 principal towns of Scotland was 18·4 per 1,000 persons living, the rate for Glasgow being 17·6, and for Edinburgh 19·3.

Infectious Diseases in Edinburgh.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st January. From this Report it appears that of 78 cases notified, 30 were scarlet fever, 15 diphtheria, 12 acute primary pneumonia, 8 erysipelas, 8 pulmonary tuberculosis, 2 other forms of tuberculosis, one enteric fever, one puerperal fever and one ophthalmia neonatorum. Among the 644 cases of infectious diseases in hospital at the close of the week were 243 of scarlet fever, 187 of pulmonary tuberculosis, 6 other forms of tuberculosis, 122 of diphtheria, 29 of venereal disease, 19 of measles, 13 of erysipelas, 2 of acute influenzal pneumonia, 2 of whooping-cough, one of chicken-pox, one of puerperal fever, and one of enteric fever.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin, and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st January, 1921, and each of the preceding three weeks, as furnished by the respective Sanitary Authorities. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Enteric Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria (including Membranous Croup).	Erysipelas.	Rubella or Epidemic Rose Rash.	Puerperal Fever.	Diarrhœal Disease.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
City of Dublin	Dec. 11	1	1	.	.	.	—	4	—	2	.	—	.	—	3	.	.	6	.	.	.	17
	Dec. 18	.	1	.	.	.	—	4	—	8	1	—	.	—	1	.	.	3	.	.	8	26
	Dec. 25	1	1	.	.	.	—	5	—	8	1	—	.	—	.	.	.	3	.	.	1	20
	Jan. 1	2	.	1	.	.	—	7	—	13	6	—	.	—	.	.	.	7	.	.	6	42
Rathmines & Rathgar Urban District	Dec. 11	.	.	.	.	.	—	3	—	1	.	—	.	—	.	.	.	.	.	.	—	4
	Dec. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
	Jan. 1	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	1	.	.	—	2
Pembroke Urban District	Dec. 11	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
	Dec. 18	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	Dec. 25	.	.	.	.	.	.	2	.	.	.	.	.	—	.	.	.	.	.	.	.	2
	Jan. 1	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.
Blackrock Urban District	Dec. 11	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Dec. 18	.	.	.	.	.	.	1	—	.	.	—	.	—	.	.	.	.	.	.	.	1
	Dec. 25	.	.	.	.	.	.	.	—	.	.	—	.	—	.	.	.	.	.	.	.	.
	Jan. 1	.	.	.	.	.	.	.	—	1	.	—	.	—	.	.	.	.	.	.	.	1
Kingstown Urban District	Dec. 11	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Dec. 18	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	.	.	1
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	1	1
	Jan. 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	.	.	.
City of Belfast	Dec. 11	1	3	1	.	.	—	16	—	10	2	—	.	—	.	.	.	2	.	.	22	57
	Dec. 18	1	.	.	.	.	—	29	—	5	2	—	.	—	.	.	.	1	.	.	14	52
	Dec. 25	2	10	3	.	.	—	25	—	11	4	—	1	—	.	.	.	.	.	.	16	66
	Jan. 1	2	6	.	.	.	—	8	—	3	1	—	.	—	.	.	.	1	.	.	16	37
City of Cork	Dec. 11	.	.	.	.	.	.	.	—	11	1	—	.	.	.	.	.	.	—	.	—	12
	Dec. 18	.	.	.	.	.	.	2	—	19	.	—	.	.	.	.	.	.	—	.	—	21[a]
	Dec. 25	.	.	.	.	.	.	1	—	14	.	—	.	.	.	.	.	.	—	.	—	15[b]
	Jan. 1	1	.	.	.	.	.	1	—	9	.	—	.	.	.	.	.	.	—	.	—	11
City of Londonderry	Dec. 11	.	1	.	.	.	—	3	—	2	.	—	.	—	.	.	.	.	.	—	—	6
	Dec. 18	.	.	.	.	.	—	5	—	.	.	—	.	—	.	.	.	.	.	—	—	5
	Dec. 25	.	.	.	.	.	—	3	—	.	.	—	.	—	.	.	.	.	.	—	—	3
	Jan. 1	.	.	.	.	.	—	5	—	1	.	—	.	—	.	.	.	.	.	—	—	6
City of Limerick	Dec. 11	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	.	.	—	1[c]
	Dec. 18	.	.	.	.	.	—	.	—	6	.	—	.	—	.	.	.	.	.	.	—	6
	Dec. 25	.	.	.	.	.	—	.	—	3	.	—	.	—	.	.	.	.	.	.	—	3
	Jan. 1	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	.	.	—	.
City of Waterford	Dec. 11	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 18	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Dec. 25	.	.	.	.	.	—	.	—	.	.	—	.	—	.	.	.	.	—	—	.	.
	Jan. 1	.	.	.	.	.	—	.	—	1	.	—	.	—	.	.	.	.	—	—	.	1

(*a*) Not including 2 cases of varicella. (*b*) Not including one case of varicella. (*c*) One case of measles was also notified.

Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table IX. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st January, 1921, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that the cases admitted to hospital during the week and the cases under treatment at its close, respectively, were as follows:—Enteric fever 3 and 13; typhus nil and 3; measles one and one; scarlet fever 18 and 73,* and diphtheria 11 and 40. Eleven cases of pneumonia were admitted during the week and 32 remained under treatment at its close. Of the deaths in hospital during the week one was from each of enteric fever and diphtheria, and 3 were from pneumonia,

* See note (*) at foot of Table IX.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st January, 1921, in the DUBLIN REGISTRATION AREA, and in each of the under-mentioned 18 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths, with the Temperature and Rainfall for the week; also statistics regarding Births, Deaths, and Meteorology in London, Edinburgh, and Glasgow.

REGISTRATION—WEEK ENDING SATURDAY, 1ST JANUARY, 1921.

TOWNS AND DISTRICTS.	POPULATION. Total (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by DEATHS. BIRTHS.	DEATHS. From all Causes.	DEATHS. From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	METEOROLOGY. (c) WEEK ENDING 1ST JANUARY., 1921. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean Maximum (A).	Mean Minimum (B).	Mean of (A) and (B).	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 19 TOWN DISTRICTS ...	1,167,268	20·1	28·0	21·5	1·2	626	548	92	163	2	5	.	.	3	3	8	.	9	50	10	35	55	70	5	.	11	8	197	22	° .	° .	° .	° .	° .	.
DUBLIN REGISTRATION AREA	415,000	29·7	20·4	26·9	0·6	162	214	31	64	1	.	.	.	.	1	1	.	4	18	2	15	27	32	2	.	8	7	83	8	(d) 57·2	38·9	53·3	43·8	48·5	1·48
Urban Districts. CITY OF DUBLIN	318,200	39·0	21·5	27·4	6·7	131	167	21	49	1	.	.	.	.	.	1	.	3	14	2	11	20	25	2	.	6	5	71	6	(e) 56·1	42·3	52·7	45·6	49·2	1·25
																													(f) 58·0	39·0	53·4	44·8	49·1	1·33
RATHMINES and RATHGAR ...	49,490	23·6	14·2	16·8	.	11	13	4	3	.	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	2	2	2	.	.	.	.	.	.	.
PEMBROKE ...	30,200	19·2	24·2	36·3	.	14	21	4	7	.	.	.	.	.	.	.	.	1	1	.	1	3	3	.	.	.	.	4	1	.	.	.	.	.	.
BLACKROCK (g) ...	9,200	8·5	17·0	34·0	.	3	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	3	1	.	.	.	.	.	.
KINGSTOWN ...	17,000	11·6	9·2	21·5	3·1	3	7	1	3	.	.	.	.	.	1	.	.	.	1	.	2	.	1	.	.	.	.	3	.	55	42	53·6	45·4	49·5	1·26
BELFAST.	413,000	27·7	33·2	21·0	1·4	279	166	41	41	.	5	.	.	2	2	.	.	2	15	3	11	20	22	2	.	.	.	48	4	51·0	37·0	51·8	41·7	46·8	1·87
CORK	76,873	28·6	36·0	32·0	2·7	53	47	5	14	.	.	.	.	.	.	4	.	1	6	.	1	4	2	.	.	2	1	23	3	54	45	52·3	47·4	49·9	2·26
LONDONDERRY ...	44,000	17·1	36·7	24·9	1·3	31	21	2	6	.	.	.	.	1	.	.	.	.	2	1	1	.	4	.	.	.	.	1	1	.	.	.	.	.	.
LIMERICK (h) ...	38,518	16·1	9·5	16·2	1·4	7	12	1	4	.	.	.	.	.	.	1	.	.	.	.	1	.	4	.	.	.	.	6	1	.	.	.	.	.	.
WATERFORD	27,464	19·1	45·6	39·9	.	24	21	4	6	.	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	8	.	.	.	.	.	.	.
GALWAY	13,255	2·5				9	6	1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	5	2	.	.	.	.	.	.
DUNDALK ...	13,128	9·5				9	6	1	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
LURGAN	12,563	14·7				4	7	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.	53·6	33·3	50·4	41·0	45·7	1·55
DROGHEDA ...	12,501	8·4				5	5	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
LISBURN	12,388	10·9				8	8	.	5	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.	.	.	.	5	.	53	33	49·8	38·3	44	2·11
NEWRY	11,963	17·0				3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	53·6	33·3	50·4	41·0	45·7	1·55
PORTADOWN ...	11,727	15·3				4	6	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	1	53·6	33·3	50·4	41·0	45·7	1·55
WEXFORD ...	11,531	22·8				5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2	.	.	.	.	.	.	.
BALLYMENA ...	11,381	9·3				4	5	1	3	.	.	.	.	.	.	.	.	1	.	2	2	1	.	.	.	.	.	8	1	57	32	51	41	46	1·25
SLIGO	11,163	3·8				2	11	1	6	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.
KILKENNY ...	10,514	11·4				2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
TRALEE ...	10,300	17·4				7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
CLONMEL	10,209	7·8				8	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
LONDON	4,358,299	—	—	16·5	—	2,031	1,382	234	491	.	—	.	.	8	4	22	—	—	90	16	111	171	192	20	13	59	117	623	5	56	42	54·7	16·0	50·4	0·64
EDINBURGH ...	342,300	—	—	19·3	—	156	126	14	48	.	.	.	1	.	1	2	—	1	—	—	—	—	—	1	—	6	—	—	—	54·0	37·0	49·6	40·3	44·9	0·97
GLASGOW	1,115,500	—	—	17·6	—	538	375	79	99	.	.	2	.	1	12	3	—	1	—	—	—	—	—	5	—	17	—	—	—	52·6	39·9	48·1	42·1	45·1	1·67

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Dublin Registration Area and its component parts and the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1920, as also the population for each of Glasgow and Edinburgh. The estimate shown for London relates to the civil population in 1919. (b) See note (†) at foot of first page. (c) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Armagh have been adopted for Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork. (d) Observations at Ordnance Survey Office, Phœnix Park. (e) Observations by Sir John Moore, taken at Fitzwilliam Square. (f) Observations by Sir Frederick W. Moore, taken at the Botanic Gardens, Glasnevin. (g) See note (†) at foot of Table IV. (h) The return for Limerick No. 2 Registrar's district was not received in time for press.

TABLE III.—DUBLIN REGISTRATION AREA.—**Deaths** at Fourteen periods of Life from each **Cause** from each cause in the CORRESPONDING WEEK

CAUSES OF DEATH.	Average number of deaths in 52nd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 1st January, 1921.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
		All Ages.	Ages at Death.														
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.	
			Under 1 month.	1 month and under 1 year	1—2.	2—5.											
ALL CAUSES.	169·6	226	15	18	5	5	1	4	6	11	23	13	24	36	31	34	214
Enteric Fever	·2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	4·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Diphtheria	·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Croup	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	2·8	4	.	.	.	.	.	.	1	1	.	.	1	.	.	1	4
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																	
Pulmonary Tuberculosis	17·4	20	.	.	.	.	.	2	1	7	3	2	3	1	1	.	18
Tuberculous Meningitis	1·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Abdominal Tuberculosis	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Spinal Column.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs.	·2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Scrofula	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis.	1·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases	·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cancer	8·0	17	.	.	.	.	.	.	.	.	1	3	5	7	.	1	15
Tumour, situation undefined.	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia.	1·0	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Other General Diseases	1·2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Alcoholism	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis	1·4	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	3
Cerebral Hæmorrhage, Apoplexy.	5·2	10	.	.	.	.	.	.	.	.	1	.	1	3	2	3	9
Softening of Brain	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	4·2	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
Epilepsy	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Convulsions (non-puerperal).	3·6	6	2	4	.	.	.	.	.	.	.	.	.	.	.	.	6
Other Diseases of Nervous System.	3·6	4	.	1	.	.	.	.	1	.	.	1	.	1	.	.	3
Pericarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart.	14·8	16	.	.	.	.	.	1	.	.	1	.	2	4	3	5	16
Embolism and Thrombosis (including Cerebral).	·6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Other Diseases of Circulatory System.	1·0	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Diseases of the Larynx	·6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis	25·8	28	1	3	.	.	.	.	.	.	1	2	2	6	8	5	28
Broncho-pneumonia	8·8	14	.	3	3	2	.	.	1	.	1	.	1	1	1	1	14
Lobar pneumonia	1·0	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Pneumonia (type not distinguished).	6·6	11	1	.	.	.	.	.	.	1	2	1	2	2	2	.	11
Pleurisy	·6	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy.	·6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Other Diseases of Respiratory System.	2·0	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2

registered in the FIFTY-SECOND WEEK, ending Saturday, 1st January, 1921, with the average deaths of the Five Years, 1915-19.

CAUSES OF DEATH.	Average number of deaths in 52nd Week of the 5 years, 1915–1919.	Deaths registered during week ending Saturday, 1st January, 1921.																
		All Ages.	Ages at Death.															Deaths of Residents of Dublin Registration Area (included in the foregoing)
			0—5.				5—10.	10—15.	15—20.	20—25.	25—35.	35—45.	45—55.	55—65.	65—75.	75 and upwards.		
			Under 1 month	1 month and under 1 year	1—2.	2—5.												
Diseases of the Pharynx, Tonsillitis.	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Diseases of Stomach ..	·8	4	.	1	.	.	.	.	.	.	1	.	.	1	1	.		4
Diarrhœa and Enteritis of Children under 2 years.	3·0	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.		2
Diarrhœa 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Enteritis 2 years and upwards.	1·0	4	.	.	.	1	.	1	.	.	.	1	.	.	.	1		4
Appendicitis and Typhlitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Hernia and Intestinal Obstructions.	1·6	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.		3
Cirrhosis of Liver ..	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Liver	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Peritonitis (cause unknown).	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Other Diseases of Digestive System.	·4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		1
Acute Nephritis ..	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Chronic Bright's Disease	4·2	7	.	.	.	.	.	.	.	.	.	.	3	2	2	.		7
Urinary Calculi ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Uterine Tumour (non-cancerous).	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ovarian Tumour (non-cancerous).	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Diseases of Genito-urinary System.	1·0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Puerperal Septicæmia, &c.	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.		2
Other causes incident to Pregnancy and Childbirth.	·4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Diseases of Skin and Cellular Tissues.	1·4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.		1
Diseases of Locomotor System.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.		1
Congenital Malformations.	·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Premature Birth ..	2·6	8	7	1	.	.	.	.	.	.	.	.	.	.	.	.		7
Congenital Debility ..	3·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.		2
Old Age	7·4	17	.	.	.	.	.	.	.	.	.	.	.	.	3	14		17
Other Specified Diseases	1·4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		1
VIOLENCE.																		
Poisons or Poisonous Vapours.	·2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Conflagration	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Burns and Scalds ..	2·2	2	.	.	1	.	.	.	.	.	1	.	.	.	.	.		1
Drowning	1·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Suffocation in Bed ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Vehicles and Horses ..	·4	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		.
Ships, Boats, Docks ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Building Operations ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Gunshot Wounds, &c. ..	2·8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Other Violent Deaths ..		1	.	.	.	.	.	.	.	.	1	.	.	.	.	.		1
Not included in above—																		
Homicide	·2	6	1	.	.	.	.	.	1	1	3	.	.	.	.	.		5
Suicide	·2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.
Ill-defined, &c., Causes ..	2·8	4	.	.	.	.	.	.	1	.	1	.	1	.	1	.		4

TABLE IV.—Showing for the WEEK ENDED 1st JANUARY, 1921, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Estimated Population middle of 1920.	WEEK ENDED SATURDAY, 1st JANUARY, 1921. Annual Rate of Mortality per 1,000 Living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa, 2 years and upwards.	Violence.	Other Causes.	Inquest Cases.	In Institutions. In Hospitals, Prisons and Lunatic Asylums.	In Workhouse Hospitals.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)
North City.																																		
NORTH CITY, No. 1, E.	30,700	27·2	3·4	16	4	.	2	1	1	2	1	5	1	.	.	.	.	.	.	.	.	3	.	.	3	3	1	.	.	5	1	4	2	1
,, 1, W.	42,100	43·3	.	35	2	1	.	1	1	6	11	13	.	.	.	.	.	.	.	.	.	1	.	3	4	9	.	.	2	16	1	5	4	.
,, 2	28,200	20·3	1·8	11	1	1	.	.	2	1	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	.	5	.	4	2	.
,, 3	35,000	17·5	.	12	.	.	.	.	.	5	5	2	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	2	5	1	5	2	.
CLONTARF AND HOWTH, No. 1, part of	5,600	18·6	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.
COOLOCK AND DRUMCONDRA, part of ...	13,900	41·3	.	11	2	.	.	1	.	1	4	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	9	.	3	.	1
FINGLAS AND GLASNEVIN, part of ...	11,400	9·1	.	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
South City.																																		
SOUTH CITY, No. 1	44,100	28·4	.	24	3	1	.	.	4	1	10	5	.	.	.	.	.	.	.	.	.	1	1	2	4	5	.	.	1	10	1	4	6	2
,, 2	18,600	42·1	.	15	1	.	.	1	.	.	6	7	.	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	9	.	2	3	.
,, 3	44,400	27·0	.	23	4	1	.	1	1	2	8	6	.	.	.	.	.	.	.	.	.	3	.	2	2	3	.	.	.	13	.	9	4	.
,, 4	33,600	21·7	1·6	14	3	.	1	.	1	3	2	4	.	.	.	.	.	.	1	.	2	1	.	.	2	1	.	.	1	6	1	4	5	.
NEW KILMAINHAM	10,600	9·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.
Urban Districts.																																		
RATHMINES AND RATHGAR	40,400	16·8	.	13	4	.	.	.	.	3	3	3	.	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	2	5	2	2	.	.
PEMBROKE	30,200	36·3	.	21	4	1	1	.	1	3	4	7	.	.	.	.	.	.	.	.	1	1	.	1	3	3	.	.	.	12	.	4	.	1
BLACKROCK †	9,200	34·0	.	6	1	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	2	.	1	2	1
KINGSTOWN	17,000	21·5	3·1	7	1	.	.	.	.	1	2	3	.	.	.	.	.	1	.	.	.	1	.	2	.	1	.	.	.	2	.	1	2	.
TOTAL CITY, North	166,900	27·8	0·9	89	10	2	3	3	5	15	24	27	1	.	.	.	.	.	.	.	1	7	.	7	10	14	2	.	4	43	3	22	11	4
TOTAL CITY, South	151,300	26·9	0·3	78	11	2	1	2	7	7	26	22	.	.	.	.	.	.	1	.	2	7	2	4	10	11	.	.	2	39	2	20	18	2
TOTAL CITY, North and South ...	318,200	27·4	0·7	167	21	4	4	5	12	22	50	49	1	.	.	.	.	.	1	.	3	14	2	11	20	25	2	.	6	82	5	42	29	6
Total Urban Districts	96,800	25·3	0·5	47	10	1	1	.	2	8	10	15	.	.	.	.	.	1	.	.	1	4	.	4	7	7	.	.	2	21	2	8	4	2
Total Registration Area ...	415,000	26·9	0·6	214	31	5	5	5	14	30	60	64	1	.	.	.	.	1	1	.	4	18	2	15	27	32	2	.	8	103	7	50	33	8
Deaths relating to residents of localities situated outside the Registration Area (not included in above).				12	2	.	.	.	3	6	.	1	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	3	5	2	10	2	.

* See note (*) at foot of first page.

TABLE V.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st January, 1921; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.)	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1st JANUARY, 1921.																												
					AGES.							CAUSES OF DEATH.																		
		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza	Tuberculosis: Pulmonary.	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
	ALL PERSONS.	397,957	—	226	43	5	17	36	60	31	34	1	.	.	.	.	1	1	.	4	2	2	17	6	27	32	2	.	11	102	8
	CLASSES. DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	14·2	4	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS	101,798	27·7	54	5	1	6	8	16	7	11	.	.	.	.	.	.	.	.	.	7	.	7	1	3	6	.	.	2	28	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	108,420	26·5	55	12	1	4	8	16	11	3	.	.	.	.	.	.	.	.	.	3	1	4	3	9	7	.	.	3	25	1
IV.	GENERAL SERVICE CLASS	167,479	24·3	78	24	3	5	18	17	5	6	1	.	.	.	.	1	1	.	1	7	1	4	2	11	9	2	.	6	32	6
V.	INMATES OF WORKHOUSES, ...	5,602	—	35	2	.	2	2	10	8	11	.	.	.	.	.	.	.	.	1	3	.	2	.	4	10	.	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments	7,868	—	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described	5,443	—	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	—	7	1	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c. ..	25,199	—	13	.	.	.	2	6	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2	8	1
	6. Clerks and Commercial Assistants ..	33,249	—	13	1	.	3	1	4	3	1	.	.	.	.	.	.	.	.	.	3	.	3	.	2	2	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above	33,827	—	21	3	.	.	4	5	4	5	.	.	.	.	.	.	.	.	.	.	.	4	.	.	2	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers	11,777	—	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades ..	28,823	—	9	.	.	2	.	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	7	.
	10. Clothing Trades	20,026	—	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.	1	.
	11. Food Supply Trades	8,952	—	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades	32,070	—	33	9	1	2	5	9	4	3	.	.	.	.	.	.	.	.	.	1	.	2	2	8	4	.	.	3	13	1
	13. Petty Shopkeepers	6,772	—	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	—	15	4	1	.	5	2	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	3	2	1	.	2	5	2
	15. Domestic Servants	36,041	—	7	3	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c.	15,380	—	5	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c. ..	103,081	—	51	15	2	5	9	13	5	2	1	.	.	.	.	1	1	.	1	4	1	2	.	8	6	1	.	3	22	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates	5,602	—	35	2	.	2	2	10	8	11	.	.	.	.	.	.	.	.	1	3	.	2	.	4	10	.	.	.	15	.

TABLE VI.—**Dublin Registration Area and Belfast City**—Comparative Table of Results in each of the last thirteen weeks, with the average Births and Deaths in corresponding week of the previous ten years (*exclusive of Deaths in Institutions of persons admitted from without the respective areas*).

	Dublin Registration Area.													Belfast City.											
WEEK ENDING	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov 27	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	Jan. 1.
No. of weeks in Annual Series ..	40	41	42	43	44	45	46	47	48	49	50	51	52	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered	232	224	184	213	177	245	188	223	162	194	153	154	162	195	180	203	193	198	256	195	201	152	179	207	180	279
Average Births in corresponding week of previous 10 years	*201*	*196*	*194*	*185*	*188*	*197*	*200*	*183*	*191*	*178*	*201*	*168*	*137*	*194*	*202*	*200*	*179*	*183*	*189*	*171*	*179*	*182*	*178*	*179*	*173*	*150*
Number of Deaths	130	125	120	111	117	134	152	125	116	144	161	141	214	93	102	106	89	100	112	104	111	105	118	126	136	166
Annual Death-rate per 1,000 ..	16·3	15·7	15·1	13·9	14·7	16·8	19·1	15·7	14·6	18·1	20·2	17·7	26·9	11·7	12·9	13·4	11·2	12·6	14·1	13·1	14·0	13·3	14·9	15·9	17·2	21·0
Average Deaths in corresponding week of previous 10 years	*147*	*148*	*160*	*158*	*176*	*179*	*159*	*162*	*160*	*166*	*164*	*162*	*167*	*105*	*111*	*109*	*117*	*114*	*140*	*156*	*170*	*161*	*159*	*149*	*148*	*149*
Ages .. Under one year ..	41	32	23	29	19	28	36	25	24	21	28	22	31	17	23	18	22	19	24	22	28	22	23	20	29	41
1— 5 years ..	12	12	8	5	13	10	8	10	3	6	13	6	10	2	5	6	2	6	9	5	7	6	7	7	12	10
5—25 „ ..	13	2	9	13	15	17	16	7	13	18	14	10	19	11	9	16	8	16	15	11	11	16	17	13	10	7
25—45 „ ..	13	17	12	19	17	30	22	17	13	24	21	16	30	22	18	14	13	11	15	21	18	13	19	20	13	24
45—65 „ ..	25	29	40	18	29	19	34	30	27	34	38	32	60	26	26	20	26	29	28	19	23	23	24	29	36	43
65 and upwards ..	26	33	28	27	24	30	36	36	36	41	47	55	64	15	21	32	18	19	21	26	24	25	28	37	36	41
Deaths from :—																										
Enteric Fever	.	.	.	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.	1	.	.	.
Typhus	.	.	2	1	.	.	.	2	.	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	5
Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Scarlet Fever	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2	2	.	2	2	1	1	.	3	2	1	2
Whooping-cough	3	2	2	3	2	1	.	1	1	.	4	.	1	.	.	.	1	.	.	1	.	3	1	.	.	2
Diphtheria	4	2	1	1	2	2	1	1	3	.	1	.	1	.	.	4	.	2	3	.	2	2	3	1	2	.
Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza	.	1	1	.	.	1	.	1	1	2	5	.	4	.	.	1	.	.	1	.	1	2	1	1	1	2
Tuberculosis {Pulmonary ..	12	10	10	15	9	22	18	7	9	22	9	13	18	13	14	9	4	12	16	9	14	10	16	20	9	15
Tuberculosis {Other Forms ..	3	4	5	3	4	6	5	5	4	5	4	3	2	3	4	1	1	.	2	2	2	5	2	4	2	3
Cancer	5	12	6	5	6	6	5	11	7	6	5	5	15	4	12	4	7	4	1	7	8	8	10	6	9	11
Diseases of Respi- {Pneumonia ..	6	6	6	5	11	13	17	8	9	10	16	12	27	6	6	4	4	9	8	7	9	6	11	7	10	20
ratory System {Others ..	11	14	17	10	16	19	19	11	18	24	28	29	32	5	9	16	3	10	15	10	11	13	12	14	21	22
Diarrhœa & Enteritis, under 2 years	21	19	8	8	4	3	9	6	4	4	7	6	2	7	2	6	4	4	5	1	5	6	3	2	3	2
Diarrhœa, 2 years and upwards ..	.	.	.	.	1	.	.	.	.	.	1	.	.	2	2	1	1	.	1	.	1	1	.	1	.	.
Violent Deaths, ...	2	1	1	7	4	6	2	6	4	6	6	3	8	3	5	2	7	5	1	4	.	1	6	1	2	.
Number of Uncertified Deaths ..	6	1	4	4	4	5	5	3	3	8	5	2	8	.	1	2	2	.	3	3	2	1	1	2	5	4
A Mean Maximum Temperature in degs.	60·3	59·5	57·8	56·2	52·5	55·6	55·9	50·3	51·3	43·1	38·2	48·5	53·3	59·8	59·0	57·1	55·7	50·8	54·3	54·2	51·5	52·1	42·7	40·5	46·3	51·8
B Mean Minimum „ „	45·8	48·3	44·1	33·9	41·3	45·9	44·3	32·1	36·9	29·7	27·8	37·0	43·8	47·7	52·2	45·7	47·3	42·5	47·7	40·5	40·9	39·4	33·4	33·1	33·1	41·7
Mean of A and B „ „	53·0	53·9	50·9	45·1	46·9	50·8	50·1	41·2	44·1	36·4	33·0	42.7	48·5	53·7	55·6	51·4	51·5	46·7	51·0	47·3	46·2	45·7	38·1	36·8	39·7	46·8
Rainfall in inches	2·14	1·11	0·83	0·52	0·13	0·44	0·21	1·43	0·60	0·.8	0·39	0·48	1·48	2·63	0·75	0·91	0·01	2·90	0·26	0·28	0·22	2.14	1·13	0·38	0·81	1·87

TABLE VII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st January, 1921, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from: All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tubercolosis, Pulmonary.	Tubercolosis, Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
CITY OF BELFAST.																															
BELFAST URBAN No. 1 DISTRICT,	15,879	19	26·3	3·3	8	2	.	1	1	3	1	.	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.
Do. 2 do.	49,500	38	21·1	5·3	20	4	2	1	6	2	5	.	5	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	8	1
Do. 3 do.	50,032	38	28·1	.	27	9	.	2	3	9	4	.	.	.	.	.	.	.	.	2	3	1	4	6	2	.	.	.	.	6	1
Do. 4 do.	32,637	22	19·2	1·6	12	2	1	.	3	4	2	.	.	.	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.	4	.
Do. 5 do.	16,112	22	42·1	3·2	13	7	.	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	.	7	.
Do. 6 do.	37,293	18	16·8	.	12	1	.	.	2	3	6	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	2	.
Do. 7 do.	2,681	2	38·9	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 8 do.	5,964	2	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	17	8·5	.	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 10 do.	28,958	29	21·6	.	12	4	.	.	2	1	5	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	.	2	1
Do. 11 do.	—	17	—	—	15	4	1	.	3	3	4	.	.	.	.	.	1	.	.	.	1	.	.	3	1	.	.	.	.	4	.
Do. 12 do.	—	19	—	—	11	2	1	.	1	4	3	.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	4	.
Do. 13 do.	—	11	—	—	8	.	.	.	1	5	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	17	29·9	2·3	13	3	3	.	.	3	4	.	.	.	.	.	1	.	.	.	.	.	3	1	2	.	.	.	.	3	1
Do. 16 do.	—	8	—	—	8	1	1	2	1	3	.	.	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	2	.
Total,	386,947	279	21·0	1·4	166	41	10	7	24	43	41	.	5	.	.	2	2	.	.	2	15	3	11	20	22	2	.	.	.	48	4
CITY OF CORK																															
CORK URBAN No. 1 DISTRICT,	13,455	10	23·3	.	6	.	.	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	5	.
Do. 2 do.	10,399	6	15·0	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 3 do.	9,793	5	10·6	.	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.	9,139	5	39·9	5·7	7	.	1	1	1	2	2	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	1	1	1	1
Do. 5 do.	6,250	5	25·0	8·3	3	1	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	3	.
Do. 6 do.	11,581	10	45·0	.	10	3	.	.	5	.	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1	.	3	1
Do. 7 do.	16,056	12	22·7	3·2	7	.	1	1	2	1	2	.	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	.	.	1	.
Total,	76,673	53	32·6	2·7	47‡	5	3	5	9	11	14	.	.	.	.	.	.	4	.	1	6	.	1	4	2	.	.	2	1	23	3

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (†) at foot of first page.

‡ Including 9 deaths in Cork Workhouse, one being from diphtheria, not allocated to the districts whence admitted.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts, were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 21·8 per 1,000 and from certain epidemic diseases 1·0.

TABLE VIII.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st January, 1921.

DISTRICTS.	Enteric or Typhoid Fever.	Typhus.	Pyrexia—Continued Fever.	Relapsing Fever.	Small-pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Erysipelas.	Puerperal Fever.	Dysentery.	Malaria.	Trench Fever.	Acute Primary Pneumonia and Acute Influenzal Pneumonia.	Cerebro-spinal Fever.	Acute Poliomyelitis.	Tuberculosis.	Total.
North City No. 1, East, ..	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	3
„ „ 1, West, ..	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	3
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	1	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	6
Clontarf and Howth No. 1 (part of)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of)	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of)	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	1	1	.	1	.	.	.	.	4	.	.	1	8
„ „ „ 2, ...	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	2	5
„ „ „ 3, ...	1	.	.	.	.	1	.	.	3	.	.	.	.	2	.	.	.	7
„ „ „ 4, ...	.	.	.	.	.	.	2	.	1	..	.	.	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
Total, ...	2	.	1	.	.	7	13	.	6	.	.	.	.	7	.	.	6	42

TABLE IX.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st January,, 1921, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of Cases in Hospital at close of week ended			Week ended 1st January.			
	Dec. 11.	Dec. 18.	Dec. 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	17	15	3	4	1	13
Typhus, ...	11	5	5	.	2	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	.	1	1	1	1	.	1
Scarlet Fever, ...	55	61	62	18	7	.	73*
Diphtheria, ...	23	29	31	11	1	1	40
Pneumonia, ...	26	25	29	11	5	3	32

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

Printed under the authority of His Majesty's Stationery Office
By BROWNE AND NOLAN, LIMITED, 41 and 42 Nassau Street, Dublin.

[(S.4139) Wt. 7941/36 3. 380. 1. 1921. G. III. Sch. c. 7.]

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN EIGHTEEN OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or from
H. M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W. 1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23 FORTH STREET, EDINBURGH.

1921.

Price 1*d. Net.*

DUBLIN REGISTRATION AREA.—BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, there were registered during the thirteen weeks ended on Saturday, 1st January, 1921, 2,511 births—1,311 boys and 1,200 girls—being equal to an annual rate of 24·2 in every 1,000 of the population.

The number of births recorded for the city was 2,083, equivalent to an annual rate of 26·2 in every 1,000 of the population; and for the urban districts named above, 428, equal to an annual rate of 17·7 in every 1,000 of the population.

During the same period the births in London were equivalent to an annual rate of 22·9 per 1,000 of the population; in Glasgow the birth-rate was 26·5 per 1,000, and in Edinburgh 21·2 per 1,000.

DEATHS.—Omitting the deaths (197) referred to localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,790, were equivalent to an annual rate of 17·3 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 20·9. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,987—1,013 males and 974 females—affording an annual ratio of 19·2 in every 1,000 of the estimated population, as compared with 21·9 per 1,000 for the fourth quarter of the ten years, 1910–1919.

The number of deaths of inhabitants* of the North City districts registered last quarter was 730, representing an annual mortality of 17·5 in every 1,000 of the population; and the number in the South City districts was 715, equivalent to a rate of 18·9 per 1,000. For the urban districts the number of deaths registered was 345, being equal to an annual death-rate of 14·3 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The deaths among civilians in London during the same period were equivalent to an annual rate of mortality of 13·1 in every 1,000 of the civil population ; in Glasgow the death-rate was 15·0 per 1,000 of the total population, and in Edinburgh the annual rate was 13·5 per 1,000.

CAUSES OF DEATH IN DUBLIN REGISTRATION AREA.

The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 161, being equal to an annual rate of 1·55 per 1,000 of the population.

ENTERIC FEVER.—Five deaths from this cause were registered, as compared with 3 in the preceding quarter and an average of 11 in the fourth quarter of the five years, 1915–19. Of 74 cases under treatment in Dublin Hospitals 56 were discharged, 5 died, and 13 remained under treatment in hospitals at the close of the quarter.

TYPHUS.—There were 8 deaths from typhus registered, in comparison with 0, 3 and 0, respectively, in the three quarters preceding. Of the 8 deaths, 4 appertained to North City No. 1, West, district, 2 to South City No. 1, one to South City No. 3, and one was that of a non-resident of the Registration Area. Forty-three cases of the disease were admitted to hospitals during the quarter, 8, as already stated, died, 32 cases were discharged, and 3 remained under treatment at the end of the period.

MEASLES.—Only one death from measles was registered, the average for the corresponding quarter of the five years preceding being 25.

SCARLET FEVER.—To this cause 4 deaths were ascribed, the average for the fourth quarter of the preceding five years being 8. Of 204 cases under treatment in hospitals, 160 were admitted during the quarter, 127 were discharged, 4 died and 73† cases remained under treatment at the close of the quarter.

WHOOPING-COUGH.—There were 20 deaths from whooping-cough, as compared with an average of 14 for the fourth quarter of the five years, 1915–19. In the first, second and third quarters of the year 1920, the deaths from this cause numbered 60, 137 and 29, respectively.

DIPHTHERIA.—The deaths from this disease numbered 19, as against 16, 13 and 10 in the three quarters preceding, and an average of 14 for the fourth quarter. Of 137 cases under treatment in hospitals, 108 were admitted during the quarter, 79 were discharged, 18 died, and 40 remained under treatment at the close of the quarter. Of the 19 deaths, 6 belonged to North City districts, 9 to South City districts, one to Rathmines and Rathgar urban district, and 3 to Pembroke.

DIARRHŒAL DISEASES.—To this heading 104 deaths were referred, including 102 deaths of children under 2 years of age from diarrhœa and enteritis, or 23 above the average (79) for the corresponding quarter of the five years, 1915–19.

INFLUENZA—There were 17 deaths from this malady, as compared with 28, 50 and 8, respectively, in the three preceding quarters.

CEREBRO-SPINAL FEVER.—Only one death was registered.

TUBERCULOSIS.—The fatal cases of tuberculosis during the quarter numbered 249, representing an annual rate of 2·40 per 1,000 of the estimated population, and include 189 deaths from pulmonary tuberculosis, 24 from tuberculous meningitis, 13 from abdominal tuberculosis, and 23 from other forms of tuberculous disease. The 249 deaths are 39, or 13·5 per cent, under the average for the fourth quarter of the five years 1915–19.

Excluding the deaths of 22 persons from tuberculosis admitted to institutions from localities outside the Registration Area, the annual rate per 1,000 of the population was 2·19, that for the city being 2·44 per 1,000 (North City districts, 2·23 ; South City districts, 2·67) and for the remaining urban districts included in the Registration Area, the rate from tuberculous disease was 1·36 per 1,000.

CANCER.—To this cause 119 deaths were attributed, being equivalent to an annual rate of 1·15 per 1,000 of the population, as compared with 1·14, 1·21 and 1·21, respectively in the three preceding quarters.

PNEUMONIA.—There were 155 deaths from pneumonia, comprising 96 deaths from broncho-pneumonia, 12 from lobar pneumonia, and 47 from pneumonia (type not distinguished.)

These 155 deaths affording an annual rate of 1·49 per 1,000 of the population, are 73 under the average (228) for the corresponding quarter of the five years preceding.

BRONCHITIS.—Deaths from this cause numbered 222, being equal to an annual rate of 2·14 per 1,000, and are 24 under the five-yearly average (246) for the fourth quarter.

* See note (*) on page 520*d*.
† See note (*) at foot of Table I.

Diseases of the Brain and Nervous System.—To this group of diseases 216 deaths were referred, this latter number, which is 19 above the quinquennial average (197), affording an annual rate of 2·08 per 1,000 of the population.

The 216 deaths include 43 from convulsions, all being those of children under five years of age.

Diseases of the Circulatory System.—There were 201 deaths from these causes, representing 1·94 per 1,000 of the population, the average number of deaths for the fourth quarter of the five years preceding being 208.

Congenital Conditions.—Under this heading, 6 deaths were ascribed to congenital malformations, 77 to premature birth and 34 to congenital debility.

Violence.—Of 96 deaths by violence, as registered in the Dublin Registration Area during the quarter, 50 were ascribed to homicide, 2 to suicide and one to execution. Included in the remaining deaths by violence, 12 were stated to have been caused by burns or scalds (6 of the latter being those of children under five years of age), 9 by gunshot wounds, 6 by vehicles and horses, 3 by drowning, and one by poison (arsenic.)

Table I.—Showing the Number of Cases of the undermentioned Diseases treated in Dublin Hospitals during the Quarter (13 weeks) ended Saturday, 1st January, 1921.

Diseases.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	32	42	56	5	13
Typhus, ...	.	43	32	8	3
Small-pox, ...	.	.	.	.	.
Measles, ...	5	27	31	.	1
Scarlet Fever, ...	44	160	127	4	73*
Diphtheria, ...	29	108	79	18	40
Pneumonia, ...	17	104	76	13	32

* Exclusive of 8 patients in "Beneavin," the convalescent Home of Cork-street Fever Hospital.

In 58 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 58 cases, 23 (or 39·7 per cent). were deaths of children under 5 years of age. Of the deaths of 143 infants under one month old registered, there were 11 (or 7·7 per cent.) regarding which the cause was uncertified.

From Table III., page 520*f*, it will be seen that the annual rate represented by the mortality from the principal epidemic diseases † in the Dublin Registration Area was 1·5 per 1,000, that in the City it was 1·7, and in the urban districts 0·7, the rates for the several districts varying from 0·0 in two of the districts to 3·8 in North City No. 1 East, the 173 deaths from all causes for that district including one from enteric fever, 5 from whooping-cough, 2 from diphtheria, and 21 from diarrhœa and enteritis of children under two years of age.

Occupations.—In Table IV., page 520*g*, it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 20·7 per 1,000 of the persons in that class according to the Census of 1911; the rate for the "Middle Class" was 16·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·2; and in the "General Service Class" it was 19·6.

Ages.—Of the 1,987 persons whose deaths were registered in the Dublin Registration Area during the quarter, 503 were under five years of age, including 380 infants under one year of age, the latter representing a rate of 151 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 49·2 in every 1,000 children at that age (according to the Census of 1911), the deaths of persons between the ages of 5 and 15 representing an annual rate of 4·7 per 1,000 persons at that age period; those between the ages of 15 and 25 were equivalent to an annual rate of 5·6 per 1,000, the total number under 25 years being equal to an annual mortality of 14·6 per 1,000 of the population at that age period (according to the Census of 1911); for those between 25 and 45 the rate was 10·0; for those between 45 and 65 it was 31·4; among persons between 65 and 75 the rate was 65·2, and among those aged 75 and upwards the average annual death rate was 170·2 per 1,000. The deaths of 11 persons (2 males and 9 females) aged 90 years and upwards were registered.

Public Institutions.—Of the 1987 deaths recorded during the quarter, 832, or 41·9 per cent occurred in public institutions, viz., 570 in the various hospitals, prisons, and lunatic asylums; 253 in the Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

† See note * on page 520*d*.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park was 46·2°. At Greenwich it was 45·6° ; at Glasgow, 45·0° ; and at Edinburgh, 44·5°.

The rainfall at Dublin during the thirteen weeks measured 9·92 inches ; at Greenwich it was 3·54 inches ; at Glasgow, 9·54 inches ; and at Edinburgh, 4·78 inches.

NINETEEN PRINCIPAL TOWN DISTRICTS OF IRELAND.

As shown in Table II., the annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and eighteen of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 15·7 per 1,000 of the population, the respective rates for the several districts being as follows, ranging in order from the lowest to the highest :—Galway, 10·9 ; Tralee, 10·9 ; Wexford, 13·2 ; Lisburn, 13·6 ; Clonmel, 13·7 ; Drogheda, 13·8 ; Dundalk, 14·0 ; Portadown, 14·0 ; Belfast, 14·2 ; Sligo, 14·7 ; Londonderry, 15·0 ; Limerick, 15·0 ; Lurgan, 15·0 ; Ballymena, 15·1 ; Kilkenny, 16·0 ; Dublin Registration Area, 17·3 ; Cork, 17·6 ; Waterford, 17·8 ; and Newry, 20·7.

The annual rate represented by the deaths from the principal epidemic diseases* in the 19 districts is 1·4 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 2·7 in Cork, the 338 deaths from all causes for that district, including 12 from enteric fever, 2 from measles, 5 from scarlet fever, 31 from diphtheria, 2 from diarrhœa and enteritis of children under 2 years, and one from influenza. The 1 468 deaths from all causes for Belfast include 4 from enteric fever, 7 from typhus, one from measles, 18 from scarlet fever, 8 from whooping-cough, 19 from diphtheria, 60 from diarrhœal diseases, and 10 from influenza.

The following is a synopsis of the mortality from the principal epidemic diseases* in the **eighteen provincial urban districts** already named, and Tables II. and V. give in detail the results of the registration for the quarter :—

ENTERIC FEVER.—Of 20 deaths from enteric fever, 4 belonged to Belfast, 12 to Cork and one each to Dundalk, Newry, Ballymena, and Sligo.

TYPHUS.—Seven of the 8 deaths from typhus were those of Belfast residents and one appertained to Londonderry.

SMALL-POX.—No death from this cause was registered.

MEASLES.—Only 3 deaths occurred, 2 belonging to Cork and one to Belfast.

SCARLET FEVER.—Of 30 deaths from this cause, 18 appertained to Belfast, 5 to Cork, 4 to Londonderry, 2 to Wexford, and one to Lisburn.

WHOOPING-COUGH.—There were 12 deaths from whooping-cough, 8 of these having occurred in Belfast, 3 in Waterford and one in Wexford.

DIPHTHERIA.—The 67 deaths from diphtheria in the 18 principal towns include 31 for Cork, 19 for Belfast, 7 for Limerick, 4 for Londonderry, 3 for Lisburn, and one each for Galway, Wexford and Kilkenny.

DIARRHŒAL DISEASES.—Deaths of children under two years of age from diarrhœa and enteritis, included in this group of diseases number 87, and of these 50 appertained to Belfast, 16 to Londonderry 4 each to Waterford and Sligo, and 3 to Limerick.

INFLUENZA.—Of 15 deaths from influenza, 10 were recorded for Belfast.

PULMONARY TUBERCULOSIS.—The annual death-rate from pulmonary tuberculosis for the 19 towns in the aggregate was 1·56 per 1,000 of the estimated population ; for the Dublin Registration Area it was 1·68 per 1,000 ; for Belfast county borough 1·56 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast) it was 1·40.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

TABLE II.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 1st January, 1921,** in the Dublin Registration Area, and in each of the undermentioned Eighteen Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

TOWNS AND DISTRICTS.	POPULATION.		Annual Rate per 1,000 persons Represented by			REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 1st JANUARY, 1921.																						
						NUMBERS REGISTERED.																						
				DEATHS.		BIRTHS.	DEATHS.																					
										Caused by																		
	Total.*	Persons to an Acre.	BIRTHS	From all Causes.	From certain Epidemic Diseases.†	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis. Pulmonary.	Tuberculosis. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
TOTAL OF 19 TOWN DISTRICTS	1,167,268	20·4	24·4	15·7	1·4	7,120	4,571	849	1,216	23	15	–	4	33	32	86	–	31	454	139	266	299	526	188	14	132	127	1,510	165
DUBLIN REGISTRATION AREA :—																												
TOTAL	415,000	29·7	24·2	17·3	1·5	2,511	1,790*a*	359	483	3	7	–	1	3	20	19	–	16	174	53	94	146	248	101	2	56	48	653	58
CITY OF DUBLIN	318,200	39·0	26·2	18·2	1·7	2,083	1,445	306	355	3	7	–	1	2	19	15	–	7	148	46	71	123	213	89	2	47	39	547	54
Urban Districts. RATHMINES AND RATHGAR	40,400	23·6	15·1	12·2	0·4	153	123	18	47	–	–	–	–	1	–	1	–	4	10	1	7	7	15	2	–	6	7	36	–
Urban Districts. PEMBROKE	30,200	19·2	22·4	16·2	1·2	169	122	19	46	–	–	–	–	–	–	3	–	3	7	–	7	9	12	6	–	3	2	41	2
Urban Districts. BLACKROCK‡	9,200	8·5	17·8	15·7	0·4	41	36	5	8	–	–	–	–	–	–	–	–	–	6	3	3	4	1	1	–	–	–	15	1
Urban Districts. KINGSTOWN	17,000	11·6	15·3	15·1	0·9	65	64	11	27	–	–	–	–	–	1	–	–	2	3	3	6	3	7	3	–	–	–	14	1
Urban Districts. BELFAST	413,000	27·7	25·4	14·2	1·1	2,618	1,468	308	343	4	7	–	1	18	8	19	–	10	161	31	91	107	161	50	10	37	50	408	26
Urban Districts. CORK	76,673	28·6	22·7	17·6	2·7	435	338	31	89	12	–	–	2	5	–	31	–	1	33	4	15	9	26	2	–	12	8	151	20
Urban Districts. LONDONDERRY	44,000	17·1	25·4	15·0	2·3	279	165	35	35	–	1	–	–	4	–	4	–	–	20	11	4	4	18	16	–	7	7	29	4
Urban Districts. LIMERICK	38,518	16·1	25·0	15·0	1·1	241	144	23	34	–	–	–	–	–	–	7	–	1	12	3	8	9	31	3	1	1	–	60	19
Urban Districts. WATERFORD	27,464	19·1	21·7	17·8	1·0	149	122	15	39	–	–	–	–	–	3	–	–	–	14	9	10	4	8	4	–	3	2	49	2
Urban Districts. GALWAY	13,255	2·5	20·8	10·9	0·6	69	36	4	16	–	–	–	–	–	–	–	1	–	2	–	3	–	3	1	–	2	–	14	5
Urban Districts. DUNDALK	13,128	9·5	28·6	14·0	0·6	94	46	12	11	1	–	–	–	–	–	–	–	–	3	1	3	6	6	1	–	4	3	10	1
Urban Districts. LURGAN	12,553	14·7	23·9	15·0	–	75	47	6	13	–	–	–	–	–	–	–	–	–	7	5	4	3	3	–	–	2	3	18	–
Urban Districts. DROGHEDA	12,501	8·4	23·4	13·8	0·6	73	43	8	14	–	–	–	–	–	–	–	–	1	2	1	3	–	–	2	–	–	–	7	–
Urban Districts. LISBURN	12,388	10·9	23·6	13·6	1·3	73	42	7	11	–	–	–	–	1	–	3	–	1	2	2	4	–	3	–	–	–	1	14	–
Urban Districts. NEWRY	11,963	17·0	25·7	20·7	0·7	77	62	9	21	1	–	–	–	–	–	–	–	–	6	7	2	–	9	1	–	2	2	12	2
Urban Districts. PORTADOWN	11,727	15·3	28·6	14·0	–	84	41	5	20	–	–	–	–	–	–	–	–	–	3	–	4	3	1	–	–	1	1	10	2
Urban Districts. WEXFORD	11,531	22·8	24·3	13·2	1·4	70	38	8	15	–	–	–	–	2	1	1	–	–	2	1	3	1	1	–	–	1	1	10	8
Urban Districts. BALLYMENA	11,381	9·3	26·0	15·1	0·7	74	43	5	14	1	–	–	–	–	–	–	–	1	4	1	8	3	1	–	1	–	–	6	3
Urban Districts. SLIGO	11,163	3·8	16·5	14·7	1·8	46	41	6	16	1	–	–	–	–	–	–	–	–	3	3	4	2	1	4	–	–	–	16	3
Urban Districts. KILKENNY	10,514	11·4	17·1	16·0	0·8	45	42	3	18	–	–	–	–	–	–	1	–	–	1	2	5	2	4	1	–	–	–	22	5
Urban Districts. TRALEE	10,300	17·4	22·9	10·9	0·8	59	28	2	10	–	–	–	–	–	–	–	–	–	4	2	–	–	1	2	–	2	–	11	1
Urban Districts. CLONMEL	10,209	7·8	18·8	13·7	–	48	35	3	14	–	–	–	–	–	–	–	–	–	1	3	1	–	1	–	–	1	–	10	6

* According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1920.

‡ See note (†) at foot of Table III.

(*a*) Including one death from cerebro-spinal fever.

† See note (*) on page 520*d*.

TABLE III.—Showing for the **Quarter** (13 weeks) **ended 1st January, 1921,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases * ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

| REGISTRARS' DISTRICTS, &c. | ESTIMATED POPULATION TO MIDDLE OF 1920. | REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 1st JANUARY, 1921. DEATHS. Annual Rate of Mortality per 1,000 Living represented by Deaths. | | TOTAL DEATHS | AGES AT DEATH. | | | | | | | | DEATHS FROM | | | | | | | |

TABLE IV—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS OR SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 1st January, 1921 ;** the Annual Death Rate represented by the Deaths Registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the number of Uncertified Deaths.

Class	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 1st JANUARY, 1921.																												
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							CAUSES OF DEATH.																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	Tuberculosis: Pulmonary	Tuberculosis: Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	[Other causes.	Number of Uncertified Deaths.
	ALL PERSONS	397,957	–	1,987	503	83	113	312	463	275	238	5	8	–	1	4	20	19	–	17	189	60	119	43	155	256	102	2	96	891	58
	CLASSES. Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS	14,658	20·7	76	3	3	2	14	18	15	21	–	–	–	–	–	–	–	–	5	2	1	6	1	3	1	–	–	15	42	–
II.	MIDDLE CLASS	101,798	16·4	417	56	12	27	68	114	61	79	1	2	–	–	–	1	2	–	5	38	12	29	3	25	40	13	–	27	219	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	108,420	15·2	413	110	20	26	69	100	63	25	1	1	–	1	2	5	3	–	3	46	12	32	5	36	50	25	1	19	171	14
IV.	GENERAL SERVICE CLASS	167,479	19·6	819	317	42	47	126	158	71	58	3	5	–	–	2	13	14	–	3	70	25	37	34	80	97	62	1	35	338	34
V.	INMATES OF WORKHOUSES	5,602	–	262	17	6	11	35	73	65	55	–	–	–	–	–	1	–	–	1	33	10	15	–	11	68	2	–	–	121	–
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Professions : Naval and Military Officers and Heads of Public Departments ..	7,868	–	59	3	3	2	14	17	8	12	–	–	–	–	–	–	–	–	3	2	1	5	1	1	1	–	–	15	30	–
	2. Merchants and Manufacturers, Higher Class	1,347	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Persons of Rank and Property, not otherwise described	5,443	–	16	–	–	–	–	–	7	9	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	12	–
II.	MIDDLE CLASS																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	–	44	5	2	3	4	10	7	13	–	–	–	–	–	–	1	–	–	6	–	3	1	3	1	1	–	–	28	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	–	108	14	–	6	19	32	16	21	–	–	–	–	–	–	1	–	1	6	3	4	1	7	14	4	–	9	58	5
	6. Clerks and Commercial Assistants ..	33,249	–	113	21	4	11	19	34	17	7	1	2	–	–	–	1	–	–	1	19	4	9	1	11	10	8	–	3	43	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above	33,827	–	152	16	6	7	26	38	21	38	–	–	–	–	–	–	–	–	3	7	5	13	–	4	15	–	–	15	90	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers ..	11,777	–	42	15	3	2	7	8	6	1	–	–	–	–	–	–	–	–	–	2	4	4	1	5	3	4	–	1	18	1
	9. Building and Furnishing Trades ..	28,823	–	91	22	5	4	9	30	15	6	1	–	–	1	1	–	1	–	1	9	1	6	–	8	11	7	–	1	43	–
	10. Clothing Trades	20,026	–	46	9	1	5	7	8	12	4	–	–	–	–	–	2	–	–	–	11	3	2	–	2	10	1	1	–	14	2
	11. Food Supply Trades	8,952	–	21	10	–	1	7	2	–	1	–	–	–	–	–	1	–	–	–	2	1	3	1	5	–	1	–	–	7	1
	12. Other Trades and Callings ranking with Trades	32,070	–	183	43	11	12	36	44	24	13	–	1	–	–	1	2	2	–	2	19	3	15	2	15	22	10	–	14	75	8
	13. Petty Shopkeepers	6,772	–	30	11	–	2	3	8	6	–	–	–	–	–	–	–	–	–	–	3	–	2	1	1	4	2	–	3	14	2
IV.	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	–	113	43	6	5	28	18	4	9	–	1	–	–	1	2	4	–	–	11	4	4	5	15	8	7	–	8	43	6
	15. Domestic Servants	36,041	–	84	25	1	9	10	22	5	12	2	–	–	–	–	–	–	–	2	12	2	8	2	5	9	7	–	1	34	–
	16. Coach and Car Drivers, Vanmen, &c...	15,380	–	64	23	2	2	11	10	10	6	–	1	–	–	–	–	2	–	–	2	3	3	1	8	11	–	–	1	32	3
	17. Hawkers, Porters, Labourers, &c. ..	103,081	–	558	226	33	31	77	108	52	31	1	3	–	–	1	11	8	–	1	45	16	22	26	52	69	48	1	25	229	25
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates	5,602	–	262	17	6	11	35	73	65	55	–	–	–	–	–	1	–	–	1	33	10	15	–	11	68	2	–	–	121	–

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the Quarter (13 weeks) ended 1st January, 1921, Deaths in Public Institutions of Persons *admitted from without each City being omitted* and all other deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS.																														
			Annual Rate* of Mortality per 1,000 of the Population in 1911 represented by Deaths from		Total Number of DEATHS.	AGES AT DEATH.						DEATHS FROM																						
			All Causes.	Certain Epidemic Diseases†		Under 1 year.	1 year and under 5 years	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Influenza.	TUBERCULOSIS. Pulmonary.	TUBERCULOSIS. Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.				
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)			
CITY OF BELFAST.																																	
BELFAST URBAN No. 1 DISTRICT		15,879	136	17·4	1·0	69	17	3	5	8	25	11	–	–	–	–	1	–	–	–	1	4	2	4	5	6	3	–	6	9	19	2		
Do. 2 do.		49,500	312	16·0	1·7	198	37	9	22	36	41	53	–	7	–	1	1	–	5	–	2	19	6	7	11	25	7	–	3	3	46	6		
Do. 3 do.		30,032	352	14·4	1·1	180	41	9	21	27	46	36	1	–	–	–	–	2	7	–	3	18	2	15	15	23	4	–	6	5	46	5		
Do. 4 do.		32,637	217	15·9	1·2	130	29	8	11	28	27	27	–	–	–	–	2	2	–	–	–	16	1	8	7	11	5	1	–	1	55	2		
Do. 5 do.		16,112	130	17·6	1·2	71	25	5	7	12	8	14	–	–	–	–	2	–	–	–	–	10	–	3	6	4	3	–	–	3	33	–		
Do 6 do.		37,293	173	11·6	0·5	108	11	6	12	16	28	35	–	–	–	–	1	–	2	–	1	16	1	11	7	8	1	1	1	3	25	–		
Do. 7 do.		2,681	20	20·9	–	14	3	2	–	1	4	4	–	–	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–	3	–		
Do. 8 do.		5,964	33	8·0	–	12	–	–	2	1	6	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	1	4	1		
Do. 9 do.		24,427	156	15·7	1·3	96	15	5	7	17	26	26	–	–	–	–	2	–	1	–	–	13	2	5	6	20	5	–	1	–	17	3		
Do. 10 do.		28,958	217	16·0	1·1	116	23	4	15	12	25	37	–	–	–	–	–	–	1	–	–	12	4	2	9	16	3	4	7	9	23	2		
Do. 11 do.		–	243	–	–	124	25	7	13	23	27	29	1	–	–	–	2	1	–	–	1	22	2	4	9	11	3	2	2	4	35	2		
Do. 12 do.		–	186	–	–	86	19	6	15	12	21	13	–	–	–	–	3	1	–	–	–	5	3	6	7	7	4	–	6	5	36	1		
Do. 13 do.		–	117	–	–	75	14	2	9	8	22	20	2	–	–	–	3	–	–	–	2	9	–	8	6	5	3	1	–	–	21	–		
Do. 14 do.		175	3	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–		
Do. 15 do.		22,669	166	18·4	1·1	104	28	13	8	12	22	21	–	–	–	–	–	2	1	–	–	8	4	6	11	14	3	–	2	4	26	1		
Do. 16 do.		–	157	–	–	83	21	5	13	8	23	13	–	–	–	–	1	–	2	–	–	7	2	8	8	7	6	1	2	3	18	1		
Total, . . .		386,947	2,61	14·2	1·1	1,468	308	84	160	221	352	343	4	7	–	1	18	8	19	–	10	161	31	91	107	161	50	10	37	50	408	26		
CITY OF CORK.																																	
CORK URBAN No. 1 DISTRICT, .		13,455	53	14·3	2·1	48	3	2	9	8	9	17	2	–	–	2	1	–	1	–	–	7	–	–	2	5	1	–	–	1	23	3		
Do. 2 do.		10,399	65	16·2	2·7	42	3	3	9	6	12	9	4	–	–	–	2	–	–	–	–	3	1	3	1	7	1	–	–	–	14	3		
Do. 3 do.		9,793	54	13·5	2·5	33	1	4	8	6	6	8	2	–	–	–	1	–	3	–	–	3	2	–	1	3	–	–	–	–	16	–		
Do. 4 do.		9,139	61	18·4	2·2	42	5	5	2	10	10	10	2	–	–	–	–	–	3	–	–	5	–	1	1	4	–	–	2	3	18	1		
Do. 5 do.		6,250	33	18·6	3·2	29	4	2	3	4	8	8	–	–	–	–	–	–	5	–	–	3	–	1	1	–	–	–	4	3	17	2		
Do. 6 do.		11,581	60	17·6	–	51	6	–	6	11	15	13	–	–	–	–	–	–	–	–	1	5	–	4	2	3	–	–	3	–	17	4		
Do. 7 do.		16,056	109	23·2	5·5	93	9	13	14	15	18	24	2	–	–	–	1	–	19	–	–	7	1	6	1	4	–	–	3	1	46	7		
Total		76,673	435	17·6	2·7	338	31	29	51	60	78	89	12	–	–	2	5	–	31	–	1	33	4	15	9	26	2	–	12	8	151	20		

* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1920. † See note (*) on page 520*l*.

NOTE.—The boundaries of Belfast Urban, Nos. 11, 12, and 13 districts were altered as from 1st April, and a new district (No. 16) formed. The population of each of these districts is not available. The population (Census 1911) of the four districts is 100,620; death-rate from all causes 14·6 per 1,000 and from certain epidemic diseases 1·4.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
29*th January*, 1921.

WILLIAM J. THOMPSON,
Registrar-General.

Printed under the Authority of His Majesty's Stationery Office.